

REFERENCES



6. REFERENCES

- Abd El- Razik, M.; El-Mahy, S.A.; Barakat, A.A. and Naser, I.N.**
(2001): "Fate of ethoprophos and fenamiphos in soil and under different environmental conditions." Bull Fac. Agric. Cairo Univ. Part 1
- Argauer, R. J. and J. Feldmesser, (1978):** "Uptake of ethoprophos (Mocap®) by ten vegetables grown in soil treated for control of nematodes." J. Agr. Food Chem. 26:42-45.
- Boesten, J.J.T.I.; Pas, L.J.T.; Vander, Smelt, T.J.H.; Eijssackers, H.I.P. (1993):** "Field test of the PESTLA model for ethoprophos on a sandy soil." Selected proceedings of the first European conference on Integrated, research for soil and sediment protection and remediation Maastricht, 6- 12 Sept., 241- 245.
- Bewick, D. (1986):** "Ethoprophos 52 week oral (capsule administration) toxicity study in the beagle., (Hazleton Laboratories Europe Ltd.), Report # 4923-198/16, Rhone-Poulenc Agrochimie. DPR Vol. 262-054, # 048657.
- Camel, V.; Caude, M. and Tambute, A. (1995):** "Determination of organophosphates in soils." J. Chromatogr. Sci., 33: 123-132.



- Singh, R.H., Seepersad, G. and Rankine, L.B. (2006):** "The CARICOM, Regional Transformation Programme for Agriculture, Sweet Potato.", CARICOM Publication, USA.
- Cerna, V.; Dirlbek, J. and Berankova, J. (1978):** "Residue from application of some soil organophosphates." J. Agric. Food Chem., 26: 221-235.
- Clegg, B.S. (1987):** "Fusilade application in potato field." J. Agric. Food Chem., 35: 269-273.
- Cochran, R.C.; Morris, S.R.; Gee, J.F.; Meinders, D.D. and Frank, J.P. (1995):** "Ethoprophos risk characterization document." Medical Toxicology and Worker Health and Safety Branches, Department of Pesticide Regulation, California Environmental Protection Agency, October 31, 1995
- EEC "Community Directive" (1993):** Directive 93/58 EEC, Off. J. Eur. Commun., 1993, L 211/6.
- Copri, E., Sicbaldi, F.; Vagnotti, N. and Trevisan, M. (1998):** "Ethoprophos Residues in soil and in tomato after repeated application by drip irrigation." Fresenius Envir. Bull., 7: 11-12; 734-737.



- Davis, R.M. and Heald, C.M. (1983):** "Evaluation of nematocide for control of citriuc nematode in Texas grape fruit." J. Society. Bupl., 39: 92.
- Di Muccio, A.; Pelosi, P.; Camoni, I.; Barbini, D.A.; Dommarco, R.; Generali, T. and Ausili, A. (1996):** "Selective, solid-matrix dispersion extraction of organophosphate pesticide residues from milk." Journal of Chromatography A, 754: 497-506.
- Duncan, D.B. (1955):** "Multiple range test and multiple F tests." Biometrics, 11 (1): 1-42.
- Dwight, E.; Robinson, A. and Tara P. D. (1999):** "Fate and trans port of Ethoprophos in the jamaican environment .the science of the total environment." Vol, 237- 238. P. 373- 378.
- Edwards, D. (2008):** "Report of the Food Quality Protection Act (FQPA) Tolerance Reassessment Progress and Risk Management Decision (TRED) for Fluazifop-P-butyl." Office of prevention, pesticides and toxic substances, United States Environmental Protection Agency, Washington, D.C. 20460, USA.
- El-Metwally, I.M. and Sh. E.M. Shalby (2007):** "Bio-Remedaition of Fluazifop-P-Butyl Herbicide Contaminated Soil with Special Reference to Efficacy of Some Weed Control



Treatments in Faba Bean Plants." Research Journal of Agriculture and Biological Sciences, 3(3): 157-165.

El-Sheamy, M. Kh., Ahmed, Z.M. Farage, A. A., Abd El-Salam, N. I. and Khairy, I. (1987): "Degradation profile and residual toxicity of malathion during storage of Barley grains." J. Egypt. Food Sci., 31: 162-171.

EMRL (2008): "Established Maximum Residue Limit.", Establishment of Maximum Residue Limits (MRLs) for Pesticides, From the Food and Drugs Act to the Pest Control Products Act: Establishment of MRLs, Publications Pest Management Regulatory Agency Health Canada 2720 Riverside Drive A.L. 6605C, Ottawa, Ontario.

EPA "Environmental Protection Agency" (2004): "Fluazifop-P-butyl - CAS No. 79241-46-6, Tolerance Reassessment Decision (TRED); Notice of Availability." <http://www.epa.gov/fedrgstr/EPA-PEST/2005/October/Day-21/p20996.htm>

EPA "Environmental Protection Agency" (2005): "Overview of the Fluazifop-P-butyl Risk Assessments." January 5, 2005, <http://www.epa.gov/pesticides/registration/status.htm>.



- EPPO Standards (2008):** "Guidelines on good plant protection practice Potato." PP 2/2(2) English European and Mediterranean Plant Protection Organization 1, rue Le Nôtre, 75016 Paris, France.
- EXTOXNET (1996):** "Pesticide Information Profiles, Fluazifop-p-butyl." [www. EXTOXNET PIP - FLUAZIFOP-P-BUTYL.htm](http://www.EXTOXNET.PIP-FLUAZIFOP-P-BUTYL.htm)
- FAO (1993):** "Agriculture towards 2010", in: C 93/24 Document of 27th Session of the FAO Conference, Rome, Italy, 1993
- El-Shregy, F.A. (2008):** "Environmental effects of certain nematocide residue in vine orchards." Master in Agricultural Science, (Environmental Agricultural Science), Fac. Agricultural Science, Ain Shams University.
- Fuentes, E.; Maria E. B´aez and Labra, R. (2007):** "Parameters affecting microwave-assisted extraction of organophosphorus pesticides from agricultural soil." *Journal of Chromatography A*, 1169: 40–46
- Guyton, C. (1982):** "Ethoprophos residue data on grapes, pomace, juice and raisins (Spring/ Summer Field Program 1981 L-16) (Morse Laboratories, Inc.). DPR Vol. 262-022, # 18919.



- Guyton, C. (1985):** "Ethoprophos residue data for cole crops treated at 12.0 lb ai / acre, 1983 Field Program F-14." (Morse Laboratories, Inc.). DPR Vol. 262-047, #46001.
- Hassan, S.M.M. (1987):** "Faba bean growth, yield characteristics and accompanied weeds as influenced by plant population and pre-emergence herbicides application." Egypt J. Agron., 12(1-2): 47-56.
- Humburg, N.E. (1989):** "Herbicide Handbook of the Weed Science Society of America." 6th ed., p. 132, Champaign, IL: Weed Science Society of America.
- Hunt, T.W. (1979):** "Residue studies with alachlor, ethoprop and cyhexatin on several horticultural crops." Diss. Abstr. Int. 40 (4): 1437.
- Hunt, T.W.; R.B. Leidy, T. J. Sheets and H. E. Duncan, (1981):** "Residues of ethoprophos in eight vegetables." Bull. Environm. Contam. Toxicol. 27: 84-89. DPR Vol. 262-035 # 18208.
- ILO/WHO "Environmental Health Criteria 63" (1986):** "Organophosphorus insecticides: a general introduction." International Labour (ILO, Organization and World Health Organization (WHO), World Health Organization, Geneva, 1986.



REFERENCES

- Izquierdo, A.; Tena, M.T.; Luque de Castro, M.D. and Valcarcel, M. (1996):** "Organophosphorus in soils." *Chromatographia*, 42 : 206-212.
- Jackson, M.L. (1967):** "Soil Chemical Analysis." Prentice-Hall India Private Limited, New Delhi.
- Jat, R.L. and Gaur, B.L. (2000):** "Effect of weed control, fertilizer application and Rhizobium on nutrient uptake under maize + soybean intercropping system." *Indian J. of Agron.*, 45(1): 54-58.
- Jat, R.L.; Gupta, K.C.; Arvind, K. and kulhari, K.R. (2002):** "Influence of weed management, fertilizer levels and Rhizobium inoculation on nutrients uptake by maize and soybean under maize + soybean intercropping system." *Annals of Agri-Bio. Research*, 7(1): 9-12.
- Karpouzas, D.G; A. Walker; R. J. Froudulilliams and Drennan, D.S.H. (1999):** "Evidence for the enhanced biodegradation of Ethoprophos and Carbofuran in soils from Greece and the U.K." *Pesticide Science*, 55 (3) : 301-311.
- Kiigenagi, U.; L.R. Durand; M.A. Becerra and M.L. Deinzer (1990):** "Residues of the nematicide ethoprop in mint hay and oil." *J. Agric. Food Chem.*, 38 : 736 - 739.



- Kim, D.H.; Heo, G.S. and Lee, D.W. (1998):** "Determination of organophosphorus pesticides in wheat flour by supercritical fluid extraction and gas chromatography with nitrogen-phosphorus detection." *Journal of Chromatography A*, 824 (1): 63-70.
- Krause, M.; Loubser, J.T and De Beer, P.R (1986):** "Residues of aldicarb and fenamiphos in soil, leaves and fruit from a treated vineyard." *J. Agric. Food Chem.*, 34 : 717-720.
- Lawrence, J.F. (1977):** "Direct analysis of some carbamate pesticide in foods by high pressure liquid chromatography." *J. Agric. Food Chem.*, 25 (1): 211-212.
- Lehotay, S.J. and Ibrahim, M.A. (1995):** "Pesticides in potatoes and tomatoes." *J. AOAC*, 78: 445-452.
- Leidy, R.B. and Sheets, T.J. (1980):** "Residues of ethoprop and disulfoton in soils and flue-cured tobacco." *Res. Lab. North Carolina State Univ.*, 10 (2): 127- 133.
- Leistra, M. (1979):** "Computing the movement of ethoprophos in soil after application in spring." *Lab. Res. Insectic. Soil Sci.*, 128 (5): 303- 311.
- Luke, A. M., Jerry, E. F., Crecory, M. D., and Herbert, T. M. (1981):** "Improved multiresidue gas chromatographic



REFERENCES

- determination of organophosphorus, organonitrogen, and organohalogen pesticides in Produce, using flame photometric and electrolytic conductivity detectors." *Pest. Sci.*, 10: 83-86.
- Lyman, W.J. (1990):** "Handbook of Chemical Property Estimation Methods." Amer. Chem. Soc., Washington DC: pp. 4-9 .
- Menzer, R. E.; Iqbal, Z. M. and Boyd, G. R. (1971):** "Metabolism of O-ethyl S,S-dipropyl phosphorodithioate (Mocap®) in bean and corn plants." *Agr. and Food Chem.*, 19: 351-356.
- Narain, N.K.; Melchor, V.E. and Lewis, C.C. (1980):** "Residue analysis of ethoprop in some home garden vegetables." *Dep. of Chem. Virginia State Univ. USA*, 13 (1): 49- 55.
- Nasr, I.N. and Fatma, M. Ghallab. (2002):** "Persistence of some organophosphorus nematicides in soil under field condition." *The first Conf. of the Central Agric. Pesti.-Lab.* 3-5 Sep., pp. 8-14.
- Nasr, I.N.; Barakat, A.A.; El-Mahy, S.A. and El-Sayed, M.A.R. (2001):** "Fate of some pesticides under environmental conditions." *Ph.D. Thesis, Economic Entomology and Pesticides, Fac. of Agriculture, Cairo University.*



- Norris, F. A. (1990a):** "A terrestrial field soil dissipation study with ethoprophos in a California soil." DPR Vol. 262-092, #91972, and rebuttal vol. 262-096.
- Norris, F. A. (1990b):** "A terrestrial field soil dissipation study with ethoprophos in Washington and North Carolina." DPR Vol. 262-092, #91973, and rebuttal vol. 262-096.
- Norris, F.A.; Noling, J.W.; Jones, R.L.; Kirkland, S.D.; Overman, A.J. and Stanley, C.D. (1991):** "Field studies of ethoprop movement and degradation in two Florida soils." J. Contac. Hydrol. 8 (3- 4): 299- 316.
- Pesticide Education Center (2002):** "Summary Table of Animal Toxicology Data on Pesticides." from Cal-EPA (California Environmental Protection Agency) SB950 Reports, September 2002 (update), pec@igc.org www.pesticides.org
- Piper, C.S. (1947):** "Soil and plant analysis" Adelaid Univ. Press, Australia.
- Richards, I.A. (1954):** "Diagnosis and improvement of saline and alkali soils." U.S. Salinity Laboratory Staff, United States Department of Agriculture (USDA) Hand Book, No. 60, USA.



REFERENCES

- Rohde, W. A.; Asmussen, L. E.; Hauser, E. W. and Johnson, A. W. (1979):** "Concentrations of ethoprophos in the soil and runoff water of small agricultural watershed." USDA Science and Education Administration, Agricultural Research Results, ARR-S-2.
- SPSS 14 (2006):** "Statistical Package for Social Science, SPSS for windows Release 14.0.0, 12 June, 2006." Standard Version, Copyright SPSS Inc., 1989-2006, All Rights Reserved, Copyright © SPSS Inc.
- Swann, R.L. (1983):** "Fluazifop-butyl review." Res. Rev., 85: 23
- Tomlin, C.D.S. (ed) (1997):** "The Pesticide Manual." 11th Ed., Published by British Crop Protection Council, pp., 1200.
- Tomlin, C.D.S. (ed) (2004):** "The Pesticide Manual.", version 3.1, 2004-05, Thirteen Ed. Editor: C D S Tomlin, Published by British Crop Protection Council, U.K.
- US Maximum Residue Levels in Food Commodities (2004):**
"Tolerances and exemptions from tolerances for pesticide chemicals in food." [www.MRLsFluazifop_US Maximum Residue Levels in Food Commodities_Fluoride Action Network Pesticide Project.htm](http://www.MRLsFluazifop_USMaximumResidueLevelsInFoodCommodities_FluorideActionNetworkPesticideProject.htm)
- Weaver, D. J.; Marade, S. J.; Miller, N. and Monier, M. (1988):**
"Studies on the persistence and leaching in soil of



nematocides having use in flower bulb production in Humboldt and Del Norte Counties, California. I. Phorate and ethoprophos." Environmental Hazard Assessment Program EH 88-14, California Department of Food and Agriculture, Sacramento, CA, USA.

Weed, D.A.J.; Kanwar, R.S.; Stoltenberg, D.E. and Pfeiffer, R.L. (1995): "Dissipation and distribution of herbicides in the soil profile." J. Environ. Qual., 24: 68-79.

Zhang, S.; Wang, Li.; Chen, S.; Mo, T. Qian, X. Zhang, S.J. and Chen, S.X. (1998): "Degradation and residue of ethoprophos in rice and its environment." Acta Agriculture Boreali Science 13: (Supp 13): 113-116.

Zhao, E.; Han, L.; Jiang, S.; Wang, Q. and Zhou, Z. (2006): "Application of a single-drop micro-extraction for the analysis of organophosphorus pesticides in juice." Journal of Chromatography A, 1114: 269-273.