

CONTENTS

	<u>Page</u>
INTRODUCTION	1
REVIEW OF LITERATURE	4
MATERIALS AND METHODS	53
EXPERIMENTAL RESULTS	89
1. SURVEY	89
2.1. ISOLATION; PURIFICATION AND IDENTIFICATION OF THE CAUSAL ORGANISM	97
2. Frequency of <i>Fusarium oxysporum</i> f. sp. <i>cepae</i> and <i>Pyrenochaeta terrestris</i> isolated from onion pink rotted roots collected from 15 localities.	101
3. PATHOGENICITY TESTS	103
4. EVALUATION OF SOME ONION CULTIVARS FOR RESISTANCE AND/OR SUSCEPTIBILITY TO ONION PINK ROOT ROT DISEASE.	109
5. MORPHOLOGICAL AND PHYSIOLOGICAL STUDIES	112
(Variability of <i>Pyrenochaeta terrestris</i> isolates)	
1. Morphological and cultural characteristics:	112
A. Linear growth	112
B. Dry weight of mycelium	112
C. Colour of culture	112
D. Nature of growth	115
E. Pycnidial; pycnidio and conidio-spores for- mation	115
F. Pycnidial; pycnidio and conidio-spores shapes.	115
G. Pycnidial; pycnidio and conidio-spores mea- surements	124

	<u>Page</u>
2. Effect of different complicated carbon sources on linear growth; pycnidia; pycnidio and conidio-spore formation and weight growth of different isolates of <i>Pyrenochaeta terrestris</i>	124
A. On linear growth; pycnidia; pycnidio and conidio-spores formation	124
B. On the weight growth	128
3. Some factors affecting; morphological (linear growth; number of pycnidia; pycnidio and conidio-spores) and cultural characteristics of the most virulent isolate of <i>Pyrenochaeta terrestris</i> (Isolate No. 3) :	128
A. Effect of different nutrient media.....	128
B. Effect of different carbon; nitrogen sources and C/N ratios :	133
a- Carbon sources	133
b- Nitrogen sources	136
c- C/N ratios	140
C. Effect of different temperature degrees and pH-values:	140
a- Temperature	140
b- pH- values	145
6. ENZYMOLOGY STUDIES :	148
1. Production of pectinolytic; cellulolytic and oxidative enzymes by <i>Pyrenochaeta terrestris</i> isolates in relation to onion pink root rot infection:	148
A- <i>In vivo</i>	148
B- <i>In vitro</i>	154

	<u>Page</u>
2. Enzyme activities in relation to resistance and/or susceptibility of some onion cultivars to pink root rot disease	158
3. Effect of different fungicides on the enzyme activities of Giza-20 onion cultivar.....	169
7. BIOASSAY OF MYCOTOXIN PRODUCED BY <i>Pyrenochaeta terrestris</i>	172
8. CONTROL STUDIES:	176
A. CHEMICAL CONTROL :	176
Effect of some different systemic fungicides..	176
1. On fungal growth (<i>In vitro</i>):	176
2. On pink root rot disease control (<i>In vivo</i>).	186
A. Under greenhouse conditions	186
B. Under field conditions	189
B. EFFECT OF DIFFERENT LEVELS OF 'NPK' FERTILIZERS ON THE DISEASE INCIDENCE	189
1. Under greenhouse conditions	189
2. Under field conditions	192
C. EFFECT OF TIMES OF PLANTING AND ONION CULTIVARS ON THE DISEASE INCIDENCE	194
9. CHEMICAL ANALYSIS OF EVALUATED ONION CULTIVARS IN RELATION TO PINK ROOT ROT DISEASE	197
1. Determination of individual free amino acids..	197
2. Determination of phenolic compounds	211
3. Quantitative analysis of sugars	215
DISCUSSION	218
ENGLISH SUMMARY	255
REFERENCES	271
ARABIC SUMMARY	