

6. REFERENCES

- Abd-El-Fatah, G.H. (1995):** Physiological studies on hybrid tea rosa. M.Sc. Thesis, Fac. of Agric. Moshtohor .Banha Univ.
- Abd-El-Maksoud, B. (1992):** effect of Gamma rays on *Solanum pseudocapsicum* L. I – The M-generation. Alex J. Agric. Res., 37:227-247.
- Abd-El-Wahab, A.T. (2000):** Effect of radiation and chemical fertilization on the productivity of coriander (*Coriandrum sativum* L.) plants. M.Sc. Thesis, Fac. Agric., Cairo Univ.
- Abdrakhmanov, O.K. (1987):** Effect of gamma rays and growth substances on the growth, development and productivity of liquorice.Reproduktsiya-i-Zashchita-Introdutsentov-na-Yugo- Vostoke-Kazakhstana. 1987, 37-46.
- Abo-El-Seoud, M.A. (1987).** Chemical changes in plant as affected by water stress. Ph.D. Thesis, Fac. of Agric., Menoufia Univ.
- Abou-Taleb, N.S. (1989):** Photohormonal studies on asrer plants. Ph.D. Thesis, Fac. Agric. Ain Shams Univ.
- Afifi, M.M. (1996):** Physiological response of *Chrysanthemum morifolium* plants to streptomycin and indole acetic acid. Menofya Journal of Agric. Res., 21 (6): 1451 – 1468.

- Ahmed, S.K. (1983):** Effect of some growth regulators on growth of *Adonis Aautumnalis* and its active ingredients. M.Sc. Thesis, Fac. of Agric. Minia Univ. Egypt.
- Ajay, M.B.K. (2001):** Effects of phytohormones on seed shattering in isabgol *Plantago ovata* .Journal-of-Medicinal-and-Aromatic-Plant-Sciences. 2001; 23(4): 658-659.
- Akgul, A. (1986):** The chemical constituents of the essential oils of fennel (*Foeniculum vulgare* Mill.) grown in Turkey . Doga,-Tarm-ve-Ormanclk. 1986; 10(3): 301-307.
- Al- Gaby, A.M.A. (1988) :** Biochemical studies on some plants fixed and essential oils. Ph.D. Thesis, Fac. Agric. Zagazig Univ.
- Allen, J.C. and Hamilton, J.R.J. (1983) :** Rancidity in Foods. Applied Sci. Publishers, 85; 173.
- Almulla, A. M.(1989) :** Physiological studies on some green house plants . Ph.D. Thesis, Fac. of Agric., Ain Shams Univ.
- A.O.A.C. (1990).** Association of Official methods of analysis of the association of official analytical chemists. 15th Ed. Washington, D.C., U.S.A.
- Arafa, A.S. (1992).** Studies on propagation of some oramental and woody plants by tissue culture. Ph.D. Thesis, Fac. of Agric., Cairo Univ.
- Ashraf , M.M.K.(1999) :** Physiological studies on the effect of saline water irrigation and some growth regulators on

Nigella sativa plants. Ph.D. Thesis Fac. of Agric.
Zagazig Univ. Egypt.

- Awad, A.E. ; Mostafa, B.M. ; Owais , HH.M. and Abdel-Hamid, M. (1981) :** Effect of different concentrations of Kinetin, gibberellin and ethephon as well as gamma irradiation doses on growth and flowering of gladiolus. Res. Bull., Fac. Agric ., Zagazig Univ., 241-246.
- Awad, M.K.; Shair, M.H.; and Ahmed, A.S. (1994).** The growth and chemical composition of *Dcium basilicum* L. plants as affected by gamma-radiation. Zagazig J. of Agric. Res., 18 (6): 2111-2121.
- Badawy, E.M.; Sakr, S.S. ; El-Sharnouby, M.E. ; Szoke, E.; Mathe,I.; Blunden,G. and Kery, A. (2003) :** Production and composition of lavender plants through tissue culture as affected with gamma irradiation treatments. Proceedings of the international conference on medicinal and aromatic plants, Budapest, Hungary, 8-11 July, 2001. Part II. Acta-Horticulturae. 2003, No.597, 325-328.
- Badei,A.Z.M.; Morsi,H.H.H. and El-Akel,A.T.M. (1991) :** Chemical composition and antioxidant properties of cardamom essential oil.Bulletin of Faculty of Agriculture, University of Cairo.
- Badr, F.M.and Gehan, El-Shourbagy (2000) :** Antioxidant activity of miswak twigs extracts as added to cotton seed oil. Zagazig J. Agric. Res. 27 (3) : 667 – 680.

- Bailer,J.; Aichinger,T.; Hackl,G.; Hueber,K-de; Dachler,M. and de-Hueber-K (2001):** Essential oil content and composition in commercially available dill cultivars in comparison to caraway. *Industrial-Crops-and-Products*. 2001, 14: 3, 229-239.
- Balbaa, L.K. (2002) :** Physiological effect of ascorbic acid and kinetin on growth and chemical constituents of *Tagetes minuta* L. plant. *Egypt Jou. Appl. Sci.*, 17 (7): 185 – 193.
- Barai, B.K. ; and Sarkar, P.K. (1999) :** Effect of growth regulator on the yield improvement in chilli. *Environ. & Ecol.* 17(3) : 539-542. (Hort. Abst., 70 : 1439).
- Barazani, O. ; Cohen ,Y. ; Fait ,A. ; Diminshtein ,S. ; Dudai ,N. ; Ravid, U. ; Putievsky, E. and Friedman, J. (2002) :** Chemotypic differentiation in indigenous populations of *Foeniculum vulgare* var. *vulgare* in Israel. *Biochemical Systematics and Ecology* 30 (2002) 721–731.
- Barua, A.; Sarma, P.C. ; Barua, R.N. and Singh, R.S. (1997):** Role of phytohormones on berry yield and solasodine content of *Olunum khasianum*. *Fitoterapia*, 68 : 6, 495 – 497 ; 10.
- Battistutta,F. ; Candido,E. ; Ciola,L. ; Giomo, A. ; Comi,G. ; Conte,L.S. and Zironi,R. (1996):** Evaluation of antioxidative and antimicrobial activity of essential oils of *Salvia officinalis* and *Thymus vulgaris*. *Atti convegno internazionale: Coltivazione e miglioramento di piante*

officinali, Trento, Italy, 2-3 giugno 1994. 1996, 481-486.

Beddows, C.G.; Jagait, C. and Kelly, M.J. (2000): Preservation of alpha-tocopherol in sunflower oil by herbs and spices. *Int. J. Food Sci. Nutr.* 2000 Sep.; 51(5):327-39.

Bellomaria, B.; Valentini, G. and Arnold, N. (1999): The essential oil of *Foeniculum vulgare* Mill. ssp. *vulgare*. *Rivista-Italiana-EPPOS*. 1999, No. 27, 43-48.

Bernath, J.; Kattaa, A.; Nemeth, E. and Franke, R. (1996): Production-biological investigation of fennel (*Foeniculum vulgare*) populations of different genotype. *Atti del convegno internazionale: Coltivazione e miglioramento di piante officinali, Trento, Italy, 2-3 giugno 1994.* 1996, 287-292.

Bhuj, B.B. ; Chaturvedi, O.P. and Diwedi, S.K. (1998) : Effect of GA₃ and IAA on the vegetative growth , flowering and rhizome production in *Belamcanda chinensis* (L) DC. *Annals Agric. Res.*, 19(3): 356-358 (*Hort. Abst.*, 69 : 2353).

Bidwell, S.G.R. (1978): "Plant physiology". Mc Millan Publishing Co., INC. New York, pp 247-271.

Bilia, A.R.; Fumarola, M.; Gallori, S.; Mazzi, G. and Vincieri, F.F.(2000): Identification by HPLC-DAD and HPLC-MS analyses and quantification of constituents of fennel teas and decoctions. *J. Agric Food Chem.* 2000 Oct;48(10):4734-8.

- Bilia, A.R.; Flaminib, G.; Tagliolia,V. ; Morellib, I.; and Vincieria, F.F. (2002) :** GC-MS analysis of essential oil of some commercial fennel teas. Food Chemistry 76 (2002) 307-310.
- Biochemistry (1993):** Twenty third editions, Appleton& Lange a publishing Division of prentice Hall. Section 11. p. 107.
- Bisher, G.A.; Makarim, A.M. and Hemaia, M.M. (1988):** effect of spraying with growth regulators on growth and active ingredients of fenugreek plant. 2-Effect of kinetin. Zagazig Jour. Agric. Res. No. 15 (1) 1988.
- Blein, J.P.; Cherade, X.D.; Bergon, M.; Calmon, J. P. and Scalla, R. (1986):** Inhibition of adenosine triphosphate activity from a plasma membrane fraction of acer pseudo-platanus cells by 2, 2,2 - trichloroethyl 3, 4 - dichloro-carbonilate. Plant Physiology. 80: 782-785.
- Bowes, K. and Zheljazkov, M.V.D. (2004):** Essential oil yields and quality of fennel grown in Nova Scotia . Hort. Science-. 2004; 39(7): 1640-1643.
- British Pharmacopeia (1963).** Determination of volatile oils in drugs. The pharmaceutical press, London.
- Cavaleiro, C.M.F. ; Roque, O.L. and Proenca,da-Cunha,A. (1993):** Contribution for the characterization of Portuguese fennel chemotypes. Journal-of-Essential-Oil-Research. 1993; 5(2): 223-225.
- Chen, Z.; Huang, J. and Cai, K. (1997):** Influence of L-tryptophan applied to soil on yield and nutrient uptake

of cabbage. Acta Pedologica Sinica, 34 (2) : 200 – 205.
(C.F. Hort. Abst. 1998, No. 7, 6670).

Chowdhury, A.R. (2000): GC-MS studies on essential oil from *Carum carvi* L. Spices-and-aromatic-plants: - challenges-and- opportunities -in-the-new-century. - Contributory-papers. - Centennial-conference-on-spices-and-aromatic-plants,-Calicut,- Kerala,-India,-20-23-September,- 2000, 305-306.

Coelho, J.A.P. ; Pereira, A.P. ; Mendes, R.L. and Palavra, A.M.F.(2003) : Supercritical carbon dioxide extraction of *Foeniculum vulgare* volatile oil .Flavour-and-Fragrance-Journal. 2003; 18(4): 316-319.

Csizinszky, A.A.; Satnley, C.D. and Clark, G.A. (1991): Foliar and soil applied biostimulant studies with microirrigated pepper and tomato. Proceedings of the Florida State Hort. Society (1991) 103-113 USA.Hort.Abst. Vol. 63(11) No. 8410, P. 1072, 1993.

Dadalioglu, I. and Evrendilek, G.A. (2004): Chemical compositions and antibacterial effects of essential oils of Turkish oregano (*Origanum minutiflorum*), bay laurel (*Laurus nobilis*), Spanish lavender (*Lavandula stoechas* L.), and fennel (*Foeniculum vulgare*) on common foodborne pathogens. J. of Agric Food Chem. 2004 Dec 29;52(26):8255-60.

Damianova, S.; Stoyanova, A.; Konakchiev, A.; Djurdjev, I. (2004): Supercritical carbon dioxide extracts of spices.
2. Fennel (*Foeniculum vulgare* Mill. var. dulce Mill) .

Journal-of-Essential-Oil-Bearing-Plants. 2004; 7(3):
247-249.

- Das, A.B. ; Ranajit, M. and Mallick, R. (1989) :** Seed protein patterns in radiation induced mutant analysis of *Coriandrum sativum* and *Foeniculum vulgare*. Nucleus. Culcutta, 32 : 3 , 152- 156.
- Davis, D.D. (1982):** Physiological aspects of protein turn over. Plant Physiol. New series, 14 A (Nucleic acids protein structure, biochemistry and physiology of proteins). pp. 190 228 Ed. Boulter, D. and Partier. B. Springer – Verlag, Berlin, Heidelberg & New York.
- Dessouky, M.M. (1995):** Physiological study on growth and active constituent on *Aloe vera* plants. Ph.D. Thesis, Fac. Agric., Zagazig Univ.
- Devlin, R.M. (1969):** Plant physiology van, Nostrand Reinhold Co., New York.
- Diaz, M. M.C.; Diaz, M. H. I.J.; Sanchez, P. E. and Perez, C. M.S. (2005):** Volatile components and key odorants of fennel (*Foeniculum vulgare* Mill.) and thyme (*Thymus vulgaris* L.) oil extracts obtained by simultaneous distillation-extraction and supercritical fluid extraction. Jour. of Agric. Food Chem. 2005 Jun 29; 53(13):5385-9.
- Dragland,S. and Aslaksen,T.H. (1996) :** Trial cultivation of caraway (*Carum carvi* L.). Effects of sowing date and seed rate on plots throughout Norway. Norsk-Landbruksforskning. 1996, 10: 3-4, 159-165.

- Dubois, M.; Gilles, K.A.; Hamilton, J.; Rebers, R. and Smith, F. (1956):** Colorimetric method for determination of sugar and related substances. *Analytical Chemistry*, 28: 350.
- El- Abbasy, M.Z. (2001):** Addition of some essential oils to samn as a natural antioxidants. *Zagazig J. Agric. Res.* 28 (1) :199 –209.
- El-Asdoudi , A.H. (1993) :** Kinetin and morphactin effects on flowering, fruiting and fruit quality of pepper. *Annals of Agric. Sci.* 38 (2): 653 – 659. (C.F. Hort. Abst. 65 (7) No. 5988, p. 62, 1995).
- El-Esawy , M.M.A (1995) :**Effect of radiation and gibberellic acid on the growth and flowering of gladiolus corms. Ph.D. Thesis , Hort. Dept. , Fac . of Agric ., Ain Shams Univ.
- El-Geddawy , M.A.H. and Rashwan, M.R.A. (1993) :** Effect of gamma irradiation on flavor components of three Egyptian spices . *Assuit J. Agric. Sci.*, 24 : 4, 113-124.
- El-Hanafy, S.H.M. (1994):** Physiological Studies on Iris. Ph. D. Thesis, Fac. of Agric., Cairo Univ.
- Elizabeth, M. (2002) :** Evaluation of Capsicum as a Source of Natural Antioxidant in Preventing Rancidity in sunflower Oil . *The Journal of Food Technology in Africa*, Vol. 7, Apr-Jun, 2002 pp. 68-72
- El-Keltawi, N.E. and Croteau, R. (1987):** Influence of foliar applied cytokinins on growth and essential oil content of

several members of the Lamiaceae. *Phytochemistry*, 26 : 891.

- El-Khawas, K.H.A. (1995):** Influence of certain radiation on the chemical composition of some spices. Ph.D. Thesis, Fac. of Agric., Cairo Univ.
- El-Kholy, S.A. (1987):** Effect of pre-sowing gamma irradiation on growth and alkaloid content of *Hyoscyamus muticus* L. *Minufiya J. Agric. Res.* , (8): 344-363 .
- El-Khayat, A.S.M. (1987) :** Physiological studies on marigold plants (*Tagetes spp.*) M.Sc. Thesis, Zagazig Univ. Moshtohor.
- El-Mogy, E.A.M. (1993):** Effect of some agricultural treatments on growth and active ingredients of lupinus (*Lupinus termis* L.) . M.Sc. Thesis. Fac. of Agric., Zagazig Univ.
- El-Sawi, S.A. (2003):** Bioactive components from some Egyptian wild plants .*Bulletin-of-the-National-Research-Centre-Cairo*. 2003; 28(2): 139-150.
- El-Shaer, M.Sk. (1992):** Effect of gamma-irradiation and some growth regulators on growth and oil yield in sweet basil under salinic condition. M.Sc. Thesis, Fac. of Agric., Zagazig Univ.
- EL- Shafie, S.A.; Mohamed, F.A. ; EL-Kholy , S.A. and Abd El- Baky, M.M. (1987):**Physiological response of carnation plant to gamma rays. 12 th Int. Conf. for Statist., Comp. Sci., Social and Demo. Res., Cairo, 1987. PP. 45- 56.

- El-Shebawy, K. (1984):** Biochemical changes in protein of some foodstuff by ionizing radiation. M.Sc. Thesis, Fac. of Agric., Ain Shams Univ.
- EL-Sherbeny, M.R.M. (1987):** Physiological study on *Ocimum basilicum* L. plant. M.Sc. Thesis . Fac. of Agric. Zagazig Univ. Egypt.
- EL-Sherbeny , S. E. ; Naguib , Y. N. and Hussein , M.S. (1997) :** Effect of gamma irradiation and sluphr fertilization on growth and chemical composition of *Hibiscus sabdariffa* L. Egyptian J. of Physiological Sci., 21(1) : 115-127.
- El-Tobgy, K.K. (1993):** Effect of gamma-radiation and nitrogen fertilization on volatile oil content of *Pelargonium graveolens* L. Plant herb. M. Sc. Thesis, Fac. Agric., Menoufia Univ. Egypt.
- El-Tobgy, K.K. (1999):** Biochemical and biological studies on some aromatic seeds. Ph. D. Thesis, Fac. Agric., Menoufia Univ., Egypt.12
- Eraki, M.A. ; Mazrou,M.M. and Afify, M.M. (1993) :** Influence of kinetin and indole 3-acetic acid (IAA) on the growth , drug yield and essential oil content of *Salvia officinals* L. plants .Zagazig Jour. Agric. Res., 20 (4) : 1323-1334.
- Essa , Z.M.(1992) :** Physiological studies on some rose varieties. Ph.D. Thesis, Fac. of Agric. Ain Shams Univ.

- Fahmy, M.S. (1994):** Biochemical studies on some medicinal plants cultivated in Egypt. M.Sc. Thesis, Fac. Agric. Menofya Univ.
- Farag, R.S.; Abo Raya, S.H. and El-Baroty, G.S.A. a (1989):** Inhibitory effects of individual and mixed pairs of essential oils on the oxidation and hydrolysis of cottonseeds oil and butter. *Grasas Y. Aceites* 41; 248-255.
- Farghali, M. A. and Hussein, H.A. (1994):** Soaking carrot roots in growth regulators solutions to improve seed production. *Assuit Jour. of Agric., Sci.*, 25(4) : 89-97. (Hort. Abst., 1995)
- Farooqi, A.H.A. ; Sharma, S. ; Naqvi, A.A. and Khan, A. (1993) :** Effect of kinetin on flower and oil production in *Rosa damascene*. *J. of Essential oil Research*, 5 (3): 305 – 309.
- Farooqi, A.H.A. ; Shukla, A. ; Sharma, S. and Khan, A. (1996) :** Effect of plant age and GA3 on artemisinin and essential oil yield in *Artemisia annual* L. *Medicinal plants*, 4 (1) : 73 – 80.
- Fikry, W.A. (1983):** Physiological and anatomical studies on chrysanthemum. M.Sc. Thesis, Fac. of Agric. Zagazig Univ.
- Fox, J.E. (1964)** Indole acetic acid – kinetin antagonism in certain tissue culture systems. *Plant Cell Physiol.*, 5: 251 – 254.

- Fox, P.F. (1983):** Development in diary chemistry-Lipids.
Applied Sci. and Publishers, London and New York,
241.
- Galambosi,B. and Peura,P. (1996):** Agrobotanical features and
oil content of wild and cultivated forms of caraway
(*Carum carvi* L.). Journal of Essential Oil Research.
1996, 8: 4, 389-397.
- Gamal El- Din , K.M. ; Talaat,Iman. M. and Balbaa, L.K.
(1997):** Effect of some growth regulators on vegetative
growth .Fruiting and oil content in coriander
(*Coriandrum sativum* L.) Agric. Sci. Mansoura Univ. 23
: 1101-1111.
- Garg, V.-K. ; Singh, P.K. and Katiyar, R.S (2004):** Yield,
mineral composition and quality of coriander
(*Coriandrum sativum*) and fennel (*Foeniculum vulgare*)
grown in sodic soil .Indian-Journal-of-Agricultural-
Sciences. 2004; 74(4): 221-223.
- Giridharan,M.P. and Balakrishnan,S. (1991) :** Effect of
gamma irradiation on yield and quality of ginger. Indian
Cocoa, Areca nut and Spices-Journal. 1991, 14: 3, 100-
103.
- Givan, C.V. (1979):** Metabolic detoxification of ammonia in
tissues of higher plants. Phytochem. 18: 375-382.
- Gopalakrishna, S. B.A. and Shivashankar, G. (1997):**
Frequency and spectrum of induced chlorophyll
mutations in rhodes grass. Plant Breed. Abs. 67 : 2387.

- Guenther, E. (1961):** The essential oils, Vol. I., D. Van. Nostrand Company Inc. New York Toronto, London. The essential oils, Vol. II, III; D. Van. Nostrand Company Inc. New York, London.
- Guilleen, M.D. and Manzanos, M.J. (1996) :** A study of several parts of the plant *Foeniculum vulgare* as a source of compounds with industrial interest. Food-Research-International. 1996, 29: 1, 85-88.
- Gupta, M. (1989):** Effect of gamma rays and growth regulators on seed germination and seedling growth of *Vicia faba* D. Comparative – Physiology – and – Ecology. [Jan-Mar , 1989 , 14 (1), p. 10-16].
- Gurdip, S.; Ramakrishna, U.; Narayanan, C.S.; Padmkumari, K.P.; Singh, G. and Upadhyay, R. (1990) :** The chemical investigation of the essential oil of *Foeniculum vulgare* Mill. Ind. Perfum., 34 (4) : 247 – 249.
- Gurdip, S. ; Kapoor, I.P.S. and Pandey, S.K. (1998) :** Studies on essential oils - part thirteen: natural antioxidant for sunflower oil .Journal-of-Scientific-and-Industrial-Research. 1998; 57(3): 139-142
- Habba, I.E. (1989).** Physiological effect of gamma rays on growth and productivity of *Hyoscyamus muticus* L. and *Atropa belladonna* L., Ph.D. Thesis, Fac. of Agric., Cairo Univ.
- Hall, R.H. (1973):** Cytokinins as a probe of developmental processes. Ann. Rev. Plant Physiol., 24: 415-444.

- Hanson, A.H. and Trewavas, A.J. (1982)** : Regulation of plant cell growth, the changing perspective New Phytologist, 90 : 1 – 18.
- Harridy, I.M.A. (1986)** :Physiological studies on periwinkle plant , *Catharanthus roseus* G, Don. Ph.D. Thesis, Fac. Agric., Cairo, Univ.
- Harro, J. B.; Jonathan, G.; Maurice, C.J.M. K. and Rodney C. (1998)**: Biosynthesis of the Monoterpenes Limonene and carvone in the fruit of caraway . I. Demonstration of enzyme activities and their changes with development. Plant Physiol. (1998) 117: 901–912.
- Hashimoto, T. and Yamada, Y. (1994)**: Alkaloid biogenesis: Molecular Aspects. Annals Rev. Plant Physiol. Plant Mol. Biol., 45: 257.
- Hassanein, R.A.M. (2003)** : Effect of some amino acids, trace elements and irradiation on fennel (*Foeniculum vulgare* L.). M.Sc. Thesis, Fac. Agric., Cairo Univ.
- Hend, E.W. ; Safaa, M.M. ; Attoa, G.E. and Abeer, A.F. (2002)**: Response of *Antholyza aethiopica* to foliar spray with some amino acids and mineral nutrition with sulphur . Annals-of-Agricultural-Science-Cairo. 2002; 47(3): 929-944.
- Hendawy, S.F. (2002)**: Physiological and chemical studies on *Echinacea purpurea* L. plant. Ph.D. Thesis Fac. Agric. Moshtohor, Zagazig Univ.

- Herbert, D.; Phipps. P.J. and Strange, R.E. (1971):** Determination of total carbohydrates. Methods in Microbiology, 5B, P. 209-244.
- Hickman, C. P. ; Larry, R. and Allan, L. (1997):** The biology of animals, 7th edition. P 43. William C. Brown/McGraw Hill. New York.
- Hoagland, M. and Bert, D. (1995):** The way life works. Random House. P. 104. New York.
- Hossain, S.N. (1994):** Effect of gamma irradiation on growth and the changes in volatiles in black pepper (*Piper nigrum* L.). Nucl. Sci. & Appli., 1989, 3 (2) : 59-62.
- Hussein, M.S. (1986):** Studies on the physiological drought tolerance in lemongrass. Ph.D. Thesis, Fac. Agric. Zagazig Univ.
- Hussein, M.S.; El-Sherbeny, S.E. and Hammed, A.H. (1990).** Effect of irradiation and molybdenum on growth and chemical composition of *Ocimum basilicum* L. Egypt. J. of Appl. Sci., , 5 (8), p. 697-706.
- Hussein, M.S.; El-Sherbeny, S.E. and Naguib, N.Y. (1995):** The effect of gamma radiation and manganese application on growth and chemical constituents of *Datura metel* L. Egyptian J. of Physiological Sci., 19 (1-2): 241 – 254.
- Iacobellis, N.S.; Lo Cantore , P. ; Capasso , F. and Senatore F. (2005):** Antibacterial activity of *Cuminum cyminum* L. and *Carum carvi* L. essential oils. J. of Agric. Food Chem. 2005 Jan 12;53(1):57-61.

- Ibrahim, M.E. and Tarraf, S. (2000):** Effect of kinetin and or/ stimophol spray on the growth, yield and chemical composition of Egyptian sweet fennel (*Foeniculum vulgare* Mill. var. dulce). Egyptian Journal of Horticulture. 2000, 27: 1, 81-103.
- Jackson, M.L. (1960):** Soil chemical analysis. Prentice-Hall, Inc. Englewood Cliffs, N.J.
- Jagow, G.V.; Gribble, G.W. and Trumpower, B.L. (1986):** Mucidin and strobilurine A are identical and inhibit electron transfer in the cytochrome bc₁ complex of the mitochondrial respiratory chain at the same site as myxothiazol. Biochemistry, 25: 775-780.
- Jeliazkova, E.A.; Craker, L.E. and Zheljazkov, V.D. (1997):** Gamma-Irradiation of seeds and productivity of coriander, *Coriandrum sativum* L. J. of Herbs, Spices- and Medicinal-Plants. 1997, 5: 2, 73-79.
- Johnson, L.E. and Cort, W. M. (1985) :** Comparison of alternative antioxidant to BHA in citrus oil. Beverages, (148) : 10-12, 14.
- Kadiri, M. (1999) :** Effect of indole-3- acetic acid and coconut milk on the vegetative growth and yield of red pepper (*Capsicum annuum* L.) . Global Jour. of Pure or Applied Sci., 5(3) : 313-316. (Hort. Abst., 69 : 8745).
- Katsiotis, S.T. (1988):** Study of different parameters influencing the composition of hydrodistilled sweet fennel oil. Flavour Fragrance J. 4:221-224.

- Kawamura, S.; Tada, M. and Narasaki, T. (1966):** Sugar of cotyledon, hull and hypocotyl of soybean. J. Jap. Soc. Food and Nutr. 19: 268.
- Khattab, M.E. and Omer, E.A. (1999) :** Influence of excessive fertilization with micro-nutrients on the growth, yield, essential oil and micro-elements of some Apiaceae plants. Egyptian Journal of Horticulture. 1999, 26: 3, 249-266.
- Kim, H.J. ; Chen, F. ; Wang, X. ; Chung, H.Y. and Jin, Z. (2005) :** Evaluation of antioxidant activity of vetiver (*Vetiveria zizanioides* L.) oil and identification of its antioxidant constituents. J. Agric Food Chem. 2005 Oct 5;53(20):7691-5.
- Koli, N.R. ; Dashora, S.L. and Sastry, E.V. D. (2000):** Genetic variability induced by gamma irradiation M1 and M2 generation of Cumin (*Cuminum cyminum*). Ind. J. of Agric. Sci., 70 (6) : 418-419.
- Korosi, F. and I. Krakkai (1983).** Effect of gamma radiation of *Phaseolus vulgaris* L. seeds on $P^{33}O_4$ uptake of seedlings and its translocation pattern. Environ. and Experim. Bot. 23 (2) 149- 153. (C.F.Hort. Abst. 1984, 54(6) 3485).
- Kriedemann, P.E. (1975):** Plant Growth Development, 2nd. Ed. Mc raw Hill Book Company.
- Kruger,H. and Hammer,K. (1999) :** Chemotypes of fennel (*Foeniculum vulgare* Mill.).Journal of-Essential Oil Research. 1999, 11: 1, 79-82.

- Kurkcuoğlu, M. ; Sargin, N. and Baser, K.H.C (2003) :**
Composition of volatiles obtained from spices by micro distillation .Chemistry-of-Natural-Compounds. 2003; 39(4): 355-357.
- Lacroix, M.; Smoragiewicz, W.; Pazdernik, L.; Kone, M.I. and Krzystyniak, K. (1997) :** Prevention of lipid radiolysis by natural antioxidants from rosemary (*Rosmarinus officinalis* L.) and thyme (*Thymus vulgaris* L.). Food res int. 30 (6):457 462.
- Lado,C.; Hajdu, M. ; Farkas, E. Then, M. ; Taba, G. and Szentmihalyi, K. (2005) :** Study on the transfer of components of *Aetheroleum carvi* and *Aetheroleum foeniculi* oils. Fitoterapia. 2005 Mar;76(2):166-72.
- Lai, L. S.; Chou, S. T. and Chao, W. W. (2001):** Studies on the antioxidative activities of hsian-tsao (*Mesona procumbens Hemsl*) leaf gum. Journal of Agricultural and Food Chemistry, 49, 963–968.
- Lal, R.K.; Neelakshi, S.; Sharma, J.R.; Mishra, H.O.; Nidhi,S.; Singh, N; Shukla, N; Kumar, S.; Kukreja, A.K. ; Dwivedi, S. and Singh, A.K. (2000) :** Radiation induced changes in Java citronella (*Cymbopogon winterianus*). Proceedings of the national seminar on the research and development in aromatic plants: current trends in biology, uses, production and marketing of essential oils, Lucknow, India, 30-31 July 1999.Journal-of-Medicinal-and-Aromatic-Plant-Sciences. 2000, 22: 1B, 474-478.

- Letham, D.S. (1963):** "Regulation of cell division in plant tissues".
- I. Inhibitors and stimulants of cell division in developing fruit. Their properties and activity in relation to the cell division period "Jour. Bot., 1: 336-50, 1963.
- Letham, D.S. (1967):** Chemistry and physiology of kinetin- like compounds. *Amm. Rev. Plant Physiol.*, 18: 349-64.
- Leonova, I.A. and Gamburg, K.Z. (1975):** Synthesis of IAA in normal and autonomous cultures of plant tissues. *Fiziol. Rast*, (Moscow) 22 (6): 1213 – 17 (C.F. Chem. Abest., 84: 86805, K.).
- Levitt, J. (1980):** Response of plants to environmental stresses. pp. 309 – 317. 2nd Ed. Vol. I Academic Press, New York.
- Lew, R.R. and Dearnaley, J.D.W. (2000):** Extracellular nucleotide effects on electrical properties of growing *Arabidopsis thaliana* root hairs. *Plant Sci.*, 153: 1-6.
- Liangli L.Y.; Kequan, K.Z. and John, P. (2005) :** Antioxidant properties of cold-pressed black caraway, carrot, cranberry, and hemp seed oils .*Food Chemistry* 91 (2005) 723–729.
- Mahgoub, G.M.A. ; Khedr,.E.-F. ; Amer, S.M. and Faisal , R.I.I (1991):** Effect of adenosine triphosphate (ATP) and nicotinamide adenine dinucleotide (NAD) on maize grain yield and N-P-K uptake in grains .*Annals-of-Agricultural-Science,-Moshtohor*. 1991; 29(2): 631-644.

- Makarim, A.M. and Bishr, G.A.A. (1988) :** The influences of different spacing treatments upon the yield and alkaloidal content of *Hyoscyamus muticus* L. Zagazig. J. Agric. Res. 15(1) 278 -298.
- Marotti,M. ; Piccaglia, R.; Giovanelli,E.; Deans,S.G. and Eaglesham,E.(1994):** Effects of variety and ontogenic stage on the essential oil composition and biological activity of fennel (*Foeniculum vulgare* Mill.).Journal of Essential Oil Research. 1994, 6: 1, 57-62.
- Masada, Y. (1976):** Analysis of essential oils by gas chromatography and mass spectrometry. Jhon Wiely & Sons Inc., New York, London, Sydney, Toronto.
- Maximoss, S.L. (1993):** Physiological and hormonal studies on the growth and flowering of Gerbera plants. Ph.D. Thesis, Horticulture, Fac. of Agric., Ain Shams Univ.
- Meher ,S. P. ; Jiotode, D.J. ; Turkhede, A.B. ; Darange, S.O. Ghatol, P.U. and Dhawad, C.S. (1999):** Effect of planting time and growth of chrysanthemum. Crop Res., 18 (3) : 486-489. (Hort. Abst., 70 : 5210).
- Miflin, J.B. and Lea, J.P. (1980):** The biochemistry of plants . Academic Press, Inc. N. Y. USA.
- Miguel, M.G. ; Figueiredo, A.C. ; Costa, M.M. ; Martins, D. ; Duarte, J. ; Barroso, J.G. and Pedro, L.G. (2003):** Effect of the volatile constituents isolated from *Thymus albicans*, *Th. mastichina*, *Th. carnosus* and *Thymbra capitata* in sunflower oil. Nahrung. 2003 Dec.; 47(6):397-402.

- Milad, S.M.N. (1998):** Effect of tryptophane and methionine on the productivity of two *Mentha* species and American *Ocimum* plants. M.Sc., Thesis. Fac. Agric., Cairo. Univ.
- Mimica, D. N.; Kujundzie, S.; Sokovie, M. and Couladis, M. (2003):** Essential oil composition and antifungal activity of *Foeniculum vulgare* Mill. obtained by different distillation conditions *Phytother. Res.*17, 368–371 (2003).
- Minija, J. and Thoppil, J.E. (2002):** Studies on essential oil composition and microbicidal activities of two South Indian spices of the Apiaceae .*International-Journal-of-Aromatherapy.* 2002; 12 (4) : 213-215.
- Misharina, T.A. and Polshkov, A.N. (2005):** Antioxidant properties of essential oils: autoxidation of essential oils from laurel and fennel and effects of mixing with essential oil from coriander. *Prikl Biokhim Mikrobiol.* 2005 Nov.-Dec.; 41(6):693-702.
- Mitja, K. ; Dea, B. and Mirko, P. (2006) :** Fast quantitative determination of volatile constituents in fennel by headspace-gas chromatography. *Analytica Chimica Acta* 557 (2006) 267–271.
- Mohamed , F.A. (1979):** The effect of some nutrients (P&Zn) on the physiological and chemical processes of olive trees . Ph. D. Thesis, Fac. Agric , Cairo Univ.
- Mohamed , H.F. (1984) :** Chemical and biological effects of gamma rays combined with growth regulators on *Datura stramonium* L. M.Sc. Thesis, Fac. Agric.Minufiya.

- Mohamed , M.A. ; Bisher, G.A. and El-Kholy , S.A.(1984) :**
Effects of growth regulators benzylaminotetrahydro-
pyranyl purine (P.B.A) and gibberellic acid (GA3) on
growth and alkaloidal content of *Capsicum annuum* L.
Annals. Agric., Sci., Fac. of Agric. Moshtohor.(x)
- Mohamed,A.A. (1985):** Morphological and physiological
changes during critical periods and their effects on
maize yield. Ph.D. Thesis, Fac. of Agric., Ain Shams
Univ.
- Mohamed, B.R. ; El- Sayed, A.A. ; Sarhan, A.Z. and El-
Leithy, A.S (1988):** Effect of chemical fertilizers on
growth and flowering of *Tagetes patula* plants. Fayoum,
J. Agric., Res. Dev., Vol 2 (2), June.
- Mohamed, M.S. (1992):** Effect of some growth regulators on
growth, flowering and tuberous production of *Dahlia*
pinnata. Annals of Agric. Sci., Moshtohor, 30 (1): 493 -
507.
- Mohamed, M.S. and Wahba, H.E. (1993):** Response of
growth, oil percentage and oil constituents of
Rosmarinus officinalis. To application of some growth
substances. Annals of Agric. Sci. Moshtohor, 31 (3):
1613 – 1625.
- Mostafa, K.A. ; Yadollah, Y. A. ; Fatemeh, S. B. and Naader
B. A. (2003) :**Comparison of essential oil composition
of *Carum copticum* obtained by supercritical carbon
dioxide extraction and hydrodistillation methods. Food
Chemistry 86 (2004)587 –591.

- Mothes, K. (1964):** The role of kinetin in plan regulation. (C.F. Schriber K. 1978, Reprint of European Biochem. Sco., 12th Meeting, Dresden).
- Mujeeb, K.A. and Greig, J.K. (1976).** Growth stimulation in *Phaseolus vulgaris* L. induced by gamma-irradiation of seeds. *Biologica plantarum*, 18(4): 301-3.
- Münir, O. ; İlhami, G. and Üfrevioğlu, O.I. K. (2003) :** Determination of in vitro antioxidant activity of fennel (*Foeniculum vulgare*) seed extracts. *Lebensm.-Wiss. U.-Technol.* 36 (2003) 263–271.
- Murcia, M.A. ; Egea, I. ; Romojaro, F. ; Parras, P. ; Jimenez, A.M. and Martinez-Tome, M. (2004) :** Antioxidant evaluation in dessert spices compared with common food additives. Influence of Irradiation procedure. *J. Agric. Food Chem.* 2004, Apr, 7;52(7):1872-81.
- Naguib , N.Y. ; Khalil, Y. M. and El-Sherbeeney , S.E. (2002):** The influence of indole acetic acid , phenylalanine and methionine on the growth amino acids and alkaloids production of periwinkle (*Catharanthus roseus* G. Don) plant. Under press in *Egypt Jour. of Hort. Sci.*
- Naik, J.P.; Rao,L. J.M.; Shankaracharya,N.B. and Nagalakshmi,S. (2001) :** Studies on the chemical and technological aspects of Siahzira (*Carum gracile. Lindl*) seed. *Journal of Food Science and Technology Mysore.* 2001, 38: 3, 277-280.

- Nakatani, N. (1992) :** Natural antioxidants from spices. ACS symp. ser. (507) :72-86.
- New Crops News, Spring (1993):** Fennel: A New Specialty Vegetable. Spring (1993) vol. 3 No. 1.
- Nicola, S. I.; Pietro, L. C.; Francesco, C. and Felice, S. (2005):** Antibacterial activity of *Cuminum cyminum* L. and *Carum carvi* L. essential oils .J. of Agric. Food Chem. 2005, 53, 57-61 .
- Noby, M.F.A. (2002):** Effect of gamma rays and some agrochemicals on germination, growth and flowering of *Delphinium ajacis* and *Mathiola incana* plants. M.Sc. Thesis. Fac. Agric. Moshtohor. Banha Univ.
- Nofal, M. A. (1987):** Pollution and certain aspects of nutritional behavior of plant under both controlled and natural conditions. Ph.D. Thesis, Fac. Agric. Ain-Shams Univ. Cairo.
- Nofal, M. A.; Rabie, M.H. and Mahmoud, M.H. (1990) :** Effect of adenosine triphosphate (ATP) solutions applied as seed soaking and / or foliar spray on growth and micronutrients composition of lettuce plants. Proc. Of Soil Fertility and Foliar fertilizer Conf., Giza, Egypt. 14-15 Jan.
- Omer, E.A.; Nofal, M.A. ; Lashin, S.M. and Haggag, W.M.E. (1997):** Effect of some growth regulators on the growth parameters and oil content of cumin with disease incidence under two types of soil . Egypt Jour. Hort., 24(1): 29-41 (Hort. Abst., 68: 1627).

- Ottolenghi, A. (1959):** Interaction of ascorbic acid and mitochondrial lipids. Arch. Biochem. Biophys. 79: 355-363.
- Owais , M.H. ; Bisher,G.A. ; Dawh , A. K. and El-Shaer, S.T. (1988) :**
Physiological studies on fennel plant. 1- Effect of spacing and some growth regulators on growth and seed yield. Zagazig Jour. of Agric. Res.
- Ozcan, M. (2000):** Antioxidant activity of seafennel (*Crithmum maritimum* L.) essential oil and rose (*Rosa canina*) extract on natural olive oil .Acta-Alimentaria-Budapest. 2000; 29(4): 377-384.
- Ozcan,M.; Akgul,A.; Baser,K.H.C.; Ozck,T. and Tabanca,N. (2001):** Essential oil composition of sea fennel (*Crithmum maritimum*) from Turkey. Nahrung. 2001, 45: 5, 353-356.
- Parejo. I.; Viladomat, F.; Bastida, J.; Rosas-Romero, A.; Flerlage, N.; Burillo, J. and Codina, C. (2002):** Comparison between the radical scavenging activity and antioxidant activity of six distilled and nondistilled Mediterranean herbs and aromatic plants: J of Agric. Food Chem. 2002 Nov 6;50(23):6882-90.
- Paul, Y. and Gupta, S. (1987):** Effect of kinetin (6-furfuryl aminopurine) on changes in activities of some enzymes of lipid – carbohydrate metabolism in relation to growth of isolated cotyledons of vegetable marrow (*Cucurbita pepo*). Plant Sci., Irish – Republic, 53 (1): 29 -34.

- Paul, M. (1997):** Chemistry in Britain, November 1997.
- Phillips, I.D.J. (1971):** Introduction to the biochemistry and physiology of plant growth hormones. Mc Graw – Hill Book Cop.
- Piccaglia,R. and Marotti,M. (2001):** Characterization of some Italian types of wild fennel (*Foeniculum vulgare* Mill.).Journal of Agricultural and Food Chemistry. 2001, 49: 1, 239-244 .
- Pietro, L.C.; Nicola, S., I. ; Adriana, D. M. ; Francesco, C. and Felice, S. (2004):** Antibacterial Activity of *Coriandrum sativum* L. and *Foeniculum vulgare* Miller var *vulgare* (Miller) Essential oils. Jour. of Agric. Food Chem. 2004, 52, 7862-7866.
- Pitirmovae, M. A. (1979):** Effect of gamma rays and mutagens on barley seeds. Fiziol. Res. 6. 127.
- Putievsky,E.; Ravid,U.; Dudai,N. and Katzir,I. (1994) :** A new cultivar of caraway (*Carum carvi* L.) and its essential oil. Journal of Herbs,-Spices-and-Medicinal-Plants. 1994, 2: 2, 81-84.
- Radwan, A.A. (1988):** Physiological studies on marigold plant *Tagetes erecta* L. Ph.D. Thesis, Fac. of Agric., Ain Shams Univ.
- Randhawa,G.S. ; Mahey, R.K.; Sidhu, B.S and Saini,S.S. (1988):** Effect of growth regulators on emergence, herb and oil yields of *Mentha species*. Acta Hort. , 188 A : 169-173. (Hort. Abst., 58; 9070).

- Robison, J.m. and Gibbs, M. (1982):** Hydrogen peroxide synthesis in isolated spinach chloroplast lamellae. *Plant physiology*. 70: 1249 – 1254.
- Russel, R.S. (1982):** *Plant Root Systems*, ELBS ed., 1st published P. 16, 17 U.K.
- Salisbury, E.B. and Ross, C.W. (1978):** *Plant physiology*, 2nd Ed. Wadsworth Publishing Company, Inc. Belmont, California, USA.
- Sarkar, D.D.; Hossain, F. and Chattopadhyay, T.K. (1990) :** Studies on the physico – chemical characters of tea (*Camellia sinensis* L.) in relation to bud dormancy. It. Biochemical composition of tea leaves. *Haryana J. of Hort. Sci.* (1990) 19 (1 – 2) 22 – 26 India. (C.F. Hort. Abest. 61 (5) No. 4505, p. 523, 1991).
- Sarwat, M.I. and Mohamed, S.E. (2000):** Chemical constituents of caraway seed oils from plants treated with gibberellic acid sequenced by abscisic acid. *Annals-of-Agricultural-Science-Cairo*. 2000; 1(Special): 17-27.
- Satyanarayana,S. ; Sushruta, K. ; Sarma, G. S. ; Srinivas,N. and Subba Raju, G. V. (2004) :**Antioxidant activity of the aqueous extracts of spicy food additives - Evaluation and Comparison with ascorbic acid in *In-vitro* systems. *Journal of Herbal Pharmacotherapy* 4(2):pp.1-10.
- Scheffer, F. and H. Pajenkamp (1952).** (G) Phosphatebestimmung in Pflanzenaschen nach der Molybdaen-

vandate-method. Z. Pflanzenernähr. Bodenkd. 56: 2-8.

- Shamsi, S.R.A. and Sofajy, A.S. (1980).** Effect of low doses of gamma-radiation on the growth and yield of two cultivars of broad bean. *Environmental and Experimental Botany*, 20(1): 87-94.
- Shedeed, M.R.; Reda, F; El-Moursi, A. and Gamal El-Din, K. (1989)** Growth and essential oil content of *Mentha piperita* affected by kinetin and cycocel treatments. *Herba Hungarica* (1989) 28 (1-2) 51-57 Ain -Shams Univ. Egypt. Hort. Vol. 59 (10) No. 8592, p. 984, 1989.
- Shoala, A.W.T. (2000):** Physiological studies on lavender plants (*Lavendula multifida*) Ph.D. Thesis, Fac. Agric., Cairo, Univ.
- Shukla, A. N. (1995):** Effect of hormones on the production of shiitake *Lentinus edodes* (Berk.) Sing. *Mushroom Res.*, 4(1): 39 – 42. (C.F. Hort. Abst. 66: 1504).
- Skrybykina, M.I. and Ivanova, L.N. (1986):** Effect of gamma-irradiation and synthetic growth regulators on the mineral nutrition and growth of tomato plants. Unnumbered-part, *Referativnyi zhurnal*, 8 (55): 314. [C.F. Hort. Abst., 57- 09522; 7w].
- Singh, C. ; Pal, S. ; Lal, S. and Thappa, R.K. (1990):** Effect of gamma irradiations on growth and oil composition in *Jamrosia* Indian-Perfumer. 1990, 34: 3, 190-195.
- Singh, G.; Singh, O.P. and Maurya, S. 2004) :** Studies on essential oils. Part 31: Volatile oils as natural

- antioxidants for sunflower and soybean oils. *Rivista-Italiana-delle-Sostanze-Grasse*. 2004; 81(3): 191-193.
- Singh, G. ; Marimuthu, P. ; De Heluani, C.S. and Catalan, C.A. (2006):** Antioxidant and biocidal activities of *Carum nigrum* (seed) essential oil, oleoresin, and their selected components. *J. Agric Food Chem*. 2006 Jan 11;54(1):174-81.
- Sliesaravicius, A. ; Dastikaite, A. and Petraityte, N. (2001) :** Morphobiochemical diversity of common caraway (*Carum carvi* L.) of South-Southwest Lithuania . *Sodininkyste-ir-Darzininkyste*. 2001; 20(3(2)): 143-154.
- Snedecor , G.w. and W.G Cochran (1982).** Statistical methods .6 th Ed. The Iowa state Univ. Press , Ames ., Iowa , USA .
- Stashenko, E.E.; Puertas, M.A. and Martinez, J.R.(2002) :** SPME determination of volatile aldehydes for evaluation of in-vitro antioxidant activity. *Anal Bioanal Chem*. 2002 May ;373(1-2):70-4. Epub 2002 Apr. 4.
- Suchandra, C.; Variyar, P.S.; Gholap, A.S.; Padwal, D., S.R. ; Bongirwar, D.R. and Chatterjee, S. (2000):** Effect of gamma-irradiation on the volatile oil constituents of turmeric (*Curcuma longa*).*Food-Research-International*. 2000, 33: 2, 103-106.
- Surowy, T.K. and Sussman, M.R. (1987):** Molecular cloning of the plant plasma membrane H⁺- ATP-ase. *Plant Soil*. 99: 185-196.

- Talaat,I.M ; Bekheta, M.A. and Mahgoub, M.H. (2005):** Physiological response of periwinkle plants (*Catharanthus roseus* L.) to tryptophan and putrescine. International-Journal-of-Agriculture-and-Biology. 2005; 7 (2) : 210-213.
- Tanaka, M.; Thananunkul, D. ; Lee, T.C. and Chichester, C.O. (1975):** A simplified method for the quantitative determination of sucrose, raffinose and stachyose in legume seeds. J. Food Sci, 40: 1087.
- Tanira, M.O.M. et al. (1996):** Pharmacological and toxicological investigations on *Foeniculum vulgare* dried fruit extract in experimental animals. *Phytother Res* 10:33–36.
- Tawfik, M.S.H. (1986):** Studies on the physiological drought tolerance in lemongrass . Ph.D. Thesis. Fac. of Agric. Zagazig Univ.
- Taylor, S.E.; Terry, N. and Huston, R.P. (1982):** Limiting factors in photosynthesis. Plant physiology. 70: 1541 – 1543.
- Tepe ,B ; Daferera, D.; Sokmen, M. ; Polissiou, M. and Sokmen, A. (2004):** In vitro antimicrobial and antioxidant activities of the essential oils and various extracts of *Thymus eigii* M. Zohary et P.H. Davis. J. Agric. Food Chem. 2004 Mar. 10; 52(5):1132-7.
- Thimann, K.V. (1969):** On the plant growth hormones produced by *Rhizopus sinuis*. Jour. Biol. Chem., 109: 279-291. (Plant Growth & Development, 2nd ed. Pp. 32).

- Tikhonov, Yu. B.; Panasin, V.P.; Alinova, G.V.; Mikhailova, N.B. and Morozova, S.B. (1980).** Effect of gamma-irradiation of seeds of *Datura innoxia*. Rastitel'nye Resursy, 16(2): 237-42. [C.F. Field Crop. Abst., 19(2): 130].
- Toxopeus, H. and Bouwmeester, H.J. (1992):** Improvement of caraway essential oil and carvone production in the Netherlands. Industrial-Crops-and-Products. 1992, (1) 2-4, 295-301.
- Trefil, J. (1992):** 1001 Things everyone should know about science. P. 93. Doubleday. New York.
- Variyar, P.S.; Gholap, A.S.; Thomas, P. (1997) :** Effect of gamma-irradiation on the volatile oil constituents of fresh ginger (*Zingiber officinale*) rhizome. Food-Research-International. 1997, 30: 1, 41-43.
- Venkateswarlu, N. ; Suryanarayana, N. and Subhash, K . (1989):** Effect of gamma rays and EMS alone and in combination on growth and alkaloid production in periwinkle. Advances-in-Plant-Sciences. 1989, 2: 1, 28-32.
- Venskutonis, P.R.; Dapkevicius, A. and Beek-TA-van (1996) :** Essential oils of fennel (*Foeniculum vulgare* Mill.) from Lithuania. Journal of Essential Oil Research. 1996, 8: 2, 211-213.
- Wahba, H.; Mohamed, S.; Attoa, G. E. and Frahat, A.A. (2002):** Response of *Antholyza aethiopica* to foliar spray with some amino acids and mineral nutrition with

slupher. Annals Agric. Sci. Ain – Shams Univ., Cairo, 47 (3): 929 – 944.

Wareing, P.F. and Phillips, I.D.I. (1973): The control of growth and differentiation in plants. Pergoman Press 3rd Ed.

Wenqiang, T.; Shari, R.B.; Yu, S.; Gloria, K. M. and Stanley, J. R. (2003): Extracellular ATP Inhibits Root Gravitropism at Concentrations That Inhibit Polar Auxin Transport. Plant Physiol., January 2003, Vol. 131, pp. 147-154.

Wichtl, M. and Bisset, N.G. (eds.) (1994): Herbal Drugs and Phytopharmaceuticals. Stuttgart: Medpharm Scientific Publishers.

Wilkinson, J.M. and Cavanagh, H.M.(2005) : Antibacterial activity of essential oils from Australian native plants. Phytother Res. 2005 Jul; 19(7):643-6. Winternmans, J.F. and Mots, A. (1965). Spectrophotometric characteristics of chlorophylls a and b and their pheophytins in ethanol. Biochem. Biophys. Acta. 109: 448-53.

Winternmans, J.F. and Mots, A. (1965): Spectrophotometric characteristics of chlorophylls a and b and their pheophytins in ethanol. Biochem. Biophys. Acta., 109: 448- 53.

Wurtzen, G.; Olsen, P. and Poulsen, E. (1986): The antioxidant butylated hydroxy toluene (BHT), A review of its toxicology and easement of ringworm fungi. Indian J. of Pharmaceutical Sci., 45 (6): 227—30.

- Yamini, Y.; Sefidkon, F. and Pourmortazavi, S.M. (2002):** Comparison of essential oil composition of Iranian fennel (*Foeniculum vulgare*) obtained by supercritical carbon dioxide extraction and hydrodistillation methods . Flavour-and-Fragrance-Journal. 2002; 17(5): 345-348.
- Yasseen, M. and Tajuddin, A.E. (1988):** Effect of plants growth regulators on yield, oli, composition and artemisin of *Artemisia annua* temperate conditions. Jout. Med. And Arom. Plant Sci., 20(4): 1038-1041. (Hort. Abst., 69: 4267).
- Ye, L. Q. ; Liu, Z. ; Wang, L.Y. ; Le, L. ; Liu, Z. and Wang,L.Y. (1996) :** Effects of pre-sowing irradiation of licorice (*Glycyrrhiza uralensis*) with gamma rays on the growth of the M1 plant seeds. Ningxia-Journal-of-Agricultural-and-Forestry-Science-and-Technology. 1996, No. 6, 28-31.
- Youssef , E.M.A. (1998) :** In vitro, volatile oil, *Melaleuca ericifolia*, Gamma -ray, colchicines.Acta Horticulturae 597: International Conference on Medicinal and Aromatic Plants (Part II)
- Youssef, E.M.A.; El-Alfy,T. and Hassan,A.K. (1998) :** Effect of various gamma-irradiations and colchicine treatments on growth behaviour and pigments and volatile oil products of *Melaleuca armillaris Smith* explants in vitro.Egyptian-Journal-of-Horticulture. 1998, 25: 3, 377-395 .

- Youssef, A.A and Talaat,I.M. (1998):** Physiological effect of brassinosteroid and kinetin on the growth and chemical constituents of *Lavandula officinalis* L. plant .Annals Agric. Ain-Shams Univ. , Cairo, 43(1) : 261-272.
- Youssef, A. A. and Zeinab, M. A. (1998):** Effect of gamma rays on growth and essential oil composition of chamomile (*Chamomilla reccuutita* L.) . Arab Univ. J. of Agric. Sci. , 6 (2) : 301-311
- Youssef, A.A. ; Aly, M.S. and Hussein, M.S (2000) :** Response of geranium (*Pelargonium graveolens* L.) to gamma irradiation and foliar application of Speed Grow. Egyptian Journal of Horticulture. 2000, 27: 1, 41-53.
- Youssef, M.A. ; Szoke,E.; Mathe,I; Blunden,G. and Kery,A. (2003) :** In vitro volatile oil products of *Melaleuca ericifolia* Smith. Proceedings of the international conference on medicinal and aromatic plants, Budapest, Hungary, 8-11 July, 2001. Part II. Acta-Horticulturae. 2003, No.597, 285-287.
- Youssef, A.A.; Edris, A.E. ad ; Gomaa, A.M. (2004 a) :** A comparative study between some plant growth regulators and certain growth hormones producing microorganisms on growth and essential oil composition of *Salvia officinalis* L. plants .Annals-of-Agricultural-Science-Cairo. 2004; 49(1): 299-311.
- Youssef, A.A. ; Mona, Y.K. and Zaid, E.N.A (2004 b) :** Response of *Ocimum basilicum* L. to foliar application

of kinetin and chelated iron .Annals-of-Agricultural-
Science-Cairo. 2004; 49(1): 287-298.

Zaharia , D.; Popa ,D. and Bercea, V. (1991) : Effect of gamma irradiation on the seed germination and biosynthesis of assimilating pigments in several ornamental plants. Buletinul Institutului Agronomic Cluj – Napoca. Seria Agricultura 44(1): 107 – 114. (C.F. Hort. Abst. 1993, 63 (10) 7722).

Zakaria, S.M. (1991): Nutritive value of some foodstuffs treated with radiation. M.Sc. Thesis, Fac. Agric., Ain - Shams Univ.

Zamorano, M. E. and Mejia, M.J.M. (1994): In vitro propagation of gypsophila (*Gypsophila paniculata*). (In national congress on ornamental horticulture, Mexico 20 – 25 Mar.) Revista Chapingo Serie Horticultura, 1 (1): 67 – 71.

Zedan ,M.Z.Z. (2000) : Effect of tryptophan and paclobutrazol on caraway(*Carum carvi* L.)and coriander (*Coriandrum sativum* L.) plants. M.Sc. Thesis, Fac of Agric. Cairo Univ. ,Egypt.

Zheljazkov , V. ; Margine , A. ; Stovea , T. ; Craker , L. E.; Nolan, L. and Shetty , K. (1996) : Effect of gamma irradiation on some quavtitative and qualtytative characteristics in mint and cornmint . Inter. Symp. on medicinal and aromatic plants, Amherst, Massachussets, U.S.A., 57-30 Aug. (1995) Acta-Horti., 426 : 381—388 .