

REFERENCES

References

- Abad, A.; Nkomo, NI. J.; I'eleagri, R. and Nlar(tinez, NH., (2001):
Monoclonal enzyme immunoassay for analysis of carbaryl in fruits and
vegetables without sample clean up.
J. Agric. Food Chem. 49: 1707-1712.
- Abdel Sala in, EB., Adam,S.E.,and Ta dour, G. (1982) :
The combined action of dieldrin and phosphamidon in goats .
Zentralthlatt fiffr Veterinannedizine 29: 142-150.
- Ahdaya, S.NI., Shab,P.V.,and Guthrie, R.R. (1976) :
Thermoregulation in mice treated with parathion, carbaryl, or DDT.
Toxicol. Appi. Phannacol. 35: 575-580.
- Aldridge, W. N. (1971) :
'Elie nature of the reaction of organophosphorus compounds and
carbamates with esterases.
[Bull. Wld. Hlth. Org](#) . 44: 25-30.
- Aldridge, W.N and Reiner, E. (1972):
Enzyme inhibitors as substrates. Interaction of esterases with esters
of organophosphonates and carbamic acid.
Amsterdam, Oxford, New York, Elsevier Science Publishers, p 328.
- Amr, NI.M.; Abbas, E.Z., EI-Sams 6.11. and Ayed F.A. (1984):
A comparative study on the effect of methyl parathion and malathion on
the activity of cholinesterase, thrombin and reduced glutathione in

camel's blood.

Med. J. Cairo Univ., 52 (2):131-141.

Amr, NI.NI.; El-Ilatanouni, NI.; Emara, A.; Nlansnur, N.; Zayet, IL; Atta, G.A. and Sanad, A. (1990):

Health profile among workers chronically exposed to pesticides.
Project of Pesticide Intoxication, Egypt. 161-198.

Anderson, A. NI., and (lockayne, II. S.41989):

Clinical chemistry concepts and applications.
Allston Ann. Carale Editor, Phlideiphia, London, p 367-383.

Antsilerov S.D.; Nlakarov, V.A and Zhavoronkov, N.I. (1972):

Judgment of mcat from animals poisoned with scvin.
Veterinariya (Moscow), 10: 110-112.

Ashry, K.M. (1990):

Some toxicological studies on sonic cathamates commonly used in
Egypt.
Thesis M.Sc. It. Vet. Med Alex. University.

13areellona, P.S., Fanelli, O., and Compana, A. (1977):

Teratological study of etoperiodone in the rat and rabbit..
'toxicology, 8: 87-94.

Baronia, A. K., Sharma, J. D., and Sahai, Y. N. (1991'):

Toxic effects of carbaryl in the liver and kidney of rattus albino.

J. Nat. Con. 3: (2) 127-132.

Baron, RI., Casterline, J.J., and Fitzhugh, O.G., (1964):

Specificity of carbamate-induced esterase inhibition in mice.

Toxicol. Appl. Pharmacol. 6:402-410.

Bearden, .1. II. and Fuguay, .1. W. (1980):

"Applied Animal Reproduction"

Reston Publishing co., Inc. Reston, Virginia, p. 158-165.

Redo NI. and Cielecky, V., (1980):

Nutritional toxicology in the evaluation of pesticides.

13ib1. Nutr. Diela,, 29:20-31.

Bend, IR holder, G.M., Protos, E., and Ryan, A.J. (1971) :

Water soluble metabolites of earbaryl (I-naphthyl N-methylcarbamate)

in mouse liver preparations and in the rats.

Aust. J. Biol. Sci. 24 : 535-546.

Benson, W.II. and Borough, W. (1984):

Comparative ester hydrolysis of carbaryl and ethiofencarb in four
mammalian species.

Pestle. Biochem. Physiol. 21: 199-206.

Bessey, O.A.; Lowry, O.11. and Brock, NI. J. , (1964):

A method for rapid determination of alkaline phosphatase with
five cubic millimeters of serum.

J. Biol. Chem. 164: 321-329.

Billing 13. II., Ilaslam, R. and Wald, N., (1971):

A colorimetric technique for determination of serum bilirubin.

Ann. Clin. Biochem 8:21

Blow, E. (1950):

A simple rapid staining method for the differentiation between live and dead sperm cells by means of Eosin and Nigrosin.

Nord. Vet. Med.. 2:58.

Boyd, E. NI., and Boulanger, M.A. (1968);

Insecticide toxicology. Augmented susceptibility to carbaryl toxicity in albino rats fed purified casein diets.

.1. Agric. Food Chem. 16:834-838.

Bunk, C. A., and Ashwood E. R., (1994)

"Tielz textbook of clinical chemistry"

2nd ed. W.B. Saunders Co Philadelphia, London, Toronto, Mexico City, Tokyo.

Cam bon, C., Fernandez, V., Falzon, M., and Nlitjavila, S. (1981):

Variation of the digestive absorption kinetics of carbaryl with the vehicle.

Toxicology 22: 45-51.

Capurse. A. and Nlorgantini, M. (1972):

An episode of intoxication caused in the calf by the ingestion of dimetilan.

Vcterinaria, 23 (9) 526-537.

Carpenter, C. P., Weil, C. S., Palm P. E., Woodside NI. W., Nair, J. II., and Smyth, H. F. Jr. (1961):

Mammalian toxicity of Imaphthyl-N-methylcarbamine(sevin insecticide).
J. Agric. Food Chem. 9: 30-39.

Casida, J. E., (1963):

Mode of action of carbamates.

Ann. Rev. Entomol., 8: 39-58.

Casper, II. H. and Pekas, J. C. (1971):

Absorption and excretion of radiolabeled I - naphthyl -N- methyl
Carbaniate (carbaryl) by the rats.
N.D. Acad. Sci. 24: 160-166.

Christopher, S., Frings, P.D., and Ralpht, NI. 14(1970):

Colorimetric method for determination of total sentin lipid based on
Sulphosphoyalanine reaction.
Am. J. Chit Path., 53: 89.

Coles, E. II., (1986):

Veterinary clinical pathology

4th ed. W. B. Saunders Co. Philadelphia, London, Toronto, Mexico

City, "Tokyo. p.190- I 93.

Collins, T. F. X., Hansen, W. II., and Keeler, II. V., (1971):

The effect of cabal)] (sevin on reproduction of the rats and gerbil.

'Foxicol. Appl. Pharmacol. 19: 202-216.

Corkett,,1. R., Wild], K., and Bailie, A. C., (1984):

"The biochemical mode of action of pesticide,"

2n^d ed., Academic Press, Inc. San Diego, New York, London ,Sydney

- Tokyo., and 'Toronto p. 99-140.

Cornelius, C. E., (1989):

Liver function. In : "Clinical Biochemistry of domestic animals."

4th ed. Academic Press, Inc. San Diego, New York, London , Sydney ,

Tokyo., and Toronto p. 264- 397.

Crammer, NI. F., (1986):

Carbaryl: A toxicological review and risk analysis.

Neurotoxicology 7: 247-332.

Dade, S. J. V., and Lewis, S. NI.,(1986):

"Basic I hematological techniques" In Practical I hematology

International Student 6th ed. Churchill Livingstone hlinburgh,

London, Melbourne, and New York. p 22-50.

Dahanpakian, I', and .Juliet, I'. (1994):

I listopathological changes in the kidney of cyprinus carpio exposed to

malathion and sevin.

J. Environ. Biol., 15 (4): 283-⁷91.

Bankwardt, A., and Block, H. (1997) :

Enzyme immunoassay for analysis of pesticides in water and food.

Food Technol. Biotechnol. 35: 164-174.

Dieringer, C. S., and Thomas, J. A., (1972):

Effects of carbaryl on the metabolism of androgens in the prostate and

liver of the mouse.

Enviro. Res. 7: 381-386.

Di-Kshith, T. S. S., Gupta, P. K., Gaur, S. S., Datta, K. K., and Nlathur,

A. K., (1976):

Ninety-days toxicity of carbaryl in male rats.

Environ. Res. 12: 161-170.

Borough, H. W., (1967):

Carbaryl-C¹⁴ metabolism in a lactating cow.

J. Agric. Food Chem. 15: 261-266.

Doull, R., Klassen, C.D., and Amdur, H. (1980):

"Casarett and Doull's Toxicology, The Basic Science of Poisons"

2nd ed. MacMillan Pub. Co., Inc. New York.

Dumas, B. T., Watson, W. A. and Biggs, H. G., (1971):

" Determination of serum albumin."

Clinica. Chem. Acta., 31: 87.

Drury, R. A. B., and Wallington, L. A., (1980):

"Carleton's 1- listology Technique"

5th . ed. Oxford Llniver. Press. New York :Rimini) 131-135.

Edwards, IL C.,(1986):

Methiocarb poisoning in a horse.

Vet. Rec.. 119 (22): 556.

El!man, G. I.,, Courtney, K. D., Andres, V..1r., and Featherstone, R. Ni.,
(1961):

A IICNV and rapid colorimetrie determination of acetyl cholinesterase
activity.

Bluebell). Phannacol. 7: 88-95.

Evdokimov, P. D., and Stenpova, (1975):

Expermintal poisoning of hens with the carhamates pesticide alkyl
Sevin.

Sbonilk Robot Lening Radsкого Vet. Ins. 40: 232-235.

Evdokimov, S. NI., Akulov, A. V., Zhovoranolmv, N. I., Verkhoski, A. P.,
and Antis'lerov, S. I)., (1980):

Pathological changes associated with carhamates poisoning in domestic
animals.

Veterinaria, 9: 64-65.

FAO / W110 I Food and Agriculture Organization / World Health

Organization] (1970):

Evaluation of some pesticide residue in food.

World Health Organization residue series, Geneva No. 4:261-263.

Finco, D. R. (1989):

Kidney function. In "Clinical Biochemistry of Domestic Animals."

4th ed., Academic Press, Inc. San Diego, New York, London, Sydney,

Tokyo., Toronto. p.496-542.

Flegg, II. M., (1973):

Enzymatic determination of cholesterol.

Ann. Chit Biochem. 10: 79-84.

Gaines, T. B., (1969):

Acute toxicity of pesticides.

Toxicol. Appl. Pharmacol. 14: 515-534.

Giles, C. J., Pycok, J. F., Iltimpreys, D. J., and Stodlski, .1. 13..1.41984):

Methocarb poisoning in a sheep.

Vet. Res. 114: 642.

Gill, T. S., Pant, J. C., and Pant, J. (1988):

Liver and kidney lesions associated with experimental exposure to

carbaryl and dimethoate in fish.

Bull. Environ. Contain. Toxicol. 41:71-83.

Gupta, R. C., ingls, N. E., Paul B. S., and Kwatra M. S. (1981) :

Role of residual estimation, and clinic() - biochemical and pathological changes in the diagnosis of toxicity Bubalus bubalis caused by makithion.

Ind. J. Anim. Sci., 51 (6): 616- 622.

Iladad, L. NI. and Winchester, 1. F. (1983) :

carbamate, organochlorine, and bolimical insecticides; nisei repellents. - In Clinical management of poisoning and drug overdosage.

. ed. W. B. Saunders Co. Philadelphia, London, Toronto, Mexico City, Tokyo. p.711-712.

Ilamada, N. N., (1987):

" One year oral toxicity study in Beagle dogs with carbaryl technical, - Rep. 400-715 from Hazleton Laboratories America Inc., Vienna, VA, to Union Carbide Agricultural Products Company, Inc., Research Triangle Park, North Carolina. Cited in " Handbook of Pesticide Toxicology." Hayes, W. J., Laws, Jr., 1991. Academic Press, Inc. San Diego, New York , London, Sydney , Tokyo., Toronto p.1 145.

Hanaffy, M.S.M., Arbid, M.S., and Afify, M. NI. II. (1989):

Biochemical and histochemical effects of the !annum insecticide in rats.

Egypt. J. Comp. Path. Clin. Path. 2 (2): 251-265.

Hassan, A.,(1971) :

Pharmacological effects of carbaryl- I. The effect of carbaryl on the

synthesis and degradation of catecholamines in the rats.

13iochem Pharmacol. 20: 2299-2308.

Hassan, A., Zayed, S. NI. A. **D.**, and Abdel- Ilamid, F. M., (1966):

Metabolism of carbamate drugs. 1. Metabolism of sevin in rat.

Biochent. Pliannacol., 15: 2045-2055.

Ilassan, 11. B., El- Ilady, K. A., and Subtly, II. (1989):

The Egyptian Society of Toxicology.

The 4th Annual Scientific Conference, National Research Center.

Ilaycs, W.J., and Laws Jr., (1971):

Studies on exposure during the use of antieholinestrse pesticides.

Bull. WHO 44: 277-278.

I layes , W. J., and Laws, Jr., (1991):

"Carbaniate insecticides" In Handbook of Pesticide Toxicology."

Academic Press, Inc. San Diego, New Yolk , London,, Sydney ,

Tokyo., Toronto p.I125-1189.

Henry, R., (1964):

Clinical Chemistry, Principles and Techniques.

Academic Press Inc., San Diego, New York , London, Sydney ,

Tokyo., Toronto. p. I82- 183.

Holmstedt, B., (1972):

The ordeal bean of Old Calabar: The pageant of *Physostignict*

venenosiiin in medicine. In " Plant in the Development of Modern Medicine".

(T. Swain, ed.) Harvard Univ. Press, Cambridge, Massachusetts. 152-169.

I lood, NV., (1980):

A-Z of Clinical Chemistry, "A Guide for the trainee",
MTP Press Limited, Falcon I louse, Lancaster, England, 162-179.

Ilurst, II. E., and !Through, II. W., (1978):

Chemical alteration of the hydrolytic detoxication of methylearbamates
in rats.

Pharmacology 20:146.

IIurwood, I. S., (1967):

Studies on pesticides residues-2-carbaryl residues in the body tissues
and milk of cattle following dermal application.

J. Agric. Food Chem., 24: 69- 74.

Ivey, M. C., !vie, G. W, Devaney,,1. A., and Beensinkle, K. R., (1984):

Residues of carbaryl and of its metabolities in eggs of laying hens
treated with sevin for northern thwl mite control by dipping.

Pooh. Sci., 63(1): 61-65.

Kadir, II. A., and Knowles, C. O., (1981):

Inhibition of rat brain monoamine oxidase by insecticides, acaricides
and related compounds.

Gen. Pharmeol. 12: 39-47.

Kaplan, A. NI., and Sherman, 11., (1977):

Toxicity studies with methyl-N-niethylamino - carbonyl- oxyelhanimido

• thioate.

Toxicol. Appl. Pharmacol., 40: 1-17.

Kiran, R. Sharma, NI., and Bansal, R. C., (1985):

In vivo died Of carbaryl on some enzymes of rat liver, kidney and brain.

Pesticides 19: 42-43.

Knaak, J. B., Tallant, NI. J., Kozbelt, S. J., and Sullivan 1,..1.4 1968):

The metabolism of carbaryl in man, monkey, pig, and sheep.

J. Agric. Food Chem. 16: 465-470.

Knaak, J. B., Yee, K., Ackerman, C. R., Zweig, G., Fry, D. NI., and

Wilson, B. W., (1984):

Percutaneous absorption and dermal dose- cholinesterase response studies with parathion and carbaryl in the rat.

Toxieol. Appl. Plirmaeol. 76: 252 -263.

Kossakowski, S., and Lysek, C.,(1982):

Expermintal carbaryl poisoning in rabbits.

Med. Water. 38: 222 -225..

Krug, It F., and Berndt, J., (1985):

Inhibition by pesticides of prostaglandin formation in blood platelets.

Blut 51: 19-23.

Kuhr, ILL, and Dorough, II. W., (1976):

"Carbamate insecticides: chemistry, biochemistry and toxicology -

CRC Press, Boca Raton, Florida.

KueMinskaya, U. A., hunitskii, V. A., and Shilina, V. F., (1984):

Effect of pesticides with anticholinesterase activity on the biogenic amine content in the brain.

Gig. Saint. 5: 80-81.

Lechner, I). W., and Muld Rahman, 11.1.S., (1985):

Alteration in rat liver microsomal enzymes following exposure to carbaryl and malathion in combination.

Arch. Environ. Contam. Toxicol. 14: 451-457.

Lee, W. K., and Hong, S. U., (1985):

Toxicological study of carbaryl in rats.

Arch. Pharmacol. Res. 8: 119-132.

Lockard, J. M., Schuette, I3. P., and Sabharnal, P. S. (1982):

Inhibition by carbaryl of DNA, RNA, and protein synthesis in culture rat lung cells.

Experientia 38 : 686-687.

Lox, C. I). (1984):

The effects of acute carbaryl exposure on clotting Ilictoity in the rat.

Ecotoxicol, Environ. Sal 8: 280-283.

Lucas, D. H., and Blank, K. E., (1977):

Spectrophotometric standards in the clinical laboratory.

Animal lab. 9: 77-83.

Malik, .1. IC, Singh, R.V., Gupta, K. C., and Paul, B. S.(1980):

Influence of fenitrothion on *in vitro* incorporation of acetate-I4, in liver lipids and on various tissue enzymes in rats.

J. Nucl. Agric. Biol., 9: 25-28.

Malinin, O. A. (1967):

Action of small doses of sevin on animals.

Veterinaryia, 12: 66-68.

NIakhlotif , M. M. , (1993) :

Teratogenic and embryotoxic effect of carbamates on rats .

Thesis (M.V. Sc.), Fac. Vet. Med. Cairo University.

Marshall, T. C., and Borough, 11. W., (1979):

Biliary excretion of carbamate insecticides in the rat.

Pestic. Biochem. I I: 56-63.

Mastuntura, F. (1985):

Toxicology of Insecticides.

2nd ed.. Plenum Press, New York, p 267-270.

- Mahar, F. E; El- SeraEy, SS; Zowail M.E.M. and Awwad M.11. (1992):
Cytological and cytochemical changes in the liver of the grass carp
cienopharyngodon IDNI.I.A (VAL.) in seven polluted water.
Egypt. J. Flistol. 15(1): 109-119.
- McCay, C. F., and Arthur, B. %V., (1962):
Sevin residues in poultry products.
J. Econ. Ent., 55: 936-938.
- Metcalf, R. L., (1971):
Structural — activity relationship for insecticidal carbamates.
Bull. W110. 44: 43.
- Michel, Miller, A., Olivitu, V., and Van Loon , E..1.(1971):
Toxic effects of carbaryl on the CNS of the miniature pig.
Fed. Proc. Fed. Am. Soc. Exp. Biol. 30: 443.
- Mount, M. E., Dayton, A. D., and Oehme, F. W.,(1981):
Carbaryl residues in tissues and cholinesterase activities in brain and
blood of rats receiving carbaryl.
Toxicol. Appl. Phannacol. 28: 282-296.
- Mukhamedshin, It. A., Nlamleev, S., Bonin, A. C., and l'erevoznikov,
M.A., (1977):
Toxicity of alkyl sevin 67 for fowls.

Veterinaria, 7: 87-89.

Murakami, NI., and Fukami, J.,(1982):

Carbaryl binds to protein of human cells in culture but chlorinated organic chemicals don't.

Bull. Environ. Contain. Toxicol. 28: 500-503.

Murkami, NI., and Fukami, J., (1983):

Effects of carbaryl on nucleic acid and protein biosynthesis in cultured human cells.

J. Pestic. Sci. 8: 353-355.

National Research Council (NRC), (1995):

Nutrient Requirement of Laboratory Animals,

4th . revised ed. National Academy Press. Washington, D.C. 95-102.

Neubert, D., Nlerker, H.J., and Kawsigrach, T. E. K. (1977):

Methods in Prenatal "FoxiCology. I" . ed.

Gerogethieme, Puplishers, Stuttgart, Germany. 139-156.

Nye, D. E., and dorough, H. W., (1976);

Fate of insecticides administrated endoltacheally lo rats.

Bull. Environ. Contain. Toxicol. 15: 291-296.

O'13rein, R. D., and Dannelley, C. E.,(1965):

Penetration of insecticides through rat skin.

J. Agric. Food Chem. 13: 245-247.

Onikiyanko, EA., (1972):

The activity of certain blood and liver enzymes in animals subjected to acute and chronic sevin poisoning.

Farmakol. i toksikol., 35: 237-239.

Orzal, R. A., and Weiss, L. R., (1966):

The effect of carbaryl on blood glucose and liver and muscle glycogen in fasted and non fasted rats.

Biochem. Pharmacol. 15: 995-998.

Paget, G. E., (1970):

“Methods in Toxicology”

. ed. 13 Blackwell, S. C., Pub Oxford and Edinburgh. 76-82.

Parafita, NI. A., and Otera, F. NI. P., (1984):

The interaction of carbaryl with the metabolism of isolated hepatocytes. Effect on gluconeogenesis.

Gen. Pharmacol. 15: 333-337.

Patton, C. .1., and Crauth, S. It .4 1 977):

Enzymatic colorimetric method of urea determination.

Annul. Chem., 49 : 461-169.

Prakash, NI., Arora, C. K., (1998):

Breeding in laboratory animals

¹st . ed..1. L. Kumar for Anmol Pub. Pvt. Ltd., New Delhi. P. 131-133.

Radeleft, R. D., (1970):

Veterinary Toxicology.

2nd. Ed., Lea and Febiger, USA. 129-141.

Rahmy, N. A, (1994):

Clinieopathological studies on the effect of carbamate insecticides in

laboratory: animals.

Thesis (Ph.0), Fac. Vet. Med. Cairo University.

Rajini, P. S., and ICrishnaktimari, NI. K., (1988):

Toxicity of pirimiphos-methyl: II.Effect of dietary feeding on blood and

urine constituents.

J. Environ.. Sci. Health, 3(2) 145-158.

Ray, S. K.,and Fodder, NI. N., (1983):

Carbaryl- induced elevation of corticosterone level and cholinergic

mechanism.

Biosci. Rep. 3: 973-977.

Ray, S. fodder, NI. IL, (1984):

Effect of pentylenetetrazole on the carbaryl-induced changes of

serotonin metabolism in rat brain hypothalamus.

Biosci. Rep. 4: 427-432.

Reitman, S. and Frankel, S., (1957):

A colorimetric method for the determination of serum glutamic

oxaloacetic acid, and glutainic pyruvic transaminase.

Am. J. Clin. Path.

M. M., (1995):

Biochemical studies on the toxic effect of some pesticides on experimental rats.

Thesis (M. V. Sc.), It. Agree. Ain Shams University.

Rumack, R. II., (1980):

Carbamated insecticides poisoning.

Microntedex Systems, Denver, Col. I: 80.

Sand, H., (1992):

The role played by sex in modification of toxic action of some pesticides.

Ph. D thesis, Fac. Vet. Med., Cairo Univ.

Sanderson, D. M., and Edson, E. F., (1964):

Toxicological properties of Dimetoate.

Br. J. Med., 21: 52-64.

Serron, I). M. Stein, A. A. and Coniston, F.,(1966):

Biochemical and electron microscopic change observed in
and monkeys medicated orally with carbaryl. nits

Toxicol. Appl. Pharmacol. 8: 353.

Shah, P. V., Monroe, R. J., and Guthrie, F. E.,(1981):

Comparative rates of dermal penetration of insecticides in mice.

Toxicol. Appl. Pharmacol. 59: 414-423.

Sherlock, S., (1989):

Diseases of the Liver and Biliary System .

8th . Ed., Blackwell Scientific Pub., Oxford, Boston, and Melbourne .

Shtenberg, A. I., and Orbovan, M. V., (1971):

Effect of small doses of sevin on the reproductive functions of animals
in several generations.

Vopr. Pitan. 1:42-49.

Shtenberg, A. I., and Kybakova, M. N., (1968):

Effect of carbaryl on the neuroendocrine system of rats.

Toxicol. 6: 461-467.

Siest, G., Benny, J., Schiele, F. and Young, D. S., (1985):

Kinetic determination of creatinine.

Interpretation of Clinical Laboratory Tests. p. 220-234.

Smalley, H. E., (1970):

Treatment of carbaryl in swine.

J. Am. Vet. Med. Assoc. 156: 339-344.

Smalley, H. E., Curtis, J. N., and Earl, F. L., (1968):

Teratogenic action of carbaryl in beagle dogs.

Toxicol. Appl. Pharmacol. 13: 392-403.

Smalley, II. L., O' I l ain, P..1., Bridges, C. II., and Radeleft, U. IX, (1969):

The effects of chronic carbaryl administration on the neuromuscular system of swine.

Toxicol. Appl. Pharmacol., 14: 409- 419.

Snedecor, W. C. and Cochran, W. G., (1967):

Statistical methods. 6" ed., Iowa State Univ. Press, Ames, Iowa, USA.

Sobhy, (1987):

Pharmacological and toxicological studies on the carbamate insecticide methomyl.

M. Sc. thesis, Fac. Vet. Med. Cairo University.

Sonnenwirth, A. C., and Jarett, L.(1980):

"Draw ofirs Clinical Laboratory' Methods and Diagnosis".

8th . ed. The C. V. Mosby Co. St. Louis. 135-138.

Sullivan, L Wridge, .1. M., Knaak, J. B., and 'Valiant, M. J.,(1972):

5,6-Dihydroxycarbruyil glucuronide as a significant metabolites of carbaryl in the rat.

J. Agric. Food Chem. 20: 980-985.

Sussman, II. E, Cooke, S. B., and Block, V., (1969):

!Italian louse infestation: Treatment with Carbacidc.

Arch. liermatol. 100: 82-83.

Swilum, M. A., (1996a):

Effect of long term administration of sublethal doses of carbaryl on the kidney of adult albino rat.
Al-Azhar Med. J. 25 (2):123-¹³⁰

Swilum, NI. A., (1996b):
Effect of long term administration of sublethal doses of carbaryl on the testis of adult albino rat.
Al-Azhar Med. J. 25 (2): 131 -1/10

Szczepaniak, S., Sienkiewicz, E., Zeleniewicz, K., and Nowinski, II.(1980):
Effect of carbaryl and chlorfenvinths on the level of free amino acids in rat blood serum. Part II. Intoxication with a single dose corresponding to 1/5 LD50.
Broinatol. Chem loksylol., 13:351-353.

Tanaka, 11., Fujisawa, S., Nakai, K., and Nlinagawa, K., (1980):
Distribution and binary excretion of carbaryl, dieldrin and paraquat in rats: Effect of diets.
.1.'Ibxicol. Sci. 5: 151-162.

Tanaka, It, Fujisawa, S., and Nakai, K., (1981):
Study on the absorption and protein binding of carbaryl1 dieldrin and paraquat in rats fed on protein diet.
J. Toxicol. Sci. 6: 1-11.

Thomas, A., Gosscl, J., and Douglas, B., (1990):
Principles of Clinical Toxicology.

. ed. Ravan Press, New York, USA. 142-145.

Trifonova, I. K., (1984):

Effect of pesticides on reproductive function in animals.
Veterinariya 8: 55-56.

flintier, P., (1969);

Determination of blood glucose using glucose oxidase with an
alternative oxygen acceptor.
Ann. Chit Biochem. 6: 24-27.

Vaud eka r, I. (1980):

Minimizing occupational exposure to pesticides Cholinesterase
determination and organophosphorus poisoning.
Residue Rev. 75: 67-80.

Vandeker, M., and Wilford, K.,(1969);

The effect of cholinesterase activity of storage of undiluted whole
blood samples from men exposed to 0- iso- propoxyphenyl methyl
carbamate (OMS-33).
Bull. WIRE 40: 91-96.

Vandeker, M., Reiner, E., and Fajdetie, T.,(1965):

Value of ED_{50} testing in assessing hazards of acute poisoning
by carbamates and organophosphates.
Br. J. hid. Med. 22: 317-320

2nd . ed. Rayon Press, New York, USA. 142-145.

Trifonova, T. K., (1984):

Effect of pesticides on reproductive function in animals.

Veterinariya 8: 55-56.

'Erinder, p., (1969):

Determination of blood glucose using glucose oxidase With all

alternative oxygen acceptor.

Ann. Clin. Biochem. 6: 24-27.

Vandekar, M. (1980):

Minimizing occupational exposure to pesticides Cholinesterase

determination and organophosphorus poisoning.

Residue Rev. 75: 67-80.

Vandeker, M., and Wilford, K.,(19⁶⁹);

The effect of cholinesterase activity or storage of undiluted whole
blood samples from men exposed to 0- iso- propoxyphenyl methyl

carbamate (OMS-33).

Bull. WHO 40: 91-96.

Vandeker, M., Kehler, E., and Fajdetie, T.,(1965):

Value of ED5₀, testing in assessing hazards of acute poisoning

by carbamates and organophosphates.

Br. J. Ind. Med. 22: 317-320.

Effect of long term administration of sublethal doses of carbaryl on the kidney of adult albino rat.

Al-Azhar Med. J. 25 (2): 123-130

Swilum, M. A., (1996b):

Effect of long term administration of sublethal doses of carbaryl on the testis of adult albino rat.

Al-Azhar Med. J. 25 (2): 131-140

Szczepaniak, S., Sienkiewicz, J., Jeleniewicz, K., and Nowinski, J. (1980):

Effect of carbaryl and chlorfenvinfos on the level of free amino acids in rat blood serum. Part II. Intoxication with a single dose corresponding to 1/5 ED₅₀.

Bromatol. Clem. Toksykol., 13: 351-353.

Tanaka, It., Fujisawa, S., Inakai, K., and Minagawa, K., (1980):

Distribution and biliary excretion of carbaryl, dieldrin and paraquat in rats: Effect of diets.

J. Toxicol. Sci. 5: 151-162.

Tanaka, It., Fujisawa, S., and Nalmi, K., (1981):

Study on the absorption and protein binding of carbaryl dieldrin and paraquat in rats fed on protein diet.

J. Toxicol. Sci. 6: 1-11.

Thomas, A., Gossel, J., and Douglas, I., (1990):

Principles of Clinical Toxicology.

Vandeker, NI., Plestina, R., and WiheIm, K. T., (1971):

Toxicity of carbamates for mammals.

Bull. WHO 44: 241- 249.

Wahbi, A. A., EI-Dirdiri, N., and Tagel-Din, M. 11., (1987):

Sevin toxicity of Sudanese Nubian goats.

Bull. Anim. Health and Production in Africa 35 (I): 53-58.

Wakakura, Ni., Ishikawa, S., and Uga, S., (1978):

Ultrastructural hepatic changes by carbamate pesticide (Sevin) in rats.

Environ. Res. 16: 191-204.

Walmsley, R.N., and White, G.H., (1994):

A Guide to Diagnostic Clinical Chemistry.

1st ed., Blackwell Scientific Pub., Oxford, Boston, and Melbourne .

Weil, C. S., Woodside, M.D., Carpenter, C. P., and Smyth, 11. F., (1972):

Current status of tests of carbaryl for reproductive and teratogenic effect.

Toxicol. Appl. Phannacol. 21: 390-404.

Weil, C. S., Woodside, NI. D., Bernard, J. B., Condra, N. I., King,

J. NI., and Carpenter, C. P., (1973):

Comparative effect of carbaryl on rat reproduction and guinea pig teratology when fed either in the diet or by stomach intubation.

Toxicol. Appl. Pliannacol. 26: 621-638.

Weiss, L. R., Bryant', J., and Fitzhugh, O. G., (1964):

Blood sugar levels following acute poisoning with parathion *and* carbaryl .

Toxicol. Appl. Pliannacol. 6: 363.

Weiss, L. R., Orzal, R. A., and Fitzhugh, O. G., (1965):

Hyperglycemia *and* drug interaction in anticholinestrase toxicity.

Fed. Proc., Fed. Am. Soc. Exp. Biol. 24: 641

Westlake, G. E., Bunyan, P.j., Martin, A.D., Stanleys, P.1., and Steed, L.C., (1981):

Effect of carbamate pesticides on plasma enzymes and brain esterases of Japanese quail.

J. Agric. Food Chem., 29(4) 779-785.

Whittaker, M., (1983):

"Methods of Enzymatic Analysis"

V. Bergmeyer, J. Bergmeyer and M. Grabl eds.

. ed., Verlag Cliemie, Deerfield Beach, Florida 52-74.

Yakim, V. S.(1967):

""he maximum permissible concentration of sevin in the air of the work zone.

Hyg. Saint. 32: 32- 37.