




LITERATURE
CITED



6-LITERATURE CITED

- Abbass, M.M. (1994).** Effect of some growth retardant on *Ceosia argenta* and *Zinnia elegans* plants. M.Sc.Thesis, Fac.Agric., Cairo, Univ. pp.73: 74.
- Abdelnour-Esquivel A.; A. Mora and V. Villalobos (1992).** Cryopreservation of zygotic embryos of *Musa acuminata* (AA) and *M. balbisiana* (BB). Cryo. Lett. 13: 159 – 164 .
- Adelberg, J; K. Fujwara; C. Kirdmanee and T. Koza (1999).** Photoautotrophic shoot and root development for triploid melon . Plant cell Tiss. and Org. Cult. 57(2): 95 – 104.
- Ahmed, S.S. (1997).** Effect of some growth regulators on growth and flowering of some ornamental plants. Ph.D., Thesis, Fac. Agric., Cairo. Univ. pp. 33 :34
- Aitken-Christie, J.; T. Kozai and M.A.L. Smith (1995).** Automation and environmental control in plant tissue culture. Kluwer Academic Publ., Dor., The Netherlands.
- Al-Babili, S.; W. Hrtung; H. Klenig and P. Beyer (1999).** (CPTA) modulates levels of carotenogenic proteins and their mRNAs and affects carotenoid and ABA content as well as chromoplast structure in *Narcissus pseudonarcissus* flowers. Plant bio.1(6):607 – 612.
- Alizai, M.N.K.; Zulfiqar-Ahmed and Z. Ahmed (1997).** Comparative study and polyphenol oxidase inhibitors efficacy with sulphite treatment prior to dehydration. Sarhad, J. Agric. 13 (3):303–310.
- Alleweldt, G. and L.M. Harst (1987).** The effect of growth inhibitors on long-term storage of in vitro cultures of grapevine. Vitis. 26 (2): 57 – 64.

- Anadarajah, K. and B.D. Mckersie (1990).** Manipulating the desiccation tolerance and vigor of dry somatic embryos of *Medicago sativa* L. with sucrose, heat shock and abscisic acid. Plant cell Rep. 9:451- 512
- A.O.A.C (1985).** Official Methods of Analysis 14th ed. Association of official Agric. Chemists . Washington . DC, USA.
- Arnold, D. and Joseph, A.(1968)** Experimental physiology ; Experimental in cellular, general, and plant physiology. pp.283, James, D.E.; Ariel, G.L. and Howard, A.S. (eds.). Holt, Rinehart and Winston, INC., New York.
- Arrora, R. and S.S. Bhojwani (1989).** *In vitro* propagation and low temperature storage of *Saussurea lappa* C.R. C Clark –An endangered, medical plant. Plant Cell Rep. 8: 44 – 47.
- Assy, B.A.H.; B. and F. Engelmann (1993).** Medium – term conservation of mature embryos of Coconut. Plant cell Tissue and Organ Culture, 33 (1):19 – 24.
- Attree, S. M.; M.K. Pomeroy and L.C. Fowke (1995).** development of white spruce [*Picea glauca* (Moench) voss] somatic embryos during culture with abscisic acid and osmoticum, and their tolerance to drying and frozen storage . J. Exp. Bot. 46 (285): 433 – 439.
- Bachiri, Y.; C. Gazeau; J. Hansz; C. Morisset and J. Dereuddre (1995)** Successful cryopreservation of suspension cell by encapsulation – dehydration. Plant Cell, Tissue and Org. Cult. 43 (3): 241 – 248.
- Badifu, G.I.O.; Akpapunam, M.A. and V.M. Mgbemere (1995).** The rate of beta carotene in processed leaves of fluted pumpkin (*Telfairia occidentals* Hook.) Plant F. for

- Hu.Nuir.48 (2):141 – 147.
- Bahat, S. R. and K.P.S. Chandel (1993).** *In vitro* conservation of Musa germplasm: Effects of mannitol and temperature on growth and storage. J. of Hort. Sci. 68 (6): 841 – 846.
- Bajaj, Y.P.S. (1984).** Induction of growth in frozen embryos of coconut and ovules of citrus . Curr.Sci. 53 : 1215 – 1216
- Baubault , C; Lanoy , v ; Baudier , F ; Ducommun , C . (1991)** *In Vitro* preservation of hododendron during multiplication and rhizogenesis stges . Acta hort.(298) : 355 – 358 .
- Berardi – G ; Infante – R;Neri – D (1993).** Micropropagation of pyrus calleryana Dcn . from seedlings . Scientia – hort. 53 (1) : 157 – 165 .
- Beruto , M. and Cuhr , P.(1999)** Influence of agar on *in vitro* culture : II . Biological performance of Ranunculus on media solidified with three different agar brands.Cell. Develop.Bio. Plant . 35 (1) :94 – 101 .
- Beversdorf WD & Kott LS (1987)** An *in vitro* mutagenesis / selection system for Brassica napus . Iowa State . J .Res. 61 : 435 – 443.
- Bewely JD and Black M. (1985)**Seeds physiology of development and germination , Plenum Press , New Yourk.
- Biricolli , S., Pucci , S . (1995)** effects of increasing NaCl rates on ‘redhave’ peach and ‘GF677’ rootstock cultured *In Vitro* . advances in Hort.Sci. 9 (2): 75 – 78 .
- Bonnier – FJM ; Jansen – RC ; Tuyl – JM – Van; Van – Tuyl – JM (1997)** Freezing tolerance of bulb scales of lily

- cultivars : effects of freezing and storage duration and partial dehydration . J. Plant Phys . 151 (5): 627 – 632 .
- Bouza , L .; Jacques , M.; Sotta , B .; Miginiac , E (1994)** the reactivation of tree peony (*Paeonia suffruticosa* Andr .) vitroplants by chilling is correlated with modifications of abscisic acid , auxin and cytokinin levels . plant Sci. (Limerick). 97 (2) : 153 – 160 .
- Brearley J, Henshaw GG , Davey C, Taylor NJ and Blakesley D.(1995)** Cryopreservation of *Fraxinus excelsior* L. zygotic embryos . Cryo- lett. 16 : 215 – 218.
- Bridgen , M.P. and Staby ,Gl., (1981)** Low pressure and low oxygen storage of *Nicotiana tabacum* and *Chrysanthemum X morifolium* tissue cultures . Plant Sci. lett.22: 177 – 186 .
- Campton , M . E. and Gray , D.J. (1996)** Effect of sucrose and methylglyoxal bis – (guanyldrazone) on controlling grape somatic embryogenesis . Vitis . 35 (1) : 1 – 6 .
- Cantos – M; Zarat- R; Troncoso- A (1998)***In vitro* germplasm conservation of *Atropa bacteica* by cold storag.Bota.Gar. Microprop. – News , 2 (3) : 37 – 39 .
- Cao – YueHua ; Cao – YH (1997)** Studies on the changes of physiological properties of *Eucalyptus* germplasm conserved by encapsulation in alginate beads at room temperature . Forest – Res. 10 (2) : 130 – 136 .
- Caplin, S.M., (1959)** Mineral oil overlay for conservation of plant tissue cultures. Am.J.Bot., 46 : 324 – 329.
- Castillo, B.; M.A.L. Smith and U.L.Yadava (1998)** Plant regeneration from encapsulated somatic embryos of *Carica papaya* L. Plant Cell Rep. 17: 172 – 176.

- Chang , - JQ ; Cai ; DT . (1988) the effects of brassinolide on seed germination and cotyledon tissue culture in *Brassica napus* L . oil – crops – of china . 4 : 18 – 22 .
- Chartier – Hollis – JM ; Harris – W ; Lych – PT ; Morisot – A (ed.) ; Ricci – P.(1995)Cryopreservation of shoot tips of *Rosa multiflora* . Acta – Hort.424 : 367 – 368 .
- Chaves – A ; Fernandez – Lozano – J ; Limongelli – JC ; Mugridge A . (1999).cold storage of celery (*Apium graveolens* . L) plants using biodegradable and biodisintegrating films . ITEA – production – vegetal . 95 (1) :93 – 105.
- Chekroun – MB ; aMzile – J ; Mokhtari – A ; EL – Haloui – NE ; Prevost – J . (1997) quantitative change of carbohydrate content of two varieties of jerosalem artichoke tubers (*Helianthus tuberosus* L .) during cold storage conditions 4 (C . J. Agr. Crop Sci . 179 (3) : 129 – 133 .
- Chen THH , Gusta LV (1983) Absciscic acid induced freezing tolerance in cultured plant cells . Plant phys. 73 : 71 – 75
- Chin – HF ; Krishnapillay – b (1989) Cryogenic storage of some horticultural species . Acta – Hort . 253 : 107 – 12
- Chitia – S;Deka-PC ; Devi- J (1998)Germplasm of fresh and stored encapsulation protocorms of orchids.Ind. J. Exp. Bio.Jorhat. 785.
- Claassen – PAM ; Calker – MH – Van ; Matinus – J ; Van – Calker – MH (1992) Accumulation of sugars in microtubers of potato node cuttings (cv . kennebec) during cold storage. Potato – Res . 35 (2):191 – 194 .
- Claude Bomal and Francine M.Tremblay (1999) Effect of

- desiccation to low moisture content on germination ,
synchronization of root emergence , and plantlet
regeneration of black spruce somatic embryos . Plant
cell , Tiss.and Org. Cult. 56 : 193 – 200 .
- Cyr DR , Lazaroff WR , Grimes SMA , Quan G , Bethune
TD , Dunstan DI , Roberts DR (1994)
Cryopreservation of interior spruce (*Picea glauca*
engelmanni complex) embryonic cultures . Plant Cell
Rep. 13 : 574 – 577
- Dasgupta J & Bewley JD (1982) Desiccation of axes of
Phaseolus vulgaris during development of switch from a
development pattern of protein synthesis to a
germination pattern . Plant phy. 70 : 1224 – 1227 .
- Datta – KB ; Kajilal – B; Sarker – D – de ; de – Sarker .(1999
) Artificial seeds technology : development of a protocol
in *Geodorum densiflorum* (Lam) Schltr an endangered
orchid . Current – Sci . 76 (8) 1142 – 1145.
- De Boucaud MT, Cambecedes (1988)The used of 1,2-
Propandiol for cryopreservation for recalcitrant seeds :
the model case of *Zea mays* imbibed seeds . Cryo-lett.
9:94-101.
- Dekkers A. J. , A. N. Rao and C. J. Goh (1991) *In vitro*
storage of multiple shoot cultures of gingers at ambient
temperatures of 24 – 29 °C. Scientia Hort.47 : 157 – 167.
- Dereuddre J, Scottez C, Arnaud Y, Duron M.(1990
)Resistance of alginate – coated shoot tips of pear tree (*Pyrus communis* L. cv. Beurre Hardy) *in vitro* plantlets
to dehydration and subsequent freezing in liquid
nitrogen : effect of previous cold hardening . CR .Acad.
Sci. Paris 310 (III) : 317 – 323.

- Derkx – MPM ; Joustra – MK ; Ellis – RH (ed.) ; Black- M (ed.) ; Murdoch – AJ (ed.) ; Hong – TD . (1997) Dormancy breaking and short – term storage of pretreated *Fagus sylvatica* seeds ; Current plant Sci. and Bio.in Agr.30 .**
- Deryer , E.;Tardieu , F.; Schulze ED ; Stiller V; Dizengremel P.,Selmer L.; Label P.;Sandermann H. Jr. (ed.);Bonnet , Masimbert , M. (1995) regulation of photosynthetic activity in forest trees during drought .Results from Eurosilva project, presented at douran , France , 7 – 10 Nov.334 – 368.**
- Deswarte ,C.J.,Martinez–Tellez M . A.,Gardea,A . A.;Mercado , J.N.,Vargas I.(1995) Thermal conditioning to reduce chilling injury in zucchini and its effect on phenol metabolism enzymes . Proc. of the Inter Ame. Soc. for Tro. Hort. 39 : 33 – 38.**
- Devi- J; Ray – Bk; Chetia – S;Deka- Pc (1998) Regeneration of low temperature stored encapsulated protocorms of orchids. J.Orc. Soc. of Ind . 12 : (2) 39 – 41 .**
- Dorion – N ; Kadri – M; Bigot – c (1991) *In Vitro* preservation at low temperature of roseplantlets usable for usable for direct acclimatization . Act Hor. 298 : 335 – 343 .**
- Dorion – N ; Godin – B ; Bigot –c (1993) physiological state and clonal variability effect on low temperture storage of *In Vitro* shoot cultures of elms (*Ulmus* sp.). Scientia Hor.56 (1) : 51 –159.**
- Dorion – N ; Regnard – JL ; Serpette – I ; Bigot – C (1994) Effects of temperature and hypoxic atmosphere on preservatand further development of *In Vitro* shoots of peach (*Armking*) and peach X almond hybrid**

- (GF677).SCIRNTIA – Hor.57 (3) :201 – 213.
- Drew,R. A.(1992) Improved techniques for in vitro propagation and germplasm storage of papaya.Hor.Sci.27(10) :1122 – 1124.
- Drualt – D ; Schafer – Menuhr – a (1985) . In Vitro germplasm preservation technique for fruit trees . In Vitro tech . 167 – 171.
- Dubois, M.; F. Smith ; K. A Gilles ; J.K.Hamilton and P.A. Rebers (1966) Colorimetric method for determination of sugar and related substances . Annal.Chem. ,28 (3) : 350 – 356.
- Echeverria – E ; Burns – JK (1989)Vacuolar acid hydrolysis . Physiology , 90 (2) 530 – 533.
- El-Bagoury H.,A.I.;El-Tantawy,A.Abd El-Dayem and M. Ismaill(1994)Effect of salinity on growth and chemical compositio of some ornamental shrubs . 2.Adhatoda visca nees . The First Conf. Of Orna. Hort. 1 : 300 - 318
- El-Gendy – FA (1990) Plant regeneration from sour orange and rangpur lime undeveloped ovule cultures .Ann. Agr.Sci., Moshtohor . 28 (4):2407 – 2417 .
- Eliasson – MK ; Beyl – CA ; Barker – PA (1998) In Vitro responses and acclimatization of Prunus serotina with paclobutrazol . J.of Plant Gro. Reg.13 (3) :137 – 142.
- EL-Menesi , Fardous A ; E.M. Nofal ; M .A. EL–Tarawy and Eman A.Attia(1998) physiological studies on some ornamental plants ; Effect of ccc , Morphactin and atrinal on the vegetative. The Second Con. of Orn. Hort.–Egypt- Ismailia .
- EL–Obeidy Ahmed A.(1996) In Vitro embryogenesis from

- undeveloped embryos of lime . Fourth Conf. For Hort. Cultural Crops , EL – Minia , Egypt .
- Emanuele Piccioni (1997) Plantlets from encapsulated microtopagated buds of M.26 apple rootstock . Plant Cell , Tis. and Org.Cult. 47 : 255 – 260 .
- Engelmann ,Dumet .D F., Chabrillange N.and Duval Y.(1993) Cryopreservation of oil palm (*Elaeis guineensis* jack)somatic embryos involving a desiccation step. Plant Cell Rep. 12 : 352 – 355 .
- Farcy –E ; Verhille – AM.; cornu –A ; cerceau – Larrival – MT.(1990) Study of pollen conservation in petunia : methodology tests of viability (In Vitro and In Vivo) . and genetic uniformity . Bull. – de – la Soc. – Bot. – de – France , Act. – Bot. 137 (2) : 105 – 110 .
- Francis T.Zee and Mark Munekata (1992) In vitro storage of pineapple (*Ananas spp.*)germplasm . HortSci. 27 (1) : 57 – 58
- Frans J.M.Bonnier , Joost Keurentjes , and Jaap m M . van tughl . (1994) Ion Leakage as a criterion for viability of lily Bulb scales after storage at – 2 (C for 0.5 , 1.5 and 2.5 years . HortSci. 29 (11) : 1332 – 1334 .
- Fretz A , Lorz H (1995) Cryopreservation of in vitro culture of barley (*Hordeum vulgare* L. and *H. murinum* L.)and transgenic cells of wheat (*Triticum aestivum* L.) . Plant Phys. 146 : 489 – 496 .
- Gabryszewska ,E.(1998) the influence of cytokinins , thidiazuron paclobutrazol and red light on shoot proliferation of herbaceous peony cv. Jadwiga In Vitro. J.of Fru. and Orn. plant Res. 6 (3\4) 157 – 169 .
- Galeazzi, M.M.; Syarbicri, C.V. and Constantinides, M. S.

- (1981) Isolation, purification and physiochemical characterization of polyphenol oxidase (PPO) from a dwarf variety of banana . J. Food Sci. 46(1) : 150- 155
- Ganapathi , T. R. ; Kulkarni , V. M. ; Suprasanna , P. ; Bapat , V. A. ; Rao , P. S. (1998) Studies on in vitro multiplication and encapsulation in an elite variety of banana – Lal-Kela (AAA) . Section b, Biol. Sci . 68 (1) : 45 – 51 .
- Gaurab G. , Sangita B., Barid B. M. and Sukumar G. (1997) Effect of and osmotic shocks on unadapted and adapted callus lines of tobacco . plant cell . Tis. and Org. Cult. 49 : 45 – 52 .
- Geeta R. , Debpalmquist and Craig A. Ledbetter (1995) In vitro screening procedure for osmotic tolerance in prunus . Plant cell , Tis. and Org. Cult . 41 : 159 – 164 .
- George L; Eapen S. (1995) Encapsulation of somatic embryos of finger millet Eleusine coracana Gaertn . Ind. J. of Exp. Bio. 33 (4) 291 – 293 .
- Germain E (1990) Walnut production and industry in Europe , the middle east and north Africa. In: Proc Expert Consultation on the promotion of nut production in Europe and neareast regions. Yalova (Istanbul), Turkey 19-22 June. Reur. Tech. Ser. 13, FAO, Rome, pp 119-131
- Germana M. Antonietta , Piccioni Emanuele and Standardi Alvaro (1999) Effects of encapsulation on Citrus reticulata Blanco somatic embryo. Plant Cell, Tis. and Org. Cult. 55: 235 – 237.
- Gonzalez – Benito, ME and Perez C., (1994) Cryopreservation of embryonic axes of two cultivars of hazelnut (Corylus avellana L.). Cryo. Lett. 15 : 41 – 46

- Gray – DJ (1989)Effect of dehydration and exogenous growth regulators on dormancy , quiescence and germination of grape somatic embryos . In- vitro Cell. and dev. Bio. 25 (12): 1173 – 1178 .
- Grazia M., Rasquale R.and Fabrizio S. (1985) storag of In Vtro cultures of prunus rooktocks . Plant cell, Tiss. Org. Cult. 5 : 73 – 78
- Guo – Y.; Li – J.; Guo YP ; Li – JR (1995) Studies of in vitro conservation of Kiwi germplasm . J.of Fru. Sci . 12 (2) 84 – 87 .
- Harry LS, & Thorpe TA. (1991) Somatic embryogenesis and plant regeneration from mature zygotic embryos of red spruce. Bot. Gaz. 152 : 446 – 452
- Hatanka T.;Yasuda T.;Tamaguchi T. and Sakai A. (1994) Direct regrowth of encapsulated somatic embryo of Coffee (Coffea canephora) after cooling in liquid nitrogen.Cryo.Lett.15: 47 – 52 .
- He – Yikun ; Zhu – Chang Fu ; He –MengYuan ; Hu – Alin ; Hao –Shui ;He – Yki ; Zhu – CF; He- My ; Hu- Al ; Hao –S (1997)Morphogenesis of tubercles and production of artificial seeds in Pinellia ternata .Acta – Ang.– Sin.23 (4)482 – 486 .
- Hennion -B and Schupp – J (1995) quality of strawberry plants and soluble carbohydate reserves in roots . Fruit – Belde. 63 (458) : 176 – 180.
- Higashiuchi – Y ; kido – k ; lehii – T ; Nakauishi – T ; kawai – Y ; Ozak ; T . (1990) The effect of gibberellins and growth retardants on In Vitro flowering of the vegetative apex of Japanese pear . Scie. –Hort. . 41 (3): 223 – 232.
- Hikal, A. R. F. (1994) Effect of paclobutrazol on growth

- flowering, fruiting and leaf chemical composition of “ Washington “ Naval orange trees. M.Sc. Thesis Fac. Agric. Cairo, Univ.
- Hitmi, A.;H.Sallanon,C.Barthomeuf (1997) Cryopreservation of *Chrysanthemum cinerariae* folium vis cells and its impact on their pyrethrin biosynthesis ability.Plant Cell Rep. 17 : 60 – 64 .
- Humaid-A.I.A(1998)Physiological responses of *gladiolus gandavensis* CV .Rosesupreme to cycocyl cccc application . The Second Conf. of Orn. Hort. – Egypte – Ismailia .
- Hunter C. S. (1986) In vitro propagation and germplasm storage of cinchona . Plant Tiss. Cult. and its Agr.App.(Lyndsey A. Witheres , ed.)P.291 – 301 .
- Hvoself – Eide , A . K (1993) influence of environmental conditions on *Cordyline fruticosa* (L) A . chev. Mother plants and on the subsequent growth of In Vitro explants – Gartenbauwissenschaft. 58 (2) : 89 –94 .
- Ibrahim . I. A. (1994) Effect of gelling agent and activated charcoal on the growth and development of *Cordalline terminalis* cultured in vitro . The first conf. Of Orn. Hort. 1 : 55 – 67 .
- Iriondo , J. M and Perez , C . (1991) In Vitro storage of three endangered species from S .E Spain . Botanic Gardens Micropropagation News .1(4): 46 – 48 .
- Jain,-J-C;Sun,-DL;Sun,- LH (1987) Sugarcane callus cryopreservation , proceedings of an international seminar held at Shanghai Institute of plant physiology Academia Sinica , Shanghai , China , 4 – 7 sept.1986.
- Jane M. Ulrich , Bernard, J. Finkle and Brent H. Tisserat. (1982)

- Effect of cryogenic treatment on plantlet production from frozen and unfrozen date palm callus. *Plant Phy.* 69:624 – 627.
- Janeiro - L v; Ballester – A; Vieitez- AM (1997) In vitro response of encapsulated somatic embryos of *Camellia*. *Plant Cell, Tiss. And Org. Cult.* 51 (2) : 119 – 125 .
- Janeiro, L.V.; Vieitez ,A .M. Ballester (1995) cold storage of in vitro culture of wild cherry , chestnut and Oak . *Ann. des Sci. Fors.* 52 (3): 287 – 293 .
- Jekkel Zs.; G. gyulai , J. Kiss, E. Kiss and L.E. Heszky (1998) Cryopreservation of horse – chestnut (*Aesculus hippocastanum* L.) somatic embryos using three different freezing methods . *Plant Cell, Tis. and Org. Cult.* 52 : 193 – 197 .
- Jen, J. J. and Kahler, K.R. (1974) Characterization of polyphenol oxidase in peaches grown in the southeast. *HortSci.* 9: 590. *C.F.J. Food Sci.* 43(6) : 1826 .
- Jeong – H. ; Ha – Ssanghee ; Kang . Kwang yoon ; Jeong – HB ; Ha – SH ; kang – KY (1996) In Vitro preservation method of culturing shoot tip at low temperature in strawberry . *RDA J. Agr. Sci. Biot.* 38 (1) : 284–289.
- Johnson – Flanagan AM , Huiwen Z , Thiagarajah MR , Saini HS . (1991) Role of abscisic acid in the induction of freezing tolerance in *Brassica napus* suspension cultured cells. *Plant Phy.* 95 : 1044 – 1048 .
- Jorgensen, -J (1990) Conservation of valuable gene resources by cryopreservation in some forest tree species,. *J. of Plant-Phy.* 136 (3) 373-376.
- Jouve , -L; Engelmann , - F; Charrier , - A. (1991) The effects of hypoxia and temperature on the in vitro storage of leafy

- shoots of *Coffea arabica* L. Café,- CaCao,- The.35 (3)205- 210.
- Jürgen Hansen and Kell Kristiansen (1997) short – term In Vitro storage of *Miscanthus x ogiformis* Honda ‘Giganteus’ as effected by medium composition , temperature , and photon flux density . Plant Cell , Tiss. and Org. Cult. 49 : 161 – 169 .
- Kadzimin S. B. (1987) Germplasm preservation of orchid through tissue culture.The application of tissue culture techniques in economically important tropical trees. Bogor(Indonesia).SEAMEO BIOTROP.167-179.
- Kahane , R. ; Rancillac , M. (1996) Carbohydrates in onion cultured in vitro . Acta Bot. Gallica .143 (2 / 3)117 – 123 .
- Kendall EJ , Kartha KK , Qureshi JA , Chermak P. (1993) Cryopreservation of immature spring wheat zygotic embryos using an abscisic acid pretreatment. Plant Cell Rep. 12:89 – 94 .
- King MW, Doetisna U.,Roberts EH (1981) They dry storage of citrus seeds .Ann. Bot.48: 865 – 872 .
- Kishi – F ; Takagi – K (1997) Efficient method for the preservation and regeneration of orchid protocorm – like bodies . Scientia – Hort . 68 : (1 / 4) 149 – 156.
- Komura-K; Miyzak,-S; Tashiro – Y (1988)Long term storage of potato .Bulletin-of-the- Faculty of Agriculture-Saya Universty. 64 : 855 –95.
- Kong K. and Yeung EG.(1992) development of white spruce somatic embryos :II continual shoot meristem development during germination . In vitro Cell Dev.Biol.28 : 125 – 131.

- Kott , L.S. & W.D. Beversdorf (1990) Enhanced plant regeneration from microspore – derived embryos of *Brassica napus* by chilling , partial desiccation and age selection . *Plant Cell, Tiss. and Org. Cult.* 23 : 187 – 192 .
- Kubota – C; Rajapakse – NC; Young – RE (1997) Carbohydrate status and transplant quality of micropropagated broccoli plantlets stored under different light environments . *Postharvest Bio. and Tech.* 12 (2) 165 – 173.
- Kubota C., Gniu and T. Kozia (1995) low temperature storage for production management of In Vitro plants; effect of air temperature and light intensity on preservation of plantlet dry weight and quality during storage . *Acta Hort.* 393 : 103 – 110 .
- Kukulczanka – K (1991) Micropropagation and In Vitro germplasm storage of *Droseraceae* . *Botanic – gardens – Micropropagation – News* . 1 (4) 38 – 42.
- Lambardi m., De Carlo A., Benelli C., Bartolini G. (2000) Cryopreservation of woody species by vitrification of shoot tips and embryogenic tissue . The 4th International Symposium on in vitro culture and Horticulture Breeding, Tampere, Finland 2 – 7 July ; P21.
- Langford , P. J. and Wainwright , H. (1987) effect of sucrose concentration on the photosynthetic ability of rose shoots In Vitro . *Ann. Bot.* , 60 , 633 – 640 .
- Larsen, P.; A. Harbo; S. Klungsoen and T.C. Asheim (1962) On the biogenesis of some indole compounds in *Acetobacter xylinum* . *Phy. Pl.* 15: 552 – 565 .
- Lawlor DW (1970) Absorption of polyethylene glycol by plants and their effect on plant growth . *New phytol* 69: 501 – 513.

- Le – CL and Collet , - GF (1988) In Vitro conservation of the swiss collection of potato cultivars .*Revue suisse d' Agriculture* . 20 (5): 277 – 281 .
- Lecouteux C, Tessereau H, Florin B, Coutrois D, Periard V. (1992) Conservation d'embryons somatiques de carotte (*Daucus carota* L.) Par déshydratation apres pretraitment avec du saccharose. *CR Acad Sci. Paris . SerII* .314: 423 – 428.
- Lee – changhoo ; kim – chongchon ; Park – sooBok , kim – Sungbok ; Park – Beyoungjun ; Choi – InMyung ; Han-Donghyean ; lee – CH; kim – cc ; park - SB ; KIM – SB ; Park – BJ ; choi. IM Han – DH (1999) Optimum temperatures for long – term storage of fruit nursery plants . *Korean J.of Hor.Sci. and Tech* . 17 (4) :476 – 48.
- Lelu MA, Klimaszewska K, Pflaum G & Bastien C. (1995) Effect of maturation duration on desiccation tolerance in hybrid larch (*larix X leptoeuropaea* Dengler)somatic embryos .*In vitro cell. Dev. Biol.* 31: 15-20.
- Lewandowski TV (1991)Rooting and acclimatization of micropropagated *Vitis labrusca* “ Delaware “ . *HortScience* 26 : 586 – 589.
- Li, W.; Cao, Z.Y.;Zhang, L.P. (1992) Effect of some plant inhibitors on the growth of grape plantlets in test tube . *Acta Hort.* 19(3) : 215- 220 .
- Lieten – F (1995) Storage of strawberry plants refrigerate quickly . *Fruitlecht – nieuwws* . 8 (24): 1-11
- Lieten – F.(1995)storage of strawberry plants : refrigerate – quickly . *Fruitleet-Neiews*. 8 (24) : 10 – 11.
- Lopez.H. – Delgado , M. Jimenez – casas and I . M . Scott

(1998) storage of potato microplants In Vitro in the presence of asetylsalicylic acid . plant cell , tissue and organ culture 54 : 145 – 152 .

Maggon – R and Singh – BD. (1995) Promotion of adventitious bud regeneration by ABA in combination with BAP in epicotyl and hypocotyl explants of sweet orange (*Citrus sinensis* L. Osbeck). Sci. Hort. 62 (1 – 2): 123 – 128.

Malemnganba – H; Ray – BK ; Bhattacharyya–S; Deka- Pc (1996) Regeneration of encapsulated protocorms of *Phaius tankervilleae* stored at low temperature. Ind. J. of Exp. Bio. 34 (8) 802 – 805.

Manabu Katano and Aiya Ishihara (1983) Survival of dormant apple shoot tips after immersion in liquid nitrogen. HortiSci. 18(5): 707- 708.

Margrethe Serek and Adam Prabucki (1998) Inhibitors of ethylene action affect final quality and rooting of cuttings before and after storage . HortSci. 33 (1): 153 – 155 .

Maruyama – E ; Kinoshita – I ; Ishii – K ; Ohba – K ; Saito – A (1997) Germplasm conservation of the tropical forest trees , *Cedrela odorata* L., *Guazuma crinita* Mart., and *Jacaranda mimosaeifolia* D. Don., by shoot tip encapsulation in calcium – alginate and storage at 12 – 25°C. Plant Cell Rep. 16 : 393 – 396.

Maruyama, E; Ishii , K; Kinoshita I. (1998) Alginate encapsulation technique and cryogenic procedures for long term storage of tropical forest tree *Guazuma crinita* Mart. in vitro culture . IRQ- Japan – Agri. Res. Qus. 32 (4): 301 – 309 .

Matsumoto – T ; Takahashi – c; Sakai – A; Nako – Y (1998)

- Cryopreservation of in vitro grown apical meristems of hybrid statice by three different procedures .Sci.Hort.76(1/2)105 – 114.
- Mkumbo – KE ; Hornung – RKW ; Topper – CP (ed.); Caligari- PDS (ed.); Kullaya – AK(ed.); Shomari – SH (ed.); Kasnga – LJ (ed.); Masawe- PAL (ed.); Mpunami – AA . (1998)Medium – term in vitro storage and regeneration of coconut germplasm. Proceedings of international Cashew and Coconut conference : Trees for life – the key to development , Dar el Salaam , Tanzania , 17 – 21 february .
- Monette and Paul (1986) . Cold storag of Kiwifruit shoot tips In Vitro . Hort Sci. 21 (5) : 1203 – 1205 .
- Moore – GA (1985) Factors affecting In Vitro embryogenesis from undeveloped orules of mature citrus fruit .J.of the Amer. Soc. for Hort. Sci.110 (1): 66 – 70 .
- Moriguchi – T; Kozaki- J ; Yamaki – S ; Sanada – T . (1990) low temperature storage of pear shoots In Vitro . Bull.of the Fru.Tree Res. Sta . 17: 11 – 18.
- Moriguchi , T., Kozaki , I., Matsuta , N. and Yamaki , S., (1988)Plant regeneration from grape callus stored under a combination of low temperature and silicone treatment. Plant Cell Tiss. and Org. Cult. 15 : 67 – 71 .
- Moriguchi- T; Akihama- T; Kozaki- I(1985) Freeze-preservation of dormant pear shoot apices. Jap.J.of-Bre.35(2):196-199.
- Mumford,PM. Grout, WW.(1997) Desiccation and low temperature(-196°C)tolerance of citrus limon seed. Seed Sci. Technol. 7: 407-410.
- Muralidhara , E.M.,(1989) Plantlet prouduction through high

- frequency somatic embryogenesis long term culture of
Eucalyptus citriodora. Plant Cell Rep. 8 : 41 – 43 .
- Murashig, T.; and F. Skoog (1962) A revised medium for rapid
growth and bioassays with tobacco tissue culture .
Physiol. Pl. 15: 473 – 497.
- Nagatome – H ; Baba – K ; Taya – M ; Tone – S (1999)
Regeneration potential horseradish cells stored in
artificial seeds with limited oxygen supply . J. of Soc. of
High Tech. in Agr. 11 (3): 173 – 179 .
- Namiki – H ; Niinuma – K ; Takemura – M ; Tou – R ;
Yanagisawa – M ; Hirabayashi – T ; Kiyokawa . (1996)
Effects of lyophilization on the contents of carotenoids ,
tissue structure and bacterial counts of carrot . Shokuhin-
Eiseigaku – Zasshi – Journal- of – the – Food – Hygienic
– society – of – Japan. 37 (6) : 395 – 400 .
- Negri- V ; Hammad – AHA ; Standardi – A. (1995) A space
saving storage technique for in vitro cultures of apple
germplasm. J. of Gen. and Bre . 49 (2): 127 – 131 .
- Niedz RP. (1993) Culturing embryogenic protoplasts of ‘ Halmin
‘ sweet orange in calcium alginate beads. Plant, Cell
Tiss. and Org. Cult. 34: 19 – 25.
- Niino – I ; Sakei A ; Yakuwa H. (1992) Cryopreservation of
alginate – coated in vitro grown shoot tips of apple , pear
and mulberry . Plant Sci. 87 : 199 – 206 .
- Niino – T (1993) Cryopreservation of deciduous and mulberry
trees . JICA – Ref . Series . 6 : 53 – 85.
- Normah MN and Vengadasalam M. (1992) Effects of moisture
content on cryopreservation of coffee and vigna seeds
and embryos . Cryo-lett. 13: 199-208.
- Ogawa, M., Orvin, J.M. and Uritani, I. (1970) Tissue browning of

- potato tubers induced by gamma irradiation . Agric. Biol. Chem. 34 (6): 870 – 877.
- Oka – S ; Niino – T . (1997) lng term storage of pear (*Pyrus* spp) shoot cultures In Vitro by minimal growth method . Jarq Japan Agr.Res. quality . 31 (1) 1 – 7 .
- Okeyo – JA ; Kushad – MM (1995) composition of four potato cultivars in relation to cold storage and reconditioning .Hortitechnology . 5(3):260 – 253 .
- Oliver – AE ; Crowe – LM; Crowe – JH (1998) Methods for dehydration – tolerance : depression of the phase transition temperature in dry membranes and carbohydrates vitrification. Seed Sci. Res. 8 (2): 211 – 221.
- Omura , - M.; Hidaka . T.(1992)Shoot tip culture of citrus , 2 : Longevity of cultured shoots . Bull. of the fruit Tree Res. Sta. (Japan) .22:37 – 48.
- Orlikowska , T . (1991) . Effect of In Vitro storage at 4 (C surviving and proliferation of apple rootstock.Acta Hor. 289 :251 – 253 .
- Padmaja – G; Reddy – LR ; Reddy – GM. (1995) Plant regeneration from synthetic seeds of groundnut , *Arachis hypogaea* L. Ind. J. of Exp.Bio. 33 (12) : 967 – 971 .
- Pains , B., F. Engelmann and R. Swennen(2000) Cryopreservation of Plant Germplasm. The 4th International Symposium on In Vitro Culture and Horticultural Breeding, Tampere, Finland 2-7 July ; P 18.
- Panis – B ; Totte – N; Nimmen – K – Van ; Withers – LA ; Swennen – R ; Van –Nimmen – K. (1996) Cryopreservation of banana (*Musa* spp.) meristem

- cultures after preculture on sucrose.. Plant Science – Limerick . 121 (1):95 – 106.
- Paques – M; Poissonnier – M ; Dumas – E ; Monod – V ; Altman – A (ed.) Ziv – M (1997) Cryopreservation of dormant and non – dormant broad – Leaved trees . Acta – Hor. 447 : 491 – 497 .
- Piccioni E , Gasbarro E and Standardi A (1992) Indngine preliminare sull' incapsulamento di propaguli di lilium edi M27 “ Vitro derivati “ . Annali Facelta di Agraria XLVI : 357 – 371 .
- Piccioni E , Standardi A and Tutuianu VC (1996) Storage of M.26 apple rootatock encapsulated microcuttings. Adv. in Hor. Sci. . 10 : 185 – 190 .
- Piccioni E and Standardi A. (1995) Encapsulation of micropropagated buds of six woody speccies . Plant Cell , Tiss. and Org. Cult . 42 : 221 – 226 .
- Pinker – I ; Jesch –HH;Democh–G(1993)cold storage of syringa shoot cultures In Vitro . Gartenbauwissenschaft .1 : 11 – 14.
- Poula J. Reinhoud , Elly W.M. Scrijnemakers , Frank van Iren and Jan W.Kijne (1995) Vitrification and a heat –shock treatment improve cryopreservation of tobacco cell suspension compared to two – stepfreezing. Plant- Cell, Tiss. and Org.Cul. 42 : 261 – 267 .
- Pritchard – HW; Tompsett – PB ; Manger – K; Smidt – WJ . (1995) The effect of moisture content on the low temperature responses of Arancaria hunsteinii seed and embryos . Ann.of Bot.76 (1) :79 – 88.
- Pritchard HW, Grout BWW, Reid DS and Short KC (1982)The effects of growth under water stress on the structure

- metabolism and cryopreservation of cultured sycamore cells . In: Franks F and Mathias SF. (eds.)The Biophysics of water .John Wiley and Sons ,New Yourk.
- Quan Y.; Chen Z.; Guo T.; Zhang J.; Chen S.(1996) Citrus germplasm preservation in vitro . South – China – Fruits . 25 (4) : 3 – 5.
- Quatrano, Rs.(1968)Freeze- preservation of cultured cells utilizing dimethylsulfoxide. Plant Phy. 43: 2057 – 2061.
- Radhamani J; Chandel KPS. (1992) Cryoconservation of embryogenic axes of trifoliate orange [*Poncirus trifoliata* (L.)Raf.]. Plant Cell Rep. 11: 204 – 206.
- Rajasekharan.P. E. and S . Ganeshan (1994) Freeze preservation of rose pollen in liquid nitrogen : Feasibility viability and fertility status after long – term storage. J. of Hor. Sci . 69 (3): 565 – 569 .
- Rajashekar – CB; Lafta – A. (1996) Cell- wall changes and cell tension in response to cold acclimation and exogenous abscisic acid in leaves and cell cultures .Plant Phy. 111 (2): 605 – 612.
- Reaney MJT , Gusta LV. (1987) Factors influencing the induction of freezing tolerance by abscisic acid in cell suspension cultures of *Bromus inermis* leyss and *Medicago sativa* L. Plant Phy. 83 : 423 – 427.
- Reed BM (1993) Responses to ABA and cold acclimation are genotype dependent for cryopreserved blackberry and raspberry meristems . Cryobiology 30: 179 – 184.
- Reed BM ,YuX (1995) Cryopreservation of in vitro – grown gooseberry and currant meristems. Cryo .lett. 16 : 131 – 136 .
- Refouvelet – E ; Nours – S- Le ; Tallon – C; Daguin – F; Le –

- Nours – S.,(1998)Anew method for in vitro propagation of lilac (*Syringa vulgaris* L.): regrowth and storage conditions for axillary buds encapsulated in alginate beads , development of a pre- acclimatisation stage . Sci. Hor . 74 (3) 233 – 241.
- Rekha – Chaudhury ; Radhamani – J; Chandel, - KPS ; Chaudhury – R (1991) Preliminary observations on the cryopreservation of desiccated embryonic axes of tea (*Camellia Sinensis* L.)O.Kuntze)seeds for genetic conservation . Cryo –letters. 12 (1):31 – 36.
- Repunte – VP ; Taya- M and Tone – S (1995) Preparation of artificial seeds using cell aggregates from from horseradish hairy roots encapsulated in alginate gel with paraffine coat. Journal – of – Fermentation – and – Bioengineering . 79 (1) :83-86.
- Rida A. Shibli, M.A.L. Smith and M. A. Shatnawi (1999) Pigment recovery from encapsulated – dehydrated *Vaccinium phahalae* (Ohelo)cryopreserved cells. Plant Cell, Tiss. and Org. Cult.. 55:119-123
- Roberts DR , Sutton BCS and flinn BS (1990) Synchronous and high frequency germination of interior spruce somatic embryos for lowing partial drying at high relative humidity . Can.J.Bot. 68 : 1086 – 1090
- Rodnight , R., (1954) . Manometric determination of the solubility of oxygen in liquid paraffin , olive oil and silicon fluids . Biochem. J. 57 : 661 – 663.
- Rossi – V ; Paoli – G – de ; Pozzo – P –dal ; De – Paoli – G ; Dal – Pozzo – P . (1992) propagation of *pyrus calleryana* sel . D6 by In Vitro culture . Acta Hort. 300 : 145 –148.
- Sakai , A. (1995) II.1 Cryopreservation of germplasm of wood

- plants . Biotechnology in Agryculture and forestry. 32 .
- Sakamoto Y, Onishi N.& Hiroshima T.(1995) Delivery system for tissue culture by encapsulation . In:Atken – Christie J, Kozai T & Smith MAI (eds). Automation and Environmental control in Plant Tiss. Cult. 215 – 243 .
- Salomao – AN ; Faiad – MGR and Cunha – R (1996) Seed health and viability of Commiphora leptophloeos (Mart.) J.B. Gillet after dehydration and storage . HortSci . 31 (5): 876.
- Samsonova – ON ; Trushechkiin – VG (1990) .conservation of strawberrg plants under sterile conditions . Doklady – vsesoyuzoi – Ordena – lenina – I – Ordena – Trudovogo – krasnogo – Znameni – Akademii – Sel' skohozyaistvennykh – Nauk – im . –V.I. – Lenina. 10: 31 – 34.
- Saric, M.R.K.;R. Curic ; T. C. Cupina and I. Geric (1997) Univerzit et unovon sodu. Ptaktikum IZ frziologize Biljaka – Beograd,Haucua Anhia .pp.215.
- Sarkar D;kauslik S; Naik P.(1999) Minimal growth conservation of potato microplant silver thiosulfate reduced ethylene induced growth abndmalities during prolonged storage In Vitro . Plant Cell Rep .18 (11): 897 – 903.
- Sarker – D;Naik –Ps .(1998)Nutrient – encapsulation of potato nodal segments for germplasm exchange and distribution.Biol.Plant.40 (2):285 – 290 .
- Sato – S ; Katoh – N ; Iwai –S ; Hagimori – M . (1998) establishment of reliable methods of In Vitro pollen germination and pollen preservation of Brassica rapa (syn . B. campestris) . Euphytica . 103 (1): 29 – 33 .
- Schafer- Menuhr, A.; Schumacher, H.M.; Mix-Wagner, G.

- (1994) influence of carbon source and tupe of vessel on the In Vitro proliferation of the apple rootstock EMIX . Acta Hort. 289 : 157 – 159 .
- Scottez C, Chevreau N, Godard N, Arnaud Y, Duron M, Dereuddre J. (1992)Cryopreservation of cold – acclimated shoot – tips of pear in vitro cultures after encapsulation- dehydration. Cryobiology . 29 : 691 – 700 .
- Selim H.H.;Fayek M.A. and Sweidon A.M.(1978) Reproduction of Bircher apple cultivar by layering . Ann. Of Agr. Sci. Moshtohore . 9 : 157 –166
- Seringre ,D. ;Orourke , J.; Gavillet , S., Moncousin , C.(1991) Influence of gelling agent and carbon source on the in vitro proliferation rate of apple rootstock EMIX . Acta Hor. 289 : 151 – 155 .
- Sharief- Md – Umer ; Jagadishshandra – KS ; Johnson – TS ; Ravishankar – GA (1997) Propagation of Artemisia pallens by encapsulated in vitro grown shoot buds .Journal of Medicinal and Aromatic Plant Sciences . 19 (3): 712 – 717 .
- Sharma – TR ; Singh – BM ; Chauhan – RS (1994) Production od disease – free encapsulated buds of Zingiber officinale Rose . Plant Cell Rep. 13 (5):300 – 302 .
- Shashi Corrie ; Pramod Tandon (1993) Propagation of Cymbidium gigannteum wall.through high frequency conversion of encapsulated protocorms under in vivo and in vitro conditon . Ind.J. of Exp. Bio . 31 (1): 61 – 64 .
- Shepard , J. F. (1980) Absciscic acid enhanced shoot initiation in protoplast – derived calli of potato.Pl. Sci.lett. 18 , 327 –

- Shravan Dasoju ; Evans , M.R.; Whipker , B.E. (1998) paclobutrazol drench activity in coir – and peat – based root substrates . Horttechnology .8 (4) :595 – 598 .
- Sidrovich , E . A.; Kutas , E. N. ; Filipenya , V. L. (1995) Effect of osmotic inhibitors on maintenance of viability in introduced varieties of *vaccinium corymbosum* L. and *vaccinium vitis – idaea* L. in in vitro culture . Doklady Akademii Nauk Belarusi . 39 (1) :63 – 66 .
- Skriver K & Mundy J (1990) Gene expression in response to abscisic acid and osmotic stress . The Plant Cell. 2: 503 – 512
- Snir – I (1988) Influence of baclobutrazol on in vitro growth of sweet chery shoots . HortSci . 23 (2) :304 – 305 .
- Son – SH ; chun – YW ; Hall – RB (1991) cold storage of In Vitro cultures of hybrid poplar shoots (*Populus albalx* P. grandidentata Michx .) Plant Cell , Tiss. and Org.Cult. 27 (2) : 161- 168.
- Sreedhar – L;Belwely – JD . (1998) Nitrogen – and sulfur – containing compounds enhance the sythesis of storage reserves in developing somatic embryos of alfalfa (*Medicago sativa* L.) Plant Science Limerick . 134 (1) :44 .
- Staritsky , G.; A . J. Dekkers ; N.P.Louwaers and E. A. Zuandvoort. (1986). In vitro conservation of Aroid germplasm at reduced temperature and under osmotic stress. (F.C. Plant Tissue . Culture and its Agricultural Application). Butter Worths . Lond. PP. 277 – 283 .
- Steel,R.G.D. and J.H.Torie (1980) Principle of statistics . A biometrical Approach 2nd, Mc graw-Hill Kogakusha,

Ltd.

- Suchmita – Bhattacharjee , Khan – HA ;Bhattacharjee – S.(1998)
In vitro seed germination ,production of synthetic seed
and regeneration of plantlets of *Phalaenopsis* hybrid .
Ann. of Agr.Sci.Cairo . 43(2) : 539 – 543 .
- Sukhvibul N and Considine -- JA (1993)Medium and long term
storage of *Anigozanthos manglesii* (D.Don) pollen.
Newzealand journal of crop and Hort. Sci. 21(4):343-
347
- Suksa A. P; Kataoka I; Fujime Y ; Subhadrabandhu – S. (1997
) Effect of temperature , growth retardants and osmotic
potential on growth of papaya shoots conserved in vitro .
Tapanese – Journal – of – Tropical – Agriculture .41
(1):7 –13 .
- Sumaryati , -S.,Negrutiu, 1.; Jacobs,- M (1992) characterization
and regeneration of salt- and water stress mutants from
protoplast culture of *Nicotiana plumbaginifolia* (Viviani)
 . Theor . – appl . genet . 83 (5): 613 – 619 .
- Takagi , H and Y.Qu (1995) effect of light quality , photoperiod
and cold. Treatments on in vitro Bulbing of garlic shoot
tip . Acta .Hort. 392 .
- Takayama , S., (1991) Mass propagation of plants throught
shake and bioreactor culture technique , in
biotechnology in agriculture and forestry , Hightech and
Micropropagation (Ed. by Bajaj , w.p.s.) Vol- 17 ,
Springer – verlag , 1 – 46 .
- Taylor. M. A. , E. Rabe , M.C.DODD and G.Jacobs (1994)
Effecte of storage regimes on pectolytic enzymes , pectic
substances , internal conductivity and gel breakdown in
cold storage , songold , plums . J. of Hor. Sci. 69 (3):

527 – 534 .

- Telgen – HJ – Van ; Mil – A – Van ; Kunneman – B ; Van – Telgen – HJ ; Van – mil – A. (1992) effect of propagation and conditions on acclimatization of micropropagated plants . *Acta Botanica – Neerlandica* . 41 (4) : 453 – 459.
- Thomas , R. M. and Singh V.P.(1995)Effect of three triazole derivatives on mercury induced inhibition chlorophyll and carotenoid accumulation in cucumber cotyledons.*Ind.J.fo plant Phys.* 38 (4): 313 – 316 .
- Timbert – R; Barbotin – JN and Thomas – D.(1996) Enhanceing carrot somatic embryos survival during slow dehydration , by encapsulation and control of dehydration. *Plant – Science – Limerick*.120(2): 215 – 222.
- Treche-S;Agbor – E. T;(1996) Biochemical changes occurring during growth and storage of two Yam species. *Int.J.of Food Sci.and Nut*.47 (2) : 93 – 102 .
- Tremblay L and Tremblay FM (1995) Maturation of black spruce somatic embryos sucrose hydrolysis and resulting osmotic pressure of the medium .*Plant Cell Tiss. Org. Cult.* 42 :39 – 46 .
- Umetus , H.; Wake , H.; Saitoh , M.; Yamaguchi , H.; Shimomura , K .(1995) Characteristics of cold – embryogenic swpension cells in fennel , *Foeniculum vulgare* Miller . *J. of Plant Phys.* 146 (3): 337 – 342 .
- Van – Hoof – P (1980) Conservation and propagation of carnations In Vitro. *Revue de l'Agrriculture* . 33(1) : 79 – 84 .
- Vandenbussche B.M.P. Deproft.(1998)Cryopreservation of in

vitro sugar beat shoot tips using the encapsulation-dehydration technique : influence of abscisic acid and cold acclimation .Plant cell Rep.17 :791 – 793.

- Vasseur , - J ; Lefebvre , - R ; Backoula , - E (1986) The variability in rooting capacity of root explants of *Cichorium intybus* (var.wiitloof) cultured in vitro : the influence of the size of the intial explants and the duration of cold storage of roots . Canadian – Journal- of Botany . 64(1) :242-246.
- Villalobos – VM; Abdelnour – A;Adams – RP.(ed.);Adams-JE(1992)Cryopreservation of *Musa* spp and its potential for long-term storage of other tropic crops.Cons.of Plant Genes:DNA. Banking and in vitro Bio.197 – 210.
- Wanas W. H. , J.A. Callow (1986)Growth limitation for the conservation of pear genotypes . (C.F. Plant Tissue culture and its Agricultural Application . Butter Worths lond. 285 – 290 and 526 .
- Wang – HG ; Gemma – H (1991) Effect of low temperature on ethylene formation , membrane permeability and fatty acid composition in callus derived from apple (*Malus pumilla* Mill cv . sensy) fruit . J.of the Japanese.Soc. for Hor.Sci. 60 (1) : 225 – 250.
- Wang A ; He L. F; Zhou Q; Streng Y.(1999)Comparative study on transplanting of lily plantlets . Journal of Guangxi Agricultural and Biological Science .18 (3) :187 – 189
- Wang,Z. and Luh, B.S. (1983) Characterization of soluble and bound peroxidase in green Asparagus. J. Food Sci. 48(6): 1412 – 1417.
- Weijia J ; Zhang H ; Zheng B. (1999) Effects of paclobutrazol

- and coline chloride on the growth of banana plantlets in vitro . Journal of Guangi Agricultural and Biological Science . 18 (1) :39 – 41 .
- Wend S . H. and Dennis P . S. (1985) . Effects of in vitro generation temperature and post – In Vitro cold storage duration on the growth responses of *Lilium longiflorum* Buldlets .Plant Cell Rep. 2 : 11 – 15.
- Werbrouck , S. P. O.; Debergh , P. C. (1996) Imidazole fungicides and paclobutrazol enhance cytokinine induced adventitious shoot proliferation in Araceae. . Journal of plant Growth Regulation .15 (2) :81 – 85 .
- Wesley – Smith – J; Berjak – P; Pammenter – NW ; Vertucci – CW. (1995) Ultra structural evidence for the effects of freezing in embryonic axes of *Pisum sativum* L. at various water contents. Annals – of – Botany . 76 (1): 59 – 64 .
- Wilkins – CP ; Newbury , - HJ ; Dodds , - JH (1988) Tissue culture conservation of fruit trees . Plant – Genetic – Resources – Newsletter . 73 (74): 9 – 20.
- Williams, H.; P.Chichlilo and H. Renolds (1965) Official methods of analysis of the association of officinal agriculture chemists 10th ed. (Ass. Of Agric. Chem.)
- Xin S;Xine X.S;Xie X. (1995) Effect of mannitol concentration on the in vitro conservation of lily germplasm . Crop – genetic – Resources .3 : 50 – 53 .
- Yamashita , K .; Kitazono , K .; Iwasaki , S. (1997) flower bud differantiation of satsuma mandarin as promoted by soil dreching treatment with IAA , BA or paclobutrazol solution . journal of the Japanese society for Hort. Sci. 66 (1): 67- 76 .

- Yamauchi , N.; Watada , A.E. (1998) chlorophyll and xanthophyll changes in broccoli flortess stored under elevated CO₂ or ethylene . containing atmosphere . Hort . science 33 (1) : 114 – 117 .
- Yates, I. E. (1989) Hydration and temperature influence in vitro germination of pecan pollen. J. Amer.Soc. Hort. Sci. 114 (4) : 599 – 605.
- Yoshihara – T; Goto – F ; Tozai – K (ed.) ; Kubota – (ed.) ; Fujiwara – K (ed.) Ibaraki – Y (ed.) ; Sase – S.(1996) Effect of In Vitro storage conditions on the consumption of the nutritional contents and the viability of Lilium bulb – scale . Acta Hort. 440 : 570 – 575 .
- Yun T; Kim T; Hong S; Cho J; Jeong I; Lim K; Paek K; Paek K ; Yun T; Kim I. J ; Hong S; Cho J ; Jeong I.(1996) Effects of raising period and storage method on the seedling quality and subsequent growth in plant plug of marigold and zinnia . RDA – journal . of Agr. Sci. Hort.: 1 : 604 – 608 .
- Zamora – AB ; Gruezo – SS; Rao- AN(ed.); Rao – VR (1999) Micropropagation and slow growth conditions for in vitro conservation of bamboo. Bamboo – and – rattan – genetic resources – and - Use .156 – 168 .
- Zandvoort – EA (1987) . In Vitro germplasm conservation of tropical aroids . Acta – Botanica – Neerlandica 36(2) : 150 .
- Zhang – YuJin ; Zhang – Xing Guo ; Liu – Pei Ying ; Zhang – YJ; Zhang – XG ; Liu- PY. (1999) Low temperature storage of adventitious buds of *Amorphophallus konjac* K. Koch.Journal – of – Southwest – Agriculture – University. 21 (4): 303 – 306 .

Ziv , M.,(1992) The use of growth retardants for the regulation and acclimatization of in vitro plants , in progress in plant growth regulaion (Ed. by Karsen, C.B., Van loon, L . C. and Vreugdenhil, D.), Kluwer Academic Publishers, 809 – 817.

