

REFERENCES

REFERENCES

Aloni, R. (1979)

Role of auxin and gibberellin in differentiation of primary phloem fibers. Plant physiology (1979) 63 (4) 609 - 614 (En, 39 ref., 1 pl., 3 fig.) Tel Aviv University, George S. Wise center of life sciences, Tel Aviv, Israel.
C.F. Hort. Abst. vol. 49 (11) No. 8785. 1979.

Amaki, W. and K. Hagiya (1961).

Studies on fertilizer supply to tulips. 1- The effect of varied amounts of three nutrient elements on the growth of plants and the yield of bulbs. Jour. Hort. Ass. Japan, 29:157 - 162, bibl. 9
C.F. Hort. Abst. vol 31 (2) No. 2962. 1961.

Anand, V. K.; N. R. Chibbar; K. K. Nanda. (1972).

Effects of GA_3 and IBA on rooting and on the sprouting of buds on stem cuttings of Ipomoea fistulosa. Plant and cell physiology (1972) 13 (5) 917 - 921 En, 11 ref., 1 pl. Punjab University, Chandigarh, India.
Hort. Abst. vol 43 (7) No. 4632. 1973.

Armitage, M.S. (1974)

The fertilizing of gladiolus in Swaziland A preliminary report. Miscellaneous Reports, Malkerns Research Station, Swaziland - (undated) No. 91 , 21 PP. (En).
C.F. Hort. Abst. vol. 44 (12) No. 9822. 1974.

Association of Official Agriculture Chemists (A.O.A.C)
(1975).

Methods of Analysis. 12^{ed}., Washington, D.C.

Azimi M.; J. R. Bisgrove (1975).

Rooting of hardwood cuttings of rose rootstocks and cultivars. Experimental Horticulture (1975) No. 27, 22-27 En, 11 ref. Reading University, Reading, U. K.

C.F. Hort. Abst. vol. 46 (6) No. 6029. 1976.

Baily, L. H. (1914).

Standard Cyclopedia.

Horticulture volume IV. L.-O.

Bal, J. and E. L. Meter (1951).

Total nitrogen determination, the modified Kjeldahl method. Anal. Chem., 23 : 1632. 1951.

Bala, A.; K. V. Anand; K. K. Nada (1970).

Sesonal changes in rooting response of stem cuttings of Bryophyllum tuligorum and thier relationship with biochemical changes. Indian J. Plantphys. 1970, 13:106 - 14 (bibl 25).

Barbagallo, L. and A. Siliva (1964).

The nutrition of gladiolus grown in the Enta region. Tecn. Agric. 1964, 16:63 - 71, bibl. 6.
C.F. Hort. Abst. vol. 36 (1) No. 1400. 1966.

Bastin, M. (1966).

Root initiation, auxin level, and biosynthesis of phenolic compounds. Photochem. Photobiol., 5, 423 -429.

C.F. Proceeding of 7th International conference on plant Growth Substances held in Canberra, Australia December 7-11, 1970.

Spinger - verlage Berlin Heidberge New Youk 1972.

Beck, G. R.; C. K. Sink; JR. (1974).

Rooting stimulation of Poinsettia stem cuttings by growth regulators. Hortscience (1974) 9 (2) 144-146

En, 5 ref. Michigan state University East Lansing, U.S.A.

C.F. Hort. Abst. vol. 45 (1) No. 513 1976.

Bhella, H. S. (1977).

Propagation of river birch (Betula nigra L.) by stem cuttings. Plant Propagator (1977) 23 (2) 5-7

En, 11 ref., 1 pl. Chicago Horticultural Society Botanic Garden, Glencoe, Illinois 60022, U.S.A.
C.F. Hort. Abst. vol. 48 (4) No. 3799. 1978.

Bhujbal, B. G.; N. P. Kale (1973).

Effect of some growth regulators on rooting of cuttings of different rootstocks of rose (*Rosa* sp.). Punjab Horticultural Journal (1973) 13 (1) 50-53

En, 5 ref. College of Agriculture, Poona, India.
C.F. Hort. Abst. vol. (45 (1) No. 521. 1975.

Blassinsky, - (1967).

(The use of liquid fertilizers. Interesting observations on their use for cyclamen). Dtsch Gartnerborse, 1967, 67 : 690 - 1.

C.F. Hort. Abst. vol. 38 (2) No. 3779. 1968.

Boodley, J. W. (1962).

The nutrient content of Croft lily from juvenile to mature stages during forcing in three fertilizer treatments. Bull. N. Y. St. Flower Grs, 1962, No. 194, PP; 1, 4-7, 9 bibl. 5.

C.F. Hort. Abst. vol. 32 (3) No. 5185. 1962.

Boodley, J. W. and R. Sheldrake (1963).

Forcing Ace Lilies in light weight media. N.Y. St.

Flower Grs, 1963, No. 216, PP. 1-4.

C.F. Hort. Abst. vol. 34 (2) No. 3183. 1964.

Bose, T. K.; P. D. Mondal. (1970).

Propagation of ornamental trees from cuttings under

mist. Science and Culture (1970) 36 (12) 665-666

En, 4 ref., 1 pl. Royal Agri - Horticultural

Society of India, Calcutta - 27.

C.F. Hort Abst. vol. 42 (1) No. 1847. 1972.

Bouillene, R. and M. W. Bouillene (1955).

Auxines et bouturage proc. 14th. Int. Hort. Congr.,

Scheveningen 1, 231.

C.F. Proceedings of the 7th International Conference

on Plant Growth Substances Held in Canaberra, Australia

December 7-11, 1970.

Springer - Verlage Berlin Heidelberg New York 1972.

Boylan, H.C. , H. Davidson (1975).

Propagation of Ilex verticillata Combined proceedings

of the International Plant Propagators, Society (1975)

Publ. 1976 25, 454-458 En, 10 ref. Michigan

State University, East Lansing, Michigan 48824, U.S.A.
C.F. Hort. Abst. vol. 47 (8) No. 7702. 1977.

Brewer, R. F. (1953).

Summary of 1952 work on nutrition of gladiolus.

Bull. N. Amer. Gladiolus Council. 34:17, 19, 21, 23
and 25.

C.F. Biol. Abst. Vol. 28 (5) No. 11878. 1954.

Brierley, P. (1962).

Easter Lilies freed from cucumber mosaic virus by
scale propagation. Plant Dis. Repr., 1962: 46:627.

C.F. Hort. Abst. vol. 33 (1) No. 1219. 1963.

(1962).

A lily ringspot virus from Georgia. Plant Dis. Repr.,
1962, 46:625-6, bib. 2, illus.

C.F. Hort. Abst. vol. 33 (1) No. 1220. 1963.

Brown, J. D. and O. Lilland (1964).

Rapid determination of potassium and sodium in plant
material and soil extracts by flame photometry. Proc.

Amer. Soc. Hort. Sci. 48 : 341 - 346.

Brunner, H. (1977).

(The influence of various growth substances and metabolic inhibitors on the respiration and suger content of the root regenerating tissue of phaseolus vulgaris) L. Zeitschrift fur Pflanzenphysiologie (1977) 82 (1) 28 - 44 De, en, 47 ref. Universitat, Hamburg, German Federal Republic.
C.F. Hort. Abst. vol. 47 (12) No. 11439. 1977.

Calo, A. (1969).

The effect of dormant bud development on the dynamics of root production in the vine. Att. accad. ital. Biot 1969, 21 : 151 - 69.
C.F. Hort. Abst. vol. 41 P. 438 No. 3360. 1971.

Chakraverty, R. K. (1970).

Propagation of Bougainvillea by stem cuttings Curr. Sci., 1970, 39:472 bibl. 6 .
C.F. Hort. Abst. vol. 41 (3) No. 7285. 1971.

Chibbar, R. N. ; K. V. Anand; K. K. Nanda (1974).

Effect of morphactins on rooting and sprouting of stem cuttings of Ipomoea fistulosa and thier interaction with auxin and gibberellin,
Indian Journal of Experimental biology (1974) 12 (14)

352-355 En, 24 ref., 3 pl. Panjab University,
Chandigarh, India.

C.F. Hort. Abst. Vol 45 (11) No. 8622.

Criley, R. A. ; E. P. Parvin (1978).

A propagation cocktail for Protea neriifolia Plant
propagator (1978) 24 (1) 7 En, 1 ref. Hawaii
University, Honolulu, Hawaii, U.S.A.

C.F. Hort. Abst. vol. 49 (2) 1431. 1979.

Curtis, O. F. and G. D. Clark (1950).

An introduction to plant physiology. Mc graw-Hill
Book Co. Inc.

Czynczyk, A. (1967).

(Mist propagation of black currants from softwood
cuttings)

Prac. inst. Sadown. W. Skierniewicach, 1967, 11:
15-25 bibl. 11, illus.,

C.F. Hort. Abst. vol. 40 (2) No. 3249. 1970.

Davies, C. R. and F. F. Wareing (1965).

Auxin Induced transport of radio - phosphorus in
stems. Planta , 65, 139-156.

C.F. Proceedings of the 7th International
Conference on Plant Growth Substances Held in
Canberra, Australia. December 7-11, 1970.
Springer - Verlag Berlin Heidelberg New York 1972.

Davies, F. T., Jr. and J. N. Joiner (1978).

Growth Regulators effects on adventitious root
formation in Juvenile and mature cuttings of Ficus
pumila L.

University of Florida, Gainesville. Hortscience,
vol. 13 (3), June (1978).

Day, L. H., (1933).

Is the increased rooting of wounded cuttings some-
times due to water absorption? Proc. Amer. Soc.
Hort. Sci., 29-350-351. 1933.

Denmark, Statens Forsøgsvk Kosmhed 1 plante Kulture.
(1972).

(Propagation of ornamental apples by softwood cut-
tings.) Farmering sliklinger Gartner Tidende
(1972). 88 (22) 311-312 Da statens farsqysslation,
Hornum.

C.F. Hort. Abst. vol. 43 (6) No. 3931. 1973.

Dikshite, N. N. (1957).

Propagation of some commercial varieties of plum
(*Prunus* sp.) by cuttings, with beta indolyl butyric
acid. Sci. and Cult. (1957), 22, 391, bibl. 3.
C.F. Hort. Abst. vol. 29 No. 100. 1959.

Dirr, M. A.; A. J. Biedermann (1978).

Propagation of Forthergilla from cuttings. Plant
Propagator (1978) 24 (1) 8-9 En, 5 ref., 1 pl.
Illinois University, Urbana - Champaign 61801, U.S.A.
C.F. Hort. Abst. vol. 49 (2) No. 1423. 1979.

Einert, A. E. (1972).

Performance of rice hull media for pot Easter Lilies
under three forcing systems.
Hortscience (1972) 7 (1) 60-61 En, 19 ref.)
Arkansas University, Fayetteville, U.S.A.
C.F. Hort. Abst. vol. 42 (1) No. 8046. 1972.

El-Bakly, S. A. (1966).

Gladiolus corm production from cormels.
M.sc. Thesis. Plant production Dep., Faculty
of Agric. Ain Shams Univ..

El-Gamassy A. M., and B. M. Moustafa (1963).

Nutritional requirement of Dahlia pinnata 1- Effect of nutrient solutions on the growth, flower quality and yield of tuberous roots of dahlia plants in sand culture.

Idem -2- Effect of nutrient solution on the chemical composition of dahlia plant parts in sand culture.

Ann. Agric. Sci., Cairo, 1963, 8 (2): 357-81 ;

383-416 bible 18 and 20, Arabic summaries, issued 1966, received (1967).

C.F. Hort. Abst. vol. 38 (2) No. 3829. 1968.

El-Gamassy A. M. ; H. A. Hassan; S. A. El-Gindy and

F. S. Badran (1974).

Effect of nitrogen, phosphorus and potassium nutrient elements on the growth and chemical composition of Hippeastrum vittatum.

(In press) Annals of Agric. Science, Fac. of Agric., Ain Shams Univ., Cairo. vol. XIX No. 2 December 1974 (213-223).

El-Gendy S. A. (1962).

Effect of planting depth, spacing and levels of fertilization on growth and flowering of some

gladiolus varieties. M.Sc. Thesis. Plant prod.
Dep. , Faculty of Agric. Ain Shams Univ.

El-Herrawy, A. A. (1967).

Effect of fertilization on the growth, mineral
uptake and flowering of Freesia refracta. M. Sc.
Thesis. Faculty of Agric., Ain Shams Univ.

El-Kadi, M., and A. Raafat (1968).

Effect of fertilization level on the growth of Freesia
refracta. Agric. Res. Rev., Cairo, 1968, 46 (3) :
170 - 80 (Bibl. 16).
C.F. Hort. Abst Vol. 40 (1) No. 1667. 1970.

Esashi, Y. (1964).

Studies on the formation and sprouting of aerial
tubers in Begonia. X: Tuberization under long days
and darkness. Plant all Physiol. 5: 101 - 117.

Esashi Y., T. Eguchi, and M. Nagas. (1964).

The role of auxin in the photoperiodic tuberization
in Begonia evansiana Plant all Physiol. , 5 :
101 - 117.

Fadl, M. S. and H. T. Hartmann. (1967).

Isolation, purification, and characterisation of an endogenous root promoting factor from basal sections of Pear hardwood cuttings. Ibid. 42, 541 - 549.

C.F. Proceedings of the 7th International Conference on plant Growth Substances held in Canaberra, Australia December 7-11, 1970.

Springer - Verlag Berlin Heidelberg New York 1972.

Fernqvist, I. (1966).

Studies on factors in adventitious root formation.

Lantbrukshogsk. Ann., 32, 109 - 204.

C.F. Proceedings of 7th International Conference on plant Growth Substances held in Canaberra, Australia December 7-11, 1970.

Springer - Verlag Berlin Heidelberg New York 1972.

Fogg, H. G. W. (1961).

Lilies and thier cultivation.

John Gifford Limited 1961 first published.

Forsee, W.T. (1939).

Determination of sugars in plant materials a photo-
color metric method.

Indus. Eng. Chem. Anal. Ed. 10 : 411-418.

Garibaldi Acenti, E. (1964).

Preliminary results of a fertilizer trial on gladioli.

Riv. Ortoflora fruttic. Ital. , 1964. 48: 535 - 40,
bibl. 33.

C.F. Hort. Abst. vol. 35 (2). No. 3838. 1965.

(1968).

(A three years study on the use of growth substances
for rooting carnation cuttings).

Reprint of Atti 6 Rel. Z. Convegn. naz. Floricolt.,
Trieste, 1967, 1968, PP. 8 (bibl. 19).

C.F. Hort. Abst. vol. 40 (3) No. 6697. 1970.

Ghitany M. Y. (1957).

Studies on the uptake of some essential elements
under controlled substrate and arial temperatures
in gladiolus.

Alex. Jour. of Agric. Res. Vol. 5 (1) : 37 - 44.

Girouard, R. M. (1969).

Physiological and biochemical studies in adventitious
root formation: Extractabl rooting cofactors from

Hedra helix. Can. J. Botany, 47, 687 - 699.

C.F. Proceedings of the 7th International Conference

on plant Growth Substances held in Canberra,

Australia December 7-11, 1970.

Springer - Verlag Berlin Heidelberg New York 1972.

Godden, B. F., and P. D. Watson (1962).

An anatomical study of the origin and development
of the bulblets on the scale leaves of lily bulbs.

Quart. Bull, Mich, Agric. Exp. Stat., 1962, 45 :

45 - 54, bibl. 14, illus.

C.F. Hort. Abst. vol. 33 (1) No. 1215 1963.

Gorgoshidze, G. M. (1971).

The effect of growth stimulators and substrates on
the rooting of Feijoa cuttings; Subtropicheskie

kul'tury (1971) No. 6, 104 - 108 (Ru) Makhardze,

Georgian SSR.

C.F. Hort. Abst. vol. 42 (4) No. 8399. 1972.

Griffiths, D. (1930).

The production of lily bulbs U.S.A. Circular

102 : 1 - 26 1930.

Gupta, P. P. ; K. A. Sharma; G. H. Chaturvedi (1978).

Multiplication of Lilium longiflorum Thunb by aseptic

culture of bulb scales and thier segments. Indian.

Journal of Experimental Biology (1978) 16 (8)

940 - 942 En, 6 ref., 5 pl. National Botanic
Gardens, Lucknow, India.

C.F. Hort. Abst. vol. 49 (7) No. 5183. 1979.

Guttay, J. R., and R. P. Krone (1957).

The effect of rates of different fertilizers on the
flowering and corm production of gladiolus over
two seasons.

Quart Bull. Mic. Agric. Exp. Stat.; 1957, 39:
424-31.

C.F. Hort. Abst. vol. 27 (3) No. 2713 - 1957.

Haber, Z. (1968).

Absorption of nitrogen, phosphorus and potassium
by gladiolus Cv. Picardy under different soil
moisture conditons. Biul. Inst. Hodowli Aklimata.
Rosel., 1968, No. 3-4, PP. 107 - 13 (English and
Russian summaries from Ref. Z. (Rasten). 1970,
Abst. 2.55. 804.

C.F. Hort. Abst. vol. 40 (4) No. 8810. 1970.

Hackett, W. P. (1969).

Aseptic multiplication of Lily bulblets from bulb scales.

Comb. Proc. Int. Plantint. Plant Prop. Soc. 1969,
19 : 105 - 8 (bib 3, illus.). C.F.

C.F. Hort. Abst. vol. 41 No. 7143. 1971.

Halevey, A. H. , and R. Richter (1962).

Effect of hardening and chemical treatments on drought resistance of gladiolus plants. From summary in proc.

16th int. Hort. Congr., Brussels, 1962, vol. 1, P.350.

C.F. Hort. Abst. vol. 33 (2) No. 3376. 1963.

Hartmann, H. T. and D. E. Kester (1959).

"Plant propagation; principles and practices".

2 nd Edn. prentice - Hall, N.J.

C.F. Proceedings of the 7th International Conference on plant Growth Substances held in Canberra, Australia December 7-11, 1970.

Springer - Verlag Berlin Heidelberg New York 1972.

(1972).

Plant propagation principles and practices second et al.
Edition.

Prentice - Hall of India privat limited New Delhi,
(1972).

Hartsema, A. M. (1961).

Influence of temperatures on flower formation and
flowering of bulbous and tubercous plants. Encycl.
Plant Physiol., 16 : 123-167 (Springer - Verlage,
Berlin).

Hasek, R. F.; S. D. Farnham (1975).

Japanese Georgia Lily response to Zinc. Flower and
Nursery Report (1975) september/October, 5-7 (En,
1 ref.) California University Cooperative Extension.
Service, Davis, California, U.S.A.
C.F. Hort. Abst. vol. 46 (10) No. 5917 1976.

Hassan, A. H. (1976).

Bulblet formation on cuttings from flowering stalks
of Lilium longiflorum. Thunb.
Accepted for publication, Moshtohor, Ann of Agric.
Sci. (111/1/1976).

Hess, C. E. (1969).

Internal and external factors regulating root initia-
tion. In "Root Growth". ed W. J. Whittigton. PP.
42-53. Butterworths. London.

42-53. Butterworths. London.

C.F. Proceedings of the 7th International Conference on Plant Growth Substances held in Canberra, Australia. December 7-11, 1970.

Springer-Verlag Berlin Heidelberg New York 1972.

Horton, D. E. (1959).

A. R. Rosewarne exp. Hort. Stat. 1958, 1959,

C.F. Hort. Abst. vol. 30 (1) No. 1011. 1960.

Hosaka, H. ; M. Yokoi; M. Komatsuzaki (1962).

Storage studies with bulbs of Lilium auratum for export, Japanese, with English summary 1/4p. Tech.

Bull. Fac. Hort. Chiba, 1962, No. 10 pp. 89-182

bibl. 63, illus.,

C.F. Hort. Abst. vol. 33 (4) No. 7558. 1963.

Iinaka, M.; K. Takeuchi; J. Watanabe; H-S. Bo. (1978).

Artificial induction of bulbs in Lilium species

Hortscience (1978) 13 (6, sect. 1) 666-667 En,

1 ref., 1 fig., 1 pl. Chiba University Matsuo,

Japan 271.

C.F. Hort. Abst. vol. 49 (10) No. 6904. 1979.

Jackson, L. M. (1967).

Soil chemical analysis, constable Co. Ltd.
London.

Jana, B. K.; S. Roy and T. R. Bose (1974).

Studies on the nutrition of ornamental plants III.
Effect of nutrition on growth and flowering of
Dahlia and Tuberose. Indian Jour. of Hort. 31 (2)
182 - 185.

Kale, P. N.; G. B. Bhujbal (1972).

Use of growth regulators in rooting of cuttings of
Bougainvillea var. Mary Palmer.

Indian Journal of Horticulture (1972) 29 (314)
307-309 En, 5 ref. College of Agriculture,
Poona.

Hort. Abst. vol. 45 (2) No. 1197. 1975.

Kiplinger, D. C.; K. H. Tayama; G. Staby (1972).

Slow-release fertilizers and fertilizer Injection on
growth of several Lily Cultivars. Ohio Florists,
Association Bulletin (1972) No. 509, 9 En Ohio
Agricultural Research and Development Center, Wooster
U.S.A.

C.F. Hort. Abst. Vol.43 (6) No. 3869. 1973.

Koller, G. L. (1977).

Pieris phillyreifolia

Plant Propagator (1977) 23 (4) 11 - 12 (En, 4 ref.)

Arnold Arboretum, Massachusetts, U.S.A.

C.F. Hort. Abst. vol. 48 (9). No. 8494. 1978.

Kospes, S. (1962).

Good irrigation of Tulips.

Weekbl. Bloembollcult., 1962, 72 : 687

C.F. Hort. Abst. vol. 32 No. 6877. 1962/

Kosugi, K. (1960).

Studies on blindness in gladiolus. VI Effect of
fertilizer treatment on flowering of gladiolus.
(Japanese) with English summary ½p).

J. Hort. Ass. Japan, 1960, 29: 77 - 82, bibl. 19

C.F. Hort Abst. vol. 31 (1) No. 1117. 1961.

Kosugi, K, and M. Kondo. (1960).

Studies on blindness in gladiolus. VII. Effect of
fertilizer treatment in the previous year on flower-
ing in the current year.

(Japanese, with English summary ½p.).

J. hort. Ass. Japan, 1960, 29: 163-8. bibl. 8.

C.F. Hort. Abst. vol. 31(2) No. 2944. 1961.

Kosugi, K., and M. Kondo. (1961).

Studies on the blindness in gladiolus VII Effect of nutritional treatments on flowering and blindness in gladiolus grown from cormels. (Japanese, with English summary $\frac{1}{3}$ p.). J. Jap. Soc. hort. Sci., 1961, 30. 89-92, bibl. 7. Formerly J. hort Ass. Japan.

C.F. Hort. Abst. vol. 32 (1) No. 1217. 1962.

Kosugi, K., and Y. Sano. (1961).

Studies on blindness in gladiolus. IX. Effects of nitrogen applications on the auxin content of gladiolus flower buds. (Japanese, with English summary $\frac{1}{2}$ p.).

J. Jap. soc. hort. sci., 1961, 30: 259-62, bibl.

C.F. Hort. Abst. vol. 32(3) No. 5/62. 1962.

Kothes, J.S.; B. Glendhill (1978).

The effects of various levles of manganese on Easter Lillies. Connecticut Greenhouse Newsletter (1978) No. 88, 16-17 (En, 1 pl.) Connecticut University,

Storrs, Connecticut, U.S.A.

C.F. Hort. Abst. vol. 49 (11) No. 8734. 1979.

Kukulezanka, K. (1969).

The effect of chemical and physical factors on
increasing the efficiency of vegetative propagation
of freesia corms.

Part. 1, Stimulation of axillary buds Acta agrobot.,
1969. 22: 303-42.

Laurie, E. A. and V. H. Ries (1950).

Floriculture Fundamentals and Practices

McGraw Hill Book company, INC. 1950. Second
Edition.

Lemeni, C. (1965).

Effects of fertilizers on gladiolus.

Gradivialin., 1965, 14(7) : 66 - 8.

C.F. Hort. Abst. vol. 36 (1) No. 1401. 1966.

Leopold, A. C. and P. E. Kriedman (1975).

Plant growth and development.

MC Graw Hill inc. Book company. New York.

Leshem, Y. and M. Schwarz (1968).

Interaction of photoperiod and auxin metabolism in
rooting of Chrysanthemum morifolium cuttings. Proc.

Amer. Soc. hort. sc.; 1968, 93: 589-94. (bibl. 16).

C.F. Hort. Abst. vol. 40 (1) No. 1542. 1970.

Lipecki, J., J. Selwa; K. Blamawski; D. Grzybowska (1976).

Effect of some growth regulators on the rooting of

Black currant, Sour Cherry and Forsythia (Er, 15

ref.) Akademia polmicza, Lublin, Poland.

C.F. Hort. Abst. vol. 46(1) No. 119. 1976.

Mahlstedte, J. P. and H.S. Ernest (1957).

Plant Propagation.

New York - John Wiley & Sons, inc. 1957 pag. (164-

168).

Mansour, B. M. M. (1968).

Effects of temperature and light on growth, flower-
ing and corm formation in freesia. Meded. Fandbouwh-
ogrech. Wageningen 68 - 80, 76 pp .

Mansour, B. M. M.; A. H. Kamel; H. S. Sallam; A. A.

El-Sokkar (1975).

The effect of indole acetic acid on rooting and growth of carnation cuttings. Agricultural research Review (1975). 53 (3) 105-111 (En, 6 ref.)

Al Azhar University, A.R.E.

C.F. Hort. Abst. vol. 47 (9) No. 8580. 1977.

Mantrova, E. Z.; I. V. Zdasyuk; S. A. Kanuivivikova.

(1971).

(Nutrient requirements and fertilization of ornamental plants under cover.) Agrokhimiya (1971) No. 10, 107 - 116 (Ru) From Referativnyi Zhurnal (1972) 1. 55. 816.

C.F. Hort. Abst. vol. 42(3) No. 6418. 1972.

Matsuo, E. (1975).

Studies on the growth and development of Easter Lily (Lilium longiflorum) bulbs. IV. Effect of temperature and light conditions on leaf emergence of scale bulblets.

Journal of Japanese society for Horticultural science (1975) 44 (3) 281-285 (ja, en, 2 ref.) Kyushu

University, Fukuoka, Japan.

C.F. Hort. Abst. vol. 46 (12) No. 1545. 1976.

Matsuo, E. (1977).

Studies on the growth and development of bulbs in
Easter Lily (Lilium longiflorum) V. Effect of
chilling duration on the type of leaf development
on the scale bulblet.

Journal of the Japanese society for Horticultural
Science (1977) 46 (1) 113-116 (En, ja, 5 ref.)
Kyushu University, Fukuoka, Japan.

C.F. Hort. Abst. vol. 48 (2) No. 1581. 1978.

Matsuo, E.; K. Arisumi (1977).

Studies on growth and development of bulbs in the
Easter Lily (Lilium longiflorum. Thunb.) VI Effect
of the scaling and chilling duration on leaf emerge-
nce of scale bulblet.

Journal of the Japanese society for Horticultutral
Science (1977) 46(3) 338-342 (En, ja, 6 ref.)
Kagoshima University, Kagoshima, Japan.

C.F. Hort. Abst. vol. 48 (7) No. 6685. 1978.

Matsuo, E.; A. Nonaka; K. Arisumi (1978).

(Some factors influencing the type of leaf develop-
ment (Plant type) of scale bulblets of Easter Lily,

Lilium longiflorum.) Bulletin of the Faculty of Agriculture. Kagoshima University, Kagoshima, Japan.

C.F. Hort. Abst. vol. 48(9) No. 8384. 1978.

Matsuo, E.; A. Nonaka; K. Arisumi (1978).

(Studies on the leaf development of the scale bulblet in Easter Lily (Lilium longiflorum. Thunb) I. Some factors influencing the time of leaf emergence and the survival of the parent scale). Journal of the Japanese society for Horticultural Science (1978) 46 (4) 515-520 (Ja, en, 11 ref.) Kagoshima University, Kagoshima, Japan.

C.F. Hort. Abst. vol. 48 (9) No. 8385. 1978.

(1978).

(Studies on the leaf development of the scale bulblet in the Easter Lily (Lilium longiflorum)).

III the relationship between the polarity of a scale and the leaf emergence of the saale bulblet or the plant type.) Jâurnal of the Japanese Society for Horticultural Science (1978) 47(3) 415 - 420 (Ja, en, 8 ref., 1 fig.) Kagoshima University, Kagoshima, Japan.

C.F. Hort. Abst. vol. 49 (5) 3597. 1979.

Matsuo, E. ; K. Arisumi. (1979).

Differences in chilling effects on shoot emergence from the bulb and on leaf emergence from the scale bulblet in Lilium longiflorum. Thunb.

Hortscience (1979) 14 (1) 68-69 (En, 2 ref., 1 fig)

Kagoshima University, Kagoshima 890, Japan.

C.F. Hort. Abst. Vol. 49(10) No. 7752. 1979.

Matthyse, A.G. and C. Phillips (1969).

A protein intermediary in the interaction of a hormone with the genome. Proc. Natl. Acad. Sci.

U.S: 63, 897-903.

C.F. Proceedings of the 7th International Conference on Plant Growth Substances Held in Canberra, Australia, December 7-11, 1970.

Springer - Verlag Berlin Heidelberg New York 1972.

Matthyse, A. G. and M. Abrams (1970).

A factor mediating interaction of kinins with the genetic material. Biochem. Biophys. Acta. 199,

511 - 518.

C.F. Proceedings of the 7th International Conference
on Plant Growth Substances held in Canberra, Australia.
December 7-11, 1970.

Springer - Verlage Berlin Heidelberg New York 1972.

McClellan, W. D. and W. N. Stuart (1947).

The effect of nutrient solutions and fertilizer on
the growth of gladiolus in green house and field.
The gladiolus Mag. (1947). 61:83.

(1948).

Cope of speech south florist and Nursery man. April
9, 1948, 16. (2:9 -11).

Meawad, A. A. A. (1977).

Studies on the nutrition of gladiolus. B. sc.
Thesis. Plant prod. Dep., Faculty of Agric. Zagazig.
University.

Melholland, R. D., and P. C. Bickford (1965).

Effects of soil sterilization upon disease and
fertilizers response of gladiolus.

N.C. flower. Grs "Bull, 1965, 9 (2): 2 - 3."

C.F. Hort. Abst. vol. 35 (3) No. 6080. 1965.

Merganov, A. T. (1979).

(Striking softwood cuttings of some sour cherry cultivars).

In Materialy Resp. Shkoly - Seminara Musppes -

Khpsri (1978) plenuma Tsk Kpss Sadovod vinogradarstvo

i ovoshchevod - Tashkent, Uzbekssr. (1979) 73 - 76

(Ru, 4 ref.) from Referativnyi Zhurnal (1979) 12.55.

561.

C.F. Hort. Abst. vol. 50 (5) No. 3133. 1980.

Mgnetski, K. D., Y. A. Tsugarov and B. K. Malkov (1959).

New methods for plants and soil analysis.

Agric. Acad. Press manometric techn. U.M.B. Bell-

Burris - Stauffer.

Miller, J. ; L. P. Smeal (1972).

Effect of propagation medium and root promoting substance on rotting cuttings of five viburnum species.

Plant Propagator (1972) 18 (1) 7-10 En Virginia

Polytechnic Institute, Blacksburg, U.S.A.

C.F. Hort. Abst. vol. 43 (4) No. 2312. 1973.

Mitchell, J. W. and W. E. Martin (1937).

Effect of IAA on growth and chemical composition of etiolated bean plants. Bot. Gaz. 99, 171-183.

C.F. Proceedings of the 7th International Conference on Plant Growth Substances held in Canaberra, Australia. December 7-11, 1970.

Springer - Verlag Berlin Heidelberg New York 1972.

Moe, R. (1971).

Cultivation of pot roses along new lines Gartenergket (1971) 61 (12) 230-235 (No. 6)

C.F. Hort. Abst. vol. 42 N. 1895. 1972.

Mohamed, F. E. (1968).

Studies on chemical fertilization and Gibberllin spray on gladiolus. M. sc. Thesis Faculty of Agric. Cairo University.

Mohamed, E. S. (1975).

Studies on the effect of some cultural treaments on the growth and flowering of Narcissus M. Sc. Thesis. Faculty of Agric, Ain Shams University.

Morell, S. A. (1941).

Rapid determination of reducing sugars.

Indus Eng. Chem. Anal. Ed. 13: 249-251.

Morris K. P.; JR.; K. C. Sanderson (1972).

Effect of growth regulators on the rooting of Cornus florida and Cornus florida rubra cuttings.

American Nurseryman (1972) 136 (5) 12,13 , 83 - 90
(En, 24, ref.)

C.F. Hort. Abst. Vol. 43 (7) No. 4719. 1973.

Moulton, J. (1949).

National Conference of galdiolus Growers.

Florists Review January 27, 1949.

Murray, D. R.; C. E. Whitcomb (1973):

Maximizing rooting of bottle brush cutting. Seed and
Nursery trader (1973) 71. (12) 32 (En) Oklahoma State
University, Still water, U.S.A.

C.F. Hort. Abst. vol. 44(10) No. 7907. 1974.

Nanda, K. K.; N. A. Purohit; and V. K. Kochhar (1969).

Effect of auxins and light on rooting stem cuttings
of Populus nigra, Salix tetrasperma, Ipomea fistulosa
and Hibiscus notodus in relation to polarity. Physiol.
Plant., 1969, 22: 1113-20. (bibl - 18, illus.)

C.F. Hort. Abs. Vol. 40 (3) No. 6682. 1970.

Nightingale, A. E. (1979).

Bulbil formation on Lilium longiflorum. Thunb. Cv.

Wellie white by foliar applications of BPA.
Hortscience (1979) 14 (1) 67 - 68 (En, 7 ref.,
1 pl.) Texas A&M University, College Station, Tx
77843, U.S.A.
C.F. Hort. Abst. vol. 49 (11) No. 8732. 1979.

Novikov, P. G. (1976).

The effectiveness of raising garden rose transplants
on thier own roots on the south Crimean Coast.
Byulleten, Gosudarstvennogo Nikitskogo Botanicheskogo
Sado (1976) No. 1 (29), 24-27 (Ru - en) Nikitskii
Botanicheskii sad, Xalta, Crimea, USSR.
C.F. Hort. Abst. vol. 47(11) No. 10698. 1977.

Nussbaum. J. J. ; T. A. Leiser, (1972).

Rooting cuttings of (swan Hill) fruitless oliver.
California Agriculture (1972) 26 (7) 10-12 (En)
Californinia University, Davis, U. S.A.
C.F. Hort. Abst vol. 43 (4) No. 2314. 1973/

Ohkawa, K. (1973).

Astudy on mehtods of growing rose varieties from
cuttings and a comparison of the growth of grafted
plants and those raised from cuttings.
Bulletin of the Kanagawa Horticultural Experiment
Station (1973) No. 21, 120 - 127 (Ja, en, 6 ref.)

Kanagawa Horticultural Experiment Station, Ninomiya -
machi, Kanagawa, Japan.

C.F. Hort. Abst. vol. 46 (2) No. 1465. 1976.

Pal Singh, S. (1979).

Mist propagation of Ixora spp.

Science & Culture (1979) 45(1) 34-35 (En, 5 ref.)

National Botanic Gardens, Lucknow, India.

C.F. Hort. Abst. vol. 50(2) No. 1315. 1980.

Pillai, K. S. (1978).

Effect of hormones applied as foliar spray on the
flowering and yield of tomato.

Agricultural Research Journal of Kerala (1978). 16

(1) 70-73 (En, malayalam, 10 ref.) Rafi Ahmed Kidwai

Agricultural College Farm, Sehore, Madhya Pradesh,
India.

C.F. Hort. Abst. 1979. vol. 49(12) No. 9439. 1979.

Folikarpova, F. YA. (1978).

(Propagation of stone fruit crops by Softwood cuttings.)

in selektsiya Tekhnol. Vyrashchivaniya plodov

kul'tur. Moscow, USSA. (1978) 191 - 197 (Ru) From

Referativnyi Zhurnal (1978) 9.55 - 649.

C.F. Hort. Abst. vol. 49(2) No. 1035. 1979.

Post, K. (1959).

Florist crop production and marketing New York orange
Judd publ. Comp. INC. (1959).

Powell, M. N.; E. R. Widmer ; F. H. Wilkins (1975).

Nellie white Easter Lily fertilizer and growth
media studies.

Minnesota state Florists Bulletin (1975). December,
4-13 (En, 7 ref.) Minnesota University Agricultural
Experiment station, St, Paul, Minnesota, U.S.A.
C.F. Hort. Abst. vol. 46(10) No. 9516. 1976.

Radin, J. W. and R. S. Loomis (1969).

Ethylene and carbon dioxide in the growth and deve-
lopment of cultured radish roots. Pl. Physiol.
Lancaster. 44, 1589 - 1589.

C.F. Proceedings of the 7th International Confernce on
Plant Growth Substances held in Canaberra, Australi
Decempber 7-11, 1970.

Springer - Verlag Berlin Heidelberg New York 1972.

Rao, S. K. ; T. Venkatarayappa ; M. K. Bojappa (1978).

Vegetative propagation of straw flower (Helichrysum
bracteatum). Current Research (1978) 7 (1) 9 - 10
(En , 2 ref.) Collage of Agriculture, Deharwar, India.
C.F. Hort. Abst. vol. 48 (10) No.9192. 1978.

Raugh, E. D., and H. C. Korus (1970).

Cuttings root better with hormones.

Miss. Fm. Res., Res., 1970, 33 (3) : 3,7.

C.F. Hort. Abst. vol. 40(4) No. 8698. 1970.

Regar, M. W. (1941).

Relation of soil moisture to the time of bloom on
calandula and geranium.

Proc. Amer. Soc. Hort. sci. 39, 3881 - 3.

Reppo, E.; Yu. Zaletseva (1971).

The effect of the soil moisture regime on tulip growth
and development . Shornik Nauchnykh Trudov Estonskogo
Nouchno Issledovatel ,Skog Institute Zemledeliya in
Melioratsii 1971, 22, 39-104 (Ru, en, Ce) from
Referativnyi Zhurnal (1972) 355. 757.

C.F. Hort. Abst. vol. 43(2) No. 293. 1973.

Rey, C. (1978).

Experiments on the propagation of bearberry
(Arctostaphylos uva - ursi) as an ornamental ground
cover.

Revue suisse de viticulture d'Arboriculture et
d'Horticulture (1978) 10(1) 17-25 (Fr, it, de, 4 ref.,
10 pl., 1 fig.) Centre d'Arboriculture et d'Horti-
culture des Fougères, 1964 conthey, Switzerland.

C.F. Hort. Abst. vol. 48(7) No. 6746 1978.

Riradeneyra, V. H.; T. Murashige (1971).

(Tissue culture in the Liliaceae) Investigaciones.
Agropecuarias (1971) 2(1) 19-22 (Es, en, 3 ref.)
Estacion Experimental Agricola de la Molina, lima,
peru.

C.F. Hort. Abst. vol. 43 (2) No. 731. 1973.

Roberts, A. N., T. L. Blaney and C.O. Compton (1964).

Seasonal changes of certain nutrient elements in the
leaves and bulbs of Croft Lily, Lilium longiflorum,
and their relation to bulb yield.

Proc. Amer. soc. hort. sci; 1964, 85: 611-30, bibl. 10.

C.F. Hort. Abst. vol. 35(3) No. 6098. 1965.

Samantarai, B.; K. B. Nanda (1979).

Evaluation of the role of hormonal factors in secondary
growth of dicots. Botanical Magazine, Japan (1979)

92 (1025) 13-22 (En, 26 ref. 1 pl.)

Ravenshaw college, Cuttack, India.

C.F. Hort. Abst. vol. 49(12) No. 9415. 1979.

Sandved, M. (1970).

(Rooting of woody cuttings. The effect of applied
auxin and some other factors.)

Nord. Jordbr Forskn., 1970, 52 : 134 - 6.
C.F. Hort. Abst. vol. 41(1) No. 1980. 1971.

Sarova, N.L. (1954).

An experiment on foliar nutrition of gladiolus
(Russian):

Doklady Akad. Nauk. S. S. S. R., 1954, 94 : 153-6
bibl. 11, illus.

C.F. Hort. Abst. vol. 24 (4) No. 4105. 1954.

Sasso, G. (1962).

Studies on the irrigation of gladioli grown for corm
production, using electrometric control of the soil
moisture content.

Riv. Ortoflorofruttic. Ital., 46: 245-254.

C.F. Hort. Abst. vol. 33(1) No. 1187. 1963.

Seager, J. C. R. (1974).

Production of seed - raised freesia in peat Experimental
Horticulture (1974) No. 26, 32-35 (En, 8 ref.) Kinsealy
Research Centre, Dublin 5, Irish Republic.

C.F. Hort. Abst. vol. 45(6) No. 4264. 1975.

Shalska, E. (1968).

Some facts on the nutrition of gladioli.

Acta prubon., 1968, No. 17, pp. 29-47 (bibl. 29,

English and German summaries).

C.F. Hort. Abst. vol. 40(1) No. 1612. 1970.

Shalska, E. (1970).

A study on timing of fertilizer applications to
gladioli V pruchonicich (1970) 5, 261-270 (C.S., en,
de, 3 ref.). Vuožpruhonice. Prague, Czechoslovakia.
C.F. Hort. Abst. vol. 42(2) No. 4308. 1972.

Shanks, J. B. (1966).

Easter Lily tests. Md Flor., 1966, No. 131, pp. 2-5.
C.F. Hort. Abst. vol. 37(2) No. 3315. 1967.

Sheehan, T. J., and N. J. Joiner (1964).

Effects of watering frequencies and dwarfing chemicals
on growth, flowering and chemical composition of
Lilium longiflorum.

Proc. Pla. St. hort. soc. 77 : 520-3.

Shoemaker, J. S., and E. J. Benjamiv (1955).

Practical Horticulture.

Copyright, 1955 by Jon Wiley & Sons Inc.

Shoushan, A.M. ; A.M. Aboudahab; R. S. Eldahb, and A. Auda
(1978).

Mineral Nutrition of Amaryllis (Hippeastrum Vittatum
Herb).

II Effect of fertilizers on bulb growth, bulblet production and nitrogen and sugar content in leaf and bulb.

Res. Bull. (1966), Dec. 1978. Fac. of Agric. Ain Shams University. Cairo.

Siegel, S. M. and A. W. Galston (1953).

Experimental Coupling of IAA to pea root protien in vivo and in vitro - proc. Natl. Acad. sci. U.S. 39, 1111 - 1118.

C.F. Proceedings of the 7th International Conference on Plant Growth Substances held in Canaberra, Australia. December 7-11, 1970.

Springer - Verlag Berlin Heidelberg New York 1972.

Simmonds, J. A. ; G. B. Cumming (1976).

Propagation of Lilium hybrids. I. Dependence of bulblet production on time of scale removal and growth substances.

Scientia Horticulturae (1976) 5 (1) 17 - 83 (En, 11 ref.)

New Brunswick University, Fredericton, Canada.

C.F. Hort. Abst. vol. 47 (3) No. 2813. 1977.

(1976).

Propagation of Lilium hybrids. II production of plantlets from bulb- scale callus cultures for increased

propagation rates.

Scientia Horticulturae (1976) 5 (2) 161-170 (En, 17 ref., 1 pl.) New Brunswick University, Fredericton, Canada.

C.F. Hort. Abst. vol. 47 (4) No. 2820. 1977.

Singh, U. S. (1967).

Hormones and suger cane. VIII Relation between hormone-indirect changes in respiration and germination of suger cane.

Proc. Nat. Acad. sc. India Sect. B 1967, 37 (pt.1), (65-8).

Singh, S. P. (1976).

Rooting of Jasminum sambac by semihardwood cuttings under intermittent mist. Haryana Journal of Horticultural sciences (1976) 5 ((112) 111-114 En,hindi, 6 ref., 4 pl. National Botanic Gardens, Lucknow, India.

C.F. Hort. Abst. vol. 48. (39 No. 2647. 1978.

Smith, J. D.; and E. A. Maginnes (1966).

Scale rot test for hybrid Lilies. Canad. Plant Dis. Survey, 1966, 46:92-4 bibl. 4, illus.

C.F. Hort. Abst. vol. 37 (2) No. 3317. 1967.

Steckel J. E., and Others (1962).

Croft Lily response to calcium and phosphate fertilization.

From abstr. In Mich. Flori., 1962 No. 371 p; 24

C.F. Hort. Abs. vol. 33(4) No. 7560. 1963.

Stuart, N. W. (1939).

Nitrogen and carbohydrate metabolism of kidney bean cuttings as affected by treatment with Indole - acetic acid. Bot. Gaz., 100 , 298-311.

C.F. Proceedings of the 7th International Conference on Plant Growth Substances held in Canberra. Australia. December 7-11, 1970.

Springer - Verlag Berlin Heidelberg New York 1972.

Subbotin, G. I. (1979).

New steppecherry varieties and their propagation.

Vestnik sel'skokhozyaistvennoi Nauki, Moscow, U.S.S.R.

(1979), No. 6, 68-70 (Ru, en, 7 ref.)

NII sadovodstva sibir, USSR.

C.F. Hort. Abst. vol. 50.(2) No. 876. 1980.

Takayama, S.; M. Misawa (1979).

Differentiation in Lilium bulb scales grown in vitro effect of various cultural conditions. Physiologia

plantarum (1979) 46 (2) 184-190 (En, 25 ref., 2 pl.)
Tokyo Research laboratory, Kyowa Harkyo Co, Ltd.,
Machida-shi 194, Tokyo; Japan.
C.F. Hort. Abst. vol. 49(11) No. 8733. 1979.

Tamura, J. and K. Mega (1959).

Yields of gladiolus flowers and corms supplied with
differential nutrients.

Bull. Univ. Osaka pref., ser. B., 1959. 9, 41 - 7 ,
bibli. 13.

C.F. Hort. Abst. vol. 33(2) No. 3377. 1963.

Tayama, H. K. ; C. D. Kiplinger; and C. T. McDowell (1967).

Fertilization and watering tests in columbus in
1967-1968 on Ace Lilies. Bull.

Ohio Flor. Ass. 1969, No. 471, pp. 8-9.

C.F. Hort. Abst. vol. 39(4) No. 7082. 1969.

Thimann, K. V. and F. W. Went (1934).

On the chemical nature of the root - forming hormone.

Proc. Kon. Nederl. Akad. Wetensch., Amsterdam,

37, 456-459.

C.F. Proceedings of the 7th International Conference
on Plant Growth Substances held in Canberra,
Australia December 7-11, 1970.

Springer - Verlag Berlin Heidelberg New York 1972.

Tsukamoto, Y. and S. Fujioka (1956).

Studies on fertilizers for florist crops. 1.

Fertilizers for amaryllis.

Jour. Hort. Ass. Japan, 25. 208-218 bibl. 12.

C.F. Hort. Abst. vol. 27(2) No. 1437. 1957.

Tuyl, J. M. VAN (1979).

Breeding research as a first step towards possible
bulb production of Lilium longiflorum in the
Netherlands.

Bloembollencultuur (1979) 89 (40) 1078-1079, 1082
(NI, 4 pl.) Instituut voor de veredeling van Tuinbou-
gewassen, Wageningen, Netherlands.

C.F. Hort. Abst. vol. 49(10) No. 7751. 1979.

Uesato, K. (1973).

Studies on the propagation of Lilium longiflorum by
bulb scales.

Science Bulletin of the College of Agriculture,
University of the Ryukyus (1973) No. 20, 13 - 19
(Ja, en, 8 ref., 5 pl.) University of the Ryukyus,
Okinawa, Japan.

C.F. Hort. Abst. vol. 45(6) No. 4270. 1975.

Utada, A.; M. Suzuki; S. Abe (1973).

Studies on Lily propagation. 1. scale propagation of
Lilium speciosum.

Bulletin of the Horticultural Research Station, A
(Hiratsuka)(1973) No. 12, 113-134 (Ja, en, 29 ref.)
Kanagawa, Japan.

C.F. Hort. Abst. vol. 44(7) No. 4884. 1974.

Venis, M. A. (1968).

Auxin-histone interaction, in "Biochemistry and
physiology of Plant Growth Substances" (Eds. F.
Wightman and G. Setterfield) P. 761-775. Runge press,
Ottawa.

C.F. Proceedings of the 7th International Conference
on Plant Growth Substances held in Canberra, Australia.
December 7-11, 1970.

Springer - Verlag Berlin Heidelberg New York 1972.

Waters, W. E. (1965).

Nutrient requirement of gladiolus cormels on sandy
soils of florida. Proc. soil. sci. Fla., 1965,
1966, 25: 51-63 (bibl. 81).

C.F. Hort. Abs. vol. 37(2) No. 3305. 1967.

Weider, M. (1977).

(Manuring of Lilies) Deutscher Gartenbau (1977) 31
(27) 1092-1094 (De, 2pl.) Bayerische Landesanstalt
für Wein und Gartenbau, Weitschochheim, German
Federal Republic.

C.F. Hort. Abst. Vol. 48(3) No. 2578. 1978.

Widmer, R. E. (1972).

The growth of Cyclamen Periscum in peat and peat modified media with several fertilizer regimes.

Acta Horticulturae (1972) No. 26, 103-111 En, de
Minnesota University, St. Paul, U.S.A.

C.F. Hort. Abst. vol. 43(11) No. 7893. 1973.

Woltz, S.S. (1954).

Gladiolus fertility studies.

A.R. Fla. Agric. Exp. stats, 1954, pp. 259- 60.

C.F. Hort. Abst. vol. 26 (2) No. 2002. 1956.

—————(1955).

Effect of differential supplies of nitrogen, potassium
and calcium on quality and yield of gladiolus flowers
and corms.

Proc. Amer. Soc. Hort. Sci., 1955, 65: 427-35, bibl 9.

C.F. Hort. Abst. vol. 26(1) No. 910. 1956.

Woltz, S. S. (1956).

Gladiolus fertility studies.

A.R. Fal. Agric. **Exp.** Stats, 1956. 57, pp.
302-3.

C.F. Hort. Abst. vol. 29(1) No. 721. 1959.

Yamashita, K.; T. Matsuda (1977).

Formation of adventitious roots on satsuma (Citrus
unshiu Marc.) stem cuttings.

Bulletin of the Faculty of Agriculture Miyazaki
University (1977) 24(2) 199-206 (Ja, en, 10 ref.,
2 pl.) Miyazaki **University**, Miyazaki, Japan.

C.F. Hort. Abst. vol. 49(1) No. 777. 1979.

Yang, S. F. (1967).

Biosynthesis of ethylene. Ethyleneformation from
methional by horseradish peroxidase. Arch.

Biochem. Biophys., **122**, 481-487.

C.F. Proceedings of the 7th International Conference
Australia December 7-11, 1970.

Springer - Verlag Berlin Heidelberg. New York 1972.

Yasui, K. (1975).

Leaf formation in Lilium longiflorum.

Scientific Reports of the Faculty of Agriculture
Okayama University (1975) No.45, 21-26 (Ja, en,
3 ref.), 2 pl.
C.F. Hort. Abst. vol. 46(1) No. 5967. 1976.

Young, J. H. (1967).

Experimental in propagation Lilies

N.Z. Gilnr. 1967, 23:379.

C.F. Hort. Abst. vol. 37 No. 5340. 1961.

Zenk, M. H. (1964).

Isolation, biosynthesis and function of indole -
acetic acid conjugates, in coll. Int. C.N.R.S.
Paris 123, 241-249.

C.F. Proceedings of the 7th International Conference
on Plant Growth Substances held in Canaberra,
Australia. December 7-11, 1970.

Springer - Verlag Berlin Heidelberg New York 1972.

Zimmermann, P. W. and A. E. Hitchcock (1933).

Initiation and stimulation of adventitious roots
by unsaturated hydrocarbon gases.

Contrib. Boyce Thompson Inst. 5, 351-369.

C.F. Proceedings of the 7th International Conference
on Plant Growth Substances Held in Canaberra,
Australia December 7-11, 1970.

Springer - Verlag Berlin Heidelberg New York
1972.