

LITERATURE CITED

Abd-El-Zaher, M.H. (1978):

The effect of some growth factors on active constituents of vinca (*Vinca rosea* L.).

M. Sci. Thesis, Faculty of Agric. Ain Shams Univ.

Abdul, K.S.; Salah, M.M.S. and Omer, S.J. (1988):

Effect of gibberellic acid and cycocel on growth, flowering and fruiting characteristics of pepper.

Iraq J. Agric. Sci., 6 (92) : 7 - 18 (Hort. Abst., 589 : 5852).

Abo-El-Ghait, E.M. and Wahba, H.E. (1994):

Studies on *Viola odorata* L. 2- Response of *Viola odorata* L. to some growth regulators.

Annals of Agric. Sci. Moshtohor, 32 (1) : 433 - 445.

Abou - Taleb, N.S. (1995):

Effect of alar and paclobutrazol on the growth of *Bougainvillea spectabilis* plants.

Bull. Faculty of Agric. Univ. Cairo, 46 : 457 - 466.

Abou-Zeid, E.N. (1979):

Effect of Gibberellin, BOH and Fuli - fertile on growth and productivity of *Ocimum gratissimum*.

Bull. N.R.C. Egypt, 4 : 53 - 59.

Abou-Zeid, E.N. and El-Sherbeeney, S. (1974):

A preliminary study on the effect of gibberellic acid on quality of volatile oil of *Matricaria chamomilla* L.

Bulletin Nat. Res. Center, Egypt.

Abou-Zeid, E.N. and Bakry, M.Y. (1978):

The effect of Gibberellin, CCC and B-9 upon growth, development and organic compounds in *Primula obconica*.

Scientia Hort., 9 (2) : 175 - 180.

Agwah, E.M.R.; Shehata, S.A. and El-Sayed, S.F. (1994):

Effect of some chemical regulators on seed production of onion (*Allium cepa* L.).

Bull. Faculty of Agric. Univ. Cairo, 45 : 469 - 482.

Ahmed, S.S. and Eid, M.M. (1975):

Effect of gibberellic acid and cycocel on yield of seeds and essential oil of some umbelliferous plants.

Egypt Jour. 2 (2) : 227 - 237.

Alexandrov, V.Y. (1964) :

Cytophysiological and cytoecological investigations of heat resistance of plant cells toward the action of high and low temperature.

Q. Rev. Biol., 39 : 35.

Aloni, B. and Pashkar, T. (1987):

Antagonistic effects of paclobutrazol and gibberellic acid on growth and some biochemical characteristics of pepper (*Capsicum annuum*) transplants. Scientia Hort. 33 : 167 - 177.

Annis, D.C. and Starman, T.W. (1990):

Influence of photoperiod and gibberellic acid on growth and flowering of *Craspedia uniflora*.

Proc. 87th Ann. Meet. Amer. Soc. Hort. Sci., 25 (9) : 1092.

Armitage, A.M. (1986):

Chlormequat - induced early flowering of hybrid geranium : the influence of gibberellic acid.

Hort. Sci., 21 (1) : 116 - 118.

Arteca, R.N., Schlangnhaufer, C.D. and Arteca, J.A. (1991):

Root applications of gibberellic acid enhance growth of seven pelargonium cultivars.

J. Hort., Sci., 26 (5) : 555 - 556.

Awad, N.A.E. (1986):

Tissue culture of certain alkaloid bearing plant *Hyoscyamus muticus* L.

M. Sci. Thesis, Faculty Pharm., Cairo University.

Awad, N.A. E (1991):

Tissue culture studies on *Cuminum cyminum* L. and *Aspergus officinalis* L.

Ph. D. Thesis, Faculty of Pharmacy, Tanta Univ.

Awad, A.E. and El-Sherbeni, A.E. (1976):

Effect of Gibberellin and nitrogen fertilization on the growth and oil percentage of mint plants (*Mantha viridis* L.).
Zagazig J. of Agric. Research.

Bailey, L.H. (1963):

The standard cyclopedia of Horticulture Vol. 11 - F-O (pages 2111 - 2112) Macmillan Company, New York.

Bailey, D.A. and Miller, W.B. (1989):

Response of oriental hybrid lilies to Ancymidol and uniconazole.
Hort. sci., 24 (3) : 519.

Bailey, D.A. and Weiler, T.C. (1984):

Control of flora initiation in florists Hydrangea.
Journal. Amer. Soc. Hort. sci., 1, 109 (9) : 785 - 791.

Barrett, J. E. and Bartuska, C.A. (1982):

Paclobutrazol effects on stem elongation dependent on site of application.
Hort. sci., 17 (5) : 737 - 738.

Barrett, J.E. and Nell, T.A. (1987):

Efficacy and phytotoxicity of paclobutrazol and XE - 1019 on Vinca.
Proc. Flor. State, Hort. Soc., 100 : 382 - 383.

Barrett, J.E., Bartuska, C.A. and Nell, T.A. (1987):

Efficacy of ancymidol, daminozide, flurprimidol, paclobutrazol and XE-1019 when followed by irrigation.
Hort. Sci., 22 (6) : 1287 - 1289.

Bastida, J.; Vhadomat, F.; Labres, J.M.; Codina, C.; Fellz, M. and Rubiralta, M. (1987):

Alkaloids from *Narcissus confusus*.
Phytochemistry, 26(5): 1519 - 1524. (Hort. Abst. Vol. 57, No. 9).

Bastida, J.; Codina, C.; Viladomat, F.; Rubiratta, M.; Quirion, J.C. and Weniger, B. (1992):

Narcissus alkaloids, XI. Dextro-8-0-acetylhomolycorine and vasconine, two novel alkaloids from *Narcissus vasconicus*.
Journal of Natural products, 55 (1) : 122 - 125.

Bastida, J.; Fernandez, J.M.; Viladomat, F.; Codina, C. and Fuente, G. (1995):

Alkaloids from *Narcissus tortuosus*.
Phytochemistry, 38, (2) : 549 - 551.

Bearce, B.C. and Singha, S. (1989):

Height control of Asiatic lily with uniconazole as a bulb Dip.
87th Ann. meet. Amer. Soc. Hort. Sci., 4-8 Nov.

Bearce, B.C. and Singha, S. (1990):

Growth and flowering response of Asiatic hybrid lilies to unicomazole.
Hort. Sci., 25 (10) : 1307 (Hort. Abst., 61, 5).

Berghoef, J. and Zevenbergen, A.P. (1990):

The effect of precooling, environmental factors and growth - regulating substances on plant height of freesia as pot plant.
Acta Hort., 266 : 251 - 257.

Berry, J.A. (1975):

Adaptation of photosynthetic processes to stress.
Science, 188 : 644.

Bose, T.K.; Jana, B.K. and Mukhopadhyay, T.P. (1980):

Effect of growth regulators on growth and flowering in *Hippeastrum hybridum*.
(Hort. Abst., 50 : 7263).

Bosela, K.H.A. and Smik, G.K. (1978):

Biomorphological changes in *Mentha piperita* and *Mentha crispa* caused by growth regulators.
Referativnyi zhurnal, 34 (1) : 95 - 99, (Hort. Abst., 48 : 2696).

Bosela, K.H.A. and Udalova, V.I. (1979):

Dynamics of changes in the principal essential oil components of *Mentha piperita* and *Mentha crispa* treated with growth regulators.

Referativnyi Zhurnal, 9 : 55 - 816 (Hort. Abst.49 No. 3- 2127).

Bragt, J. Van. (1972):

Effect of forcing temperature and Gibberellin on flowering of tulips.

Mededelingen Van de Faculteit landbouw wetenschappen, Rijksuniversiteit Gent 37 (2): 619-622 (Hort. Abst. 43 : 8907).

Bragt, J. Van. and Gelder, H. Van (1979):

Effects of gibberellic acid, 6 - benzylaminopurine, a - naphthaleneacetic acid and ethephon on growth and flowering of tulip bulbs cv. Apeldoorn and their bulblets.

Acta Hort., 91 : 161 - 165. (Hort. Abst. 51 : 2022).

Bruno, S.; Laurentis, N. De., Amico, A. and Stefanizzi, L. (1985):

Localization and simultaneous determination of lycorine and tazettine in bulbs of *Narcissus tazetta* by HPLC.

Plantes Medicinales et phytotherapie 19 (3) : 211 - 215 (Hort. Abst. Vol. 56 No. 6).

Bruno, S.; Laurentis, N. De., Amico, A.; Stefanizzi, L. and De-Laurentis, N. (1994):

Chemical investigation and cytologic localization of essential oils in the flowers of *Narcissus tazetta*.

International Journal of pharmacognosy, 32 (4) : 357 - 361.

Bylov, V.N. and Simirnova, Z. I. (1979):

Possibility of gibberellin application for early forcing *Tulipa geseneriana* cv. London.

Acta Hort., 91 : 173 - 177 (Hort. Abst. 51 : 1370).

Campbell, L.S.; Prince, T.A. and Tayama, H.K. (1990):

The effects of uniconazole on production and postproduction characteristics of Easter lilies.

Amer. Soc. Hort Sci., 25 (9), Sept.

Chang, Q.S. and Yang, W. (1987):

Flower bud differentiation in chinese narcissus and the effects of external storage factors on the flowering percentage.

Acta Horticulturae Sinica 14 (2) : 139 - 143.

Cherkasov, O.A.; Gorbunova, G.M.; Margvflashvili, N.N.; Matsuradze, N.I. and Tolkachev, O.N. (1986):

Galanthamine content in the leaves of *Narcissus hybridus* hort.

Rastitel, nye resursy 22 (3) : 370 - 372 Hort. Abst. Vol. 57 No.1.

Cherkasov, O.A.; Tokhtabaeva, G.M.; Margve-lashvili, N.N.; Maisuradze, N.I. and Tolkachev, O.N. (1988):

The galanthamine content of some cultivars of *Narcissus hybridus* Hort. Rastite'nye Kesursy 24, (3) : 414 - 420 (Hort. Abst. Vol. 59 No. 2).

Chojnowski, M. (1993):

Effect of ethephon on *Lathyrus odoratus* L. seed germination and seedling growth under water stress.

In proceedings of the fourth international workshop on seeds : basic and applied aspects of seed biology, Angers, France, 20-24 July, Vol. 2. (Hort. Abst. Vol. 65 No. 11, 9959).

Chowdhury, A.K. (1983):

Atropine biosynthesis in *Atropa belladonna* culture.

Herba Hungarica, 22 (2) : 15 - 22.

Clark, G.E. (1995):

Effects of storage temperature and duration on the dormancy of *Sandersonia aurantiaca* tubers.

New Zealand Journal of Crop and Horticultural Science, 23 (4) : 455 - 460 (Hort. Abst. Vol. 66 No. 4, 4339).

Codina, C.; Bastida, J.; Viladomat, F.; Fernandez, J.M.; Bergonon, S., Rubiralta, M. and Quirion, J. C. (1993):

Alkaloids from *Narcissus munozii garmendiae*.

Phytochemistry (Oxford), 32 (5) : 1354 - 1356.

Corr, B.E. and Widmer, R.E. (1991):

Paclobutrazol, gibberellic acid and rhizome size affect growth and flowering of zantedeschia.

Hort. Sci., 26 (2) : 133 - 135.

Cox, D.A. and Keever, G.J. (1988):

Paclobutrazol a growth retardant for Geranium and zinnia.
 Research report series. Alabama. Agric. Exp. Stat., 5, 16 : 18 - 19. (Hort. Abst., 60 : 513).

Cox, D.A. and Whittington, F.F. (1988):

Effects of paclobutrazol on height and performance of aluminum plant in a simulated interior environment.
 Hort. Sci. 23 (1) : 222.

Czybabaisha, W. and Urmwa, B. (1965):

Trials on acceleration of flowering on some species of medicinal plants by means of the aid of gibrescol.
 Biut-Inst. Iecznil, (4) : 225 - 236. (Hort. Abst. Vol. 37 : 1543).

Dalziel, J. and Lawrence, D.K. (1984):

Biochemical and biological effects of kaurene oxidase inhibitors, such as paclobutrazol.
 British plant Growth regulator Group. 11 : 43 - 57 (Plant Growth Regulator Abstracts, 11 (4) : 453).

Das, P.; Bose, T.K. and Boy, P.K. (1977):

Effect of growth regulators on the photoperiodic response of short and long day plants.
 Oris. Jour. of Hort., 5 (1/2) : 1-6. (Hort. Abst. 50 : 1350).

Deotale, A.B.; Belorkar, P.V.; Dahale, M.H.; Patil, S.R. and Zade, V.N. (1995):

Effect of date of planting and foliar application of Gibberellin on growth of chrysanthemum.
 Journal of Soils and Crops, 5 (1) : 83 - 86.

Deotale, A.B.; Belorkar, P.V.; Patil, S.R.; Dahale, M.H. and Darange, S.O. (1995):

Effect of date of planting and foliar spray of Gibberellin on quality of chrysanthemum.
 Journal of Soils and Crops, 5 (1) : 70 - 72.

De-Pasquale, R.; Forestieri, A.M.; Giordano, A. and Tumino, G. (1981):

Ontogenetic variation in the contents of some phenylalkylamines, Indole alkylamines and of total alkaloids in different parts of *Datura metel* L. var. Metel.

Quart.J. Crude Drug Res., 19 (1) : 11 - 24.

Dessouky, M.M. (1986):

Effect of some growth regulators and fertilization on growth and active constituents of *Vinca sp.* plants.

M. Sci. Thesis, Fac. of Agric., Zagazig Univ.

Dierter, Hess (1975):

"Plant physiology".

Springer - Verlag. Berlin - Heidelberg. New York.

Dorer, M.; Lubej, M. and Zelenik, M. (1972):

The effect of external factors on the alkaloid and free amino acid production in belladonna plants.

Farmaceutski Vestnik, 23 (1) : 1-31 (Zhurnal 2. 55. 855).

Dort, H.V.; Jagers, P.P.; Heide, R.; Ter, Weerdt, A.J.A. - Van - der, Van - Dort - H.M., Ter - Heide - R., and Van - der - Weerdt-AJA (1993):

Narcissus trevithian and *Narcissus geranium*; analysis and synthesis of compounds.

Journal of Agricultural and food Chemistry, 41:11 : 2063-2075.

Durieux, A.J.B. (1972):

Despite later planting, good flowering of retarded professor Blaauw and Ideal is possible with modified after - treatment.

Bloembollencultuur, 82 (5) (NI) Laboratorium Voor. (Hort.Abst., 45 : 1835).

Durieux, A.J. B. (1974):

Ethrel treatment of iris to prevent 3 leafed plants in the earliest flowering crop.

Bloembollen cultur, 84 (49) : 1180 - 1181. (Hort. Abst., 45 : 1176).

Ehret, C.; Maupett, P. and Petrzilka, M. (1992):

New organoleptically important constituents of *Narcissus absolute* (*Narcissus poeticus* L.).

Journal of essential oil research, 4 (1) : 41 - 47 (Hort. Abst. Vol. 63, No. 3).

Eid, M.N.A. and Ahmed, S.S. (1976):

Preliminary studies on the effect of gibberellic acid and cycocel on the growth and essential oil content of *Ocimum basilicum* L. Egyptian Journal of Horticulture, 3 (1) : 83 - 87 (Hort. Abst., 47 : 10752).

El-Antably, H.M.M.; Ahmed, S.S. and Eid, M.N.A. (1975):

The effect of Gibberellic acid alone and when combined with (2-chloroethyl) - trimethyl ammonium chloride on the growth and alkaloid content of *Solanum laciniatum* Aiton.

Journal Egypt Soc. Hort. Sci. (1975).

El-Antably, H.M.; Ahmed, S.S. and Eid, M.N.A. (1976):

Effects of some growth hormones on plant vigour and volatile oil of *Origanum majorana* L.

Pharmazie, 30 (6):400 - 401 (Hort. Abst. Vol. 46, No. 4, 3668).

El-Bahr, K.M.; Ghanem, A.S. and Omer, A.E. (1990):

Responses of *Datura metel* L. cell cultures to some amino acids.

Egypt. J. Appl. Sci., 5 (5), 192 - 199.

El-Dabh, R.S.; Awad, A.E. and Nabih, A. (1978):

Effect of growth regulator on Tulip cv. Apeldoorn.

Research Bulletin, Faculty of Agriculture, Ain - Shams University No., 958, 12 pp.

El-Gamassy, K.M. El-Sayed, S.A. and Agrena (1978):

Effect of foliar application with Gibberellic acid (GA3) on growth and alkaloidal content in *Datura stramonium* L.

Research Bulletin No. 870, July, Ain Shams University, Cairo, Egypt.

El-Gamassy, A.M.; El-Gamassy, K.M. and Helmy, L.M. (1983):

Effect of gibberellic acid (GA3) on growth of *Datura metel* L. Plants.

Eighth Intern'l cong. for statistics, computer science, social and demographic research, March 26-31, 83. Ain-Shams Univ. Cairo, Egypt.

El-Gendi, S.H.A. (1979):

Effect of some growth factors on biochemical components in roselle plants.

M. Sc. Thesis, Faculty of Agriculture, Cairo Univ.

El-Ghawwas, E.O.A. (1988):

Studies on some factors affecting production of some medicinal plants and their active ingredients.

Ph. D., Thesis Faculty of Agriculture, Ain - Shams Univ.

El-Gindy, W.C. (1986):

Effect of light and growth regulators on some chrysanthemum varieties.

Ph. D., Thesis, Faculty of Agriculture, Ain. Shams Univ.

Eliwa, N.Y.L. (1994):

Effect of Gibberellic acid (GA3) and paclobutrazol (pp333) on *Solanum capsicastrum* var. Melvinii.

M. Sc. Thesis, Faculty of Agriculture, Cairo Univ.

El-Kady, M.M.; Mansour, M.A. and Sorial, M.E. (1982):

Effect of some growth regulators on growth, flowering and yield of *Datura* plant.

Monoufia Journal of Agricultural research 3 : 53 - 71 (Hort. Abst. Vol. 52, No. 9 : 6314).

El-Khateeb, M.A.; Badawy, E.M. and Boselah, N.A.E. (1991):

Effect of some growth regulators on growth, chemical composition and essential oil of *Ruta graveolens* L. Plants.

Bull. Faculty of Agriculture, Cairo Univ., 42 (3) : 829 - 848.

El-Keltawi, N.E. (1981):

The combined effect of boron and gibberellin (GA3) on the growth and oil content of spearmint.

Assiut Journal of Agricultural Sciences, 12, (4), 11- 23.

El-Leithy, A.S. (1983):

Effect of some growth regulators and oil media on growth oil yield and constituents of oil of sweet basil plants, *Ocimum basilicum* L.

M. Sc. Thesis, Faculty of Agriculture, Cairo, Univ.

El-Leithy, A.S. (1987):

Physiological studies on french marigold *Tagetes patula* L. plants.

Ph. D. Thesis, Faculty of Agriculture, Cairo Univ.

El-Mahrouk, E.M.; Abdel Maksoud, B.A. and Menesy, F.A. (1992):

Influence of some growth regulators on *Bellis perennis* L. and *Gaillardia pulchella*.

Foug. J. Agric. Res. Tanta Univ., 18 (4): 786 - 799.

El-Moghazy, A.M., GoMaa, G.S.; Bishay, D.W. and Makkar, F.Z. (1978):

Phytochemistry of *Narcissus tazetta* L.

Egyptian Journal of Pharmaceutical Sciences 17 (3):273 - 281.
(Hort. Abst. 49 No. 6, 4358).

El-Moghazy, A.M.; El-Keltawi, N.E.; Bishay, D.W. and El-Lakany, A.A. (1980):

The effect of some growth regulators on the growth, volatile oil and nutrient uptake in *Mentha piperita* L.

Egypt. J. Pharm. Sci., 20, NO. 4.

El-Moursi, A. (1981):

Combined effect of presowing heat hardening and growth regulating substances on growth and chromone pattern of *Ammi visnaga* L.

Zeitschrift für Acker und pflanzenbau 149 (3) 241 - 250 (Hort. Abst. Vol. 51 No. 9, 7282).

El-Mowafy, D.A.S (1996) :

Effect of nitrogen fertilization and paclobutrazol treatments on *Pelargonium graveolens* L. Plant.

M. Sci., Thesis, Faculty of Agriculture, Cairo Univ.

El-Sahhar, K.D.; Fouad, M.K.; Fahmi, R. and Riad, F. (1984):

Effect of gibberellic acid (GA3) on some botanical and chemical characteristics of basil (*Ocimum basilicum* L.)
Annals of Agricultural Science, Ain Shams Univ. 29 (1) : 401 - 414. (Plant growth regulators Abst. Vol. 11, 1212).

El-Sayed, A.A. (1979):

Physiological study on geranium plants (*Pelargonium graveolens* L.) as affected by GA3 and CCC.
Ph. D. Thesis, Faculty of Agriculture, Cairo Univ.

El-Sayed, A.A.; Sarhan, A.Z. and Salam, M.A. (1986):

Effect of some growth regulators on growth and flowering of *Tagetes erecta* L. Plants. The first Hortic. Science conference. September 16 - 17th. Faculty of Agric. Kafr - El-Sheikh, Egypt.

El-Sayed, A.A.; Salem, M.A. and El-Hanafy, S.H. (1994):

Response of two Dutch Iris cultivars (Ideal and purple sensation) to paclobutrazol (pp333) treatments.
Zagazig, J. Agric., 21 (5) : 1497 - 1510.

El-Shafie, S. A. (1988):

Effect of chemical fertilization and some growth regulators on growth and concrete oil yield of *Viola odorata*.
Ph. D. thesis, Faculty of Agric., Zagazig Univ.

El-Shafie, S.A. and Hassan, H.A. (1978):

Effect of gibberellic acid and chloromequat on the growth and flowering of gerbera. Archiv. Fur Gartenbau, 26 (7) : 333 - 342 (Hort.Abst., 50; 425).

El-Shamy, S.M. (1982):

Effect of chemical fertilization and some growth regulators on growth, flowering and concrete oil yield of carnation (*Dianthus caryophyllus* Var. Chabaud).
M. Sc. Thesis, Faculty of Agriculture, Cairo Univ.

El-Shamy, S.M.R. (1988):

Effect of chemical fertilization and some growth regulators on growth and concrete oil yield of *Viola odorata* L.

Ph. D. Thesis, Faculty of Agriculture, Zagazig Univ.

El-Sharkawy, F.A.A. (1981):

Effect of some hormonal and agricultural treatments on the oil yield and chemical constituents of Marjoram plants, *Marjorana hortensis* Munch.

Ph. D. Thesis, Faculty of Agriculture, Ain - Shams Univ.

El-Sheikh, M.O.A.; Hassan, G.M.; El-Tayeb, Abdel Hafeez, A.R., El-Abdalla, A.A. and Antoum, M.D. (1982):

Studies on sudanese Medicinal plants III. Indigenous *Hyoscyamus muticus* as possible commerical source for Hyoscyamine planta Medica, 45 : 116 - 119.

El-Sherbeny, S.E. and Hassan, A.E. (1987):

Physiological studies on *Datura stramonium* L., the effect of some alkaloid precursors on growth, chemical composition and leaf alkaloids.

Bull. NRC, Egypt, 12 : 101 - 110.

El-Sherbeny, S.E.; Hussein, M.S. and Mandour, M.S. (1988):

A comparative study on the effect of some foliar fertilizers on fenugreek plant.

Egypt. J. Agron., 12, (1-2), 17 - 29.

Fahmy, A.N.M. (1982):

Effect of storage temperature and some growth regulators on Growth, Anatomical Development of stem Apex, flowering and bulbs yields of Iris cv. Ideal.

Ph. D. Thesis, Faculty of Agriculture, Cairo Univ.

Fahmy, I.R.; Ahmed, Z.F. and Rizk, A.M. (1960):

A phytochemical investigation of *Pancratium sickenbergeri* Asch. ET Sfh.

J. Pharm. Sci. U.A.R. Vol. 1 No. 1, pp. 133 - 147.

Flint, G.J. and Alderson, P.G. (1986):

Narcissus propagation by chipping, effect of a range of plant growth regulators on bulbil yield and length.

Acta Hort., 177 (I) : 315 - 322, (Hort. Abs. (57) 046197)

Fouad, M.K.; Magdy, G.A. and Wedad, Sh. M. (1979):

Cycocel and Ethrel treatments on the anatomical structure of stems and leaves of pepper plant, *Capsicum annum* L.

Res. Bull., Fac. Agric., Ain - Shams Univ., 1153 : 1-13.

Fuganti, C. (1975):

In the Alkaloids.

[Manske, R.H.F.,ed] Vol. XV, Ch. 3, P. 83, Academic Press, London.

Fukunaga, Y. and King, J. (1982):

The effect of L-amino acids on the growth and nitrate reductase activity in cultured cells of *Datura innoxia* plant.

Sci. Lett., 24 : 45 - 54.

Furusawa, E. and Furusawa, S. (1985):

Antileukemic activity of pretazettine, a narcissus alkaloid and viva - natural, extract of a dietary seaweed, on spontaneous AKR leukemia.

Journal of Ethnopharmacology, 16 : 299 (Hort. Abst. Vol. 57 No. 11, 8954).

Gabr, A.I. and El-Sherbeny, S.E. (1978):

The effect of gibberellic acid and B-nine on growth of *Datura metel* L.

Gartnbau wissenschaft, 42 (51) 200 - 202. (Hort. Abst., 48, 3 : 2725).

Galal, A.E. (1982):

Studies on the effect of cold storage and gibberellic acid on growth, flowering and bulbs production of Double Narcissus.

M. Sc. Thesis, Faculty of Agriculture, El-Minia Univ.

Gamal El-Din, K.M. (1992):

Growth response of *Hyoscyamus muticus* L. to temperature hardening in relation to alkaloidal pattern.

Ph. D. Thesis, Faculty of Agricultur, Ain - Shams Univ.

Garnier, J. and Morel, G. (1972):

Alkaloid production by tissues of *Vinca rosea* cultivated under different conditions. (Serv. Biochem. Cell Veg. Cent. Nat. Rech. Agron., Versailles, Fr.) *Physiol. Veg.* 10 (4). (Chem. Abst. 78 (17), 106912 Z).

Ghosal, S. (1983):

Special lecture.

Proc. of Int. Symp. on Medicinal & Aromatic Plants, pp. 13 - 14 CIMAP, Lucknow, India.

Goldsmith, I.R.; Hood, K.A. and MacMillan, J. (1983):

Inhibition of gibberellin biosynthesis in *Gibberell fujikuroi* by pp333. SCI symposium on Ergosterol Biosynthesis. Inhibitors, Reading, U.K, 20 - 24 Mar.

Gonzalez, E.E. and Gjerstad, G. (1960):

Metabolic and morphological changes induced by gibberellic acid on spearmint.

J. Amer. Pharm. Ass., Sci. Ed., 49 : 782 -5, (Hort. Abst. Vol. 31, 4870).

Gott, K.A. and Thomas, T.H. (1986):

Comparative effects of gibberellins and on N-substituted phthalimide on seed germination and extension growth of celery (*Apium graveolens* L.).

Plant growth regulation, 4 (3): 273 - 279. (Hort. Abst. 56, 7885).

Gowda, V.N. and Gowda, J.V.N. (1988):

Effect of cycocel and maleic hydrazide on the biochemical composition in gundumalige (*Jasminum sambac*). Dialog. Inf. Ser., Fie, 50, 76; 116918 Hilview AV. ca.

Greef, F. T. D. (1985):

Correct treatment of cultivars paperwhite or ziva for forcing.

Juiste behandeling paper white of wel ziva voor. broeieij. Varkblad voorde Bloemisterij 40 (39) 50 - 51 (Hort. Abst. Vol. 56, No. 12, 9844).

Greef, F.T.D. (1986):

Pot daffodils.

Acta Horticulture, No. 177, Vol. 11, 681 - 684. (Hort. Abst. 57 (6) 4621).

Grzesik, M. (1995):

Effect of growth regulators on plant growth and seed yield of *Matthiola incana*, Brilliant "Barbara".

Seed science and Technology, 23 (3) 801 - 806 (Hort. Abst. Vol. 66 No. 7, 6114).

Gude, M.; Hansen, B.M.; Heitsch, H. and Konig, W.A. (1988):

An investigation of the irritant and allergenic properties of daffodils (*Narcissus pseudonarcissus* L., Amaryllidaceae).

Contact dermatitis, 19 (1) : 1-10. (Hort. Abst. Vol. 59 No. 5, 4066).

Guenther, E. (1952):

The essential oils.

Volume five. Individual essential oils of the plant families, D. Van nostrand company, Inc. New York pp. 343 - 351.

Gulate, B.C.; Srivastavi, C.N. and Duhan, J.P.S (1974):

Preliminary studies on the response of *Ocimum sanctum* to gibberellic acid.

Planta medica Indica. Hort. Abst. 45 : 5285.

Haikal, M. and Badr, M. (1982):

Effect of some GA3 and CCC treatments on the growth and oil quantity and quality of chamomile.

Egyptian Journal of Horticulture, Vol. 9 (2) : 117 - 123.

Hanks, G.K. (1987):

Effects of growth retardants on bulb production by narcissus twin - scales. Annals of Applied Biology, 110 (1) : 203 - 207.

Hanks, G.K.; Shaik, G. and Jones, S.K. (1986):

Bulbil production in *Narcissus* : the effect of temperature and duration of storage on bulb unit development and subsequent propagation by twin - scaling. Annals of Applied Biology, 109 (2) 417 - 425 (Hort. Abst. 57 (1) : 509).

Harridy, I.M.A. (1982):

Physiological studies on *Calamintha officinalis* var. *nepetoides*.

M. Sc. Thesis, Faculty of Agriculture, Cairo Univ.

Harridy, I.M.A. (1986):

Physiological studies on periwinkle plant, *Catharanthus roseus* G. Don.

Ph. D. Thesis, Faculty of Agriculture, Cairo Univ.

Hashim, M.E.; Hassan, S.M. and Elgindy, W.A. (1991):

Effect of some growth regulators on the growth and flowering of *Senecio cruentus* - Hybrid plant.

Annals Agric. Sci. Ain - Shams Univ., Cairo, 36 (1), 203 - 208.

Hassan, A.M.A. (1996):

Effect of chemical fertilization, growing media and gibberellic acid on growth of *Aspidistra elatior* Blume.

M. Sc. Thesis, Faculty of Agriculture, Cairo Univ.

Hefendehl, F.W. (1964):

Influence of gibberellic acid on the formation and the growth of *Mentha piperita*.

Flora (Jena) 155 (1), 64 - 79 (Ger). (Chem. Abst. 63 : 4876).

Hwang, E.G.; Suh, J.K. and Kwack, B.H. (1986):

The influence of paclobutrazol on growth and flowering of pot-grown gladiolus (*Gladiolus gandavensis*). Hort. Sci., 27 (1): 73 - 80.

Ismaeil, F.H.M. (1995):

Effect of gamma radiation and paclobutrazol (P.G.R) on *Vicia faba* from the botanical point of view.

M. Sc. Thesis, Fac., Agric., Moshtohor, Zagazig Univ.

Jayachandran, B.K. and Sethumavan, P. (1979):

Vegetative growth of ginger [*Zingiber officinale* R.] as influenced by sycocel, Ethryl and kinetin.

Agricultural research Journal of Kerala, 17 (1) 67 - 70.

Jiao, J.; Tsujita, M. and Murr, D.P. (1986):

Effects of paclobutrazol and A- Rest on growth, flowering, leaf carbohydrate and senescence in Nelli white Easter lily *Lilium longiflorum* Thunf.

Scientia Hort. 30 (1/2) : 130 - 141. Hort. Abst., 57 : 2709.

Jiao, J.; Wang, X. and Tsujita, M.J. (1990):

Comparative effects of uniconazole drench and spray on shoot elongation of hybrid lilies.

Hort. Sci., 25 (10) : 1244 - 1246.

Jiao, J.; Wang, X. and Tsujita, M.J. (1991):

Antagonistic effects of uniconazole and GA4 +7 on shoot elongation and flower development in Nillie white Easter lily.

Scient. Hort. 46 (3/4) : 323 - 331.

John, M. (1977):

The Greenhouse Environment. The effect of Environmental Factors on the Growth and Development of flower crops.

Johnw. Mastalarz Department of Horticulture. The Pennsylvania state university. JOHN WILFY & SONS. New York Santa Barbara London sydney, Toronto.

Kandeel, A.M.A. (1987):

Physiological studies on the growth, oil yield and chemical constituents in Basil plant, *Ocimum basilicum* L.

Ph. D. Thesis, Faculty of Agric. Ain - Shams Univ.

Kaul, B.K. and Kapoor, L.D. (1962):

Preliminary studies on the effect of gibberellic acid on dill seed. Planta Med., 10 : 91.

Kaul, B.K. and Kapoor, L.D. (1966):

A preliminary study on the influence of gibberellic acid on *Mentha arvensis* L. Var. Piperascens, Holmes (Japanese mint).

Proc. Indian Acad. Sci., Sect. B., 61 : 133 - 141, bibl. 12, illus. Hort. Abst. Vol. 36, 3433.

Khan, M.A. and Choudhry, M.A. (1978):

Effect of growth regulators on flowering and yield of gram (*Atropa belladonna* L.), Pakistan J. of Agric. Sci., 13 (1) : 105 - 112.

Khattab, M. and Hassan, M.K.A. (1981) :

Effect of gibberellic acid on growth of chrysanthemum plants.
Alex. H. Agric. Res., 2, (3) : 1393 - 1399.

Kim, H.K. and Ho, Q.S. (1980):

The effect of MH. 30 and Ethrel on the yield of several cultivars of Red pepper. Journal of Korean society for Hort. Sci. 19, 2 : 110-116 Hort. Abst. Vol. 50, No. 2, : 1088.

Kirnyte, B. (1965):

Effect of gibberellin acid on growth development and production of mint. Lietuvos tar Mokslo Akadi., Durbi, Ser C. (3) 29. [Chem. Abst. 64, 11778 D].

Klerk, G.J. De., Delvallee, I. and Paffen, A. (1992):

Dormancy release of micropropagated bulblets of *Lilium speciosum* After long culture in soil.
Hort. Sci. 27 (2): 147 - 148. Hort. Abst. 63, 4 (2825).

Koike, Y.; Ohbiki, A.; Mori, G. and Imanishi, H. (1994):

Effects of bulb storage temperature and duration on the flowering of *Narcissus tazetta* var. *Chinensis*. Journal of the Japanese society for Horticultural science 63 (3) : 639 - 644.

Koriesh, E.M. (1984):

Effect of indole acetic acid, sodium acetate and tryptophan on growth and total alkaloids of *Catharanthus roseus* G. Don.
The 2nd General Conf. of Agric. Res. Cent. (ARC) Minst. of Agric. Giza, April, 9 -11th. Abst. of Sci. Res. Papers.

Kreh, M.; Matusch, R. and Wiette, L. (1995):

Acetylated Alkaloids from *Narcissus pseudonarcissus*.
Phytochemistry Vol. 40, No. 4. pp. 1303 - 1306.

Krishnamoorthy, H.N. (1981):

Plant growth substances.
Tata MCG raw-hill.
Publishing company Newdelhi.

Krueger, R.J. and Carew, D.P. (1978):

Catharanthus roseus culture; the effect of precursors on growth and alkaloid production. *Lloydia* 41 (4) Ferris State College, Big Rapids Minnesota U.S.A. Hort. 49 (4), 2844.

Krys'kov, E.I. and Skurat, D.F. (1961):

The reaction of mint (*Mentha piperita*) to gibberellin. (Russian.) *Bot. Zhurnal*, 46 : 707-110, illus. Hort. Abst. Vol. 31 (6609).

Kumar, S.; Sharma, K., Datta, K.S. and Nanda, K.K. (1978):

Gibberellic acid causes induction of flowering in *Dahlia pinnata* under non inductive photoperiods. *Ind. J. Jour. Plant Physiol.*, 21 (3): 261 - 264. Hort. Abst., 49 : 6006.

Kutney, J.P.; Beck, J.F., Nelson, V.R. and Sood, R.S. (1971):

Indole alkaloid biosynthesis VI. Eburnamine - Vincamine alkaloids. *J. Amer. Chem. Soc.*, 93 (1) 255 - 7 chem. Abst. 74 (17), 84056 m.

Laiche, A.J. Jr. and Box, C.O. (1970):

Response of Easter lily bulbs treatments of pre-cooling, packing, media, moisture, and gibberellin. *Hort. Sci.* 5 : 396 - 7. Hort. Abst. 41 : 7147.

Latimer, J.C. (1991):

Growth retardants affect landscape performance of zinnia, Impatiens and marigold. *Hort. Sci.*, 26 (5) : 556 - 560. Hort. Abst. 62 - 269.

Liabres, J.; Viladomat, F.; Bastida, J.; Codina, C.; Serrano, M.; Rubiralta, M. and Feliz, M. (1986):

Two alkaloids from *Narcissus requienii*. *phytochemistry*, Vol. 25, No. 6 pp. 1453 - 1459.

Liabres, J.; Viladomat, F.; Bastida, J.; Codina, C. and Rubiratta, M. (1986) :

Phenanthridine alkaloids from *Narcissus assoanus*. *Phytochemistry*, Vol. 25, NO. 11, pp. 2637 - 2638.

Lin, W.C. and Wilkins, H.F. (1975):

The influence of bulb harvest dates, temperature treatment and growth substances on the ontogeny of *Lilium longiflorum*.
Acta Horticulturae no. 47, 225 - 233. Minnesota Univ., St. Paul, Minnesota 55101, USA (Hort. Abst., 46 : 2391).

Lmanishi, H. and Yue, D. (1987):

Effects of ethylene exposure on flowering of *Narcissus tazetta* :Grand soleil".
Acta Horticulture No. 201, 29 - 35.

Loeser, H. (1979):

Narcissus variety trials in (1979). Zierpflanzenbau 19 (25) 1091 - 1095. Staatliche Lehr- und Versuchsanstalt für Gartenbau. Heidelberg, German Federal Republic. Hort. Abst. 50 : 4441.

Mahmoud, M.M. (1980):

The use of plant growth regulators on some aromatic plants.
Ph. D. Thesis, Faculty of Agriculture, Ain - Shams Univ.

McConnell, D.B. and Poole, R.T. (1981):

Growth regulators. In : Foliage plant production p. 313. J. N. Joiner (editor). Prentice - Hall, Inc., Englewood Cliffs, NJ. 07632.

McDaniel, G.L. (1983):

Growth retardation activity of paclobutrazol on chrysanthemum. Hort. Sci., 18 : 199 - 200.

McDaniel, G.L. (1986):

Comparison of paclobutrazol, flurprimidol and tetcyclacis for controlling poinsettia height.
Hort. Sci., 21 (5) : 1161 - 1163.

McDaniel, G.L. (1990) :

Postharvest height suppression of potted tulips with paclobutrazol.
Hort. Sci., 25 (2) : 212 - 214.

McGraw, B.A. and Woolley, J.G. (1979):

Metabolism of hygrine in Atropa, Hyoscyamus and physalis.
Phytochemistry, 18 (1) : 189 - 190.

Meawad, A.A.; Awad, A.E. and Afify, A. (1984):

The combined effect of N.-fertilization and some growth regulators on chamomile plants.

Acta Horticulturae, No. 144, 123, 134. Zagazig Univ. Hort. Abst., Vol. 54 No. 10, 7449.

Menesy, F. A.; Nofal, E.M.S. and El-Mahrouk, E.M. (1991):

Effect of some growth regulators on *Calcependula officinalis* L.

Egypt, J. App. I. Sci., 6 (2) : 1-15.

Menhenett, R. (1985):

Condensing tulips to fit into pots.

Grower, 104 : 23, 19 - 20, 25 - 26, 3 PL.

Menhenett, R. and Hanks, G. (1982):

New retardant shows promise for pot-grown lilies and tulips.

Grower, 97 (20): 17 - 20, Glasshouse crops Res. Inst. [Hort. Abst. Vol. 52].

Menhenett, R.G. and Hanks, G.R. (1983):

Comparisons of New Triazole retardant pp333 with ancymidol and other compounds on pot grow tulips. plant Grow. Regul., 1 (3) : 178 - 181 Hort. Abst., 53 : 6619.

Mittal, S.P. (1975):

Studies of the effect of gibberellin on growth and flowering of Dahlia. Mardan agric. J., 54 : 103 Hort. Abst., 38, 1510.

Moe, R. (1978):

Abortion of flower initials in tulips. Gartenrysket 68 (32) 893 - 899, Norgen Landbrukshogskole. 1432 A°S - NLH, Norway, Hort. Abst. 50 : 5365.

Moe, R. and Hagness, A.K. (1975):

The influence storage temperature and 2-chloro ethyl phosphonic acid [ethephon] on shoot elongation and flowering in Tulips.

Acta Horticulture No. 47, 307 - 318. Agricultural univ. of Norway, No. 1432 As - NIH, Norway. Hort. Abst. 42 : 1787.

* **Mohamed, S.M. (1992):**

Effect of some growth regulating chemicals on growth, flowering and tuberous - Root production of *Dahlia pinnata* L. Annals of Agric. Sci. Moshtohor, Vol. 30 (1), 494 - 508.

Mohamed, B.R.; El-Sayed, A.A. and Fawzi, A.F.A. (1984):

Effect of gibberellic acid and chlormequat on yield and oil quality of geranium (*pelargonium graveolens*). Acta Horticulturae, No. 132, 265 - 271 Cairo Univ., Giza Egypt. Hort. Abst., Vol. 54, No. 8, 5725.

Mohamed, S.M.; Wahba, H.E.L. and Moer, E.A. (1992):

Effect of some growth regulators on the growth, oil percentage and constituents of *Alpinia nutans*. Annals of Agricultural science, Moshtohor, Vol. 30, No. 30 (3), 1501 - 1512.

Mostafa, A.A. (1980):

Physiological studis on Grapevines fertilization. Ph. D. in Horticulture, Fac. Agric., Ain - Shams Univ. Cairo.

Moursy, A.H.; Hussein, S.M. and El-Bahr, K.M. (1988):

Effect of some alkaloid precursors on the growth and alkaloid production of *Datura stramonium* L. Cultured in Vitro. Egypt, J. Bot. 31 : 153 - 165.

Mousa, G.T. (1979):

Effect of gibberellic acid on the vegetative growth, flowering and concrete yield of flowers and leaves of *Viola odorata* L. Assiut, J. Agric., 10 (4) : 3 - 13.

Mousa, G.T. and El-Emary, N.A. (1983):

Foliar application of gibberellic acid and maleic hydrazide related with yield of herb and oil content of sweet basil. Acta Horticulturae, No. 132, P. 257 - 623. Assiut Univ., Assiut, Egypt.

Mousa, F.E.A. (1994):

Effect of some growth regulators on growth, yield and Active in gredients of marigold [*Calendula officinalis* L.] and rue [*Ruta graveolens* L.] plant and their effect of foot and Mouth Disease Virus. M. Sc. Thesis, Faculty of Agriculture Cairo University.

Mugnier, C. (1977):

An attempt to replace vernalization by application of gibberellic acid in biennial *Hyoscyamus niger* L. Essai de remplacement de la refrigeration venalisante par des applications d'acide gibberellique chez la Jusquiane noire bisannuelle *Hyoscyamus niger* L.

Biologia plantarum, 19 (1), 40 - 47 Univ. de paris VI, Pairs, France.

Hort. Abst., Vol. 47, No. 10.

Mukhopadhyay, S. (1990):

Responses of carnation to spray application of NAA and gibberellic acid. Haryana Jour. Hort. Sci., [Ornam. Abst., 17 : 1532].

Munk, W.J. De. (1977):

Hormone preparations make for good growth acceleration.

Bloembollen cultur 88, 544 - 545, Laboratorium Voor Bloembollenonderzoek, Lisse Netherlands, Hort. Abst., 48 : 6692.

Murai, C., Asako, S.; Koyama, I. and Inayama, M. (1975):

The use of GA3 and GA4+7 for forcing Tulips I. The method of practical value of GA3 treatment.

Bulletin of the saitama Horticultural Experiment station No. 5, 72 - 92, Rokumanbu, Kuki shi, saitama-ken, Jan. Hort. Abst. 46 : 11559.

Nabih, A. (1976):

Studies on storage of iris tingitana var. Wedgewood bulbs.

Degree of master of science Horticulture Department, Faculty of Agriculture, Cairo University.

Nabih, A. (1991):

Effect of storage and GA3 on growth, flowering and corm productivity of *Freesia refracta* CV. Aurora.

J. Agric. Res. Tanta Univ., 17 (2) : 454 - 470.

Nabih, A. (1992):

Effect of corm storage, planting dates and shading on growth, flowering and corm productivity of *Freesia refracta* CV.

Aurora. J. Agric. Res. Tanta Univ., 18 (3).

Nabih, A. and Aly, A. (1989):

Effect of different cold storage durations on growth, flowering and corm production of two Freesia cultivars. Fayoum, J. Agric. Res., & Dev. 2 (1) : 602 - 618.

Naguib, N.Y.M. (1985):

Physiological and Chemical studies on castor Bean Plants.
M. Sc. Thesis, Fac. of Agric. Ain - shams Univ.

Naguib, N.Y.M. (1991) :

The influence of some growth regulators and chemical fertilizers on the growth and chemical components of some medicinal plants.

Ph. D. Thesis, Faculty of Agric. Ain - Shams Univ., Cairo.

Nienwhof, M. (1984):

Effect of gibberellic acid on blotting and flowering of carrot [*Dacus carota* L.]. Sci. Hort., 24 (3/4) : 211 - 219 Hort. Abst. 55 : 3575.

Nowacki (1958):

Cited from, Alkaloid Biology and Metabolism in plants, by Georger waller and Edmundk Nowacki (1978); plenum press. New York and London.

Ogawa, Y.; Iwal, S. and Azuma, T. (1994):

Flower induction of *Spathiphyllum patinii* by gibberellin (GA3) and miniaturization of flowering plants.

Bulletin of the faculty of Bioresources, Mie University, No. 11, 191 - 197. Faculty of Bioresources, Mie University, Japan.

Ogzewalla, C.D. (1960):

Effects of gibberellic acid on *mentha piperita*.

Diss. Abstr., 20 : 4085, Being L.C. Card. No. Mic. 59 - 6533 of 71 pp. Hort. Abst. Vol. 31, 988.

Ohkawa, K. (1979):

Effects of gibberellins and benzyladenine on dormancy and flowering of *Lilium speciosum*.

Scientia Horticultural, 10 (3):255-260. Kanagawa Horticultural experimental station, Ninomiya, Kanagawa, Japan Hort. Abst., 49 : 8737.

Park, H.E. and Lee, J.M. (1989):

The effect of growth regulator treatments on growth and other characteristics of peppers (*Capsicum spp.*) Kor. Soc. Hort. Sci., 7 (1) : 40 - 41. Hort. Abst., 59 : 858.

Patil, U.B.; Sangale, P.B. and Besai, B.B. (1985):

Chemical regulation of yield and composition of chilli (*Capsicum annum*) Fruits, Curr. Res. Rep. 1 (1) : 39 - 43. Hort. Abst., 56 : 345.

Phillips, I.D.J. (1971) :

Introduction to the biochemistry and physiology of plant growth Hormones. Copyright P. 12 McGraw - Hill Book Comp. New York, London, Toronto and Sydney.

Picciarelli, P.; Alpi, A. and Ceccarelli, N. (1979):

Effect of several growth regulators on the development of Dutch iris.

Rivista della ortoflorofrutticoltura Italiana 63 (2) : 93 - 102
Universita di Pisa, Italy, Hort. Abst. 50 : 3499.

Pizarezyk, J.M. and Spittstoesser, W.E. (1980):

Response of Tomato to pre-transplanting Applications of chlormequat, Daminozide and Ethephon.

Hort. Sci., 14 (3) : 263 - 264. Hort. Abst. Vol. 50 No. 2.

Pochua, A.A. (1966):

The effect of gibberellin on the growth and yield of essential oil - bearing plants (Muskmallow, geranium and eugenol basil). (Russian.) Tr. suhumsk. gos. Ped.

inst., 17 : 146 - 152, from Ref. Z. (Rasten.), Abstr., 17, 55, 316. Hort. Abst., Vol. 36, 1650.

Rak, J. and Nowak, J. (1989):

The effect of gibberellic acid on growth and flower of snapdragon plants.

Acta Hort., 214, 251 - 267.

Ram, H.Y. and Mehta, U. (1978):

Effect of gibberellic acid on the growth of main shoot and axillary branches in *Calendula officinalis*. Proc.

Ind. Acad. Sci., B. 87 (110) 255 - 270. Hort. Abst., 49 : 8699.

Reda, A.A. (1988):

The effect of temperature and cytokinins on the development and Active constituents of *Ammi majus*.

Ph. D., Thesis, Faculty of Agriculture Aim - Shams University.

Reda, A.A. and Baker, S.A. (1970):

Influence of GA3 on growth, flowering and alkaloidal content of *Atropa belladonna* L. grown in Egypt.

J. Ph. Sci. Vol. 61 No. 12, by the Amer. Phar - Association.

Riest, A. and Rey, C.H. (1976):

Trails on the application of growth regulators to snapdragon *Antirrhinum majus*, Arboricul.

Hort, 8 (2) : 81 - 83. Ornamental, Hort, 3 : 1685.

Rudnicki, R.M.; Nowak, J. and Saniewski, M. (1976):

The effect of gibberellic acid on sprouting and flowering of some Tulip cultivars.

Scientia Horticulturae 4 (4) : 387 - 397.

Research Institute of pomology 96 - 100. Skierniewice, poland.

Hort. Abst. 47 : 1728.

Runkova, L.V. (1979):

Gibberellic acid and growth retardants influence on some ornamental plants and a level of their native growth substances.

Acta Hort., 91 : 437 - 448. Hort. Abst., 51 : 1341.

Runkova, L.V. (1985):

Cytokinis effect on some ornamental plants.

Acta Hort. 167, 69 - 77. Orman, Hort., 12 : 685.

Ryu, B.Y. and Lee, J.S. (1993):

Effects of growth regulators on growth and flowering of *Aster tataricus* L. Var. minor M.

Journal of the koream society for Horticultural science, 34 (2) : 120 - 128.

Hort. Abst. Vol. 65 No. 2, 1406.

Sairam, T.V. and Khanna, P. (1971):

Effect of tyrosine and phenylalanine on growth and production of alkaloids in *Datura tatula* tissues cultures. Lloydia, 34 : 170- 171.

Salem, M.A. (1984):

Effect of some growth regulators, lighting and low temperature on growth and flowering of marguerite daisy (*Chrysanthemum frutescens* L.).

Ph. D. Thesis, Faculty of Agriculture, Cairo University.

Salem, M.A. and El-Kateeb, M.A. (1988):

Effect of paclobutrazol (PP333) on growth, flowering and sugars contents of *Chrysanthemum frutescens* L. plants.

J. Agric. Res. Tanta University, 14 (3) : 1661 - 1662.

Salem, M.A.; Sarhan, A.Z. and El-Sayed, A.A. (1989):

Effect of gibberellic acid, chloromequat on growth and flowering of *Consolida ambigua* (*Delphinium ajacis*) plants.

Fay. Res., Dev. Vol. 2 (1) : 545 - 558.

Salonen, M.L. (1980) :

Glutamate and aspartate derived amino acids as nitrogen sources for the callus of *Atropa belladonna* L. Annals. Botan. Fenn., 17 : 357 - 378.

Sanderson, K.C.; Willis, C.M. and McGuire, J. (1988):

Comparison of paclobutrazol tablets, drenches, gels, capsules and sprays on chrysanthemum growth.

J. Hort. Sci., 23 (6) : 1008 - 1009.

Saniewski, M. (1989):

The use of paclobutrazol an inhibitor of gibberellin biosynthesis for study of hormonal control tulip stem elongation.

Bull. Poli. Acad. Sci., 37 (1-3) : 55 - 64 Hort. Abst., 61 : 461.

Sano, Y. (1975) :

The effects of cooling, forcing temperature and gibberellin treatment on the growth and flowering of iris wedgewood.

Journal of the Japanese Society for Horticultural Science, 44 (1) : 59 - 65, Shinsu, University, Ina, Nagano, Japan. Hort. Abst., 46 : 8560.

Saraswathamma, D.N. (1980):

Effect of presowing hardening and foliar application with growth regulators in orach (*Atriplex hortensis* L.).

Current science, 48 (8) : 357 - 359. Hort. Abst., Vol. 50 No. 2 : 1144.

Sarhan, A.Z. and El-Sayed, A.A. (1984):

Effect of some growth regulators on growth and oil quantity of *Carum carvi* L. Plants. Annals of Agricultural science, Moshtohor, 19 (2) : 411 - 417. Hort. Abst. Vol., 54, No. 4, 1871.

Schipper, J.A. (1977):

Spraying the iris CV. Ideal with Ethrel to induce early flowerin of the saleable bulbs subsequently harvested.
Bloembollculture, 87 (45) : 949 - 950 Hort. Abst., 49 : 587.

Sebanek, J.; Kopecky, F. and Slaby, K. (1976) :

Effect of gibberellin, Cytokinin and Ethrel on the growth and development of tulips and hyacinths.
Acta Universitatis Agricultural, Brno, A 24 (3) 387 - 396.
Hort. Abst., 49 : 2025.

Sehmid (1948):

Cited from : Alkaloid Biology and metabolism in plants, by Georger Waller and Edmundk Nowacki (1978) Plenum press. New York and London.

Serkedzhieva, Yu. and Najdenova, E. (1991):

Anti-influenza efect of a substance isolated from *Narcissus pseudonarcissus* L. Acta microbiologica Bulgarica 27 (0) : 64 - 69. Biological Abst. Vol. 93, 25769.

Shalaby, A.S. and Razin, A.M. (1991):

Foliar application of paclobutrazol (pp333). On medicinal plants [Coriander and Fennel].
Minia. J. Agric. Res. & Dev. 13, No. 2, June, 737 - 742.

Shalaby, A.S.; Hassan, A.H.; Agina, E.A. and Hamied, H.A. (1989):

Effect of growth substances gibberellic acid and B-nine on the growth, flowering and concrete yields of *Jasminum sambac*.
Ait. Indian Perfumer 33 (4) : 232 - 237. Dialog, Inf. Ser., File 50, 76, 1028079, Hilview AV. CA.

Shanks, J.B. (1981):

Chemical dwarfing of several ornamental greenhous crops with pp333. In : proceedings, seventh annual meeting, plant growth regulator working group, Longmont, Colorado, USA. Great "Western sugar Co., 446 - 51.
Ornamental Hort., 9 (9) : 1374.

Sharma, R.; Kumar, S. and Nada, K.K. (1978):

The effect of gibberellic acid and guanosine monophosphate on extension growth, leaf production and flowering of *Impatiens balsamina*.

Physiol. Plant., 44 (4) : 359 - 364. Hort. Abst., Vol. 49 : 3573.

Shaw, S.L. and Hayslett, W.F. (1991):

Effect of paclobutrazol and uniconizol on marigold and Ageratum.

J. Hort. Sci., 26 (6), 684 - 685.

Shedeed, M.R.; El-Gamassy, K.M., Hashim, M.E. and Almulla, A.M. (1986):

Effect of some growth regulators on the growth flowering and seed production of some winter annuals.

Ann. Agri. Sci., Ain - Shams Univ., 31 (1) : 691 - 705
ornamental. Hort., 13 : 1002.

Shedeed, M.R.; El-Gamassy, K.M. and Almulla, A.M. (1990):

Effect of foliar fertilization and some growth regulators on growth of croton plants.

Proc. 87th. Meet. Amer. Sci., Hort. Sci., 25 (9) : 1101.

Shoub, J. and Hertogh, A.A.D.E. (1974):

Effects of ancymidol and gibberellins GA3 and GA4+7 on *Tulipa gesneriana* L. cv paul Richter during development in the greenhouse.

Scientia Horticulturae 2 (1) : 55 - 67. hebrew Univesity, Rehovot, Israel, Hebrew University, Rehovot, Israel Hort. Abst. 44 : 9838.

Shoushan, A.M.; Abdalla, N.M.; Gengaihi, S.E. and Badrawy, A.A. (1981):

Growth and cardiac glycosides content of *Adonis autumnalis* as Affected byt he growth retardants : Ethrel and cycocel. Gartenbaw Wissenschaft, 46 (3), 101 - 105, Hort. Abst. (51) : 9650.

Simmonds, J.A. and Cumming, B.G. (1977):

Bulb- dip application of growth regulating chemicals for inhibiting stem elongation of enchantment and harmony Lilies. Scientia Horticulturae, 6 (1) : 71 - 81. New Brunswick University, Fredericton, Canada. Hort. Abst., 47 : 9628.

Sinha, A.S. and Varma, K.C. (1970):

Influence of gibberellic acid on growth and alkaloidal content of *Datura innoxia* Miller.

Indian, J. Ph., 32 (2) : 40 -42.

Snedecor, G.W. and Cochran, W.C. (1972):

Statistical Methods, 6th. ed.

Iowa state Univ. Press, Ames., Iowa, U.S.A. pp. 593.

Sorial, M.E. (1980) :

Physiological and chemical response of *Datura* plant to some growth regulators.

M. Sc. Thesis in Agriculture, Fac. of Agric., Shebin El-Kom, Monoufia, Univ.

Stang, E.J. and Weis, G.G. (1984):

Influence of paclobutrazol plant growth regulator on strawberry plant growth, fruiting and runner suppression.

Hort. Sci., 19 (5) : 643 - 645.

Such, J.J. and Kwack, B.H. (1989):

Studies on flower stalk elongation of *Tulipa gesneriana* L. Jour. Kor. Soc. Hort. Sci., 30 (4) : 343 - 345.

Such, J.K. and Kwack, B.W. (1986):

The influence of paclobutrazol (pp333) treatment on the growth and development of *Tulipa gesneriana* L. The effect of bulbs of cold treatment and application of pp333 and GA3.

Hort. Sci., 27 (4) : 389 - 394.

Suh, J.K.; Kim, J.K. and Hwack, B.H. (1986):

The influence of paclobutrazol (pp333) treatment on the growth and development of *Tulipa gesneriana* L. 1- Influence of time and method of application.

Hort. Sci., 27 (4) : 383 - 388.

Sun, W.Q., Lu, Y.S.; Hu, Q.H. and Wu, U.J. (1991):

The effects of pp333 on mineral uptake by *Narcissus* plants.

Acta Horticulturae sinica 18 (3) : 275 - 277

Sushma, K.; Ashok, A. and Carewal, S. (1983):

Growth and alkaloidal production in suspension cultures of *Hyoscyamus muticus* as influenced by various cultural parameters. J. of Medicinal plant research, 47 : 11 - 16.

Tae, Y.; Taejong, K.; Jaejun, J.; Jintae, C.; Kwansoon, C.; Yuki, H.; Kee-Yoeup, P. and Wo-Won, K. (1994):

Effects of raising period and storage method on the seedling quality and subsequent growth in plant plug of Vinca, Dianthus and Impatiens.

RDA, Journal of Agricultural Science, Horticulture, 36 (2) : 457 - 463. Hort. Abst., 66 (4) : 3380.

Taha, A.E.M.E. (1978):

Physiological studies on hardening process in vegetable crops.

Ph. D., Thesis, Faculty of Agriculture, Ain - Shams Univ., Cairo, Egypt.

Tayama, H.K. and Carver, S.A. (1990):

Zonal geranium growth and flowering responses to six growth regulators.

Hort. Sci., 25 (1) : 82 - 83.

Hort. Abst., 60 : 514.

Tjia, B. (1987):

Growth regulator effect on growth and flowering of *Zantedeschia rehmanii* hyd. Hort. Sci., 22 (3) : 504 - 508.

Tojo, E. (1991):

A new alkaloid from *Narcissus pseudonarcissus*.

Journal of Natural products (Lloydia), 54 (5) : 1387 - 1388.

Tsai, D.D.S.; Atreca, R.N. and Tsai, D.S. (1985):

Effect of root application of gibberellic acid on photosynthesis and growth in C3 and plants C4.

Photosynth. Res., 6 (2) : 146 - 157. Hort. Abst., 55 : 4982.

Viladomat, F.; Bastida, J.; Tribo, G.; Cedina, C. and Rubiralta, M. (1990):

Alkaloids from *Narcissus bicolor*.

Phytochemistry, Vol. 29, No. 4 pp. 1307 - 1310.

Vlahos, J.C. and Brascamp, W. (1989):

The influence of the growth retardants paclobutrazol, ancymidol and S-3307 on growth and development of *Achimenes Longiflora*, DC. *Viola michelssen* grown under two light regimes.

Acta, Horticulture, No. 251, 75 - 77, 2 pl., proceedings of a symposium on growth regulators in ornamental horticulture held at skierniewice, poland, on 5-10 Sep.

Volbosovich, A.C. and Butenko, R.G. (1971):

Culture of *Rauwolfia serpentina*, tissue as a producer of alkaloids. Kult. Izoliro vannykh organov.

Tkanei kletok rast., Tr. Vses. Konf., 1st, 253 - 257 Russ. Chemi. Abst., 74 (21) : 108183 d.

Vreeburg, P.; Jm and Dop, A.J. (1990):

Culture of *narcissus tazetta* "Ziva" in the Netherlands.

Acta Horticulturae, No. 266 : 267 - 272, Fifth international symposium on flower, bulbs, seattle, washington, USA, 10-14 July.

Wainwright, H. and Irwin, H.L. (1987):

The effects of paclobutrazol and pinching on antirrhinum flowering pot plants.

J. Hort. Sci. 62 (3) : 401 - 404. Ornamental Hort., 13 (10) : 1410.

Walker, E.K. (1977):

Influence of ethephon on fluecured tobacco. Canadian J. of plant Sci. 57 (3) : 819 - 827. Plant Grow. Regul. Abst., 4 : 625.

Wanas, A.L.I. (1992):

Botanical studies on some members of Fabaceae family.

M. Sc., Thesis Faculty of Agriculture, Moshtohor Zagazig University (Benha Branch).

Wanas, A.L. (1996):

Botanical studies on some Economical plants tolerating salinity.

Ph. D., Thesis Faculty of Agriculture Moshtohor, Zagazig Univ., Cairo, Egypt.

Wang, T.Y. (1990):

Effect of growth regulating substances on growth of Hibiscus treated with uniconazol. Proc. 87th. Ann. Meet. Amer. Soc. Hort. Sci., 25 (9) : 1125.

Wang, L.; Shun, W. and Li, Y. (1990):

A preliminary study on dwarfing effect of paclobutrazol on Narcissus plant and its possible mechanism.
Acta Horticulture sinica, 17 (4) : 313 - 315.

Weniger, B.; Litaliano, L.; Bech, J.P.; Bastida, J.; Bergonon, S.; Codina, C.; Lobstein, A. and Anton, R. (1995):

Cytotoxic activity of Amaryllidaceae Alkaloids.
Planta Medica, 61 : 1, 77 - 79.

Whealy, C.A.; Nell, T.A. and Barrett, J.E. (1988):

Plant growth regulator reduction of by pass shott development in Azalea.
Hort. Sci., 23 : 1, 166 - 167, 2 Pl.

White, J.W. (1990) :

Garden bulb crops as pot plants using growth regulators.
Bullet. Pennsylv., Fl. Grow., No. 402 : 1-4.

Wilfret, G.J. (1987):

Height retardation of Easter lilies grown in containers.
Proc. Fla. State, Hort. Soc., 100 : 379 - 382.

Wilfret, G.J. (1990):

Effect of preplant bulb soak with uniconazole on growth and development of Easter lily.
Amer. Soc. Hortsci., 25 (9), Spet.

Winterstein and Trier (1931):

Cited from "plant physiology". Alkaloid, by Dieter Hess, Springer - Verlag. Berlin, 1975, P. 144.

Yahel, H. and Sandler, D. (1986):

Retarding the flowering of *Narcissus tazetta* CV. "Ziva".
Acta Horticulturae No. 177, Vol. 1, 189 - 195 Agricultural research organization, Bet. Bagan, Israel.

Yahel, H.; Ziv, D.S. and Ron, M. (1990):

Growth retardants for flowering pot plant production of Narcissus "Grand soleit Dor".
Acta Hort., 266 : 205 - 210.

Yang, S.F. (1967):

Biosynthesis of ethylene.
Arch. Bioche., 122 : 481 - 487.

Yimin, S.; Yiwei, T.; Wen-Ying, Q. and Xuenan, F. (1995):

Effect of gibberellin and chilling on freesia blooming.
Journal of shanghai Agricultural college, 13 (2) : 94 - 97,
Shanghai, Agricultural College, Shanghai, 201101, China.

Zderkiewicz, T. (1969):

The effect of gibberellic acid on growth, development, yield and chemical composition of peppermint oil in *Mentha piperita* CV. Multimentha.

Acta agrobot, 22 : 123 - 133 bibl. 20, illus, English Summary, received, Hort. Abst. Vol. 41, 9676.

Zenk, M.H.; El-Shagi, H.; Arens, H.; Stoeckigt, J.; Weiler, E.W. and Deus, B. (1977):

Formation of the indole alkaloids serpentine and ajmalicine in cell suspension cultures of *Chatharanthus roseus*. Plant, Tissues cult. Its. Bio - Technol. Appl., Proc. Int. Congr. 1st., 27 - 43, Chem. Abst., 88 (11) : 71736.