

LITERATURE CITED

LITERATURE CITED

- Abdel-Rahman, L.A.(1994):** Biotechnological studies on drought resistance of bean. Ph.D. Thesis. Fac. of Agric. Moshtohor, Zagazig Univ. Egypt.
- AL- Doori, A.H. (1977):** Studies on the effect of spraying with Alar "SADH" on growth, flowering and fruiting of "Le-Conte" pear trees. Ph.D. Thesis.Fac. of Agric. Cairo Univ. Egypt.
- Ali, M.M. (1992):** Effect of some pollinators and GA₃ treatments on abscission, fruit set and fruiting of Le-Conte pear trees. Ph.D.Thesis. Fac. of Agric. Cairo Univ. Egypt.
- Anvari, S.F. and Stosser, R. (1981):** Pollen tube growth in apple. Hohenheim Universitat, D-7000 Stuttgart 70, German Federal Republic. Mitteilungen- Klosterneuburg- Rebe- und- Wein,- Obstbau- und- Fruchteverwertung , 31:1,24-30; 3 pl.; 13 ref.
- Arafat, A.M.(1989):** Physiological studies on the flowering and fruiting of Le-Conte pear trees. Ph. D. Thesis. Fac. of Agric. Cairo Univ. Egypt.
- ; **Guirguis, N.S. and Yehia, M.M. (1994):** Effect of open and cross pollination on fruit set and fruit quality of Anna apple. Annals of Agricultural Science, Moshtohor 32 (4) 2083- 2096 (En, ar, 17 ref., 10pl.) Horticulture Research Institute, Cairo, Egypt. (Hort. Abst. 66: 9199).
- Atawia, A.A.R. and Hassan, A.K. (1995):** Effect of Alar and cycocel sprays on "Le-Conte" pear trees. I-Tree growth, flowering and leaf mineral content. Annals Agric. Sci., Ain Shams Univ., Cairo, 40 (2), 799-809.

- Atawia, A.A.R. and Helail, B.M. (1992):** Effect of paclobutrazol and cycocel sprays on "Le-Conte" pear trees. II. Effect on fruiting and fruit quality. *Annals Agric. Sci., Zagazig Univ., Moshtohor*, 30 (3), 1393 – 1404.
- and Helail, B.M.(1993):** Pollination effects on fruiting and fruit quality of "Le-Conte" pear. *Egyptian Journal of Applied Science*, 8 (3): 696- 714. Egypt.
- Ayapov, K.D.(1988):** (The effect of TUR on pear fruiting in the montane zone of the Alma-Ata region). In *Sovershenstvovanie Tekhnologii Vyrashchivaniya Plodovykh i Ovoshchnykh Kul'tur na Yuge i Yugo Vostake Kazakhstana Alma-Ata, Kazakh SSR* 60-68 (Ru) From *Referativnyi Zhurnal* 10.55.589. (Hort. Abst., 59: 9788).
- Bakr, E.I; Stino, G.R. and El - Sherbini, N.R. (1981):** Pre-and post-bloom differentiation of different parts of Red Bircher apple flowers. *Annals of Agric. Sci. Fac. of Agric. Ain Shams Univ., Cairo*, vol. 26.
- Barrett, H.G. and Arisumi, T. (1952):** Methods of pollen Collection, emasculation and pollination fruit breeding. *Proc. Amer. Soc. Hort. Sci.* 59: 259- 262.
- Batjer, L.P., Williams, M.W. and Martin, G.C. (1963):** Chemicals to control tree size. *Proc. Wash. State Hort. Soc.* 59:105.
- Ben, J. and Poniedzialek, W. (1994):** Effect of paclobutrazol on certain properties of fruits of the apple cvs. Jonagold and Gloster. *Folia Horticulturae* 6 (1) 73-81 (En, pl, 20 ref.) Agricultural University, 31- 425 Krakow, Poland. (Hort. Abst., 65: 5644).

- Benedek, P. and Nyeki, J. (1997):** Yield of selected apple cultivars as affected by the duration of bee pollination. In Proceedings of the 7th. International symposium on pollination. Pollination: from theory to practise, Lethbridge, Alberta, Canada. Acta Horticulturae No. 437, 207-211 ISBN 90-6605- 978- 8(En, 4 ref.) Pannon University of Agricultural Sciences, H9201 Mosonmagyaróvár, Var 4., Hungary.(Hort. Abst., 67: 8228).
- Beruter, J and Droz, P. (1991):** Studies on locating the signal for fruit abscission in the apple tree. Scientia Horticulturae, 46 (3-4) 201-214 (En, 22 ref.) Swiss Federal Research Station for Fruit Growing, Viticulture and Horticulture, 8820 Wädenswil, Switzerland. (Hort. Abst. 61: 7714).
- Bist, L.D. (1990):** Influence of PP₃₃₃, Alar, CCC and promalin on macronutrient status of pear leaf. Acta Horticulturae, No. 274, 43-50 ISBN 90- 6605- 184-1 (En, 16 ref.) Department of Horticulture, College of Agriculture, G.B. Pant University of Agriculture and Technology, Pantnagar 263145. U.P., India. (Hort. Abst., 61: 7758).
- Blanco, A. (1989):** (Effects of paclobutrazol on yields, fruit quality and vegetative growth of Reinette du Canada apple trees.) ITEA, Produccion Vegetal 20 (83) 3-10 (Es, en, 20 ref.) Unidad de Fruticultura, SIA- DGA, Apartado 727, 50080 Zaragoza, Spain. (Hort. Abst., 61: 4624).
- Blando, F.; Giorgetti, L.; Tonelli, M.G. and Nuti-Ronchi, V. (1992):** Cytological characterization of cell suspension cultures of fruit trees. Dipartimento di Coltivazione e Difesa Specie Legnose, Sezione Coltivazioni Arboree, Università di

- Comai, M. (1990):** (Effect of paclobutrazol on the vegetative growth and yield of Golden Delicious. (Informatore Agrario, 46 (20) 89-92 (It, 8 ref.) Stazione Sperimentale Agraria Forestale, S. Michele all' Adige, Trento, Italy. (Hort Abst., 62: 6347)
- Costa, J.; Bosch, M and Blanco, A. (1995):** Growth and cropping of "Blanquilla" pear trees treated with paclobutrazol. Journal of Horticultural Science, 70 (3) 433-443 (En, 18 ref.) Uld-IRTA,UdL., Dpt. Hortofructicultura, Botanica i Jardineria, Avda, Rovira Roura 177, Lleida 25006, Spain. (Hort. Abst., 65: 9513)
- Crocker, T.E.; Sherman, W.B. and Knight, R.J. (1979):** Self unfruitfulness of Anna apple. Fruit Varieties Journal 33 (2) 65-66. (Hort. Abst., 50: 2114).
- Darlington, C.D. and La Cour, L.F. (1962):** The handling of chromosomes. ed. by George Allen and Unwin, Ltd. London.
- Dashad, S.S. and Sharma, J.K. (1993):** Comparison of fruit set under various modes of pollination in seven cultivars of apple (Malus domestica Borkh). College of Horticulture, Dr. Y.S. Parmar University of Horticulture and forestry, Nauni 173 230, Himachal Pradesh; India. International-Journal-of-Tropical- Agriculture. 11: 2, 134-137; 6 ref. (Hort. Abst., 65: 6750).
- Dhaliwal,G.S.; Aulakh, P.S. and Jawanda, J.S.(1982):** Investigation of floral biology in pear (Pyrus communis ,L.) II. Studies on pollen germination and pollination in relation to fruit set. Punjab-Horticultural- Journal, 22, 164-168.

- Dheim, M. A. and Browning, G. (1988):** The mechanism of the effect of (2RS, 3RS)- paclobutrazol on flower initiation of pear cvs. Doyenne du Comice and Conference. Inst. Hort. Res., East Malling, Maidstone, ME 19 6BJ, UK. Journal-of-Horticultural- Science, 63:3, 393- 405; 31 ref., 3pl. (Hort. Abst., 58: 7313).
- Drinkard, A.W. (1911):** Fruit bud formation and development. Modern Fruit Sci. (by Norman, F. Childers) Chapter 6,p.128.
- Duncan, D.B. (1955):** Multiple range and multiple F. tests. Biometrics, 11: 1-42.
- Eid, S .E. (1963):** A save method for making squash preparation permanent. Alex. Jour. Agric. Res. vol.6 (2) 213-215.
- El- Azzouni, M .M; Stino, G.R.; EL- Barkouki, M.H. and Turk, F.S. (1967):** Studies on flowering habits, differentiation and burst of flower buds of some local varieties of apples in Gazza strip. Second Arab. Hort. Cong., pp. 133-135.
- Elfving, D.C.; Loughheed, E.C.; Chu, C.L. and Cline, R.A.(1990):** Effects of daminozide, paclobutrazol, and uniconazole treatments on McIntosh' apples at harvest and following storage. Journal of the American Society for Horticultural Science 115 (5) 750-756 (En, 26 ref.) Horticultural Research Institute of Ontario, Simcoe, Ont. N3Y 4N5, Canada (Hort. Abst., 61. 4644).
- El-Hodairi, M.H. and Canham, A.E. (1988):** A comparison of some effects of paclobutrazol on the growth and flowering of Bramley's Seedling and Golden Delicious apple trees. Horticulture Research Department, Regional Agricultural Research Centre, Fezzan, Po Box 19315, Sebha, Libya. Acta-

Horticulturae. No. 279, 377- 388; Proceedings of the third international workshop on temperate zone fruits in the tropics and subtropics, Held at Chiang Mai, Thailand; 37 ref.

El-Khoreiby, A.M.; Unrath, C.R. and Lehman, L.J. (1990):

Palobutrazol spray timing influences apple tree growth. Department of Horticultural Science. Box 7609, North Carolina State University, Raleigh, NC 27695- 7609, USA. HortScience, 25:3, 310- 312; 10 ref. (Hort. Abst., 60 : 4934).

El-Mahdy, T.K. and Abdalla, A.Y. (1995): Influence of some growth regulators on fruit colour formation of Anna apple grown in upper Egypt. Assiut Journal of Agricultural Sciences, 26(4) 179- 186 (En, 19 ref.) Department of Horticulture, Faculty of Agriculture, Assiut University, Assiut, Egypt (Hort. Abst., 67: 6661).

El-Sherbini, N.R. (1982): Physiological and histological studies on fertilization, setting and fruit quality of apples. Ph.D. Thesis. Fac. of Agric. Cairo Univ. Egypt.

-----; **Nariman, M.; El-Nasr, A.; Yehia, T.A. and Stino, G.R.(1991):** Floral biology studies on Anna apple trees. Annals of Agricultural Science (Cairo) 36 (2) 616- 659 (En, ar, 21 ref., 2p1.) Department of Horticulture, Faculty of Agriculture, Cairo University, Giza, Egypt. (Hort. Abst., 64: 4228).

Embree, C.G.; Craig, W.E. and Forsyth, F.R. (1987): Effect of daminozide, chlormequat, and paclobutrazol on growth and fruiting of "Clapp's Favourite" pears. Research Station, Kentville, NSB4N 1 J5, Canada. HortScience, 22:1,55-56; 5pl.; 9 ref.

- Estabrooks, E.N. (1993):** Paclobutrazol sprays reduce vegetative growth and increase fruit production in young McIntosh apple trees. Canadian Journal of Plant Science, 73 (4) 1127-1135 (En, fr, 19 ref) Agriculture Canada, Research Station, P.O. Box 20280, Fredericton, New Brunswick E 3B 4Z7, Canada. (Hort. Abst., 65: 9448).
- Fayed, T.I. (1994):** Effect of some chemical treatments on growth and flowering of apple trees. M.Sc. Thesis, Pomology Dept., Fac. of Agric., Cairo University. Egypt.
- Forsee, W.T. (1938):** Determination of sugars in plant materials, a photometric method. Indust. Eng-chen Anol. Cd, 10: 411-418.
- Fouad, M.M.; Khalil, M.A.; Mohamed, S.M. and Hussein, A. M. (1995):** Floral bud differentiation and activity of Anna apple trees on different rootstocks. In Fourth international symposium on growing temperate zone fruits in the tropics and subtropics, Cairo, Egypt. Acta Horticulturae No. 409, 241- 250 ISBN 90-6605- 917-6 (En,20 ref., 13 pl.) Faculty of Agriculture, Cairo University, Egypt. (Hort. Abst., 67: 132)
- Fougat, R.S.; Wafai, B.A. and Koul, A.K. (1990):** Cytological diversity in Himaayan apples (Malus pumila Mill.)Nucleus (Calcutta). 33(1-2) 78-81 (En, 7 ref.) Department of Biosciences, University of Jammu, Jammu 180001, India. (Plant Breeding Abstracts, 62: 2404).
- Fourez, A. (1995):** (Bees in an orchard of Jonagold.). Fruit Belge 63 (456) 124- 128 (Fr, 1 fig.) Centre Apicole de Recherche et d'Information (CARI), Louvain- la- Neuve, Belgium. (Hort. Abst., 66: 3797).

- Gautam, D.R.; Uppal, D.K. And Jindal, K.K.(1994):** Two new crab apple pollinizers evaluated. Horticultural Journal 7 (1) 15-22 (En, 8 ref., 3pl.) Temperate Horticultural Research Station, Kotkhai 171 202, Shimla, Himachal Pradesh, India. (Hort. Abst., 65: 6749)
- Ghosh, S. (1970):** Flower bud differentiation, flowering and fruiting on different types of fruiting branches in the apple variety Antonovka Obyknovennaja. Dokl. Mosk. Skh. Akad. K.A.T. 165: 47-51. (Hort. Abst., 42 : 365).
- Gladkova, V.N. and Sveshnikova, L.I. (1990):** [Cytosystematics of the genus *Pyrus* (Rosaceae).] Botanicheskii Zhurnal. 75 (9) 1261- 1264 (Ru, 8 ref.) Botanicheskii Institut. Leningrad. USSR.
- Greene, D.W. (1986):** Effect of paclobutrazol and analogous on growth, yield, fruit quality and storage potential of "Delicious" apples. Massachusetts University, Amherst, MA 01003, USA Journal - of - the - American-Society-for-Horticultural-Science. 111:3, 328- 332; 31 ref.
- (1991):** Reduced rates and multiple sprays of paclobutrazol control growth and improve fruit quality of "Delicious" apples. Department of Plant and Soil Sciences, University of Massachusetts, Amherst, MA 01003, USA. Journal-of-the-American- Society-for-Horticultural- Science., 116: 5, 807- 812; 27 ref. (Hort. Abst., 62: 4629).
- and Murray, J. (1983):** Effect of paclobutrazol (PP₃₃₃) and analogous on growth, fruit quality and storage potential of "Delicious" apples. Massachusetts University, Amherst, USA. Proceedings, Tenth Annual Meeting, Plant Growth

Regulator Society of America, 207- 212; 11 ref. PGR Society of America; East Lansing; USA.

Guirguis, N.S.; Ibrahim, F.A.; Magda, M. and Arafat, A.H. (1990): Effect of Le-Conte pear tree age on the viability of pollen grains. *Agricultural Research Review*, 68 (5): 895-902. Egypt.

Hao, S.Q.; Yang, H. and Sun, Z.M. (1991): (Effect of PP₃₃₃ on the growth and fruiting of young "Delicious apple trees.) *Acta Horticulturae Sinica* 18 (4) 318- 322 (Ch, en, 11 ref.) Institute of Biology, Gansu Academy, Lanzhou, China. (*Hort. Abst.*, 64: 4218).

Harry Baker, N.D.H. (1986): The fruit Garden Displayed Royal Horticultural Society. Cassell Ltd-London, for the Royal Horticultural Society.

Hartmair, V. and Holzl, H. (1959): The storage of pollen of different varieties of fruit trees, *Mitt Klosterneuburg. Ser. B.* 9: 1-6 (*Hort. Abst.*, 30: 4919).

Hassaballa, I.A.; Sharaf, M.; Salama, M. and Helail, B.M. (1987): Effect of Alar sprays on flower bud development of "Le-Conte pear trees. *Annals of Agricultural Science, Ain Shams University* 32 (3) 1613- 1623 (En, ar, 8 ref. 9pl) Fac. of Agric. Zagazig Univ., Moshtohor Egypt. (*Hort. Abst.*, 58: 7312).

Hassan, A.K. and Atawia, A.A.R. (1995): Effect of Alar and cycocel sprays on "Le-Conte" pear trees. II. Tree fruiting and fruit quality. *Annals of Agric. Sci., Ain Shams Univ., Cairo*, 40 (2), 811- 820.

- Hedden, P. and Graebe, J.E. (1985):** Inhibition of gibberellin biosynthesis by paclobutrazol in cell free homogenates of Cucurbita maxima endosperm and Malus pumila embryos. Journal of Plant Growth Regulators, 4, 111- 22.
- Helail, B.M. (1986):** Physiological response of young "Le-Conte pear trees to some cultural and growth regulators treatments. Ph.D. Thesis. Fac. of Agric., Moshtohor. Zagazig Univ. Egypt.
- and **Atawia, A.A.R. (1992):** Effect of paclobutrazol and cycocel sprays on "Le-Conte pear trees. I. Effect on growth and flowering. Annals of Agric. Sci., Zagazig Univ., Moshtohor, 30 (3), 1379- 1391.
- Herrero, M. and Gascon, M. (1987):** Prolongation of embryo sac viability in pear (Pyrus communis) following pollination or treatment with gibberellic acid. Departamento de Fruticultura, SIA-DGA (INIA), 50080 Zaragoza, Spain. Annals of Botany 60: 3, 287-293; 41 ref., 6pl. (Hort. Abst., 57: 9235).
- Holubowicz, T. and Musielak, G. (1991):** (Effect of growth regulators on the growth, cropping and frost resistance of apple trees.) Prace Komisji Nauk Rolniczych i Komisji Nauk Lesnych, 63, 73-78 (Pl, en, 14 ref.) Katedra Sadownictwa Akademii Rolniczej, Poznan, Poland. (Hort. Abst., 63: 1738)
- Houter, J. (1996):** (Early application of CCC does not work at its optimum.) Vroege toepassing van CCC werkt niet optimaal. Fruitteelt (Den Haag) 86(18) 14-15 (NI, 2 pl.) Fruitteeltadviesteam, Netherlands. (Hort. Abst., 66: 10233)
- Hu Zukun; Yong Chuan You; Li Cheng Ying and Chen Xue Sen (1995):** Studies on embryology some relative characters of apomixis in Malus hupehensis Rehd. In Proceedings of the

International Symposium on Cultivar Improvement of Horticultural Crops, held in Beijing, China, Acta-Horticulturae, No. 403, 100-103 ISBN 90 - 6605 - 867-6 (En) Shandong Agricultural University, Taian 271018, China. (Plant Breeding Abstracts, 66: 2882).

IL'Ina, I.V. (1957): Differentiation of the apple tree fruit buds in arella. Nauk U.S.S.R., 6:179- 185. (Biological. Abst., 35: 2222).

Jackson, D. I.(1986): Temperate and subtropical fruit production. Butterworths of New Zealand (Ltd) Pub. Wellington- New Zealand.

Jaumien, F. (1986a): Factors influencing flower bud formation on the pear tree cultivar "Doyenne due Comice". 1. Shoot growth and flower bud differentiation on trees sprayed with chlormequat and unsprayed ones. Warsaw Agricultural University, 02- 766 Warsaw, Poland. Acta- Agrobotanica, 36: 1-2, 83- 94; 3 p1; 23 ref.

-----**(1986b):** Factors influencing flower bud formation on the pear tree cultivar "Doyenne du Comice".111. Saccharides, nitrogen compounds and some mineral elements contents in pear leaves and shoots. Warsaw Agricultural University, 02-766 Warsaw, Poland. Acta- Agrobotanica, 36: 1-2, 103-133; 4 pp. ref.

-----;**Wiktorowicz, M, and Osinska, B. (1986):** Vegetative growth control and fruiting of young pear trees treated with

- CCC, SADH, PP₃₃₃ (paclobutrazol) and a mixture of these compounds with CEPA. Agricultural University, Warsaw, Poland. Acta- Horticulturae, No. 179, vol.1, 221- 228;12 ref.
- Johansen, D. (1940):** Plant microtechnique (5th. ed.) Mc. Graw- Hill, Book Co. Inc. N. Y p p523.
- Jones, K.M.; Bound, S.A.; Koen, T.B. and Oakford, M.J. (1991):** Improving fruit set on young "Red Delicious" apple trees using autumn sprays of paclobutrazol and ethephon. Journal of Horticultural Science, 66 (2) 165-169 (En, 35 ref.) New Town Research Laboratories, Department of Primary Industry, Tasmania 7008, Australia. (Hort. Abst., 61: 7711)
- ;**Jotic, P.; Koen, T.B.; Longley, S.B and Adams, G. (1988):** Restructuring and cropping large "Red Delicious" apple trees with paclobutrazol and daminozide. New Town Res. Lab., New Town, Tasmania, 7008 Australia. Journal-of - Horticultural-Science, 63: 1, 19-25; 32 ref. (Hort. Abst., 58: 2626).
- Kara, Z. and Kaska, N. (1991):** (Research on the effects of paclobutrazol (PP₃₃₃) on some apple and peach cultivars with regard to vegetative growth and some aspects of fruit quality. Doga, Turk Tarimve Ormancilik Dergisi 15(3) 700- 744 (Tr, en, 36 ref.)Tokat Ziraat fakultesi, Cumhuriyet Universitesi, Tokat, Turkey. (Hort. Abst., 64: 3340).
- Ketchie, D.O; Fairchild, E.D. and Drake, F.R. (1996):** Viability of different pear pollen and the effect on fruit set of "Anjou" pear (Pyrus communis, L.). Fruit Varieties Journal 50 (2) 118-124 (En, 4 ref.). (Hort. Abst., 66: 6632).

- Khalil, B.M. (1989):** Studies on compatibility of some apple cultivars growing in Egypt. M.Sc. Thesis. Fac. of Agric. Cairo Univ. Egypt.
- Khurshid, T.; Mc Neil, D.L and Trought, M.C.T. (1997):** Effect of foliar- applied gibberellins and soil applied paclobutrazol on reproductive and vegetative growth of “ Braeburn” apple trees growing under a high-density planting system. New Zealand Journal of Crop and Horticultural Science 25 (1) 49-58 (En, 21 ref.). Department of Plant Science, Lincoln University P.O. Box 84, Canterbury, New Zealand.(Hort. Abst., 67: 6637).
- Kitat, F.M. (1959):** Cyto-genetic studies of colchiploidy in Citrus aurantifolia Swingle, C. limmetta Risso and C. sinensis Osbeck. Ph.D. Thesis. Fac. of Agric. Alexandria University.
- Klinac, D.J.; Rohitha, H. and Pevreal, J.C. (1991):** Effects of Cultar (paclobutrazol) on vegetative growth and fruit production by nashi (Pyrus serotina Rehd.) New Zealand Journal of Crop and Horticultural Science, 19 (3) 229-235 (En,32ref.) Ruakura Agricultural-Centre, MAF Technology, Private Bag, Hamilton, New Zealand. (Hort. Abst., 63: 2612).
- Li, B. J.; Huang, H.F. and Jiang, L.J. (1991):** (Study on pollen fertility and crossability of pear cultivars.). Journal of Shenyang Agricultural University. 22 (4) 317- 322 (Ch, en, 5ref.) Department of Horticulture, Shenyang Agricultural University, Shenyang 110161, Liaoning, China. (Plant Breeding Abstracts, 63 : 4258).

- Li, S.H.; Meng, Z. Q.; Li, T.H.; Liu, H.Z. and Tu, Y.C. (1995):** Critical period of flower bud induction in “Red Fuji” and “Ralls Janet” apple trees. *Gartenbauwissenschaft*, 60 (5) 240-245 (En, de, 19 ref.) Department of Horticulture, Beijing Agricultural University, Beijing 100094, China. (*Hort. Abst.*, 66:1106).
- Liang, G.L.; Li, Y.N. and Li, X.L. (1994):** (Cytogenetic studies on the origin of chromosomal base number $x=17$ in *Malus*). *Journal of Fruit Science*. 11 (4) 216- 220 (Ch, en, 12 ref.). Department of Horticulture, Southwest Agricultural University, Chongqing, Sichuan 630 716, China . (*Plant Breeding Abstracts*, 65: 2984).
- Liang Guolu; Li yunong and Li Xiaolin (1996):** (Evolutionary study of the chromosomes at meiosis of microsporocytes in *Malus* plants of Chinese origin.) *Journal of Southwest Agricultural University* 18 (4) 299-307 (Ch, en, 32 ref.) Department of Horticulture, Southwest Agricultural University, Chongqing, Sichuan, China. (*Plant Breeding Abstracts*, 67: 7354).
- Lin, S.H. and Fang, C.Q.(1994):** Studies on Chromosome of *Pyrus* in China. In Sixth international symposium on pear growing, Medford, OR, USA (edited by Sugar, D.). *Acta-Horticulturae*. No. 367, 27- 32 ISBN 90- 6605- 226- O (En, 9 ref.) Research Institute of Pomology, Chinese Academy of Agricultural Sciences, Xingcheng, Liaoning 125100, China. (*Plant Breeding Abstracts*, 65: 5372).
- Lipecki, J. and Wieniarska, J. (1995):** (Effect of applying Cultar in an apple orchard.) *Annals Universitatis Mariae Curie-*

- Skłodowska. Sectio EEE, Horticultura, 3,9-18 (Pl, en 15ref.)
Akademia Rolnicza, Lublin, Poland. (Hort. Abst., 66: 4771).
- Li TianHong; Meng Zhao Qing and Huang WeiDong (1995):**
(Studies on duration of flower bud induction of "Red Fuji"
apple.) Acta Agriculturae Universitatis Pekinensis, 21 (2)
165- 169 (Ch, en, 17 ref.) College of Agronomy & Crop
Science, Beijing Agricultural University, Beijing 100094,
China. (Hort. Abst., 67: 5615).
- Luckwill, L.C. and de Silva, J.M. (1979):** The effects of daminozide
and gibberellic acid on flower initiation, growth and fruiting
of apple cv. Golden Delicious . Journal of Horticultural
Science , 54, 217- 23.
- Madbouly, M. (1974):** Cytogenetic studies of some species and
varieties of pears. Ph. D. Thesis. Fac. of Agric. Alexandria
Univ. Egypt.
- Marro, M. (1976):** Studies on the development of the embryo sac of
Richard apple in the course of flowering Rivista della
Ortoflorofrutticoltura Italiana 60 (3) (Hort. Abst., 47: 7177).
- Mc Clintock, B. (1929):** A method for making aceto-carmines smears
permanent. Stain Tech. 4:53-56.
- Mei, L.Z; Cheng, L; Zhou, J.M.; Zhang , L.S. and Yin, R.G
(1995):** (Study on the effect of paclobutrazol on the growth
and bearing of the young trees of Kulei Xiangli pear). China
Fruits No.2,20-21 (Ch, en) Xinjiang Academy of Agricultural
Reclamation, Weih, Xinjiang, China.(Hort . Abst. 65: 10542).
- Meng, S.Q. and Zhang, L. J. (1991):** (Studies on the segregation of
chromosome number and relevant characters of F₁ progeny
from a cross between triploid Malus hupehensis and diploid
Malus pumila). Journal of Fruit Science. 8 (3) 145-150 (Ch,

- en,3ref.) Zhengzhou Fruit Research Institute, CAAS, Zhengzhou 450004, China. (Plant Breeding Abstracts . 63: 5453).
- Mika, A. and Tymoszek, S. (1990):** Regulating pear tree growth and cropping with Cultar, Alar and Ethrel. Instytut Sadownictwa i Kwiaciarnictwa, Skierniewice, Poland. Prace – Doswiadczenia z – Zakresu - Sadownictwa, No.29, 67-74; 8 ref.
- Miller, A.N. and Walsh, C.S. (1984):** The effects of daminozide, bark scoring and delayed heading on fruiting of Magness pear on quince (A) rootstock. Hort. Science. 19 (3), 90.
- Miller, S.S. and Swietlik, D. (1986):** Growth and fruiting response of deciduous fruit trees treated with paclobutrazol. Appalachian Fruit Research Station, Kearneysville, WV 25430, USA. Acta-Horticulturae. No. 179, vol. 11, 563-566; 3 ref.
- Minessy, F.A.; Kitat, F.M. and Madboly, M. (1970):** Cytological studies on some citrus hybrids, Alex. Jour. of Agric.Res., 18: 197-204.
- Moreira, S. and Gurgel, J.A. (1941):** Pollen fertility and its correlation with number of seeds in species and forms of the genus Citrus.Brogantia, Sao Paulo. 1:669-711.(Plant Breeding Abst., 14: 976).
- Murneek, A.E. (1954):** The embryo and endosperm in relation to fruit development , with special reference to the apple. Proc. Amer. Soc. Hort. Sci. 64: 573-582.
- Nasir, F.R.(1987):** Alar and Tergitol affect harvest characteristics of pear fruits.College of Agriculture and Forestry, Mosul University, Iraq. Iraqi Journal of Agricultural Sciences, "ZANCO". 5: 3, 37-44; 13 ref. (Hort. Abst., 57: 9238).

- Negru, E.I.(1984):** Study of the inheritance of structural characters in quince x apple hybrids by the anatomical method. Botanicheskii sad, Kishinev, Moldavian SSR. Stiinca (Plant Breeding Abstracts., 55: 8894).
- Nesterov. J.A.S. (1959):** Flower bud initiation and the differentiation of parts of flowers in apple trees. Riziol. Rast, 6: 176-182; bibl. 9, illus. (Hort. Abst., 29: 3234).
- Niu, J.Z.; Cong, P.H.; Man, S.D.and Yan, Z.C.(1994):** (Observations on self fertilization in some apple varieties). China Fruits No.1, 27-28, 31(Ch) Pomological Research Institute, CAAS, Xingcheng 125100, Liaoning, China. (Hort. Abst. 65: 80).
- Othman, M.A.S. (1991):** Physiological studies on flowering and fruit set of "Le-Conte" pear. M.Sc. Thesis . Fac. of Agric. Moshtohor, Zagazig Univ. Egypt .
- Peeters, J.;Vercammen, J. and Eijnde, J.van den (1996):** (Do not take risks with fruit set) Fruitteelt (Den Haag) 86 (12)22-24 (NI, 3pl.) Nationale Proeftuin voor Grootfruit, Sint Truden, (Velm), Belgium. (Plant Breeding Abstracts. 67: 659)
- Pieber, K. (1982):** Application of Alar 85 to various pear varieties. Universitat fur Bodenkultur, Vienna, Austria. Besseres-Obst., 27: 5; 7; 8, 82-84; 188-189;209-211; 5ref., 10 pl.
- Porebski, S. and Nosal, K. (1985):** Effect of Alar and CCC on the growth and yield of Boncroft, Jonathan and Spartan apple cultivars. Akademia Rolnicza im. Hugona Kollataja, Krakow, Poland. Zeszyty- Naukowe-Akademii-Rolniczej-im. Hugona Kollataja-w- Krakowie, Ogrodnictwo, No. 195, 31-38; 12 ref.

- Pornbacher, H.(1991):** Wind pollination in apple plots. Land-und Forstwirtschaftliche Versuchsanstalt Laimburg, 39040 Auer, Bz, Italy. *Bienewelt*. 33: 6, 139-142.
- Rai, N. and Bist, L.D. (1991):** Effects of promalin, SADH and chlormequat on tree growth, flowering, fruit-set, yield and fruit quality of "Gola" pear. *Journal of Horticultural Science*, 66 (4) 443-447 (En, 16 ref.) Department of Horticulture, G.B. Pant University of Agriculture and Technology, Pantnagar 263145, Nainital, Uttar Pradesh, India. (*Hort. Abst.*, 61: 9856).
- ;-----**(1992):** Effect of soil –and foliar- applied paclobutrazol on vegetative growth, flowering , fruit set and yield of oriental pear [*Pyrus pyrifolia* (Burm.) Nakai] *Scientia Horticulturae*, 50(1-2) 153-158 (En, 11 ref.) Department of Horticulture, College of Agriculture, G.B. Pant University of Agriculture and Technology, Pantnagar 263145, Nainital, India. (*Hort. Abst.*, 62: 6429).
- Ramirez, D.A.and Chang, T.T. (1965):** Cytological and histological studies of sterility in F₁ hybrids of twelve *Indica japonica* crosses. *The Philippine Agric.*, XLIX: 245.
- Rizzolo, A.; Visai, C. and Vanoli, M. (1993):** Influence of paclobutrazol on the quality of apples during growth. In seventh international symposium on plant growth regulators in fruit production, Jerusalem ,Israel. *Acta Horticulturae* No. 329, 140-142 ISBN 90-6605-345-3 (En, 9ref.)I.V.T.P.A., Milan , Italy. (*Hort. Abst.*, 65: 85).
- Robbie, F.A. and Atkinson, C.J. (1994):** Wood and tree age as factors influencing the ability of apple flowers to set fruit. *Horticulture Research International*, East Malling , Kent

ME196 BJ, UK. Journal of Horticultural Science. 69: 4, 609-623; 31ref.

Rohitha, B.H. and Klinac, D.J. (1990): Relationships between seed set and fruit weight and shape of nashi (Pyrus serotina, Rehder var. Culta Rehder). New Zealand Journal of Crop and Horticultural Science 18 (2-3) 133-136 (En, 17ref.) MAF Technology, Ruakura Agricultural Centre, Private Bag, Hamilton, New Zealand. (Hort. Abst., 61: 5747).

Roouen, W. van (1995): (CCC on pears , apply as necessary). Fruitteelt (Den Haag) 85 (16) 22-23 (NI, 1pl.) Dienst Landbouwvoorlichting Fruitteelt, Geldermalsen, Netherlands. (Hort. Abst., 66: 1162).

Rudenko, I.S. and Rotaru, G.I. (1988): (Morphological and anatomical features of the seeds of hybrid forms of apple , pear and quince.) Izvestiya Akademii Nauk Moldavskoi SSR, Biologicheskikh Khimicheskikh Nauk No.5, 15-20 (Ru, 7,ref.) Botanicheskii Sad, Kishinev, Moldavian SSR. (Plant Breeding Abstracts, 60: 9080).

----- **and Rudenko, I.I. (1994):** Genotypic variation in apple x quince progenies . In Progress in temperate fruit breeding. Proceedings of the Eucarpia Fruit Breeding Section Meeting. Wadenswill Einsiedeln, Switzerland. Dordrecht, Netherlands; Kluwer Academic Publishers, 229-233 ISBN0-7923-2947-3 (En, 5 ref., Developments in Plant Breeding Volume 1) Botanical Institute, Academy of Science, Lesnaya 18, Kishinev, 277018, Moldova. (Plant Breeding Abstracts, 66: 2880).

Sabik, F.A.K. (1997): Effect of some Macro and micro nutrients on growth and yield of egyptian cotton (Gossypium

barbadense. L.) Ph. D. Thesis . Fac. of Agric. Moshtohor,
Zagazig Univ. Egypt.

- Sass, J.E. (1958):** The preparation of whole mounts and smears. Aceto-carminic smears. Botanical Microtechnique: 106-107, third edition, the Iowa state College Press.
- Sato, M.; Kanbe, K.; Nakagawa, S.; Yuda, E. and Fukunaga, S. (1988):** (Studies on development of the embryo sac and its abnormality in the triploid apple cultivar "Mutsu".) Journal of the Japanese Society for Horticultural Science, 57 (3) 366-372 (Ja., en, 13 ref., 11 pl.) Akita Prefectural College of Agriculture, Ogata, Akita 010-04, Japan. (Plant Breeding Abst., 60: 10365).
- Sax, K. (1933):** The origin of the Pomoideae. Proc. Amer. Soc. Hort. Sci., 30 : 147 - 150.
- Schuster; M. and Büttner, R. (1995):** Chromosome numbers in the Malus wild species collection of the genebank Dresden – Pillnitz. Genetic Resources and Crop Evolution. 42 (4) 353-361 (En, 16 ref.) Federal Centre for Breeding Research on Cultivated Plants, Institute for Fruit Breeding, 01326 Dresden – Pillnitz, Germany, (Plant Breeding Abstracts, 66: 4036).
- ; **Fuchs, J. and Schubert, I. (1997):** Cytogenetics in fruit breeding—localization of ribosomal RNA genes on chromosomes of apple (Malus domestica Borkh) Theoretical and Applied Genetics 94 (3/4) 322-324 (En, 22 ref.) Bundesanstalt für Züchtungsforschung an Kulturpflanzen, Institut für Obstzüchtung, D-01326 Dresden, Germany. (Plant Breeding Abstracts., 67: 7352).

- Selim, H.H.; Sweidan, A.M. and Fayek, M.A. (1974):** Morphological studies on flowering and bearing habits of Bircher apple cultivar. *Annals of Agric. Sci., Moshtohor, Tikh, A.R.E.*
- Simons, R.K. (1965):** Tissue development in the apple associated with embryo abortion. *Proc. Amer. Soc. Hort. Sci.* 87:55-65.
- Snedecor, G.W. and Cochran, W.G. (1980):** *Statistical Methods*. 7th ed. Iowa State Univ. Press Amer, Iowa, U.S.A pp. 507.
- Solomen, M.E. (1951):** Control of humidity with potassium hydroxide, sulphuric acid, or other solutions, *Bulletin of Entomological Research*, 42: 543- 554.
- Stancevic, A.S. (1963):** Investigation on pollen germination in native pear varieties grown in Western Siberia, *Arch. Polizopr. Nauk*, 15 (49) : 132-138. (*Plant Breeding Abst.*, 33: 2047).
- Steffens, G.L.; Jacobs, F.W. and Engelhaupt, M.E. (1993):** Size, flowering and fruiting of maturing own-rooted "Gala" apple trees treated with paclobutrazol sprays and trunk drenches. *Scientia Horticulturae* 56 (1) 13-21 (En, 19ref.) USDAARS, Beltsville Agricultural Research Centre, Beltsville, MD 20705, USA. (*Hort. Abst.*, 64: 93).
- Stinchcombe, G.R.; Copas, E.; Williams, R.R. and Arnold, G. (1984):** The effects of paclobutrazol and daminozide on the growth and yield of cider apple trees. Long Ashton Research Station, Long Ashton, Bristol BS 189 AF, UK. *Journal of Horticultural Science*, 59: 3, 323-327; 11ref.
- Stino, G.R.; Zaki, M.M. and Abdel-Aziz, A. (1985):** Introduction of low chilling apple cultivars in Egypt. *Tech. Bulletin*, 4. Ministry of Agriculture, A.R.E.
- Struklec, A. and Modic, D. (1994):** (Influence of the growth regulator paclobutrazol on shoot growth, fertility and fruit characteristics of the apple cultivars Jonagold and Gloster) *Mitteilungen Klosterneuburg, Reba und Wein, Obstbau und*

- Fruchteverwertung, 44(5) 178-185 (De, en, fr,23 ref.)
Faculty of Biotechnology, University of Ljubljana,
Jamnikarjeva 101, 61000 Ljubljana, Slovenia. (Hort.
Abst.,65:9447).
- Torre- Grossa, J.P. (1996):** (Control of pollination. The example of
fruit trees) Fruit Belge No. 464, 169-174 (Fr,2 fig.)
Laboratoire d'Apidologie, Station de Zoologie, INRA,
Avignon, France. (Hort . Abst., 67: 6657).
- Tromp, J. (1968):** Flower bud formation and shoot growth in apple as
affected by shoot orientation. Acta. Bot. Neerl, 17: 212-220
(In Hort. Rev., edited by Janick, J., Purdue Univ., Vol 4,
Chapt. 6,pp.174-203.
- (1987): Growth and flower-bud formation in apple as
affected by paclobutrazol, daminozide, and tree orientation
in combination with various gibberellins. Research Station
for Fruit Growing, 4475 AN Wilhelminadorp, Netherlands.
Journal -of- Horticultural- Science, 62:4, 433-440; 30 ref.
- Tymoszuk, S. and Mika, A. (1986):** Growth control of apple trees
with Cultar and Alar. Research Institute of Pomology and
Floriculture, Skierniewice, Poland. Acta-Horticulturae, No.
179, vol. 1,195-198; 3 ref.
- Unrath, C.R. (1986):** Young Granny Smith difficult to flower, set
fruit. North Carolina State University, North Carolina, USA.
Good fruit – Grower, 37: 12,13,15.
- Vasilakakis, M.and Porlingis, I.C. (1985):** Effect of temperature on
pollen germination, pollen tube growth ,effective pollination
period, and fruit set of pear. Thessaloniki University,
Thessaloniki, Greece 54006. HortScience. 20: 4 , 733-735;
19ref.
- Vogel,A. (1968):** A text Book of Quantative Inorganic Analysis
Longmans, New York , pp. 1216.

- Waart, A.J.P. (1986):** Growth suppression in pears. (Hort. Abst., 56: 5417).
- Wakisaka , I. and Hayashi, S. (1966):** Studies on the storage and use of pear pollen . Engei Gakkai Zasshi / J. Jap. Soc. Hort. Sci. 35:345-353. (Plant Breeding Abst., 39: 4535).
- Westwood, D.M.N.(1978):** Temperate zone pomology. W. H. Freeman and Company, San Francisco, U.S.A.
- Williams, M.W. (1969):** Effect of pollination on fruiting of Delicious apple fruits. Jour. Amer. Soc. Hort . Sci. 94: 17-19.
- **and Edgerton, L.J. (1983):** Vegetative growth control of apple and pear trees with ICI PP₃₃₃ (paclobutrazol) a chemical analog of Bayleton. Acta- Horticulturae, 137: 111-116.
- Williams, R.R.; Brain, P.; Church, R.M. and Flook, V.A. (1984):** Flower receptivity, pollen transfer and fruit set variations during a single flowering period of "Cox's Orange Pippin" apple . Journal of Horticultural Science, 59: 337- 47.
- Xia Chun Sen; Zhou Ping and Shen Meng Ping (1994):** (Physiological effects of Chenghuabao and girdling on apple trees). Jiangsu Journal of Agricultural Sciences, 10 (3) 57- 61 (Ch, en, 3ref.) Huaiyin Research Institute of Pomology, Jiangsu 223001, China (Hort. Abst., 66: 1080).
- Xu, J.Z. and Shao, J.Z. (1993):** (Observations on the pattern of seed growth in young apple fruits.) Journal of Hebei Agricultural University 16 (4) 23-26 (Ch, en, 9 ref.) Department of Horticulture, Hebei Agricultural University, Baoding, Hebei, China. (Hort. Abst., 65: 9468)
- Yamada, H.; Nakajima, K., Yamazawa, Y. and Kuroi, I. (1991):** Effect of pollination and gibberellin treatments on fruit set and development of the European pear (Pyrus communis , L. var. Sativa DC.) cv. Le Lectier. Faculty of Agriculture,

Niigata University, Niigata 950 -21, Japan. Journal – of – the – Japanese- Society – for- Horticultural – Science, 60: 2, 267- 273; 17 ref. (Hort . Abst., 62: 8048).

Yamashita, K.; Saita, H. and Hashimoto, N. (1990): Pollen-stigma interaction which might be critical to the gametophytic incompatibility of Japanese pear. Journal of the Japanese Society for Horticultural Science 59 (1) 83-89 (En, ja, 23 ref., 5pl.) College of Agriculture, Miyazaki University, Miyazaki 889-21, Japan. (Plant Breeding Abstracts, 61: 3688).

Yehia, T.A. (1989): Floral biology studies on apple trees. M.Sc. Thesis. Fac. of Agric. Cairo Univ. Egypt.

Zeller, O. (1955): Flower bud development of some pome and stone fruits. Ange W.Bot., 29: 69-89, bible 20 illus. (Hort. Abst., 26: 183).

Zika, J. and Kricnarova, L. (1981): Effect of Alar – 85 on delaying flowering and reducing spring frost damage to apple flowers. Vyzkumny a Slechtitelsky Ustav Ovocnarsky, Holovousy, Czechoslovakia. Vedecke – Prace, Ovocnarske , 8: 95- 109; 6 ref. , 2 pl.

Zuniga – Guevara, H. (1992): Comparative study of natural and artificial pollination of apple cv. Anna in a high altitude region of Costa Rica. International symposium on fruit growing in tropical high lands, Tunja, Colombia, Acta Horticulturae. No. 310, 127- 134; 13 ref.