


References



REFERENCES

- Abd allah, M. M. and Abd El-Rahim, H. M. A. (1982).** Response of field bean plants to application of some plant growth hormones. Res. Bull., Fac. of Agric. Ain-Shams Univ. No. 1756. 11pp.
- Abd El-Hamid, M.F.; Abd El-Hadi, Nadia I.M. Ahmed, Rokaia,B. and Solimand, E.M. (1992,a).** Reponse of grape (*Vities vinifera*, L.) seedlings to the interaction effects of soil moisture stress and some growth retardants. Poc.,5th Bot. Conf. Saint Catherine, Sinai, Egypt April 25-30,443-457.
- Abd El-Hamid, M.F.; Ahmed, Rokaia B. Abd El-Hady,Nadia I.M. and min,I.S. (1992 b).** Response of pomegranate (*Punica granatum*) seedling to the interaction effects of soil moisture stress and some growth retardants. Pro., 5th Bot. Conf. Saint Catherine, Sinai, Egypt April 28-30,459-475.
- Abd El-Hamid, M.F. and El-Nabarawy, Amera A.A.(2001).** Physiological studies on *Capsicum funtescenc* van. Bacctum.I.Pattern of plant growth and development. Annals, Agric.Sci. Moshtoher, 39 (1): 93-126.
- Abdo, F. A. (1992).** Effect of some growth regulators on morphological and histological characteristics of field bean plant (*Vicia faba* L.). M. Sc. Thesis, Fac. of Agric., Cairo Univ.
- Abo-Kassem, E.; Sharaf El-Din, A.; Rozema, J. and Foda, E.A.(1995).** Synergestic effects of cadmium and NaCl on the growth, photosynthesis and ion content in wheat plants. Biol. Plant., 37: 241-249.
- Aery, N. C. and Jagetiya, B. L. (1997).** Relative toxicity of cadmium, lead and zinc on barley. Commun. Soil. Plant Annal., 28: 949-960.
- Aery, N.C. and Sarkar, S. (1991).** Studies on the effect of heavy metals stress on growth parameters of soybean. Journal of Environmental Biology, 12 (1): 15-24.

- Aidid, S.B. and Okamoto, H.(1992). Effect of lead, cadmium and zinc on the electric membrane potential at the xylem symplast interface and cell elongation of *Impatiens balsamina*. Environmental and Experimental Botany,32: 439-448.
- Aggarwal, N. Laura, J.S. and Sheoran, I.S. (1990). Effect of cadmium and nickel on germination, early seedling growth and photosynthesis of wheat and pigeonpea . International Journal of Tropical Agriculture, 8 (2): 141-147.
- Ahlawat, I. P. S.; Saraf, C. S. and Singh, A. (1981). Response of Bengal gram to growth regulators. Indian Journal of Agron., 26 (2): 209-211.
- Akao, S.; Ishii, K. and Konno, T. (1982). Growth and seed production of soybean plants treated with growth retardants including N- dimethyl aminosuccinamic acid (B995). Soil Science and Plant Nutrition, 28: 275-279.
- Allen, L. B. ; Sitonen, P. H. and Thomposon, H. C. (1997). Methods for the determination of arsenic, cadmium, copper, lead and tin in sucrose, corn syrups and high fructose corn syrups by inductively coupled plasma atomic emission spectrometry. Journal. Agric. Food Chem., 45 (1): 162-165.
- Alloway, B. J. (1990). Heavy metals in soils. John Willey and Sons, New York, Ny.
- Allinson, D. W. and Dzialo, C. (1981). The influence of Cd, Pb Ni on the growth of ryegrass and oat. Plant and Soil, 62: 81-89.
- Anoop Singh; Goyal-N. K. and Gupta, A. P. (1991). Effect of cadmium and farm yard manure on the concentration and uptake of zinc by wheat in texturally different soils . Crop Research Hisar., 4(2): 199- 205.
- A. O. A. C (1980). Official Methods of Analysis. Association of Official Agriculture Chemists., Washington, D,C., U.S.A.

- A. O. A. C (1985).** Official Methods of Analysis. Association of Official Agriculture Chemists., Washington, D.C., U.S.A.
- Arafat, S. M. (1998).** Uptake and distributions of cadmium in cucumber plant as affected by nitrogen form. Egypt. J. Soil Sci., 38: 441-452.
- Arnfolk, P.; Wasey, S. A. and Tokunaga, S. (1996).** A comparative study of Cd, Cr (III), Cr (VI), Hg, and Pb uptake by minerals and soil materials. Water, Air and Soil Pollution, 87: 131- 148.
- Azevedo, H.; Neto, M. M.; Neves, M. and Varennes, A.de. (1997).** Effect of cadmium on the growth of cultivars. Revista-de-cienci as-Agrarias (Portugal), 20 (1): 45-53.
- Babu, E. and Singh V.P (1992).** Triadimefon ameliorated cadmium toxicity in wheat seedlings. Indian Journal of Plant Physiology, 35 (2): 195-197.
- Barcelo, J.; Vazquez, M. D. and Poschenrieder, Ch. (1988).** Cadmium-induced structural and ultrastructural changes in the vascular system of bush bean stems. Bot. Acta, 101: 254-261.
- Baszynski, T.; Wajda, L.; Krol, M.; Wolinsko, D.; Krupa, Z. and Tukendorf, A. (1980).** Photosynthetic activities of cadmium treated tomato plants. Physiol. Plant., 48: 365-370.
- Bazzaz, F.A.; Carlson, R.W. and Rolfe, G.L. (1974).** The effect of heavy metals on plants. I. Inhibition of gas exchange in sunflower by Pb, Cd and Tl. Environ. Pollut., 7: 241-246.
- Bellucci, S.; Keller, E. R. and Schwendimann, F. (1982).** Influence of growth regulators on development and yield components of the field bean (*Vicia faba* L.) part I- Effect of Gibberellic acid (GA₃) on yield components and the supply of young fruits with C₁₄ Angewandte Botanik, Switzerland, 56 (1/2): 35-53.
- Biddappa, C. C.; Khan, H. H.; Joshi, O.P. and Manikandan, P. (1987).** Effect of root feeding of heavy metals on the leaf concentration of P, K, Ca and Mg in coconut (*Cocos nucifera* L.). Plant and Soil, 101: 295-297.

- Black, C.A. ed (1965).** Methods of Soil Analysis Part 2, American Soc. Of Agronomy, Madison, Wisconsin, USA.
- Brow, S. L.; Chaney, R. L; Angle, J. S. and Ryan J. A (1998).** The Phyto-availability of cadmium to lettuce in long-term biosolids-amended soils. Journal of Environmental Quality (U.S.A)27(5): .
- Brown, J. D. and Lilliand, O. (1964).** Rapid determination of Potassium and Sodium in plant material and soil extracts by Flamphotometry. Proc. Amer. Soc. Hort. Sci., 48: 341-346.
- Buwalada, J.G.; Green, T.G.A. and Curtis, J.P. (1992).** Canopy photosynthesis and respiration of Kiwi fruit (*Actinidia deliciosa* var. *deliciosa*) vines growing in the field. Tree Physiol., 10: 327-341.
- Cabrera, D.; Young, S. D. and Rowell, D. L. (1988).** The toxicity of cadmium to barley plant as affected b complex formation with humic acid. Plant and Soil, 105 : 195 –204.
- Castro, P. R. C. and Moraes, R. S. (1980).** Effect of growth regulators on development of soybean (*Glycine max* cv. Davis). Ibid., 37 (2): 669-687.
- Cataldo, D. A.; Garland, T. R. and Wildung, R. E. (1981).** Cadmium distribution and chemical fate in soybean plants. Plant Physiol., 68 : 835 – 839.
- Causton, D. R. and Venus, J.C. (1981).** The bienetry of plant growth. Edward Arnald Publishers,Ltd, London WCIB, 18-22.
- Chaney, R. L. (1989).** Toxic element accumulation in soils and crops: Protecting soil fertility and agricultural food-chains. Inorganic contaminates in the Vadose zone. (Editor: Bar- Yosef, B.; Barrow, N. J. and J. Gold Shmid,) 1989, 140-158. Ecological studies 74, 1000 Barline 33, German Federal Republic; Springer Verlag Gmb H. & Co. KG.
- Chapman, H. D. and Pratt, F. P. (1961).** Methods of analysis for soils, plants and water. Univ. of California, Div. of Agric. Sci.

- Chugh, L. K. and Sawhney, S. K. (1995).** Effect of Cadmium on germination, amylases and rate of respiration of germinating pea seeds. *Environi. Pollut.*, 92, (1):1-5.
- Clijsters, H. and Van Assche, F. (1985).** Inhibition of photosynthesis by heavy metals. *Photosynth. Res.*, 7: 31-40.
- Cook, J. (1977).** Environmental pollution by heavy metal *Inter. Journal Environmental Studies*, 9: 253-566.
- Cortellini, L; Baldoni, G.; Nassis, A. ; de-Betoldi, M. (ed.); Sepui, P. (ed.); Lemmes, B. (ed.) and Papi, T. (1996).** Effects on the content of organic matter, nitrogen, phosphorus and heavy metals in soil and plant after application of compost and sewage sludge. *The Science of composting : part 1*. pp 459-468.
- Dabin, P.; Marafante, E.; Mousny, J. M. and Mytteneare, C. (1978).** Absorption, distribution and dindng of cadmium and zinc in irrigated rice plants. *Plant and Soil*, 50 : 329 – 341.
- Dang, Y. P.; Chhabra, R. and Verma, K.S. (1990).** Effect of cadmium, nickel, lead and zinc on growth and chemical composition on onion and fenugreek commun. *Soil Sci. Plant Annal.*, 21: 717-735.
- Davis, R.D. and Calton Smith, C. (1980).** Crops as indicator of the significance of contamination of soil by heavy metals. *W.R.C. Sterenage TR*, 140.
- Dekker, P. H. M. and Neuvel, J. J. (1983).** The influence of daminozide (Alar-85) on the yield of broad beans, *Vicia faba* L. (*C. F. Field Crop Abstr.* 36 (6): 4672.
- De Varennes, A.; Torres, M.O.; Coutinho, J.F.; Rocha, M.M.G.S. and Neto, M.M.P.M. (1996).** Effect of heavy metals on the growth and mineral composition of a Nickel hyper accumulator. *Journal of Plant Nutrition*, 19:669-676.
- Dietheim, R.; Keller, E. R. and Bangerth, F. (1986).** Interaction between the application of growth regulators, yield components and content

of phytohormones in the fruits of (*Vicia faba* L.). FABIS New letter, Faba Bean Information Service. ICARDA 14: 12-17.

- El-Din Samia .A.S. (1991)** . Effect of certain growth regulators on morphological , histological and yield characters of soybean (*Glycine max* (L.) Merrill) .PH.D. Thesis, Fac. of Agric.,Cairo University.
- El-Enany, A. (1995).** Alleviation of cadmium toxicity on maize seedlings by calcium. Biol. Plant., 37: 93-99.
- El-Kassaby, A.T. ; Sultan, M. S.; Badawi, M. A. and Leilah, A. A. (1988).** Response of some sugar beet cultivars to gibberellic acid treatments. Journal. Agric. Science Mansoura Univ., 13 (1) : 9- 14.
- El- Fouly, M.M.; Sakr, R.; Fouad, M. K.; Zaher, A. M. and Fawzi, A. F. A. (1988).** Effect of GA₃, CCC and B₉ on morphophysiological characters and yield of kidney beans (*Phaseolus vulgaris* L.). Journal Agron. and Crop. Science, 160 (2): 94-101.
- El-Hyatemy, Y. and Rammah, A. M. (1984).** Effect of using some chemicals as plant growth regulators on the forage and seed yield of Egyptian Fourth Agric. Res. Cent. Conf.
- EL-Kady, F. A. and Aboushaba, L. M. (1990).** Effect of some growth regulators on growth, yield and yield components of faba bean (*Vicia faba* L.). Journal. Agric. Res., Tanta Univ., 16(4): 655-663.
- EL-Kady, M. A. and Sakr, R. A. (1983).** Response of soybean plant to single and combined treatments of gamma- irradiation, cycocel and alar. Journal. Agric. Res., Tanta Univ., 9 (2): 253-267.
- El-Nabarawy, Amara, A. A. (2002)** Uptake and Physiological effects of cadmium in spinach (*Spinacia oleracea*, L) related to mineral provision Annals of Agric. Sci., Moshtohor, 40 (1): 153-180.
- Elsokkary, I.H.(1987).** Contamination of the western are of Nile Delt by cadmium, lead and mercury. In :SCOPE Metaly Cycling Workshop Conference Book. Feb. 16, Delhi, India.

- Erjala, M. and Ervio, R. (1994).** Heavy metal concentrations in sugar beet fields and sugar beet in Finland. . (BiBlio graphic Citation). Proceedings of the 1994 Sugar Processing Research Conference Helsinki, Finland, 7-9 August 1994, 151-169.
- Filatov, N. S. (1978).**Effect of growth substances on productivity of sugar beet. Gen. Sele. Issle. Donbasse, Kiev, Ukrania, SSR :23 6 26 (C. F. Field Crop Abst. 32 (8) :5517, 1979).
- Firgany, A. H. and Fawzi, A. F. A. (1980).** Effect of B-9 on growth, chemical contents and yield of Egyptian clover. Annals Agric. Science Moshtohor, 12: 119-131.
- Folle, F.; Shuford, J.W.; Tylor, R. W.; Mehdi, A. A. and Tedesse, W. (1995).** Effect of sludge treatment, heavy metas, phosphate rate and pH on soil phosphorus. Commun. Soil Sci. Plant Annal., 29: 1369-1381.
- Friberg, I.; Piscator, M.; Nordberg, G.F. and Kjellstrom, T. (1974).** Cadmium in the environment. The Chemical Rubber Compny Press:Cleveland, Ohio.
- Gaber, A.A.E. (1979).** Effect of some growth promoters on yield, chemical constituents and some Agronomic Characters in Sugar Beet. Ph. D. Thesis, Fac. Agric. Al-Azhar Univ.
- Gallego., S.M.; Benavides, M.P. and Tomaro, M.L. (1996).** Oxidative damage caused by cadmium chloride in sunflower (*Helianthus annus* L) plants. Phyton-Buenos-Aires, 58 (1-2): 41-52 (C.F. Bibliographic Citation No. 980707550).
- Geuns,J.M.C.; Cuypers, A.J.F.; Michiels, T.; Colpaert, J.V. ; Laere, A. Van and Van -Den Broeck, K.A.O. (1997).** Mung bean seedling as bioindicators for soil and water contamination by cadmium .Sci. of the total Environ.,203 (3): 183-197 .(C.F. Bibliographic Citation No. 981900557).
- Ghayad Nemat, I. (2001).** Contamination of soil with heavy metals and the consequent implications on plant growth. Ph. D. Thesis, Fac. of Agric., Moshtohor, Zagazig Univ. (Banha branch), Egypt.

- Gil, J.; Moral, R. ; Gomez, T.; Navarro Pedremo,J. and Matic,J. (1995).** Effect of cadmium on physiological and nutritional aspects of tomato plant. I- Chlorophyll (a and b) and carotenoids: fresenios environment
- Gotoh, T. and Iriye, T. (1989).** The behavior of heavy elements in plants: 1- The uptake of heavy metallic elements by aquatic plants. Japanese Journal Limnology, 50: 321-331.
- Greger, M.; Brammer,E.; Lindberg,S.; Larsson,G. and Idestam – Almquist,J. (1991).** Uptake and physiological effects of cadmium in sugar beet (*Beta vulgaris*) related to mineral provision. Journal of Experimental Botany, 42(239):729-737.
- Greger, M. and Bertell,G. (1992).**Effect of Ca^{2+} and Cd^{2+} on the carbohydrate metabolism in sugar beet (*Beta vulgris* L.) (Bibliographic Citation): Journal of Experimental Botany, 43 (247): 167-173.
- Greger. M. and Johansson, M. (1992).** Cadmium effects on leaf transpiration of sugar beet (*Beta vulgaris*). Physiologia Plantarum, 86: 465-473.
- Greger, M.; Johansson, M.; Stihl, A. and Hamza,K. (1993).** Foliar uptake of Cd by pea (*Pisum sativum*)and sugar beet (*Beta vulgaris*). (Bibliographic Citation): Physiologia Plantarum, 88 (4): 563 – 570.
- Greger, M.; and Lindberg S. (1986).** Effects of Cd^{2+} and EDTA on young sugar beets (*Beta vulgaris*).I. Cd^{2+} uptake and sugar accumulation. Physiologia Plantarum, 66 (1): 69-74.
- Greger, M.; and lindberg S. (1987).** Effects of Cd^{2+} and EDTA on young sugar beets (*Beta vulgaris*). II .Net uptake and distribution. Physiologia –Plantarum .69 (1): 81-86.
- Greger, M.; and Ogren, E. (1992).** Direct and indirect effects of Cd^{2+} on photosynthesis in sugar beet (*Beta vulgaris*). (Bibliographic Citation) :Physiologia – Plantarum . 83(1):129-135 .

- Grigoryans, K. V. (1990).** Effect of irrigation waters polluted with industrial wastes on heavy metal concentration in soil and in certain crops. *Soviet Soil Sci.*, 22: 121-128.
- Guo, Yan; Marschner, H. and Gue, Y.T. (1995).** Uptake, distribution, and binding of cadmium and nickel in different plant species. *Journal Plant Nut.*, 18: 2691-2706.
- Guo, Y.L.; Schulz, R. and Marschner, H. (1995).** Genotypic differences in uptake and distribution of cadmium and nickel in plants. Institute of Plant Nutrition, Univ., Hohenheim, D-70593 Stuttgart, Germany.
- Gupta, V.K. and Dixit, M.L. (1992).** Influence of soil applied cadmium on growth and nutrient composition of plant species. *Journal of the Indian Society of Soil Science*, 40 (4): 878-880.
- Gupta, D. K. D.; Mandal, R. K. and Dep, S. (1978).** Effect of decapitation and growth of sugar beet. *Journal of Sugarcane Technology*, 1 (1) : 41 – 46. (C. F. Field crop Abst.).
- Hahne, H.C.H. and Kroontje, W. (1973).** Significance of pH and chloride concentration on behavior of heavy metal pollutants: mercury (II), cadmium (II), zinc (II) and Pb (II). *Journal Environmental Qual.*, 2: 444-450.
- Hamza, K. (1993).** Foliar uptake of Cd by pea (*Pisum sativum*) and sugar beet (*Beta vulgaris*). *Physiologia Plantarum*, 88(4): 563-570.
- Hegazy, Sanaa, A. M. (2001).** Some physiological studies on the effects of cadmium, nickel and zinc pollutants of faba bean and radish plants. Ph. D. Thesis, Fac. of Agric. Cairo Univ.
- Hemphill, D.D. and Rule, J. (1978).** Foliar uptake and translocation of ^{210}Pb and ^{109}Cd . -Int. Conf. Heavy Metals Environ., Symp. Proc. II(1). Toronto. Ont., 1975. pp. 77-86.
- Hooda, P.S.; Mc Nutty, D.; Alloway, B. J. and Aitken, M.N. (1997).** Plant availability of heavy metals in soils previously amended with heavy application of sewage sludge. *Journal Science Food and Agric.*, 73: 446-456.

- Horvath, G.; Droppa, M.; Oravec, A. and Raskin, V.I. (1996)** Formation of the photosynthetic apparatus during greening of cadmium-poisoned barley leaves. *Plant*, 199 (2) :238 – 243 .(C.F Bibliographic Citation No. 990700127).
- Hussein, Faten, M. R. (1990).** Effect of some growth regulators on morphological and histological characteristics of pea plant (*Pisum sativum* L.) .M. Sc. Thesis, Fac. Agric., Cairo Univ. 169 pp.
- Hussein, Faten, M. R. (1994).** Effect of some growth regulators on morphological and anatomical characters of (*Lupinus termis* Forssk). Ph. D. Thesis, Fac. of Agric., Cairo Univ.
- Ito, H. and Imura, K. (1976).** Distribution of cadmium in rice plants, with particular reference to its translocation and accumulation in brown rice as influenced by the period of absorption. *Journal Science Soil and Manure, Japan*, 47: 493-498. (C.F. Soils and Fert., 1978 abs. 288).
- Jackson, M.L. (1973).** Soil Chemical Analysis, Pretic-Hall of Indian Private limited, New Delhi.
- Kabata-Pendias, A. and Pendias, H. (1992).** Trace elements in soils and plants. 2nd Ed., CRC Press- Inc., Boca Raton Ann Arbor, London.
- Kahle, H. (1993).** Response of roots of trees to heavy metals. *Environ. Exp. Bot.*, 33: 99-119.
- Kalita , M. C.; Devi,P. and Bhattacharya, I. (1993).** Effect of cadmium on seed germination, early seedling growth and chlorophyll content of *Triticum sativum*. *Indian Journal of Plant Physiology*, 36 (3): 189-190.
- Kasimova, D.I. (1985).** Features of growth and development in dwarf , short-stemmed and long-stemmed peas .Ufa, USSR. (Dep. 2136-85): 99-110.
- Kastori, R.; Petravic, M. and Petrovic, N. (1992).** Effect of excess lead, cadmium, copper and zinc on water relation in sunflower. *Journal Plant Nutrition*, 15: 2427-2439.

- Kater, A.; Abou-Seeda, M.; Soliman, S. and Salem, N. (1991).** Growth module formation, chlorophyll content and the uptake of some nutrients by broad bean plant as affected by cadmium application. *Agrochimica*, 35 (5-6): 434-442. (C.F Bibliographic Citation No. 920754380).
- Keshan, U. and Mukherji, S. (1992).** Effect of cadmium toxicity on chlorophyll content, Hill activity and chlorophyllase activity in *Vigna radiata* L. leaves. *Indian Journal of Plant Physiol.*, 35: 225-230.
- Kevresan, S.; Petrovic, V.; Popovic, M. and Kandrak, J.(1998).** Effect of heavy metals on nitrate and protein metabolism in sugar beet. *Biologia Plantarum*. 41(2): 235-240.
- Khan, D.H. and Frankland, B. (1983).** Effect of cadmium and lead on radish plants with particular reference to movement of metals through soil profile and plant. *Plant and Soil*, 70: 335-345.
- Kinoshita, T. (1983).** Response to gibberelline treatment in the miniature variant in sugar beet. Japan, Proceedings of the sugar beet Res. Association, 25 : 116 – 123. (C. F. Plant Breeding Abst.).
- Krebs, R.; Gupta, S. K.; Furer, G. and Schulin, R. (1998).** Solubility and plant uptake of metals with and without liming of sludge-amended soils. *Journal Environ. Qual.*, 27: 18-23.
- Krupa, Z. and Byszynski, T.(1995).** Some aspects of heavy metals toxicity toward photosynthetic apparatus-direct and indirect effects on light and dark reaction: a review. *Acta Physiol. Plant.*, 17: 177-190
- Krupa, Z. and Moniak, M. (1998).** The stage of leaf maturity implicates the response of the photosynthetic apparatus to cadmium toxicity. *Plant Science Limerick*, 138 (2): 149-156. (C.F Bibliographic Citation No. 90700127).
- Krupa, Z.; Oquist, D. and Huner, P. (1992).** The influence of cadmium on primary Photosystem II Photochemistry in bean as revealed by chlorophyll a fluorescence-a preliminary study. *Acta Physiologiae Plantarum*, 14 (2): 71-76. (C.F Bibliographic Citation No. 930764195).

- Krupa, Z.; Oquist, G. and Huner N.P.A. (1993).** The effects of cadmium on photosynthesis of *Phaseolus vulgaris*-(a) fluorescence analysis. *Physi. Plant.*, 88: 626- 630.
- Kuboi, T.; Noguci, A. and Yazaxi, J. (1986).** Family dependent cadmium accumulation characteristics in higher plants. *Plant and Soil*, 92 : 404 – 415.
- Kuboi, T.; Noguci, A. and Yazaxi, J. (1987).** Relationship between tolerance and accumulation characteristics of cadmium in higher plants. *Plant and Soil*, 104 : 275 – 280.
- Kumar, K. V. and Sreekumar, V. (1981).** Effect of growth substances on yield and quality of *Pisum sativum* L. var. Bonneville. *South Indian Horticulture* 29 (1): 65-67.
- Kummerova, M. and Brandejsova, R. (1994).** The fate of selected pollutant in the environment. Part XIX. The phototoxicity of organic and inorganic pollutants-Cadmium. The effect of Cadmium on the growth of germinating maize plants. *Toxicological and Environmental Chemistry*, 42 (1-2): 115-122.
- Kupper, H.; Kupper, F. and Spiller, M. (1998).** *In situ* detection of heavy metal substituted chlorophyll's in water plants. *Photo. Rese.*, 58 (2): 123-133.
- Lagriffoul, A.; Mocquot. B.; Mench, M. and Vangronsveld, J. (1998).** Cadmium toxicity effects on growth and chlorophyll contents and activities of stress related enzymes in young maize plants (*Zea mays* L.). *Plant and soil*, 200 (2): 241-251.
- Lanaras, T.; Moustakas, M.; Symeonidis, L.; Diamantoglou, S. and Karataglis, S. (1993).** Plant metal content, growth responses and some photosynthetic measurements on field-cultivated wheat growing on are bodies enriched in Cu. *Physiol. Plant.*, 88: 307-314.
- Landberg, T. and Greger, M. (1994).** Influence of selenium on uptake and toxicity of copper and cadmium in pea (*Pisum sativum*) and wheat (*Triticum sativum*). *Physiol. Plant.*, 90: 637- 644.

- Lang, F.; Sarvari, E.; Szigeti, Z.; Fodor, F. and Cseh, E.(1995).** Effects of heavy metals on the photosynthetic apparatus in cucumber. In: Mathis, P. (ed.), Photosynthesis: from light to biosphere. Vol. IV, pp. 533-536, Kluwer Academic Publishers, Dordresht-Boston-London.
- Larsson, E. H.; Bornman, J.F. and Asp. H. (1998).** Influence of UV-B radiation and Cd on chlorophyll fluorescence, growth and nutrient content in *Brassica napus*. Journal Exp. Botany, 49 (323): 1031-1039.
- Laszlo Simon (1998).** Cadmium accumulation and distribution in sunflower plant. Journal Plant Nutrition, 21: 341-352.
- Lata, S. (1989).** Effects of cadmium treatment of seeds on growth, yield, level of chlorophyll and Hill activity of chloroplasts isolated from *Phaseolus aweus*. Advances in Plant Sciences, 2 (2) : 286-290.
- Le Doct, A. (1927).** Commercial determination of sugar beet roots using the sacks le doct process. Int. Sugar Journal, 29: 488-492.
- Lehoczky, E.; Szabo, L. ; Horvath, S. Z.; Marth, P. and Szabodos,L. (1998).** Cadmium uptake by lettuce in different soils. Commun. Soil Science. Plant Annal., 29:1903-1912.
- Lindberg, S.; and Wingstrand, G. (1985).** Mechanism for Cd^{2+} inhibition of ($\text{K}^+ \text{Mg}^{2+}$) ATPase activity and R^+ (86 R b^+) uptake in root of sugar beet (*Beta vulgaris*). Physiologia Plantarum, 63 (2) :181- 186.
- Lindim, C.;de Varennes,A.; Torres, M.O. and Mota,A.M. (2001).** Remediation of sandy soil artificially contaminated with cadmium using a polyacrylate polymer. Commun. Soil Science Plant Anal., 32 (9&10): 1567-1574.
- Lindsay, W.I. and Norvell, W.A. (1978).** Development of DTPA soil test zinc, iron, manganese and copper. Soil Science American Journal. 42: 421-428.
- Little, P.(1973).** A study of heavy metal contamination of leaf surfaces.- Environ. Pollut., 5: 159-172.

- Little, P. and Martin, M.H. (1972).** A survey of zinc, lead and cadmium in soil and natural vegetation around a smelting complex. *Environ. Pollut.*, 3:241-254.
- Lukaszek, M. and Poskuta, J.W. (1998).** Development of photosynthetic apparatus and respiration in pea seedlings during greening as influenced by toxic concentration of lead. *Acta Physiol. Plant.*, 20(1): 35-40.
- Lune, P. van; Zwart, K.B. and Van-Lune, P. (1997).** Cadmium uptake by crops from the subsoil. (Bibliographic Citation): *Plant and soil*. 189(2): 231-237.
- Maareg, M. F.; Bassyouny, A. M. and Draz, K. A. (1992).** Effect of plant growth regulators on major insects, vegetative growth and root yield of sugar beet plants. *Alex. Sci. Exch.* 13,(1):39-47.
- Malik, D.; Sheoran, I. S.; Singh, R. ; Randir, S. and Darshan, M. (1992 a).** Lipid composition of thylakoid membranes of cadmium treated wheat seedlings. *Indian Journal of Biochemistry and Biophysics*, 29 (4) :350-354.
- Malik, D.; Sheoran, I. S. and Singh, R. (1992 b).** Carbon metabolism in leaves of cadmium – treated wheat seedlings. *Plant Physiol. Biochem.*, 30: 223-229.
- Marschner, H. (1986).** Uptake of mineral elements by leaves and other aerial plant parts.- In *Mineral Nutrition in Higher Plants*. (H. Marschner, ed.), pp. 103-114. Academic Press, London. ISBN 0-12-473540-1.
- Martin, T.J. and Juniper, E.B.(1970).** The cuticles of plants. Edward Arnolds Ltd, Edinburgh. ISBN 0-7131-2245-5.
- Martinez, C.E. and Motto, H.L. (2000).** Solubility of lead, zinc and copper added to mineral soils. *Enviro. Pollution*, 107 (1): 153-158. (C.F. Soil and Fert. Abst., 63: No. 5222).
- Mc Bride, M.B.; Tyler, L.D. and Hovde, D.A. (1981).** Cadmium sorption by soils uptake by plants as affected by soil chemical properties. *Soil Science American Journal*, 45: 739-744.

- McIaren, R. G.; Williams, J.G. and Swift, R. S. (1983).** Some observations on the disruption and distribution behavior of copper with soil components. *Journal Soil Science*, 34: 325-331.
- Michalska, M. and Asp, H. (2001).** Influence of lead and cadmium on growth, heavy metal uptake, and nutrient concentration of three lettuce cultivars grown in hydroponic culture. *Communication Soil Science Plant Anal.*, 32 (3&4): 571-583.
- Midan, A. and Omran, A. F. (1982).** Foliar application of gibberellin and superphosphate in relation to growth rate and dry seeds yield of peas. *Annals of Agric. Sci., Moshtohor*, 17: 253-264.
- Miller, J. E.; Hassett, J.J. and Koeppe, D. E. (1977).** Interactions of lead and cadmium on metal uptake and growth of corn plants. *Journal Enviro. Qual.*, 6: 18-20.
- Miseha, W. I.; Abdel-Hamid, M.F.; Bassiem, M.M. and Anton, N.A.(1992).** Effect of some growth regulators on growth and yield of Fodder Beet plant. 15 Egypt. Botanical Conf., 28-30.
- Mishra, D. and Karr, M. L. (1994).** Nickel in plant growth and metabolism. *B. T. Rev.*, 40 : 395-452.
- Mishro, S.; Bhutani, S. and Singh, D.B. (1994).** Influence of nitrate supply on cadmium toxicity in *Brassica Juncea* during early seedling growth. *Indian Journal of Plant Physiology*, 37:12-16.
- Mortvedt, J.J. (1996).** Heavy metal contaminants in inorganic and organic fertilizers. *Fertilizer Research*, 43:55-61.
- Mortvedt, J.J. ;and Hemphill, D.D. (ed.) (1984).** Cadmium and zinc uptake by vegetable tissues after nine annual applications of phosphate fertilizer to soil trace substances in environmental health. *Proceeding XVIII Annual Conference*. 283-291.
- Nadia, K. I. (1997).** The effect of wide use of different fertilizers commercially prepared and the resultant effect of their accumulation on plant and soil. Ph. D. Thesis, Institute of Environ. Studies and Resea. Ain Shams Univ.

- Nagoor, S. and Vyas, A.A. (1998).** Physiological and biochemical responses of cereal seedlings to graded levels of heavy metals. IV. Effect of cadmium and mercury on protein metabolism in wheat seedlings. *Indian Journal Environ. Toxicol.*, 8 (2): 50-55.
- Nellessen, J.E. and Fletcher, J.S. (1993).** Assessment of published literature on the uptake, accumulation, and translocation of heavy metals by vascular plants. *Chemosphere*, 9:1669-1680.
- Nordberg, G.F. (1974).** Health hazards of environmental cadmium pollution. *AMBIO*, 3: 55-66.
- Obata, H. and Umebayashi, M. (1997).** Effect of cadmium on mineral nutrient concentrations in plant differing in tolerance for cadmium. *Journal of Plant Nutrition*, 20:97-105.
- Oliveira, J. A.; Oliva. M.A.; Camberaia, J. and Oliaveria, J.A. (1994).** Effects of cadmium on chlorophyll content and peroxidase activity in soybean. *Revista-Brasileira-de-Fisiologia Vegetal*, 6 (2): 79-101. (C.F. Bibliographic Citation No. 960701218).
- Olsen, S.R.; Cole, C.V.; Watanabe, F.S. and Dean, L.A. (1954).** Estimation of available phosphorus in soils by extraction with sodium bicarbonate. U.S. Dep. Of Agric., Circ., 939.
- Ouariti, O.; Boussama, N.; Zarrouk, M.; Cherif, A. and Ghorbal, M.H. (1997).** Cadmium and copper induced changes in tomato membrane lipids. *Phytochemistry*, 45(7): 1343-1350.
- Ouzounidou, G.; Moustakas, M. and Eleftheriou, E.P. (1996).** Physiological and ultra-structural effects of cadmium on wheat (*Triticum aestivum* L.) leaves. *Archives of Environ. Contam. and Toxicol.*, 32 (2) : 154-159.
- Page, A.L. and Bingham, F.T. (1973).** Cadmium residues in the environment. In: *Residue Review*. Vol. 48, F.A. Gunther (Edit.) Springer- Verlag, Heidelberg, pp 1-44.
- Petrovic, N.; Richter, R. and Kastory, R. (1987).** Effect of lead, cadmium, silver and ferrous on nitrate reductase activity in sugar beet. *Doklady Bolgarskoi Akademii Nauk*, 40(10): 103-105.

- Pettersson, O. (1976).** Heavy metal ion uptake by plants from nutrient solutions with metal ion , plant species and growth period variations. *Plant and Soil*, 45 : 445 – 459.
- Popovic, M.; Kevreson, S.; Kandrak, J.; Nikolic, J.; Petrovic, N. and Kastori, R. (1996).** The role of sulphur in detoxication of cadmium in young sugar beet plants. (Bibliographic Citation). *Biologia Plantarum*. 38(2):281- 287.
- Poschenrieder, Ch.; Gunse, B. and Barcelo, J.(1989).** Influence of cadmium on water relation, stomatal resistance, and abscisic acid content in expanding leaves. *Plant Physiol.*, 90: 1365-1371.
- Poskuta, J.W.; Parys, E. and Romanska, E. (1987).** The effect of lead on the gaseous exchange and photosynthetic carbon metabolism of pea seedlings. *Acta Soc. Bot. Poll.*, 56: 127-137.
- Prasad, M. N. V. (1995).** Cadmium toxicity and tolerance in vascular plants. *Environmental and Experimental Botany*, 35 : 525-545.
- Prochnow, L.I; Plese, L.P.M. and Abreu, M.F. (2001).** Bioavailability of cadmium contained in single superphosphates produced from different Brzilian raw materials. *Commun. Soil Sci Plant Anal.*, 32(1&2):283-294.
- Quariti, O.; Gouia, H. and Ghorbal, M.H. (1997).** Responses of bean and tomato plants to cadmium growth, mineral nutrition and nitrate reduction. *Plant Physiology and Biochemistry*, 35: 347-354.
- Rao, R. C. R. (1980).** Effect of growth regulators on growth and yield of irrigated groundnut (*Arachis hypogaea* L.) at various plant densities. *Thesis Abstr.* 6 (2) : 89 – 91.
- Rautengarten, A. M.; Schnoor J.L.; Anberberg, S.; Olendzynski, K. and Stigliani, W.M. (1995).** Soil sensitivity due to acid and heavy metal deposition in East Central Europe. *Water, Air and Soil Pollution*, 85: 737-742.

- Reddy, S. C. S. and Patil, S. V. (1981).** Effect of growth retardants on the yield and attributes of groundnut (*Arachis hypogaea* L.) Myore Journal of Agric. Science, 15 (2): 238-241.
- Richard, C.S.; Chaney, W.R. and Lamoreaux, R.J. (1979).** Organic matter influences phytotoxicity of cadmium to soybeans. Plant and Soil, 52:393-403.
- Sainal, S.P. and Gupta, V.K. (1999).** Influence of lead and phosphorus on yield of wheat and their concentration grown in texturally different soils. In Ecological agricultural and sustainable development: Vol. 1. Proceeding of International Conference on Ecological Agriculture: Towards Sustainable Development, Chandigarh, India, 15-17 November, 1997. (C.F. Soil and Fert., 62: Abst. No. 796).
- Salim, R.; Al-Suba, M. and Atallah, A. (1993).** Effect of root and foliar treatments with lead, cadmium and copper on the uptake, distribution and growth of radish plants. Enviro. International, 19: 393-404.
- Salim, R.; Isa, M.; Al-Subu, M.; Syrafi, S.A. and Syrafi, O. (1995).** Effect of irrigation with lead and cadmium on growth and on the metal uptake of cauliflower, spinach and parsley. Journal. of Enviro. Sci. and Health. Part A, Enviro. Sci. and Engineering, 30: 831-849.
- Salisbury, F.B. and Ross, C. W. (1992).** Plant Biochemistry. In: Plant Physiology. 4th ed . pp. 189-326, Wadsorth Pub. Co.
- Salt, D.E.; Blaylock, M.; Kumar, N.P.B.A.; Dusenkov, V.; Ensley, B.D.; Chet, I. and Raskin, I. (1995).** Phytoremediation: A novel strategy for the removal of toxic metals from the Enviroment using `plants. Bio. Technol., 13:468-474.
- Schickler, H. and Caspi, H. (1999).** Response of antioxidative enzymes to Nickel and Cadmium stress in hyperaccumulator plants of genus *Alyssum*. Physiology Plant., 105:39-44.
- Schlegel, H.; Godbold, D. L. and Huttermann, (1987).** Whole plant aspects of heavy metal induced changes in CO₂ uptake and water

relations of spruce (*Picea abies*) seedling. *Physiol. Plant.*, 69: 265-270.

Shaguffa –Naheed ; Ariz, N.; Shahjahan –Beg; Naheed, S. and Beg S. (1988). Qualitative assessment of raw sewage effluents and accumulation of heavy metals in some vegetables. *Environmental Technology Letters* .9 (3): 251-259.

Shaole, W.; Xinbang, F. and Wittmeier, A. (1997). Microwave digestion of plant grain reference materials in nitric acid or mixture of nitric acid and hydrogen peroxide for the determination of multi-elements by inductively coupled plasma mass spectrometry. *Journal Analat. Atomic-spictrometry.*, 12 (3): 797-806.

Sidorova, K.K.(1984). Study of the expression of mutant genes in the homozygous and heterozygous state following treatment with gibberellin. *Genetika, USSR*, 20 (10) : 1678-1682.

Sillanpaa, M.; Ylaranta, T. and Jansson, H. (1988). Lead content of different plant species grown side by side. *Annales Agriculturae Fenniae*. 27(1): 39-43.

Singh, B.R.; Narwal, R.P.; Jeng, A.D. and Alans A. (1995). Crops uptake and extractability of cadmium in soils naturally high in metals at different pH level. *Commun. Soil Sci. Plant Anal.*, 26:2123-2142.

Singh, S.P. and Nayyar, V .K. (1990). Accumulation characteristics of cadmium and its upper critical levels in selected vegetable species . *International J. of Enviro. Studies.*,36: 199-204.

Singh, N.; Singh, S.N.; Yunys, M. and Ahmad, M. (1994). Growth response and element accumulation in (*Beta vulgaris* L.) raised in Fly – ash amended soils. (Bibliographic Citation). *Ecotoxicology*, 3(4): 287-298.

Skorzynska, P. E. and Baszynski, T. (1993). The changes in PSII complex polypeptidase under cadmium treatment are they of dried or indirect nature. *Acta Physiologia Plantetarium*, 15 (4): 263-269. (C.F. Bibliographic Citation No. 940305184).

- Skorzynska, P. E. and Baszynski, T. (1995).** Photochemical activity of primary leaves in cadmium stressed *Phaseolus cocoineus* depends on their growth stages. Acta Societatis Botanicorum Poloniae, 64 (3): 273-279. (C.F. Bibliographic Citation No. 961108389).
- Skorzynska, P. E.; Bednara, J. and Baszynski, T. (1995).** Some aspects of runner bean plant response to cadmium at different stages of the primary leaf growth. Acta-Societatis-Botanicorum-Poloniae, 64 (2): 165-170. (C.F. Bibliographic Citation No. 970701894).
- Snedecor, G. W. and Cochran, W.G. (1980).** Statistical Methods. Seventh ed., Iowa State Univ. Press, Ames, Iowa, USA, pp.255-269.
- Somashekaraiah, B. V.; Padnaja, K. and Prasad, A. R. K. (1992).** Photo-toxicity of cadmium ions on germination seedling of Mung bean, involvement of lipid peroxides in chlorophyll degradation. Physiol. Plant., 85: 85-89.
- Sorial, Mervate and Abd El-Fattah, M. A. (2001).** Alleviation of the adverse effect of lead and cadmium on growth and chemical changes of Pea plant by Phosphorus and Calcium treatments. J. Pest Cont. & Environ. Sci., 9 (1) : 161-194.
- Soudi, Amal, K. M. (1998).** Growth behavior of sugar beet under environmental stress conditions with relation to specific Physiological diseases M. Sc, Thesis, Fac. of Agric., Moshtohor, Zagazig University. (Banha branch), Egypt.
- Stefanovic, S. (1998).** Effect of pH values and meliorative measures on the content of Cd and Cr in alfalfa and lettuce plants. Savremena Poljoprivreda (Yugoslavia) (No. 3-4). p. 153-159.
- Steffens, J.D.(1990).** The heavy metal-binding peptides of plants.-Annu. Rev. Plant Physiol. Mol. Biol., 41: 533-575.
- Stobart, k.; Griffiths, W.; Ameen Bukhari, I. and Sherwood, R. (1985).** The effect of Cd^{+2} on the biosynthesis of chlorophyll in leaves of barley. Physiol. Plant., 63: 293-298.
- Suty, L.(1984).** Growth regulators and potential of faba bean .France . Cultivar. 171: 71-73.

- Taylor, R. W. and Allinson, D.W. (1981).** Influence of Lead, Cadmium and nickel on the growth of (*Medicago sativa* L.). Plant and Soil, 60: 223-236.
- Tlustos, P.; Pavlikova, D.; Balik, J.; Szakova, J.; Hanc, A. and Balikova, M. (1998).** The accumulation of arsenic acid and cadmium in plants and their distribution. Rostlinna-Vyroba.(Czech Republic) . 44(10): 463-469.
- Tukendorf, A. and Baszynski, T. (1991).** The *in vivo* effect of cadmium on photochemical activities in chloroplasts of runner bean plants. Acta Physiologiae-Plantarum, 13 (1): 51-57. (C.F. Bibliographic Citation No. 931378416).
- Vasiljev, A.; Kerin, V. and Iordanov, I. (1995).** Photosynthetic characteristic of barley plants (*H. vulgare* L. and *H. distichon* L.) grown in medium containing cadmium. Izevestiya-timryazevskoi-Sel'skokhozya-instvennoi-Akademii, 1: 207-213. (C.F. Bibliographic Citation No. 80701591).
- Vassilev, A.; Berova, M. and Zlatev, Z. (1998).** Influence of Cd on growth, chlorophyll content and water relations young barley plants. Biologia Plantarum, 4(4): 601-606.
- Verkleij, J.A.C. and Schat, H. (1990).** Mechanisms of metal tolerance in higher plants,-In Heavy Metal Tolerance in Plants: Evolutionary Aspects (A.J. Shaw, ed)pp 179-193. CRC Press, Boca Raton, FL. ISBN 0-8493-6852-9.
- Wattstein, D. (1957).** Chlorophyll-lethal und der submikrostopiche formwechsel der plastiden. Exptl. Cell Res., 12: 427-433.
- Wong, C.K.C.; Cheung, R.Y.H. and Wong, M.H. (2000).** Heavy metal concentrations in green-lipped mussels collected from Tolo Harbour and markets in Hong Kong and Shenzhen.Envi. Pollut., 109:165-171.
- Yamada, Y.; Bukovac, M.J. and Wittwer, S.H. (1964).** Ionbinding by surfaces of isolated cuticular membrane. Plant Physiol., 39: 978-982.

- Yang, X.; Baligar, V.C.; Martens, D.C. and Clark, R.B. (1996).** Cadmium effects on influx and transport of mineral nutrients in plant species. *Journal of Plant Nutrition*, 19: 643-656.
- Yang, Y.J. and Lee, B.Y. (1990).** Effect of heavy metal treatments on the growth and uptake in hydroponically cultured lettuce. *Journal of the Korean Society for Hort. Sci.*, 31: 37-41.
- Zaman, M. S. and Zereen, F. (1998).** Growth response of radish plants to