

CONTENTS

	PAGE
INTRODUCTION	1
REVIEW OF LITERATURE	3
MATERIALS AND METHODS	37
A. The laboratory experiment (seed germination)	38
B. The pot experiment:	39
I. Morphological, photosynthetic pigments,	
flowering or heading and yield characters	41
a- Morphological characters	41
b- Photosynthetic pigments	42
c- Flowering or heading characters	42
d- Yield and yield components	43
II- Anatomical studies	44
III- Endogenous phytohormones	45
a- Determination of auxin-like substances	45
b- Determination of cytokinin-like substances	49
c- Determination of gibberellin-like substances	52
IV- Chemical analysis:	55
a- Free proline content	55
b- Nitrate reductase activity	56
c- Nitrate-nitrogen	56
d- Total carbohydrate contents	57
e- Reduced, non-reduced and total sugars	57
f- Total nitrogen and crude protein	57
g- Phosphorus	57
h- Potassium	57
i- Total soluble solids (T.S.S.)	57
j- Ascorbic acid (Vitamin C)	58
V- Statistical analysis	58

	PAGE
RESULTS AND DISCUSSION	59
I- The laboratory experiment	59
- Effect of salinity on the germination of wheat and tomato seeds	59
II- The pot experiment	62
- Effect of the maximum tolerable salinity levels alone and the intolerable salinity levels preceded with paclobutrazol on :	62
a- Growth of wheat and tomato plants	
1- Wheat cvs. (Giza 163 & Sakha 92)	63
2- Tomato cvs. (Castle Rock and Edkawi)	77
b- Photosynthetic pigments in the leaves of wheat and tomato plants	84
c- Dry weight of wheat and tomato plants	90
1- Wheat cvs. (Giza 163 & Sakha 92)	90
2- Tomato cvs. (Castle Rock and Edkawi)	94
d- Heading of wheat plants	98
e- Flowering of tomato plants	100
f- Histological features of wheat and tomato plants	102
1. The histological features of the root	103
1.1. Wheat cv. Giza 163	103
1.2. Wheat cv. Sakha 92	106
1.3. Tomato cv. Castle Rock	111
1.4. Tomato cv. Edkawi	114
2. The histological features of the stem	119
2.1. Wheat cv. Giza 163	119
2.2. Wheat cv. Sakha 92	124
2.3. Tomato cv. Castle Rock	131
2.4. Tomato cv. Edkawi	136
3. The histological features of the leaf	143
1.1. Wheat cv. Giza 163	143
1.2. Wheat cv. Sakha 92	146
1.3. Tomato cv. Castle Rock	151
1.4. Tomato cv. Edkawi	155

	PAGE
g- Endogenous phytohormones in the shoots of wheat and tomato plants	167
1. Endogenous auxin-like substances	167
2. Endogenous gibberellin-like substances	172
3. Endogenous cytokinin-like substances	177
h- Free proline accumulation in the leaves of wheat and tomato plants	182
i- Yield and yield components of wheat and tomato plants	185
1- Wheat cvs. (Giza 163 & Sakha 92)	185
2- Tomato cvs. (Castle Rock and Edkawi)	188
j- Nitrate reductase activity and nitrate accumulation in tomato fruits at different stages of their growth ..	191
k- Total carbohydrate and sugar contents in wheat grains and tomato fruits	194
1- Wheat cvs. (Giza 163 & Sakha 92)	194
2- Tomato cvs. (Castle Rock and Edkawi)	196
l- NPK content in wheat grains and tomato fruits	198
1- Wheat cvs. (Giza 163 & Sakha 92)	198
2- Tomato cvs. (Castle Rock and Edkawi)	200
m- Total soluble solids percentage (T.S.S. %) and ascorbic acid (Vitamin C) content in tomato fruits	202
SUMMARY	204
REFERENCES	224
ARABIC SUMMARY	