

REFERENCES

REFERENCES

Abd El-Aal, M.S. and S.A. Mohamed (1993).

Germination of rice (*Oriza sativa* L.) under simulated salt and drought stress conditions. Zagazig J. Agric. Res., 20(92):633-639.

Abd El-Salam, A.S. and S.M. Khalaf (1979).

Response of soybean to sodium chloride salinization. Bull. Res. 1113. Fac. Agric., Ain Shams Univ., Egypt.

Adams, S. (1991).

Effects of increasing the salinity of the nutrient solution with major nutrients or sodium chloride on the yield, quality and composition of tomatoes grown in rockwool. J. Hort. Sci., 66(2): 201-207.

Aharoni, N.; A. Blumenfeld and A.E. Richmond (1977).

Hormonal activity in detached lettuce leaves as affected by leaf water content. PLant Physiol., 25: 1169-1173.

Ahmed, I.A.; R.A. Abo El-Enin and W.E. Ahmed (1993).

Interactive effects of salinity and both forms and levels of nitrogen fertility on growth and yield of barley. Proc. ASWAS Conf., Al Ain United Arab Emirates, 2: 121-128.

Alam, S.M.; S.S.M. Naqvi and A.R. Azmi (1989).

Effect of salt stress on growth of tomato. Pakistan J. of Scientific and Industrial Res., 32(2): 110-113.

Al-Bahrany, A.M. (1994).

Influence of salinity on free proline accumulation, total RNA content and some minerals (K, Na, Ca, Mg and N) in pepper (*Capsicum annuum* L.). Ann. Agric. Sci., Cairo, 39(2): 699-707.

Ali, A.B. (1982).

The effect of salinity and drainage on some physiological properties of soybean plants. M.Sci. Thesis, Fac. Agric., Cairo Univ.

Ali, O.M. and A.A Robishy (1985).

Influence of wheat seed pretreatments on salt tolerance and plant composition. Proc. Egypt. Bot. Soc., 4: 752-768.

Al-Rawahy, S.A.; J.L. Stroehlin and M. Pessarakli (1992).

Dry-matter yield and nitrogen-15, Na^+ , Cl and K^+ content of tomatoes under sodium chloride stress. J. Plant Nutr., 15(3): 341-358.

A.O.A.C. (1975).

Official Methods of "Analysis of Association of Official Agricultural Chemists. 12th Ed., Washington, D.C.

Ashraf, M.Y.; M.A. Khan and S.S.M. Naqvi (1991).

Effect of salinity on seedlings growth and solutes accumulate in two wheat genotypes. Rachis, 10(1): 30-31.

Ashour, N.I.; M.O. Kabesh and I. El-Okah (1976).

Effect of chloride salinity on absorption and distribution of P^{32} by sunflower plants. Agrochemica. 14: 462-468.

Aslam, M.; R.C. Huffaker and D.W. Rains (1984).

Early effects of salinity on nitrate assimilation in barley seedlings. Plant Physiol., 76(2): 321-325.

Attiya, H.J. and R.A. Al-Ani (1990).

Effect of plant growth regulator (Cultar) on three wheat cultivars (*Triticum aestivum* L.). Ann. Agric. Sci., Cairo, 35(2): 1159-1167.

Aufhammer, W. and K.G. Federolf (1992).

Effects of seed treatments with plant growth regulators on development and yield of winter hard wheat (*Triticum durum*). Bodenkultur, 43(2): 99-108.

Awad, A.E.; A.K. Dowh; M.M. Khalil and A.A. Helal (1994).

Response of poinsetia plants to paclobutrazol, light duration and fertilization treatments. I- Effect of paclobutrazol. Zagazig J. Agric. Res., 21(4): 1289-1363.

Ayaad, H.M.; M.M. El-Ansari and M.I. Salama (1991).

Effect of irrigation water salinity on vegetative growth and free proline accumulation in guava seedlings. J. Agric. Res. Tanta Univ., 17(2): 481-500.

Barrett, J.E. and C.H. Bartuska (1982).

PP₃₃₃ effects on stem elongation dependent on site of application. Hort. Sci., 17: 737-738.

Bastianpillai, V.A.; C. Stark and J. Unger (1982).

Growth, organogenesis and yield formation in wheat under NaCl stress in greenhous trials. Beiter. Trop. Landwirtsch. Veterinaarmed, 20: 359-363.

Bates, L.S.; R.P. Waldren and I.D. Teare (1973).

Rapid determination of free proline for water stress studies. Plant and soil, 39: 205-207.

Bausher, M.G. and G. Yelenosky (1987).

Morphological changes in citrus associated with relatively high concentrations of paclobutrazol. J. Plant growth Regul. 5: 139-147.

Beckett, R.R. and J.V. Staden (1991).

The effect of seaweed concentrate on the yield of salinity stressed wheat. Physiologia Plantarum, 13(2): 87-90.

Berducon, J. and J. Phipps (1961).

Action of CuSO₄ on the germination of lettuce. Bull. Soc. Hist. Net. Toulouse, 96: 75-79.

Breminer, P.M. and M.A. Taha (1966).

Studies in potato agronomy: The effect of variety, seed size and spacing on growth, development and yield. J. Agric. Sci., 10: 361-376.

Brown, J.D. and O. Lilliland (1946).

Rapid determination of potassium and sodium in plant material and soil extracts by Flame-photometry. Proc. Amer. Soc. Hort. Sci., 48: 341-346.

Cheesman, J.M. (1988).

Mechanism of salinity tolerance in plants. Plant Physiol., 87: 547-550.

Chhipa, B.R. and P. Lal (1985).

Effect of soil salinity on yield and yield attributes and nutrients uptake by different varieties of wheat. Anales de Edafologia y Agrobiologia, 44(11): 1681-1691.

Devlin, M. and H. Witham (1983).

Plant physiology, 4th Ed. Publishers Willard, Grant Press, Boston.

Dheim, M.A. and G. Browning (1988).

The mechanism of the effect of (2RS-3RS) paclobutrazol on flower initiation of pea cvs. Doyenne du comice and Conference. J. Hort. Sci., 63(3): 393-405.

Edmond, J.B. and W.J. Drapala (1958).

The effect of temperature, sand and soil and acetone on germination of akrea seeds. Proc. Amer. Soc. Hort. Sci., 71: 428-438.

El-Agrodi, M.W.M.; Y. El-Bana, Z.M. El-Sirafy and A.A. Taha (1988).

Effect of different EC values of nutrient solution on wheat and barley plants, using a nutrient film technique. J. Agric. Sci., Mansoura Univ., 13(2): 987-994.

El-Desouky, S.A. (1988).

Growth regulators in relation to nodule formation on pea roots and to nitrate reductase and nitrogenase activities. Ph.D. Thesis, Univ. of Agric., Brno, Czechoslovakia.

El-Desouky, S.A. (1992).

Response of tomato plants (*Lycopersicon esculentum* Mill) to some growth regulators. Egypt J. Appl. Sci., 7 (12): 181-199.

El-Desouky, S.A. and H.M.M. Abd El-Dayem (1992a).

Response of sesame plants (*Sesamum indicum* L.) to the foliar application of paclobutrazol (PP333) and ethrel (CEPA). Egypt J. Appl. Sci., 7(12): 102-119.

El-Desouky, S.A. and H.M.M. Abd El-Dayem (1992b).

Response of rapeseed plants (*Brassica napus* L.) to foliar spray with some growth regulators. I- growth, seed yield and seed contents. Egypt J. Appl. Sci., 7(12): 469-479.

El-Desouky, S.A. and H.M.M. Abd El-Dayem (1992c).

Response of rapeseed plants (*Brassica napus* L.) to foliar spray with some growth regulators. II- Endogenous phytohormones, photosynthetic pigments, carbohydrates and NPK contents during the vegetative stage. Egypt J. Appl. Sci., 7(12): 673-691.

El-Doweny, H.H.; R.M. Helal and A.S. El-Beltagy (1990).

Salt tolerance of some local and introduced melon cultivars. J. Hort., 17(2): 151-158.

El-Kady, M.; M. Hassan; H. Wahdan and A. Maria (1983a):

Phytohormone content of *Vicia faba* L. in relation to salinity and growth regulators. Minufiya J. Agric. Res., 7: 7-13.

El-Kady, M.; M. Hassan; H. Wahdan and A. Maria (1983b):

Phytohormone content of *Beta vulgaris* L. in relation to salinity and N-fertilization. Minufiya J. Agric. Res., 7: 1-6.

El-Kholi, M.S.; F.M. Salem; M.E. Omeran and E.H. Mashally (1982).

The combined effect of salinity and meloidogyne javanica infection on dry matter and nutrient content in

El-Kholi, M.S.; F.M. Salem; M.E. Omeran and E.H. Mashally (1982).

The combined effect of salinity and meloidogyne javanica infection on dry matter and nutrient content in tomato plants cultivated in different soil types. Res. Bull., Fac. Agric., Ain Shams Univ., 1755: 16 pp.

El-Kobbia, T. and A. Ibrahim (1986).

Effect of antitranspiration on growth and salt accumulation in the root zone of tomato plant under saline conditions. Acta Hort., 190: 291-298.

El-Kobbia, T.; S.A. Habib and S.M. Abd El-Aziz (1981).

Effect of salinity on the internal structure of sunflower and cotton plants. Res. Bull. 1562, Fac. Agric., Ain Shams Univ.

El-Lawendy, W.I. (1990).

Effect of salinity and drought on sugar beat. Ph.D. Thesis, Fac. Sci., Al-Azhar Univ., Girls Branch.

El-Sayed, A.A.; M.A. Salem and S.H. El-Hanafy (1994).

Response of two duck iris (Ideal and Purpel Sensation) to paclobutrazol (PP₃₃₃) treatments. Zagazig J. Agric. Res., 21(5): 1497-1510.

El-Shami, I.Z.H. (1987).

The role of endogenous growth hormones during water stress and salinity stress. Ph.D. Thesis, Fac. Agric., Ain Shams Univ.

El-Sherif, A.F.; S.M. Shata and R.A. Youssif (1990).

Response of tomato seedlings to zinc application under salinity levels. Egypt J. Hort., 17(2): 131-142.

Fletcher, R.A. and D. Mc Cullagh (1986):

A simple, sensitive, specific and speedy bioassay for cytokinins. In bioassays and other special techniques for plant hormones and plant growth regulators. eds. Yopp, J.H.; L.H. Aung and G.L. Steffens. Published by Plant growth Regu. Soc. of America, pp. 161-163.

Flowers, T.J.; P.F. Troke and A.R. Yeo (1977).

The mechanism of salt tolerance in halophytes. *Ann. Rev. Plant Physiol.*, 28: 89-121.

Forsee, W.T. (1938).

Determination of sugars in plant materials. A photocolometric method. *Inds. Eng. Chem. Anal.* 10th Ed. 411-418.

Francois, L.E.; E.V. Maas; T.J. Donovan and V.L. Youngs (1986).

Effect of salinity on grain yield and quality, vegetative growth and germination of semi-dwarf and durum wheat. *Agron. J.*, 78(6): 1053-1058.

Frankland, B. and P.E. Wareing (1960).

Effect of gibberellic acid on hypocotyl growth of lettuce seedlings. *Nature*, 185: 255-256.

Gehlot, H.S.; A. Upadhyaya; T.D. Davis and N. Sqnkhla (1989).

Growth and organogenesis in moth bean callus as affected by paclobutrazol. *Plant and Cell Physiol.*, 30(6): 933-936.

Ghazi, S.M. (1975).

Physiological studies of cycocel and alar in relation to salt tolerance of *Vicia faba* L. plants. Ph.D. Thesis, Fac. Sci., Ain Shams Univ.

Graebe, J.E. (1982).

Gibberellin biosynthesis in cell-free systems from higher plants. In: Waring PF (ed.) *plant growth substances* (1982). Acad. Press, London, pp. 71-80.

Greenway, H. and R. Munns (1983).

Interaction between growth, uptake of Cl^- and Na^+ and water relations of plants in saline environments. II- Highly vacuolated cells. *Plant, Cell and Environment*, 6: 575-589.

Gronwald, J.W.; C.G. Suhayda; M. Tal and M.C. Shannon (1990).

Reduction in plasma membrane ATPase activity of tomato roots by salt stress. *Plant Sci.*, 66: 145-153.

Grough, C. and G.E. Hobson (1990).

A comparison of the productivity, quality, shelf-life characteristics and consumer reaction of the crop from cherry tomato plants grown at different levels of salinity. *J. Hort. Sci.*, 45(4): 431-439.

Guerrier, G. (1985).

Influence of NaCl on the photosynthetic capacity of isolated chloroplast and on the photo respiratory capacity (glycollate oxidase) of cotyledons of seedlings sensitive to or tolerance of salinity. *Phytosynthetica*, 19(4): 542-549.

Guerrier, G. (1988).

Hydrolytic activities and metabolite contents during germination of species sensitive or tolerant to NaCl. *Agrochimica*, 32(5-6): 463-481.

Helail, B.M. and A.A.R. Atawia (1992a).

Chemical training of "Le conte" pear transplants. *Ann. Agric. Sci. Moshtohor*, 30(3): 1487-1499.

Helail, B.M. and A.A.R. Atawia (1992b).

Effect of paclobutrazol and cycocel sprays on "Le conte" pear trees. I- Effect on growth and flowering. *Ann. Agric. Sci. Moshtohor*, 30(3): 1379-1391.

Helmy, H.I.Y. (1992).

Physiological studies on adaptive mechanism related to salt tolerance in some vegetable. Ph.D. Thesis, Fac. Agric. Ain Shams Univ., Cairo.

Huang, L.; F. Murry and X. Yang (1994).

Interaction between mild NaCl salinity and sublethal SO₂ pollution on wheat (*Triticum aestivum*) cultivar Wilgoyne (Ciano/Gallo). I- response of stomatal conductance, photosynthesis, growth and assimilate partitioning. Agric. Ecosystems and Environment, 48(2): 163-178.

Ismaeil, F.H.M. (1995).

Effect of gamma radiation and paclobutrazol (P.G.R.) on *Vicia faba* from the botanical point of view. M.Sc. Thesis, Fac. Agric. Moshtohor, Zagazig Univ.

Ismaeil, S.E.; H. Abd El-Gowad and L. El-Sissy (1993).

Salt tolerance of some wheat cultivars at various growth stages. Al-Azhar J. Agric. Res., 17: 73-92.

Itai, C. and Y. Vaadia (1971).

Cytokinin activity in water-stressed shoot. Plant Physiol., 47: 87-90.

Itai, C.; A. Richmond and Y. Vaadia (1968).

The role of cytokinins during water and salinity stress. Israel J. Bot., 17: 187-193.

Jackson, G. (1976).

Crystal violet and erythrosin in plant anatomy. Stain Tech., 1: 33-34.

Jaiswal, R.C. and K. Singh (1989).

Salt tolerance studies in tomato (*Lycopersicon esculentum* Mill.). Hort. J. 2(1): 33-37.

Jaworsky, G. (1971).

Nitrate reductase assay in intact plant tissue. Biochem. Biophys. Res. Commun., 43: 1274-1279.

Kamal, M.A.M. (1951).

Growth and nitrogen fractions of *Trifolium alexandrinum* under conditions of different phosphorus levels with reference to the effect of pH value in silage. Ph.D. Thesis, Cairo Univ.

Kamel, N.H.; A.M. Salama; M.M. Sharaky and S.M. Mokable (1987).

Effect of salinity and growth substances on rice plant. III- Carbohydrate, nitrogen fractions and RNA. Egypt J. Appl. Sci., 2nd. Issue, June (2): 693-706.

Kazim, A.A. (1978).

Tomato growth and yield as influenced by different levels of saline water applications. Mesopotamia J. Agric. Res., 13(1): 93-100.

Khan, A.A. (1977).

The physiology and biochemistry of seed dormancy and germination. Elsevier/North Holland, Amsterdam.

Khan, H.R.; S.M.A. Faiz; M.N. Islam; T. Adachi and I.U. Ahmed (1990).

Effects of salinity, gypsum and Zn on mineral nutrition of rice. International J. Tropical Agric., 10(2): 147-156.

Knegt, E. and J. Bruinsma (1973).

A rapid, sensitive and accurate determination of indolyl-3-acetic acid. Phytochemistry, 12: 753-755.

Kopecký, F.; J. Šebánek and J. Blažková (1975).

Time course of the changes in the level of endogenous growth regulators during the stratification of the seeds of "Panenské české". Biol. Plant. 17: 81-87.

Kosareva, I.A. (1988).

Modification of a method for determining the salt resistance of tomato at the early stages of growth. Sbormik Nauchnykh Trudov Po Priklandnoi, Botanike, Genetika i Seleksii, 118: 76-80.

Kulaeva, O.N. (1979).

Cytokinin action on enzyme activities in plants. In plant Growth Substances. (Ed.) F. Skoog, Springer-verlag. Berlin, Heidelberg. New York (1980), pp. 119-128.

Kurth, E.; A. Jensen and E. Epstein (1985).

Resistance of fully imbibed tomato seeds to very salinities. *Plant Cell and Environment*, 9(8): 667-676.

Labler, L. and V. Schwarz (1965).

Thin layer chromatography. CSAV, Praha.

Latif, S.J. (1994).

Evaluation of some berseem varieties (*Trifolium alexandrinum* L.) under salin conditions. *Zagazig J. Agric. Res.*, 21(4): 1141-1149.

Lee, E.H.; J.K. Byun and S.J. Wilding (1985).

A new gibberellin biosynthesis inhibitor, paclobutrazol (PP₃₃₃), confers increased SO₂ tolerance on snap bean plants. *Environmental and Experimental Botany*, 25(3): 265-275.

Li, Q.F. and M.J. Hill (1989).

Effect of the growth regulator paclobutrazol on plant growth and seed production of *Lotus corniculatus* L. *New Zealand J. of Agric. Res.*, 32(4): 507-514.

Longstreth, D.J. and P.S. Nobel (1979).

Salinity effects on leaf anatomy. *Plant Physiol.*, 63: 700-703.

Maas, E.V. and C.M. Grieve (1990).

Spike and Leaf development in salt-stressed wheat. *Crop Sci.*, 30: 1309-1313.

Maas, E.V. and G.J. Hoffman (1977).

Crop salt tolerance-current assessment. *J. Irrig. Drain. Div. Am. Soc. Civ. Eng.*, 103: 115-134.

Maas, E.V. and J.A. Poss (1989).

Salt sensitivity of wheat at various growth stages. *Irrig. Sci.*, 10: 29-40.

Kurth, E.; A. Jensen and E. Epstein (1985).

Resistance of fully imbibed tomato seeds to very salinities. *Plant Cell and Environment*, 9(8): 667-676.

Labler, L. and V. Schwarz (1965).

Thin layer chromatography. CSAV, Praha.

Latif, S.J. (1994).

Evaluation of some berseem varieties (*Trifolium alexandrinum* L.) under salin conditions. *Zagazig J. Agric. Res.*, 21(4): 1141-1149.

Lee, E.H.; J.K. Byun and S.J. Wilding (1985).

A new gibberellin biosynthesis inhibitor, paclobutrazol (PP₃₃₃), confers increased SO₂ tolerance on snap bean plants. *Environmental and Experimental Botany*, 25(3): 265-275.

Li, Q.F. and M.J. Hill (1989).

Effect of the growth regulator paclobutrazol on plant growth and seed production of *Lotus corniculatus* L. *New Zealand J. of Agric. Res.*, 32(4): 507-514.

Longstreth, D.J. and P.S. Nobel (1979).

Salinity effects on leaf anatomy. *Plant Physiol.*, 63: 700-703.

Maas, E.V. and C.M. Grieve (1990).

Spike and Leaf development in salt-stressed wheat. *Crop Sci.*, 30: 1309-1313.

Maas, E.V. and G.J. Hoffman (1977).

Crop salt tolerance-current assessment. *J. Irrig. Drain. Div. Am. Soc. Civ. Eng.*, 103: 115-134.

Maas, E.V. and J.A. Poss (1989).

Salt sensitivity of wheat at various growth stages. *Irrig. Sci.*, 10: 29-40.

Mahmoud, M.H.; R.A. Jones and A.S. El-Beltagy (1986a).

Comparative response to high salinity between salt-sensitive and Salt-tolerant genotypes of the tomato. *Acta Hort.*, 190: 533-543.

Mahmoud, M.H.; A.S. El-Beltagy; R.M. Helal and M.A. Maksoud (1986b).

Tomato variety evaluation and selection for salt tolerance. *Acta Hort.*, 190: 559-566.

Maleh, F. and D.A. Baker (1978).

Effect of fusaric acid on proton co-transport of sugars in the phloem loading of *Ricinus communis* L. *Plant Sci. Lett.*, 11: 233-239.

Malyshev, V.F. and E.P. Aleshin (1975).

Effect of salinity on nitrogen metabolism in rice relation to levels of nutrition. *Fiziologiya- Rastenii, Krasnodarskia, USSR* 19/5. 2: 61-65 (C.F. Field Crop Abst. 29(11): 8599-1976).

Martinez, V. and A. Cerda (1987).

Effect of nitrogen fertilization under saline conditions on tomato and cucumber. I- Yield and fruit quality. *Anales de Edafologia y Agrobiologia*, 46: 11-12.

Martinez, V. and A. Cerda (1989).

Nitrate reductase activity in tomato and cucumber leaves as influenced by NaCl and N source. *J. Plant Nutr.*, 12(11): 1335-1350.

Mayber, A.P. and J. Gale (1975).

Ecological studies. Plant in saline environments. Springer Verlag, Berlin Heidelberg, New York.

Mc Daniel, G.L. (1983).

Growth retardation activity of paclobutrazol on chrysanthemum. *Hort. Sci.*, 18: 199-200.

Mc Intyre, G.I. (1977).

The role of nutrition in apical dominance. In integration of activity in higher plants. The Society for Experimental Biology Symposium. No. 31, Jenings, D.H. Ed., 251-273, Camberidge Univ. Press.

Mendlinger, S.; D. Pasternak and De Malach (1987).

Breeding for salt tolerance in melons testing new cultivars. Annual report. The institute for Agriculture and Applied biology.

Michel, K.A.; J.K. Gilles; R.P.A. Ramilton and F. Smith (1956).

Colorimetric method for determination of sugars and related substances. Anal. Chem. 28: 3.

Mizrahi, Y. (1982).

Effect of salinity on tomato fruit ripening. Plant Physiol., 69(4): 966-970.

Mizrahi, Y.; A. Balumenfeid; S. Bittner and A.E. Richmond (1971).

Abscisic acid and cytokinin contents of leaves in relation to salinity and relative humidity. plant physiol., 48: 752-755.

Mohamed, S.M. and S.A. El-Desouky (1992).

Response of *Chlorophytum comosum* and *Pepromia clustiifolia* to some growth regulators. Egypt. J. Appl. Sci., 7(6): 625-645.

Mohsen, A.M.; H.M. El-Mosallamy and S.M. El-Hefnawy (1987).

Some anatomical features of guava seedlings in response to soil moisture and soil salinity. 1- Leaf structure. Zagazig J. Agric. Res., 14(1): 1-22.

Moskaleva, G.I. and V.N. Sinel'Nikova (1976).

Anatomical structure of the roots and stems of young tomato plants grown under normal and saline conditions. Trudy po Priklandoni Botanike, Genetike i Seleksii, 57(2): 148-155.

Moursi, M.A.; A.A. Abd El-Gwad; K.M. Ibrahim and M.A. El-Shourbagy (1977).

Pasture productivity in North west coastal region in Egypt. V- Chemical composition of tall wheat grass "*Agropyron elongatum*" as affected by salinity. Egypt J. Agron., 2: 115-128.

Mukaya, A.; M. Masul and A. Ishida (1980).

Salt tolerance of muskmelons grown in different salinity soils. J. Japan Soc. Hort. Sci., 103(1): 127.

Munns, R. and A. Termaat (1986).

Whole-plant response to salinity. Aust. J. Plant physiol., 13: 143-160.

Nagdy, G.A.; R.A. Sakr; M.F. Kandil and M.M. Soliman (1989).

Effect of cycocel on soybean plants grown under different salinity levels. Egypt J. Appl. Sci., 4(2): 33-47.

Naquwi, S.M. and R. Ansari (1974).

Estimation diffusible auxin under saline growth conditions. Experientia, 30: 350.

Nayan, V.K. and G.K. Shyon (1984).

Effect of toxic ion on the content of proline in rice seedlings of low pH and high salinity. Fiziologia Pastenii 31(2): 392-394.

Ohta, K.; N. Ito; T. Hosoki and H. Higashimura (1991).

Influence of the concentration of nutrient solution and salt supplement on quality and yield of cherry tomato grown hydroponically. J. Japan Soc. Hort. Sci., 60(1): 690-711.

Osman, O.A.A.; L. Andre and A. El-Beltagy (1987).

Response of tomato to salinity stress. 1- Germination and vegetative growth. Proc. 1st Conf. Agric., Develop., Res. 11: 126-145.

Parasher, A. and S.K. Varma (1992).

Effect of different levels of soil salinity on germination, growth and yield of wheat (*Triticum aestivum* L.). Indian J. Agric. Res., 26(2): 100-106.

Perez-Alfocea, F.; M.T. Estan; A. Stanta-Cruz and M.C. Bolarin (1993).

Effect of salinity on nitrate, total nitrogen, soluble protein and free amino acids levels in tomato plants. J. Hort. Sci., 68(6): 1021-1027.

Pessaraki, M.; T.C. Tucker and R.K. Nakabayashi (1991).

Growth response of barley and wheat to salt stress. J. Plant Nutr. New York, 14: 331-340.

Piper, G.S. (1947).

Soil and plant analysis. The Univ. of Adrlaide, Adrlaide.

Prakash, V. and E.V. Sastry (1992).

Effects of salinity on germination and seedling growth in wheat. Ann. Arid Zone, 31(1): 71-72.

Pregl, F. (1945).

Quantitative organic micro-analysis. 4th Ed. J. and A. Churchill, Ltd., London.

Quinlan, J.D. (1981).

New chemical approaches to the control of fruit tree form and size. Acta. Hort., 120: 95-106.

Raafat, A.; S.A. Habib; I.Z. El-Shami and H.M. El-Antably (1991).

The effect of salinity on the anatomical features of tomato plants. Ann. Agric. Sci., Cairo, 36(2): 307-321.

Rabeh, M.R.; A.E. Hassan and A.A. Kassam (1994).

Effect of paclobutrazol and gibberellic acid application on Washington Navel orange trees. Zagazig J. Agric. Res., 21(1): 157-165.

Rabie, R.K.; M.K. Matter; A.E. Khamis and M.M. Mostafa (1985).

Effect of salinity and moisture content of soil on growth, nutrient uptake and yield of wheat plant. Soil and Plant Nutri., 31(4): 537-545.

Rajasekaran, L.R. and K.G. Shanmugavelu (1980).

Effect of salt stress on seed germination of tomato. South Indian Hort., 28(4): 109-112.

Raskova, N.M.; L.K. Klyshef and B.K. Kasymbekov (1985).

Effect of salinity on the activities of glutamate dehydrogenase, glutamine synthetase and nitrate reductase in rice. Fiziologia Restenii, 32(4): 807-809.

Ray, N. and V.K. Khaddar (1989).

Influence of salinity, sodicity and their combination on wheat (*Triticum aestivum*). Advances in Plant Sci., 2(2): 216-223.

Reid, D.M. and R.L. Wample (1985).

Water relations and plant hormones. In Encyclopedia of Plant Physiology. New series, Volume II. Editors: A. Pirson, Gottingen and M.H. Zimmermann, Harvard Springer-Verlag. Berlin, Heidelberg, New York, Tokyo.

Ridge, I.; P. Murphy; M. Bell and P. Parker (1993).

Plant physiology. Biology from and function. Edit. Irene Ridge. Hodder & Stoughton LTD. The open University, UK.

Rizk, F.A.M. (1993).

Physiological response of tomatoes to salinity and some herbicides. Ph.D. Thesis, Fac. Agric., Ain Shams Univ.

Rabeh, M.R.; A.E. Hassan and A.A. Kassam (1994).

Effect of paclobutrazol and gibberellic acid application on Washington Navel orange trees. Zagazig J. Agric. Res., 21(1): 157-165.

Rabie, R.K.; M.K. Matter; A.E. Khamis and M.M. Mostafa (1985).

Effect of salinity and moisture content of soil on growth, nutrient uptake and yield of wheat plant. Soil and Plant Nutri., 31(4): 537-545.

Rajasekaran, L.R. and K.G. Shanmugavelu (1980).

Effect of salt stress on seed germination of tomato. South Indian Hort., 28(4): 109-112.

Raskova, N.M.; L.K. Klyshef and B.K. Kasymbekov (1985).

Effect of salinity on the activities of glutamate dehydrogenase, glutamine synthetase and nitrate reductase in rice. Fiziologia Restenii, 32(4): 807-809.

Ray, N. and V.K. Khaddar (1989).

Influence of salinity, sodicity and their combination on wheat (*Triticum aestivum*). Advances in Plant Sci., 2(2): 216-223.

Reid, D.M. and R.L. Wample (1985).

Water relations and plant hormones. In Encyclopedia of Plant Physiology. New series, Volume II. Editors: A. Pirson, Gottingen and M.H. Zimmermann, Harvard Springer-Verlag. Berlin, Heidelberg, New York, Tokyo.

Ridge, I.; P. Murphy; M. Bell and P. Parker (1993).

Plant physiology. Biology from and function. Edit. Irene Ridge. Hodder & Stoughton LTD. The open University, UK.

Rizk, F.A.M. (1993).

Physiological response of tomatoes to salinity and some herbicides. Ph.D. Thesis, Fac. Agric., Ain Shams Univ.

Rodriguez, B.E. and J.L. Pena (1983).

Study of resistance limits to sodium chloride salinity in rice (*Oryza sativa*) cultivar IR880-C9 under controlled conditions. *Ciencia Tecnica en la Agricultura Arroz*, 6(2): 99-110.

Rodrigues, P.A.S. and P.S.W. Houwen (1972).

Cytokinins and bacterial symbiosis of *Aidisia* species. *Pflanzenphysiol.*, 68: 170-177.

Rosario, D.A.; A.C. Sumague; V.P. Roxas and A.T.S. Bautisa (1990).

Response of tomato (*Lycopersicon esculentum* Mill) to salt stress. *Philippine-Agriculturest*, 73(2): 193-198.

Salama, F.M.; S.E.A. Khodary and M.M. Heikal (1981).

Effect of soil salinity and IAA on growth, photosynthetic pigments and mineral composition of tomato and rocket plants. *Phyton. Austria*, 21(2): 177-188.

Saleh, H.B. and A.A. Al-Maghrabi (1991).

Effect of salt concentrations on morphological and physiological traits of some tomato cultivars. *Al-Azhar J. Agric. Res.*, 14: 245-265.

Sandell (1950).

Colorimetric determination of traces of metal. 2nd Ed. Interscience Publishers, Inc., New York.

Sansavini, S.G.; Cristoferi and P. Montalti (1988).

Effects of paclobutrazol on growth, fruiting and carbohydrate metabolism in pear trees. *Advanced in Hort. Sci.*, 2(2): 52-57.

Sass, J.E. (1967).

Botanical Microtechnique. Oxford and IBH Publishing Co. Calcutta, 3rd Ed.

Sembdner, G.; R. Gross and K. Schreiber (1962).

Die Dünnschicht-chromatographie von Gibberellinen. *Experientia*, 18: 584-585.

Sharaky, M.M.; A.M. Salama; N.H. Kamel and S.M. Mokable (1987).

Effect of salinity and growth substances on rice plant. I- Growth and photosynthetic pigments. Egypt J. Appl. Sci., 2nd Issue June (2): 575-590.

Sharma, S.K. and O.P. Garg (1985).

Salinity induced changes in plant growth and activities of glutamate dehydrogenase, sparatate and alanine aminotransferase in wheat. Indian J. Plant Physiol., 28(4): 407-412.

Silk, W.K. and R.L. Jones (1975).

Gibberellin response in hypocotyl sections. Plant Physiol., 56: 267.

Sinel'Nikova, V.N. (1981).

Hormonal activity in tomatoes under hormonal growing and under salinity. Trudy po Prikladoni Botanike, Genetike i Selektivii, 71(1): 135-143.

Sirois, J.C. (1966).

Studies on growth regulators. I- Improved avena coleoptile elongation for auxin. Plant physiol., 41: 1308.

Sivakumaran, S. and H.A. Hall (1979).

Hormones in relation to stress recovery in *Populus robusta* cuttings. J. Exp. Bot., 30: 53-63.

Snedecor, G.W. and Cochran, W.G. (1982).

Statistical Methods. The Iowa State Univ. Press, 7th Ed., 2nd Printing, 207 pp.

Soliman, M.S. and M. Doss (1992).

Salinity and mineral nutrition effects on growth and accumulation of organic and inorganic ions in two cultivated tomato varieties. J. Plant Nutr., 15(12): 2789-2799.

Starck, Z. and R. Karwowska (1980).

Effect of salt stresses on the hormonal regulation of growth. Photosynthesis and distribution of C^{14} assimilates in bean plants. crop Physiol. Abst., 6(1): 645.

Steel, R.G.D. and J.H. Torrie (1980).

Principles and procedures of statistics. Mc Graw-Hill Book Company Inc., New York, Toronto, London.

Strognova, B.P.; V.V. Kabnov; N.I. Shevajakova; I.P. Lapine; E.I. Kamizerko; B.A. Popov; R.K.H. Dostonova; K.I.S. Prykhod (1970).

Structure and function of plant cells in saline habitats Nauko Kosco (Trans. Eng.) John Wiley and Sons, New York.

Stuart, D.A. and R.L. Jones (1978).

Role of cation and anion uptake in salt-stimulated elongation of lettuce hypocotyl sections. Plant physiol., 61: 180.

Sussex, I.M.; M. Clutter and V. Walbot (1975).

Benzyladenine reversal of abscisic acid inhibition of growth and RNA synthesis in germinating bean axes. Plant Physiol., 56: 575-578.

Taha, E.M. (1971).

Evaluation of some tomato varieties to salt tolerance. M.Sc. Thesis, Fac. Agric., Ain Shams Univ., Cairo.

Tal, M. and A. Gardi (1976).

Physiological of polyploid plants: Water balance in auto tetraploid and diploid tomato under low and high salinity. Physiologia plantarum, 38(4): 257-261.

Tukey, J.W. (1953).

Some selected quick and easy methods of statistical analysis. Trans. N.Y., Acad. Sci., 16: 88-97.

Upreti, D.C. and M.N. Sarin (1976).

Physiological studies on salt tolerance in *Pisum sativum* L. IV- Tonic composition and nitrogen metabolism. Field Crops. Abst., 30: 109-114.

Walbot, V.; M. Clutter and I.M. Sussex (1975).

Effects of abscisic acid on growth, RNA metabolism and respiration in germinating bean axes. Plant Physiol., 56: 570-574.

Walker, M.A. and E.B. Dumbroff (1981).

Effects of salt stress on abscisic acid and cytokinin levels in tomato. Z. Pflanzenphysiol., 101: 461-470.

Wanas, A.L. (1992).

Botanical studies on some members of Fabaceae family. M.Sc. Thesis, Fac. Agric. Moshtohor, Zagazig Univ.

Wareing, P.E. and I.D.J. Phillips (1981).

Growth and differentiation in plants. 3rd Ed., Pergamon Press Oxford.

Weidner, S. (1984).

Role of gibberellins and cytokinins in regulation of germination during development and ripening of Triticale caryopses. Acta Societatis, Botanicorum Poloniae, 53(2): 257-270.

Wettstein, D. (1957).

Chlorophyll, Letal und der submicroskopische formmech sell-der-plastiden. Exptl. Cell. Res., 12: 427.

Williams, M.W. and L.J. Edgerton (1983).

Vegetative growth control of apple and pear trees with ICI PP₃₃₃ (Paclobutrazol), a chemical analog of Bayleton. Acta. Hort., 137: 111-116.