

SUMMARY

SUMMARY

These experiments were carried out at the ornamental area of the Faculty of Agricultural Science at Moshtohor, Zagazig University.

The aim of this work was to study the effect of different fertilizer level of phosphorus, potassium and iron on the growth, flower yield and essential oil content in the flowers of Sweet peas.

The most important results were:

I- Field experiment

a) Fertilization experiment:

- 1) Fe sprayed on plants non-fertilized with P and K or the application of $N_1P_1K_1$ without Fe spraying can be advised for flower earliness in Sweet peas.
- 2) Spraying Fe_2 (50 ppm ferrous citrate) increased the length of plants fertilized with $N_1P_0K_2$, high levels of phosphorus depressed the action of Fe_2 .
- 3) The increased levels of phosphorus, potassium or both together had no remarkable effects on the length of plants.

- 4) In the absence of P and K fertilizers, Fe_1 (25 ppm) sprays increased leaf area, also, the results indicated that leaf area expansion is probably dependant on a kind of balance between phosphorus and iron in plant tissue.
- 5) High levels of both P and K without iron sprays increased leaf area as well.
- 6) The width of the internode was responsive to iron sprays especially with Sweet peas fertilized with $(N_1P_0K_1Fe_2)$ and $(N_1P_2K_2Fe_1)$.
- 7) Fertilization with the high levels of P combined with the application of Fe_2 increased the length of the 15th internode of Sweet peas.
- 8) In absence of P and the presence of high level of K, iron sprays as Fe_2 increased the leaf number, however high level of P and K without Fe application was very responsive on increasing leaf number.
- 9) There were significantly increases with $(N_1P_0K_0Fe_2)$ in the fresh weight of plant compared the control.
- 10) Iron in the highest level combined with high level in both P and K gave highly significant increase in the fresh weight of plant.

- 11) Spraying Sweet peas with Fe and using the high level of P and without K increased the flowers yield.
- 12) Addition of P as P_1 in the combination $(N_1P_1K_0Fe_0)$ was the best treatment for tallest peduncle length.
- 13) The combination $(N_1P_1K_0Fe_0)$ was the only combination which considerably increased the dry weight percentage in the leaves of Sweet peas.
- 14) The addition of N, P, K and Fe sprays had no influence on N percentage in leaves.
- 15) The highest percentage of P in leaves was attained with $(N_1P_1K_0Fe_1)$ and $(N_1P_2K_2Fe_1)$.
- 16) No obvious variation in potassium percentage due to increasing the levels of P or K in the different combinations when Fe was not applied.
- 17) Iron has a relationship with chlorophyll content in the leaves, the most promising effects of Fe was with the treatment $(N_1P_1K_1)$, this was true in both seasons.
- 18) The total carbohydrate percentage were increased when the highest levels of P and K were used combined with the two levels of iron.

19) In both seasons, reducing sugars increased over the control with the applications of the level of iron, while the non reducing sugars increased when the high level of iron was used.

20) Potassium especially at the high level improved total carbohydrate, total soluble sugars, reducing sugars percentages, and this was more clear with spraying iron at the low level than the high one.

21) Increasing the level of P_0 to P_1 in the combination ($N_1P_1K_0Fe_0$) slightly increased the concrete oil percentage.

22) Potassium addition in ($N_1P_0K_1Fe_0$) increased the concrete oil percentage it was the most important element in increasing concrete oil.

23) The application of iron sprays with an adequate level of fertilization could remarkably increase the concrete oil percentage.

b) Pot Experiment:

1- Increasing the number of iron application regardless of plant age increased plant height.

2- Fe applications in early stage of growth were better than the application of iron few weeks after germination.

3- Six applications at flowering stage gave significantly more fresh weight as compared with control and six applications at the juvenile stage.

4- The most increase in the fresh weight of leaves and stem were with iron applications for 30 weeks. in sand culture.

5- Any experimental application of Fe increased the length of roots especially with 6 applications at flowering stage and 24 weeks applications starting after germination.

6- The most increase in the fresh weight of roots was observed in plant which received Fe as 30 applications .

7- Six applications starting the flowering period, also with the applications few weeks after germination (JF₁) and the best treatment was that of 30 weeks.

8- Significant relationship between the number

of iron applications and the increase in the weight of flowers per plant.

Trailing experiment:

1- Both methods of using network significantly surpassed the normal way of growing Sweet peas . However, it seemed that with growing Sweet peas on the non-galvanized wire benefited the plants to obtain iron through tendrils.

2- The length of the internodes of the plants supported with non-galvanized wire probably increased due to iron absorbed in same manner.

3- The non-galvanized gave the best width internodes as compared to control or polyethylene.

4- The wire network produced the greatest weights of plant as compared with control or polyethylene network in both seasons.

5- The non-galvanized wire significantly influenced the number of flowers per plant. In both seasons, the increases, in flower number, on control or polyethylene network were highly significant.

6- The non-galvanized network used in supporting, significantly produced more fresh weight of flowers per plant compared with those of normal method or with that of polyethylene network.

7- The dry weight percentage of cut flowers showed similar trends to those of fresh weights.

8- The longest flowers were those from the plants climbed on non-galvanized network followed by the polyethylene the shortest flowers were those from control plants.

9- From the economical point of view, using non-galvanized network is cheaper in the long run for the production of earlier and better crop of Sweet pea flowers.

LITERATURE CITED

- Abdallah, N. ; El-Gengaihi, S. and Sedrak, E.(1978).
The effect of fertilizer treatments on yield of
seed and volatile oil of Fennl (Foeniculum
vulgars Miller).
Pharmazie (1978) 33 (9) 607-608 (En,12 ref.)
National Research Center, Dokki, Cairo, Egypt.
c.f. Hort. Abst. 1979 vol. 49 No. 2 1447.
- Abou El-Fadl, I.A. (1969).
Effect of spacing and nitrogen fertilization on
seed yield and volatile oil content in fennel,
(Foeniculum vulgars Miller) .
M.Sc. Thesis , Fac. Agric. Alex. University.
- Agena, A. (1974).
Effect of some Environmental and soil factors on
growth and oil production of chamomile.
Ph.D. Thesis, Fac. Agric. Ain Shams University.
- Assocition of Official Agriculture Chemists,(A.O.A.C.),(1970).
Official Methods of Analysis, the association of
official Agricultural Chemists, Washington.
- Atanassov, Z. (1963).
The effect of the timing of ammonium nitrate
application on lavender.
Hort. Abst. 1963 Vol. 39 5459 .
- _____, (1969).
The effect of row phosphate meal on the growth
lavender on acid soils.
Pocvozn. Agrohimi ; 4 (1): 63-69.
Hort. Abst. 1970.
- Atkinson, H. (1952).
Minure and fertilizers for crop at Kapabassing
Ontario.
Sci. Agric. 321-521-534. (c.f. Chem. Abst. 47:
2409, 1953).
- Attia, M. S. (1956).
Effect of some cultural and fertilizer treatments
on the early and total yields of two varieties of
peas for fresh market.
Ann. Agric. Sci. , Fac. Agric. , Ain Shams Univ. 1
(2): 213-219.

Awad, H. E. and El-Sherbeini, A. E. (1976).

Geranium herb yield and oil content as affected by
CCC treatment and nitrogenous fertilizations.
Zagazig J. Agric. Res. Vol. 2.

Bartz, J. F. (1959).

Yield and ovule development of Alaska peas as
influenced by nutrition and soil moisture.
Hort. Abst. 1960 Vol. 30 689 .

Beach, G. A. and Mussenbræck, A. (1948).

Effect of nitrogen and potash fertilizers on
potrician carnations in soil.
Proc. Amer. Soc. Hort. Sci. 52: 487-489.

Beraia, YA. K. and Shpakova, E. G. (1975).

The effect of the rates and proportions of
nutrient elements on herbage yield and
essential oil accumulations in geranium hybrid.
Sukhumi, USSR, Alaskara. (1974) 119-126 (Ru).
From Referativnyi Zhurnal (1975) 3. 55 909.
c.f. Hort. Abst. 1975 Vol. 45 : 8800.

Bojcenko, E. S., and N. I. Kolomiec , (1970).

Effectiveness of microfertilizers in an increasing
the yield and quality of peppermint and Onions
arvensis.

Trudy vses. nauc. issled. Inst. Lekarstv. Rast.,
13: 142-50. Hort., Abst. 1970 Vol. 40 1972.

Choureitah, A., and Bunemann (1970).

The effect of the K supply on the constituents of strawberries.

Gottenbauwissenschaft. 35: 419-27.

c.f. Hort. Abst. 1971 Vol.(3) P.741 No.6145 .

Conover, C.A. (1969).

Responses of pot-grown Chrysanthemum morifolium to media, Watering and fertilizer levels.

Proc. Fla. St. Hort. Soc. 82: 425-9.

Hort. Abst. 1971 Vol. 41 1696 .

Cook, R. L. (1950).

Nutrient levels for flowering crops.

Proc. Amer. Soc. Hort. Sci. 56: 446-456.

Cumby, L.P.; Hornsey, D.J.; Robinson, L.W. (1977).

The influence of phosphorus, zinc and manganese on absorption and translocation of iron in watercress.

Plant and Soil (1977) 48 (3) 651-660

En, 22 ref., 1 fig) Both University.

Hort. Abst. 1978 Vol. 48 4543 .

Cutting, C.V. (1961).

A note on the production of geranium oil.

Nyasaland Fmr. For., 5 (3): 23-4.

Hort. Abst. 1961 Vol. 31 4862 .

Defort, O. and Rudolph.J., (1925).

Heil Gewurz Pflanzen 8, 83

c.f. Ph.D. Thesis , Ain Shams Univ., by Agha, 1974

Dermainis, P. (1938).

Heil Gewurzpflanzen. 18, 7.

c.f. Ph.D. Thesis, Ain Shams Univ., by Agha, 1974

Eck, P. (1960).

Continuous solution feeding planned carnation nutrition.

Mass. Flower Grs., Ass. Bull. , reprinted in Flor-Exch., 1960, 135 (11): 17,19 (Hort.Abst.,1961).

El-Gamassy, A.M.; Bakr Moustafa, M.; El-Gendy, S.A. and Owais, M.H.H. (1971).

Effect of fertilization rates and irrigation periods on the growth and flowering of violet plants. Res. Bull. No. 638, Fac. Agric. Ain Shams Univ.

El-Gengaihi, S. E. (1964).

Effect of levels of manuring on growth and other extract of the aromatic plants.

M. Sc. Thesis, Fac. Agric. Cairo, Univ.

El-Hamidi and Saleh, M. (1965).

The effect of fertilizer level on growth , yield and oil productions of Matricaria chamomilla . Ioyolia, Vol. 28, No.3 Sept. 1965; 245-251.

El-Koholy, M. (1968).

Effect of fertilization and plant spacing on Sweet peas (Lathyrus adoratus L.)

M. Sc. , Thesis , Fac. Agric. Cairo University.

El-Leboudi, A.; Maksoud, A. ; Midan, A. ; Mitkees, A. (1976).
Response of snap bean plant to fertilization with
P, K and Mn.
Agric. Res. Rev. (1974) 52 (5). 149-159 (En, 12 ref)
Ain Shams University, Egypt.

El-Sayed, A.A. (1973).
Geranium herb and oil production as affected by
chemical fertilization.
M.Sc. Faculty of Agric. , Cairo University.

El-Shafie, S. ; Mostafa, M. B. and Hassan, A. H. (1973).
The effect of some fertilization treatments
date on flower and concrete oil yield of
Jasmine plant.
Ain Shams Res. Bull. 1039

Emerson, R. (1929).
Relation between the maximum rate of photosynthesis
and chlorophyll concentration.
J. Gen. Physiol. , 12 : 609-639.

Farid , A. (1979).
Effect of chemical fertilization on Mentha viridis L.
M. Sc. , Thesis , Fac. Agric. , Ain Shams University.

Harrage, Ezz. (1967).

Planting Balady cucumber on the wires.

(Unpublished data in 1965 - 1967).

c.f. M. Sc. (1968) Faculty of Agric.

Ain Shams Univ. by Saad Dowedar.

Pederov, M. V. and Podjapalzikaya, N. P. (1950).

The effect of insuring sufficient
phosphorus and potassium on the forma-

tion of nodules and yield in Doklady

Akad. Nauk S. S. R.

7: 1081 - 1084.

Pontes, R. R.; Giordano, L. Deb.; Campos, G. Das.;

Carrijo, O. A. (1980).

(Effect of fertilization and spacing
on productivity and seed quality in
peas.)

96 - 98 Embrapa, Caixa Postal 40. 0517,

Brasilia, Df, Brazil.

c.f. Hort. Abst. 1980 Vol. 50 No. 8 : 6177.

Franz, C. and Kirsch, C. (1974).

Growth and flower formation by Matricaria

chamomilla in relation to varied Nitrogen

and Potassium nutrition. Garten bauwissenschaft (1974)

39 (1) 9-19. Hort.Abst. 1975,45,No.4 P. 2737 .

Fraser, W. S. (1956).

The influence of Magnesium, Potassium and lime
on the yield and chemical composition of beans.

Diss. Abstr. ,1956 16: 611-612,

Hort. Abst. 1956 Vol. 26 : 3760 .

Freudenberg, G. and Caesar, R. (1954).

Arzneipflanzen anbau verwertung, paul parey,

Berlin - Hamburg.

(c.f. Ph. Thesis Faculty of Agric., Ain Shams

Univ., 1974.

Garibaldi, A. E. (1965).

Results of a mineral fertilizer trial with carnation.
Riv. Ortoflorofruto. Ital. 49 : 281-284.
Hort. Abst. 1966 , Vol. 36 : 1312. .

Ghosh, M. L. and Chatterjee, S. K. (1976).

Effect of N:P:K fertilizers on growth, development
and essential oil content of Mentha spp.
Indian J. Exp. Biology 14 (3): 366-368.
Hort. Abst. 1977 , Vol. 47 : 4898 .

Gind'ch, N.N. and Sheberstov, V.V.(1971).

Some aspects of the mineral nutrition of wild
chamomile. Rostenii(1971) No. 3, : 122-128.
Hort. Abst. 1973 , Vol. 43: 3972 .

Goma, H. M. (1966).

Effect of shading and training on wire on the growth
yield and fruit quality of tomato plants.
Ph.D., Thesis , Fac. Agric. , Ain Shams University.

Guenther, E. (1952).

The essential oils, Vol. 5 Devan Norstand Co.
INC. New York.

Gutierrez, L. E. ; Crocoma, O. J.; Basso, L.C. (1978).

Effect of K deficiency on some aspects of bean
metabolism.
Revista de Agricultura (1978) 53 (4): 209-216.
Hort. Abst. 1978 Vol. 48 : 7576 .

Hallis, W. L. (1959).

The utilization of nitrogen by peas.
Diss. Abstr. , 1959, 20 : 838-839.

Hamza, M. and El-Mahmoudi, L. (1966).

Effect of number of harvest and nitrogen level on
the production of geranium.
Agric. Res. Rev., Cairo, 44 (3): 1-18.
Hort. Abst. 1968, Vol. 38 : 6026 .

Hassan, M. S. (1957).

Physiological studies on the phosphorus nutrient
of peas. M. Sc. , Thesis, Fac. Agric. , Cairo, Univ.

Garibaldi, A. E. (1965).

Results of a mineral fertilizer trial with carnation.

Riv. Ortoflorofruto. Ital. 49 : 281-284.

Hort. Abst. 1966 , Vol. 36 : 1312. .

Ghosh, M. L. and Chatterjee, S. K. (1976).

Effect of N:P:K fertilizers on growth, development and essential oil content of Mentha spp.

Indian J. Exp. Biology 14 (3): 366-368.

Hort. Abst. 1977 , Vol. 47 : 4898 .

Gind'ch, N.N. and Sheberstov, V.V.(1971).

Some aspects of the mineral nutrition of wild chamomile.

Rostenii(1971) No. 3, : 122-128.

Hort. Abst. 1973 , Vol. 43: 3972 .

Goma, H. M. (1966).

Effect of shading and training on wire on the growth yield and fruit quality of tomato plants.

Ph.D., Thesis , Fac. Agric. , Ain Shams University.

Guenther, E. (1952).

The essential oils, Vol. 5 Devan Norstand Co. INC. New York.

Gutierrez, L. E. ; Crocoma, O. J.; Basso, L.C. (1978).
Effect of K deficiency on some aspects of bean metabolism.

Revista de Agricultura (1978) 53 (4): 209-216.

Hort. Abst. 1978 Vol. 48 : 7576 .

Hellis, W. L. (1959).

The utilization of nitrogen by peas.

Diss. Abstr. , 1959, 20 : 838-839.

Hamza, M. and El-Mahmoudi, L. (1966).

Effect of number of harvest and nitrogen level on the production of geranium.

Agric. Res. Rev., Cairo, 44 (3): 1-18.

Hort. Abst. 1968, Vol. 38 : 6026 .

Hassan, M. S. (1957).

Physiological studies on the phosphorus nutrient

of peas. M. Sc. , Thesis, Fac. Agric. , Cairo, Univ.

Ivanova, L.N., and Gogija, V.T. (1965).

The effect of increased rates of mineral fertilizers on the quantity and composition of oil in rose geranium.

Trudy Suhum. Opyt. Stan. efirnomasl.

Kul'tur, No. (6), 63-74.

Hort. Abst. 1968 Vol. 38 1429 .

Jandak, C.I. (1976).

Trace element nutrition of mushroom

pleurotus sajor-Caju (Fr.) Sirger.

Current Science (1976) 45 (16) 604 (En. 4 ref.)

college of Agriculture, Sdan , India.

Hort. Abs. 1977 Vol. 47 5708 .

Joiner, J.N., and Gruis, J.T. (1961).

Effects of nitrogen and potassium levels on growth, flowering and chemical composition of Zinnia and marigold.

Proc. Fla. St. Hort. Soc. 74: 445-7.

John, M.K. (1970).

Calorimetric determination of Phosphorus in soil and plant materials with ascorbic acid.

Soil Sci. 109: 214-220.

Kalinkevic, M.I. (1950).

The effect of potassium on the accumulation of essential oils in the leaves of basil

Doklady A. Kad. Nauk. U.S.S.R. 1363-5.

c.f. Ms. Sc.Thesis, Cairo. (1973) by ABD-

El-Ga Four A.

Kanwar, J.S., and Takkor, P.N. (1966).

Responses to sulphur in tea soil of the
Punjab J. Res., Ludhiana, 3: 246-52.
Hort. Abst. 1967 Vol.37 6003 .

Kaseva, D.; Atanazov, Z.H.; Decheva, R.; Gargova, N.

(1978).

Effect of fertilizers on the utilization and
removal of N, P and K by Kazanluk rases.
Rasteniye "dni Nauki (1978) 15 (3) 107-118.
(Bg. en, ru, 21 ref.).

Hort. Abst. 1979 Vol.49 No. 10 .

Kawai, S., and Takayanagi, H. (1966).

The effect of Manganese on the growth of tea.
Study of tea, No. 33, 43-7.
Hort. Abst. 1967 Vol. 37 6002 .

Kaziev, M.Z., and Tursumetov, A.A. (1972).

Tomato yields and quality in relation to
potassium rates.

Nauchnye Trudy, Tashkent SKH. Inst.
No. 32, 54-62.

Hort. Abst. 1974 Vol.44 (5) 3297 .

Khadr, A.A., (1978).

Chelated and unchelated iron and zinc influence on growth and chemical composition of pea seedlings growth in soil mixed with calcium carbonate.

c.f. Annals of Agric. Sc. Moshtohor, Vol. 12 1979.

Khadr, A.A.; Mougheith, M.G. and El-Ashram, M. (1978).

Influence of foliar application of some nutrient elements on growth, yield leaf mineral composition of Washington navel.

c.f. Annals of Agric. Sc., Moshtohor, Vol. 9, 1978.

Knezek, B.D.; Greinert, H. (1971).

Influence of soil Fe and Mn EDTA interaction upon the Fe and Mn nutrition of bean plants.

Agronomy Journal (1971) 63 (4) 617-619

Koto, M.; Takeshita, S.; Ozawa, H. (1970).

Studies of fertilizing Sweet peas in greenhouse. 1- Effect of fertilizing on growth, flower yield and nutrient absorption.

Hort. Exper. Station (1970) No. 18, : 136-144.
Hort. Abst., 1972 Vol. 42, 1702 .

Kroll, U. (1962).

The effect of fertilizers, manures, irrigation ridging on the yield of Pyrethrum.

E. Afr. Agric. For. J. 28, 139-145.

Soils and fertilizers, 1963 Vol. 26 P. 211.

Lin, C.F. (1966).

Plant testing. 3 influence of leaf age,
season and fertilization on micro-nutrients
in tea leaves.

J. Agric. Ass. China, No. 54, 40-48.

Mahmoud, M. (1970).

Physiological studies on some aromatic plants
M.Sc. Thesis. Agric. Botany Dept., Fac. Agric.
Ain-Shams, Univ.

Meng, M.L.; Struckmeyer, B.E. (1975) -

Effect of different levels of iron sources on
the growth of iron chlorosis susceptible and
iron chlorosis resistant chry.

Phyton Argenina (1975) 33 (1) 23-27(En. 15 ref.)

Hort. Abst. 1976 Vol. 46 No. 5 5171 .

Michel, K. A. Gilles, J. K. Hamilton, P. A. Robers, and
F. Smith (1956).

Clometric methods for determination of sugars
and related substances.

Analytical Chemistry Vol. 28 No. 3.

Miller, J. C. and Kimbrough W. D. (1933).

Beans investigations.

Louisiana Agric. Expt. Sta. Bull. , 245: 1-10.

Biol. Abstr. , 10 : 14154, (1936).

Morell, A. S. (1941).

Rapil detemination of reducing sugars.

Indus. J. Eng. Chem. Anal. Ed. 13. 249-251.

Murphy, J. and Riely, J. P. (1962).

A modified single solution method for the
dtermination of phosphate in natural water.

Anal. Chem. Acta. 27 : 31-36.

Mustjaca, G. I. (1969).

The effect of placement of mineral fertilizers
on peppermint yields. Himija Sel, 7(9): 24-26.
Hort. Abstr. 1970, Vol. (40) , 7040).

Mustyatse, G. I. and Grigorets, A.V. (1975).

The response of Peppermint to fertilization under
irrigated conditions. Maslich. Kul'tur(1975)No.3:
107-110(Ru.)

Hort. Abst. 1976 , Vol. 46, 10602 .

Muthoswamy, S.; Pappiah, C.M. (1977).

Natritional studies on Jasminum

Indian Journal of Hort. (1977) 34 (3) 289-293

(En, 4 ref.) Tamil Nadu Agricultural Univ.,
combatore, India.

c.f. Hort. Abst. 1978 Vol. 48.

Narayana, M.R., Manjantha, T.R. and Ragamani, T.S. (1967).
Response of geranium (Pelargonium graneolens 'L
Herit) to nitrogen.
Perfum. Essent. sil. Rec. 58:6-18.
Hort. Abs. 1967 Vol. 37 .

Nelson, P.V. and J.W. Boodley (1964).
Nutrition of carnations. Bull. N.Y. st. flower
Ors., 1964, No. 225 (Hort. Abstr. 1965
Vol. 35 1318).

Neumann, P.M.; Giskin, M. (1979).
Late season foliar fertilization of beans
with NPKS: effects of cytokinins, calcium
and spray frequency.
Communications in soil science and plant
Analysis (1979) 10 (3) 579-589
(En, 16 ref.) Faculty of Agricultural
Engineering. Technion, Israel Institute of
Technology, Haifa, Israel.
Hort. Abst. 1979 Vol. 49 7574 .

Oda, A. (1972).
Effect of nitrogen fertilization and plant
spacing on Growth and essential oil
production of Sage and Rosemary.
M. Sc. Thesis, Faculty of Agric. Cairo Univ.

Othman, M. A. (1972).
Effect of some nutritional treatments on the
yield and oil content of Fennel.
M. Sc. , Thesis, Fac. Agric. Ain Shams Univ.

- Oswiecimska (1966).
Variable content of volatile oil and ozulenes
in the herba of milfoil, II. The effect of
mineral fertilization and liming of the soil
Diss. Pharm. Pharmacol, 18(2):185-190.
c.f. Shalaby 1978, Ph.D. Thesis, Budapest.
- Ostrovskaya, L.K.; Dmitreva, V.V.; Beloshitskii, N.V.;
Kostromina, N.A. (1977).
(Spectrophotometric studies of the sap
from plants fed with iron complexans.)
Fiziologiya i Biakimiya Kul'turnykh
Rostenii (1977) 9 (3)254-260 (Ru, en, 8 ref.)
Institut Fiziologii Rostenii, Kiev,
Ukrainian USSR.
c. f. H.A. 1978 Vol. 48 No.1 (490).
- Ozawa, H., and Shimoda, Y. (1958).
Experiments on the Application of fertilizers
to greenhouse sweet peas.
Bull. Kanagawa Agric. Exp. Stat. Hort. Branch,
1958, No. 6, P.P. 63-8
Hort. Abst. 1959 Vol. 29 1688 .
- Passingham, J.V., and Brown, R. (1957).
Intracellular Incorporation of iron-59
into the root cells of pisum.
Nature, 180: 653-54.
- Perur, N.G.; Smith, R.L., and Wiebs, H.H. (1965).
Peroxdiase activity and Iron deficiency
in soybean leaf tissue.
Soil and fertilizers Vol. 29:83.
- Petkov, N. (1963).
Testing hypophosphate efficacy in sun flower
fertilizing.
Izv. Inst. Bulg. Sci. Lit. 8 (667).
Soils & Fertilizers 29 2496 P.341.

Post, K. (1940).

Effects of mineral nutrient deficiencies and excesses upon the vegetative growth and flowering of Sweet peas.

Cornell Univ. Agric. Expt. Sta. New York
Bull. 745, 3 - 27.

Post, K. (1943).

Effect of moisture and moderate concentration on growth and bud of Sweet peas.

Proc. Amer. Soc. Hort. Sci. 43: 278-280.

Post (1952).

Florist crop production and Marketing orange
Judd Publishing Co., Inc. New York.

c.f. M.Sc. Ain Shams Univ. 1960 by Ibrahim

Potatueva, Yu. A.; Kapaeva, M.N. (1978).

Uptake of fluorine from fertilizers by plants and its effect on yield.

Khimiya V.Sel'Skom Khozyaistue (1978)

16 (9) 40-47.

(Ru, 7 ref.) NIPO Udobreniyam

i Inseftoungitsidam, USSR.

c.f. Hort. Abst.1979 Vol. 49 No.4 2600.

Pov ov and Khristov (1974).

Studies on stem height, flower size and flowering date in carnations in relation to manuring and soil moisture content.

Grdinarka Lozarska Nauka 11 (1) 135-142.

Hort. Abst.1975 Vol. 45 1139 .

Pregl, E. (1945).

Quantitative organic microanalysis.
4th Ed. J. Chundril, London.

Price, C., A., (1967).

Iron compounds and plant nutrition.
Ann. Rev. of Plant Phys. 19: 239-48.

Puccini, G. (1956).

The influence of potassium salts on the
development of perpetual flowering
carnation.

c.f. Riviera Ann. Sper: Hgrar.
10: 2071 - 2080.

Radspiner, Al. (1974).

Effect of levels of calcium , iron sources
of phosphorus on growth and leaf composi-
tion of Chrysanthemum morifolium .

Ceiba (1974) 18 (½) 33 -40 (En, 10 ref.)

Hort. Abst. 1976 Vol. 46

No. 2 1370.

Ramanathan, V.S. (1979).

Effect of micronutrient on the yield of
opium and its morphins content in opium
pappy.

Indian J. of Agric. Rese. (1979) 13 (2)
85 - 89 (En, 4 ref.) Control Rentral Reve.
Control labor. New Delhi, India.
c.f. Hort. Abst. 1980 Vol. 50
No. 9 7372.

Rana, P.S.; Sharma, H.C. (1979).

Effect of iron sprays on growth, yield and
quality of grapes.

Punjab Horticultural Journal (1979).
19 (1/2) 31-34 (En, 7 ref.) Rojasthan
Collage of Agriculture Udaipure, India.
Hort. Abst. 1980 Vol. 50 5090 .

Riveroc.; Giraldo., C.T.; Graham, P.H. (1976).

Comparison of nadulation and nitrogen
fixation by Rhizobium in beans and
soya bean.

Acta Agronomica (1976) 26 (314) 104 -115
(ES, en,-gref.) Univ. Nacional de colombia,
Palmir, Colombia.

Hort. Abst. 1979 Vol. 49 5030 .

Riveros, F.; Alvarez, S.; Kummerow, J. (1978).

The effect of nitrogen and potassium on optical dominance in peas.

Cienciae Investigacion Agraria (1978) 5 (3) 143-150. (Es, en, 12 ref., 1 fig) Univ.

Catolica de Chile, Chile.

Hort. Abst. 1979 Vol. 49 4225 .

Roelants, A. (1973).

Phosphorus fertilizing of carnation (Dianthus caryophyllus L.' Scania Red)

Revue de L'Agriculture 26 (5) P. 1011-1026.

Soils and Fert. 37(7) P. 202 No. 2002 (1974).

Sakr, S.M., (1965).

Vegetable crops. 4th ed. Egyptian

Anglo Bool Co. Cairo. 734 P.

c.f. Ma. Sc. (1968) Fac. Agric., Ain Shams Univ.

by Saad Abdel-Gaied Dowedar.

Saleh, M.M., (1962).

The effect of fertilization levels on the

quantity and quality of Matricaria chamomilla L.

M.Sc. Thesis, Faculty of Agric. Ain Shams Univ.

Sayre, C.B. (1946).

Nitrogen improves quality, increases yields

of peas, N.Y. Sta. Farm Res. 12, No. 2, 1946

c.f. M. Sc. Ain Shams Univ. 1965 by Awatef.

Schroeder, H. (1959).

Der Einfluss Von Stickstoff, Phosphorure
und Kali auf Ertrag und Gehalt anaterischem
Ol bei Majoran (Majorana hortensis)
Pharmazie 14: 329-346, 408-417.

Schuler, L. (1970).

Chemical diagnostics of the mineral nutrition
of the carnation.

Diagn. Potrebnosti Rast Vdofr. 222-7.

Chem. Abst. 74 (3) P. 239 No. 12210

J. (1971).

Shanan, Sh.A. (1963).

The response of cowpea to various levels of
N, P and K.

M.Sc. Thesis, Faculty of Agric.

Cairo Univ.

Sharaf, A.A, (1965).

The effect of nitrogenous fertilizer and
plant spacing on the yield and quality of
geranium oil. Cairo Univ. M.Sc. Thesis.

Shimoda, Y. (1959).

Experiments on the application of fertilizers
to greenhouse Sweet peas.

Japanese, with Bull. Kanagawa Agric. Exp.Stat.
hort. Branch, 1958, No. 6, PP. 63-8, bibl.6.

c.f. Hort. Abst. 1959 Vol. 29 1688 .

Shoushan, A.A.M. and Kabeel, M.T. (1956).

Studies on nitrogen, phosphorus and potassium
fertilization of violet, *Viola odorata*,

var princess of Wales. Faculty of Agric.

Cairo Univers.

Bulletin 92: 3-18.

Shoushan, A.A.M., and Kabeel, M.T. (1956).
Studies on nitrogen, phosphorus and
potassium fertilization of Carnation
Dianthus caryophyllus Var. Hanssy.
Faculty of Agric. Cairo Univ. Bulletin
91: 3-17.

Singh, J.N., and Singh, D.P. (1968).
Effect of Phosphorus deficiency on
carbohydrate metabolism of Mentha arvensis
Physiol. Plant. 21: 1341-7.

Singh, J.N.; Singh, D.P. (1969).
Effect of phosphorus deficiency and seasonal
variations on growth and essential oil
content on Japanese mint (Mentha arvensis L.)
Soil Sci. P.L. Nutr. 15, 67-74. (Coll.Agric.)
Banaras Hindu Univ., Varansi, India.
Soils & Fertilizers 1970 Vol. 33 Part 1, P.403.

Singh, J.N. and Singh D.P.(1969).
Effect of phosphorus deficincy and seasonal
oil content of Japanese mint. Soil Sci.
Plant Nutrit. 1969. 15:67-74.
Hort. Abst.1970 Vol. 40 1971 .

Skrubis, B.G. (1964).

Effect of fertilizers on the yield of herb, and the yield oil composition of the peppermint plant.
perfum. Essent. Oil Rec. 55:655-7.

Smith, N.G. (1969).

Factors affecting fruit-setting and seed production in spencer sweet peas. Fruit-setting as affected by nutrient and the osmotic concentration of the rooting medium.

J. Hort. Sci., 1969, 44: 57-67 (bibl.18)

Hort. Abst. 1969 Vol. 39 7058 .

Smith, T.C. and Joiner, J.N. (1959).

The effect of varying levels of nitrogen and potassium on growth and yield of chrysanthemum morifolium variety "Bluechip"

Proc. Fla. St. Hort. Soc. 72: 430-4.

Steibeling, H.K., (1932).

The iron content of vegetables.

U.S. Dept. Agric. cir. 205.

Strydom, J.G. (1963).

Fertilizing carnations when in flower

Hort. Abst. 1963 Vol. 33 3315 .

Thomas, J.R.; Soliras, F.; Oerther, G. (1974).

Ratoon chlorosis of sugarcane Journal of the Rio Grand valley

Horticultural society (1974) 20, 169-174

(en, 8 ref. 1 cel. pl.) VSDA,

Weslaco, Texas. U.S.A.

Hort. Abs. 76 Vol. 46 7239 .

Thompson, H.C. and Kelly, W.C. (1957).
Vegetable crops 5th ed. Mc Grow
Hill Book Co., Inc. New York 611P.

Wallace, A. (1961).
The Diagnosis of Mineral Deficiencies
in plants.
H.M., Stationary offices, London, Inpress
3rd . ed.

_____, (1963).
Solute uptake by intact plants.
Edited by Arther Wallace, Prof. Plant
Nutrition, UCLA , LA 90024 California USA.

_____, and Hale, V.Q. (1972).
Effect of Chelating agents and iron
chelates on absorption of Mn by bush beans
A decade of synthetic chelating agents in
inorganic plant nutrition, P.21-25
c.f. Annals of Agric. Sc. Moshtohor,
Vol. 12.1979.