

VII. LITERATURE CITED

- Abifarin, A. O. and R. C. Pickett. 1970. Combining ability and heterosis for yield, protein, lysine and certain plant characters in 18 diverse inbreds and 56 hybrids in Sorghum bicolor (L.) Moench. African Soils (1970), 15 (113) 379-416 (En, Fr, 4 ref.). Agric. Res. Sta., Kano, Nigeria.
(c.f. Pl. Breed. Abst. 42: 7836, 1972).
- Ali El-Khidir Kambal. 1963. A study on combining ability in grain sorghum. Diss. Abstr. 1963: 23: order No. 63: 2403. 4490-91.
(c.f. Pl. Breed. Abst. 34: 2229, 1964).
- Atkins, R. E. 1974. Heterosis in types of sorghum hybrids. Sorghum News letter, 17: pp. 83-84, 1974.
- Bell, G. M. 1966. Estimates of general and specific combining ability for grain yield and its components in grain sorghum. Diss. Abstr. 1966: 26: order No. 66-2953: 4938-4939.
(c.f. Pl. Breed. Abst. 37: 4270, 1967).
- , and R. E. Atkins, 1967. Estimates of general and specific combining ability in F_1 hybrids for grain yield and its components in grain sorghum, Sorghum vulgare pers. Crop Sci. 7: 225-228.
- Bhatt, G. M. 1971. Heterotic performance and combining ability in a diallel cross among spring wheats. (T. aestivum. L.). Australian J. Agric. Res. 22: 359-369.

- Blum, A. 1970. Nature of heterosis in grain production by the sorghum panicle. Crop Sci. 10: 28-31.
- 1977. Basis of heterosis in the differentiating sorghum panicle. Crop Sci. 17: 880-882.
- Burton, G. W. 1951. Quantitative inheritance in Pearl Millet. Agron. J. 43: 409-417.
- Campbell, L. G. and A. J. Casady, 1969. Effect of a single height gene (DW_3) or Sorghum bicolor (L.) Moench at 1-dwarf and 2-dwarf height levels. Crop Sci. 9: 828-830.
- Casady, A. J. 1965. Effect of a single height (DW) gene of sorghum on grain yield, grain yield components and test weight. Crop Sci. 5: 385-388.
- Castle, W. R., and Wright S. 1921. An improved method of estimating the number of genetic factors concerned in cases of blending inheritance. Science N.S. 54: 223.
- Castro, M. G., C. O. Gardner and J. H. Lannquist, 1968. Cumulative gene effects and the nature of heterosis in maize crosses involving genetically diverse races. Crop Sci. 8: 97-101.
- Chandra, S., H. S. Pooni and G. D. Sharma, 1973. Gene action governing days to flower, plant height and stem girth in sorghum. Indian J. Agric. Sci. 43: 442-448.
- Chauhan, B. P. S. and S. P. Singh, 1973. Heterosis in F_1 hybrid of interspecific crosses in sorghum (characters associated with fodder components). Agra. Univ. J. Res. 1973. 22 (3): 1-10 (En, 24 ref.) Dep. Bot. RBS. Coll., Agra. India. (c.f. Pl. Breed. Abst. 45: 3382, 1975).

Collins, F. C. and K. C. Pickett, 1972. Combining ability for grain yield, percent protein, and glycine/100 g protein in a nine-parent diallel of Sorghum bicolor (L.) Moench. Crop Sci. 12: 423-425.

----- and R. C. Pickett, 1972. Combining ability for yield, protein and lysine in an incomplete diallel of Sorghum bicolor (L.) Moench. Crop Sci. 12: 423-425.

Dalton, L. G. 1967. A positive regression of yield on maturity in sorghum. Crop Sci. 7: 271.

Dharempal Singh and U. Singh, 1973. Study of heritability and genetic advance in Sorghum vulgare pers (Jowar). Agric. Sci. Kanpur. India.
(c.f. Pl. Breed. Abst. 45: 3586, 1975).

Doggett, H. 1970. Sorghum (Manifestations of heterosis in sorghum) Longmans, Green and Co., Ltd. London and Harlow. pp. 167-168.

Draneko, I. A. and G. K. Dremlyuk, 1976. The inheritance of some characters in grain sorghum hybrids. Referativnyi Zhurnal 1976, 2-55. 210.
(c.f. Pl. Breed. Abst. 47: 10478, 1976).

Dzhabbarov, K. H. D. and T. V. Dergach, 1973. Heterosis of hybrids of local sorghum varieties on the basis of cytoplasmic male sterility-sel'skokhazyatstvennaya Biologiya (1973) 8 (2) 302-304. (Ru, 3 ref) Institut Eksperimental'noi Biologii Rastenii Akademii Nauk, Tashkent, Uzbek SSR.
(c.f. Pl. Breed. Abst. 43: 5893, 1973).

- Ecke bil, J. P., W. M. Ross, C. O. Gardner and J. W. Maranville. 1977. Heritability estimates, genetic correlations, and predicted gains from 51 progeny tests in three grain sorghum random-mating populations. Crop Sci. 17: 373-377.
- El-Hifny, M. Z., E. S. Kassem, M. El-Ghawas and M. K. El-Tohami, 1972. Variability in morphological characters, yield components, quality characters of grain sorghum. Assiut Jour. Agric. Sci. 1972. 3 (2) 65-84.
(c.f. Pl. Breed. Abst. 46: 2428, 1976).
- Erichsen, A. W. and J. G. Ross. 1963. A triploid derived from a self haploid sorghum plant. Crop Sci. 3: 99-100.
- Ernazarov, M. A. 1967. Production of hybrid sorghum on sterile basis. Selekcija, semenovedstvo (Breeding, seed. growing 1967: No. 1: 41-42). (Russian).
(c.f. Pl. Breed. Abst. 37: 4266, 1967).
- Fayed, M. F. S. 1975. Evaluation of newly developed cytoplasmic male sterile lines for their combining ability in sorghum.
(c.f. Agric. Res. Rev. Cairo. 53: 5-26).
- Fazlullah Khap, A. K. and P. Madhava Menon. 1973. Hybrid vigour in single and three-way cross hybrids of sorghum for grain yield. Madras Agric. J. 60:1232-1236. (En, 7 ref.) Tamil Nadu Agric. Univ., Coimbatore, India.
(c.f. Pl. Breed. Abst. 45: 4489, 1975).

- Freeman, J. E., H. H. Hadley and R. D. Seif, 1962.
Phenotypic effects of nine height mutants in
sorghum vulgare. Crop Sci. 2: 23-25.
- Gamble, E. E. 1962). Gene effects in corn (Zea mays, L.);
separation and relative importance of gene
effects for yield. Canad. J. Plant Sci. 42:
339-348.
- Goud, J. V. 1971. Combining ability in sorghum. Indian
J. Agric. Sci. 4: 924-931.
- , M. D. Kachapur and M. J. Vasudeva Rao, 1973.
Combining ability in Kharif sorghum. Mysore
Journal of Agric. Sci. 1973. 7 (3) 369-376.
(En, 5 ref.). Univ. Agric. Sci., Hebbal.
Bangalore. India.
(c.f. Pl. Breed. Abst. 44: 5942, 1974).
- Gutierrez, F. J. A., and D. C. Cassalet, 1976. Expression
of hybrid vigour in grain sorghum. Sorghum
bicolor (L.) Moench. Tropical Agric. 1976. 2
(11) Colombia.
(c.f. Pl. Breed. Abst. 47: 4290, 1977).
- Hadley, H. H. 1957. An analysis of variation in height
in sorghum. Agron J. 49: 144-147.
- , 1960. A genetic method for producing
seedless hybrid broomcorn. Agron. J. 52: 610-611.
Harry Lane, 1963. *Effect of high quality on maturity in the Milo group
of sorghum.* Crop Sci. 3: 496-499.
- Isokov, YA. I. and O. D. Sharova, 1974. Use of heterosis
in breeding grain sorghum. Tr. Donsk. Zonal'n.
Nil, S. Kh (1973) 6, 10-14 (Ru). from Referativnyi
Zhurnal (1974). 5: 155-161.
(c.f. Pl. Breed. Abst. 46: 10121, 1976).

- Jastrebov, F. S. 1967. Heterosis in sorghum hybrids. Selekc. Semenovod. Mežved. nauč. Sborn. (Breed. seed prod. Interdep. Sci. Rec.) 1966: No. 5: 94-99; from Ref. Ž (Ref. J.) 1967. Abst. 7-55. 150 (Russian). (c.f. Pl. Breed. Abst. 39: 6778, 1969).
- Johnson, R. E. 1966. The inheritance of six agronomic characteristics in sudangrass, Sorghum vulgare var sudanese. Diss. Abstr. 1966. 26: order No. 64-11, 253. p. 3596 (Abstr.). (c.f. Pl. Breed. Abst. 37: 2459, 1967).
- Kalishnik, N. S. 1963. Cytoplasmic male sterility in Sorghum breeding and seed production. Selekcija; Semenovodstvo (Breeding and seed growing) 1963: 28: No. 3: 32-38 (Russian). (c.f. Pl. Breed. Abst. 34: 529, 1964).
- Kambal, A. E. and E. H. Abu-El-Gasim, 1976. Manifestations of heterosis in grain sorghum. Exp. Agric. (1976) 12 (1) 33-42 (En. 10 ref.). Fac. Agric. Shambat, Sudan. (c.f. Pl. Breed. Abst. 46: 9013, 1976).
- and O. J. Webster, 1965. Estimation of general and specific combining ability in grain sorghum, Sorghum vulgare pers. Crop Sci. 5: 521-523.
- , and ----- 1966. Manifestation of hybrid vigour in grain sorghum and the relations among the components of yield, weight per bushel and height. Crop Sci. 6: 513-516.

- Karper, R. E. and J. R. Quinby, 1937. Hybrid vigour in sorghum. J. Hered. 28: 83-91.
- Kempthorne, O. 1957. An introduction to genetic statistics. New York. John Willey and Sons, Inc.
- Koeing, R. and T. L. Walter, 1966. Correlation and Path. Coefficient analysis of components of yield in grain sorghum (Sorghum vulgare pers). Abstr. of Annual Meetings of the American Society of Agronomy held at Oklahoma State University, Stillwater, on August 21-26, 1966, p. 10.
(c.f. Pl. Breed. Abst. 37: 688, 1967).
- Krishnamurthy, K., B. G. Pajashakara, G. Paghu Matha, M.K. Jagannath, A. Bommegowda and N. Venugopal. 1974. Growth and yield differences in transplanted sorghums. Mysore J. Agric. Sci., 8 (1): 60-68.
(c.f. Pl. Breed. Abst. 45: 4491, 1975).
- Labib, H. A. M. 1965. Studies on heterosis in hybrid sorghum produced by utilizing male sterility and the relationship between plant grain yield and some morphological characters. M. Sc. Thesis, Fac. Agric. Cairo. Univ. 1965.
- Liang, G. H. 1966. Diallel analysis for twelve agronomic characters in grain sorghum (Sorghum vulgare pers). Abstracts of the annual meeting of the American Society of Agronomy held at Oklahoma State University Stillwater on August 21-26, p. 11,626.
(c.f. Labib, 1965).

Liang, G. H. 1967. Diallel analysis of agronomic character in grain sorghum (Sorghum vulgare pers). Canad. J. Genet. Cytol. 9: 269-276.

-----, 1967. Heritability estimates and interrelationships among agronomic traits of two grain sorghum crosses. Agron. Abstr. Madison 1967. P. 14.
(c.f. Pl. Breed. Abst. 39: 2467, 1969).

-----, C. B. Overley and A. J. Casady, 1969. Interrelations among agronomic characters in grain sorghum (Sorghum bicolor (L.) Moench). Crop Sci. 40: 299-302.

-----, C. R. Reddy and A. D. Dayton, 1972. Heterosis, inbreeding depression and heritability estimates in a systematic series of grain sorghum genotypes. Crop Sci. 12: 409-411.

Liang, G. H., T. L. Walters, C. D. Nickell and Y. O. Koh. 1969. Heritability estimates and interrelationships among agronomic traits in grain sorghum. Sorghum bicolor (L.) Moench. Canad. J. Genet. Cytol. 11: 199-208.

Madhava Rao, T. and J. V. Goud, 1972. Line x Tester analysis in sorghum. Anales de Edafología Y Agrobiología (1972) 31 (718) 523-531 (En, es, 8 ref) Univ. Agric. Sci., Regional Res. Sta. Raichur, Mysore, India.
(c.f. Pl. Breed. Abst. 43: 6904, 1973).

- Mahmud Pasae, M. A. 1974. Correlation studies in Sorghum bicolor (L.) Moench. Agric. Pakistan 1973. Publ. 1974. 24 (314) 245-259.
(c.f. Pl. Breed. Abst. 46: 2427, 1976).
- Malam, N. P. 1968. Exotic germplasm use in grain sorghum improvement. Crop Sci. 8: 295-298.
- Malinovskij, B. N. 1967. Heterosis and cytoplasmic male sterility in sorghum and their use in breeding. Genetika (Genetics), Moskova 1967. No. 11: 3-14 (Russian).
(c.f. Pl. Breed. Abst. 38: 4495, 1968).
- Mohammad Abraham, Mohammad Aslam, and Mohammad Sarfraz Khan, 1974. Heterosis studies in some sorghum crosses involving male sterile and restorer lines. J. Agric. Rec. Pakistan (1974) 12 (1) 53-60 (En, 10 ref.).
(c.f. Pl. Breed. Abst. 46: 8046, 1976).
- Morgan Chiang and J. D. Smith, 1967. Diallel analysis of the inheritance of quantitative characters in grain sorghum. II. gene action, the number of effective factors and heritability. Canad. J. Genet. Cytol. 9: 823-830.
- Musehib, U. D. DIN Khan and Hidayat Ali, 1965. Use of cytoplasmic male sterility in sorghum for increasing forage yields (hybrid vigour in sorghums). W. Pak. J. Agric. Rec. 1965: 3 No. 2-3: 65-72.
(c.f. Pl. Breed. Abst. 39: 4750, 1969).

- Musehib, U.D. DIN Khan and Muhamud Akram, 1962. Combining ability in sorghums. Agric. Pakistan 1962: 13: No. 4. 37-48.
(c.f. Pl. Breed. Abst. 34: 5836, 1974).
- Nagur, T. and P. Madhava Menon, 1974. Line x Tester analysis for combining ability of different male sterile lines of sorghum.
(c.f. Sorghum Newsletter. 17. P. 20. 1974).
- Narasimba Rao, D. V. and K. O. Rachie. 1964. Correlations and heritability of morphological characters in grain sorghum. Madras Agric. J. 51: 156-161.
(c.f. Pl. Breed. Abst. 36: 465, 1965).
- Nasr, H. G. and W. W. Worzella, 1966. Comparisons of F_1 and F_2 grain sorghums for yield and other agronomic characteristics. Agron. J. 58: 447-449.
- Niehaus, M. H. 1964. Combining ability for grain yield and its primary and secondary components in Sorghum vulgare pers. Diss. Abstr. 1964. 25: order No. 64 - 12, 768: 3196.
(c.f. Pl. Breed. Abst. 36: 1981, 1966).
- and R. C. Pickett, 1966. Heterosis and combining ability in a diallel cross in Sorghum vulgare pers. Crop Sci. 6: 33-36.
- Nishible, K. Ujihara and S. Shikata, 1974. Combining ability and heterosis in grain sorghum. Sorghum Newsletter; 17 P. 68-69. 1974.

- Omarov, D. S. 1975. The method of the calculation and evaluation of heterosis in plants.
(c.f. Biol. Abstr. 61: 4234, 1976).
- Paisan Laosuwan and R. E. Alkins, 1977. Estimates of combining ability and heterosis in converted exotic sorghum. Crop Sci. 17: 47-50.
- Pi, C. P. and K. D. Wu, 1963. The inheritance of cytoplasmic genetic male sterility in sorghum. Bot. Bull. Acad. Sci. 4: 15-22. Sorghum Newsletter 4: 9-10, 1964.
- Quick, J. S. 1967. Combining ability and heterosis in diallel crosses to male steriles in Sorghum vulgare pers. under high populations and fertility. Diss. Abstr. Ser. B. 1967. 27: order No. 66-13, 246. p. 2221.
(c.f. Pl. Breed. Abst. 38: 707, 1968).
- Quinby, J. R. 1963. Manifestation of hybrid vigour in sorghum. Crop Sci. 3: 288-91.
- 1967. The maturity genes of sorghum (Maturity gene loci and heterosis) Advances in Agronomy (19) 297. (
(c.f. Improvement and Production of maize, sorghum and millets. F.A.O., 1972).
- , 1969. Fourth maturity gene locus in sorghum. Crop Sci. 6: 516.
- and R. E. Kerper, 1954. Inheritance of height in sorghum. Agron. J. 46: 211-216.

Rao, N. G. P. 1962. Occurrence of cytoplasmic genetic male sterility in some Indian sorghum. Ind. J. Genet. 22: 257-259.

----- and B. R. Murty, 1970. Components of heterosis in two sorghum hybrids. Indian J. Genet. 30: 230-236.

-----, V. K. S. Rana and D. P. Tripathi, 1968. Line x tester analysis of combining ability in sorghum. Indian, J. Genet. 28: 231-238.

Reddy, R. P. 1963. Studies on hybrid vigour in relation to general and specific combining ability in sorghum. M. Sc. Thesis, IARI, New Delhi.

Reddy, C. R. and G. H. Liang, 1971. Genetic variability of yield in F_2 populations of grain sorghum (Sorghum bicolor (L.) Moench). Canad. J. Genet. Cytol. 13: 101-104.

Satish Rao, C., YA: B. W. Ponnai and V. S. Raman, 1964. Studies on the morphology and fertility of male sterile Kafir grain sorghum hybrids and their progeny. Madras Agric. J. 51, p. 355. (c.f. Pl. Breed. Abst. 35: 4632, 1965).

Shankaregowda, B. T., Madhava Rao and S. W. Mensinskai, 1972. Heterosis and line x tester analysis of combining ability in selected lines of sorghum (Sorghum vulgare pers) I. Magnitude of heterosis. Mysore J. Agric. Sci. 6 (3): 234-241. Coll. Agric. Dharwar, India. (c.f. Pl. Breed. Abst. 43: 7873, 1973).

- Shankaregowda, B. T., Madhava Rao and S. W. Mensinkai, 1972. Heterosis and line x tester analysis of combining ability in selected lines of sorghum (Sorghum vulgare pers). II. Combining ability. Mysore J. Agric. Sci. 6 (3): 242-253. Coll. Agri. Dharwar. India.
(c.f. Pl. Breed. Abst. 43: 7874, 1973).
- Shukla, P. T. 1966. Studies of hybrid vigour in some of the jowar (S. vulgare pers), hybrids involving cytoplasmic genetic male sterile line MS 22-2-10. Ann. Agric. Res. Abstr. Post grad. Res. WK 1960-65. Nagpur Agric. Coll. Mag. 1966. Spec. Res. No. P. 121.
(c.f. Pl. Breed. Abst. 39: 686, 1969).
- Singh, N. B., H. G. Singh, P. Singh and S. P. Singh, 1976. Path. analysis for yield components in grain sorghum (Sorghum bicolor (L.) Moench). Science and culture 42 (10): 524-525.
(c.f. Pl. Breed. Abst. 47: 9431, 1977).
- Sinska, J. 1974. Morphological and biological characteristics of F_1 hybrids of sorghum with the sterile line CK60 anoch (1974) 12, 177-184, Szechoslovakia.
(c.f. Pl. Breed. Abst. 46: 8050, 1976).
- Sprague, G. F. and L. A. Tatum, 1942. General versus specific combining ability in single crosses of corn. Agron. J. 34: 923-932.
- Stickler, F. C. and A. W. Pauli, 1963. Yield and yield components of grain sorghum as influenced by date of planting. Tech. Bull. Kans. Agric. Exp. Sta. 1963. No. 130, 15 pp.
(c.f. Pl. Breed. Abst. 34: 4108, 1964).

- Subramanian, A., K. Meenakshi, L. Sivagnanam and M. S. Thangam, 1962. Studies on heterosis in sorghum. Madras. Agric. J. 49: 84-86.
(c.f. Pl. Breed. Abst. 32: 4813, 1962).
- Tomeu, A. and J. A. Pena, 1972. Heterosis in four sorghum crosses. Revista Cuban de Ciencia Agricola (1972) 6 (2, English. Ed.) 251-265 (En. 35 ref.) Instituto de Ciencia Animal, San José delas Lajas, Cuba.
(c.f. Pl. Breed. Abst. 43: 5028, 1973).
- , J. Perez and M. Menchaca, 1974. Combining ability in sorghum crosses. Cuban J. Agric. Sci. 8 (1): 67-77 (En, 17, ref.) Institute de Ciencia Anim, San José de las lajas, Habana, Cuba.
(c.f. Pl. Breed. Abst. 45, 289, 1975).
- Utkheda, R. S. 1966. Studies of heterosis in jowar (Sorghum vulgare pers) with special reference to utilization of cytoplasmic male sterility. Ann. Agric. Res. Abst. post-grad. Res. WK. 1960-65: Nagpur Agric. Coll. Mag. 1966. Spec. Res. No. 116-117.
(c.f. Pl. Breed. Abst. 39: 685, 1969).
- Vasudeva, M. J., Rao and J. V. Goud 1975. Heterosis and heterobeltosis in Sorghum bicolor (L.) Moench. Mysore J. Agric. Sci. (1975) 9 (2): 229-236.
(En, 6, ref.) Dep. Bot. Coll. Agric., Dharwar, India.
(c.f. Pl. Breed. Abst. 46: 6297, 1976).

- Vishnu Swarup and D. S. Chaugale, 1962. Studies on genetic variability in sorghum. II. Correlation of some important quantitative characters contributing towards yield and application of some selection indices for varietal selection. Indian J. Genet. 22: 37-44.
- Webster, O. J. and S. P. Singh, 1964. Breeding behaviour and histological structure of an anther in sorghum. Crop Sci. 4: 656.
- Whitehead, W. L. 1962. The breeding behaviour of phenotypically diverse grain sorghum varieties in hybrid combination. Ph. D. Thesis, Purdue Univ., U.S.A.
(c.f. Improvement and production of maize, sorghum and millet. F.A.O. 1972. p. 212).
- Wilson, N. D., D. E. Weibel and R. W. Menew, 1978. Diallel analysis of grain yield, percent protein, and protein yield in grain sorghum. Crop Sci. 18: 491-495.
- Yastrebov, F. S. and V. M. Linnik, 1970. A study of the effect of general and specific combining ability in sorghum. Selektsiya, Semenovodstvo. Resp. Mezhd. Temat. Nauchn. 56. (1970) No. 15, 71-75 (Ru). From Referativnyi Zhurnal, 55 (1970) No. 7 Abst. 7: 55. 181.
(c.f. Pl. Breed. Abst. 42: 2582, 1972).
- Yesoda Raj, A. 1968. Cytoplasmic genetic male sterility in sorghum. Andhra Agric. J. 15: 61-73.
(c.f. Pl. Breed. Abst. 39: 4752, 1969).