

VII. REFERENCES

- Abd-Allah, F.F. and A.W. Tadros (1995):** Population dynamics of *Enneadesmus trispinosus* Olivier (Coleoptera: Bostrichidae) on date palm leaves. Egypt. J. Agric. Res., Cairo, Egypt, 73(2): 371-377.
- Ahmeida, A.A.; N.F. Skora and A.A. Antunes (1991):** Influence of temperature on the development of *Ephestia cautella* (Walker) in stored wheat grains. Revista Brasileira de Entomologia, 35 (1): 155 – 164.
- Ahmed, M.S.H.; I.A. Al-Hassany; S.B. Al-Mooza and H.A. Ouda (1975):** Cross-mating studies on two strains of the fig moth, *Ephestia cautella* Walker. 3rd Interna. Palm and Dates Conf., Bagdad, 30 November – 4 December, 1975, 12 pp.
- Ahmed, M.S.H.; A.A. Al-Taweel and A.A. Hameed (1994):** Reduction of *Ephestia cautella* (Lepidoptera: Pyralidae) infestation rate of stored dates by releasing Cytoplasmically incompatible males. Insect Sc. And its Appl., 15 (1): 25 – 29.
- Al-Azawi, A. F. (1986):** A survey of insect pests of date palms in Qatar. Date Palm J. 4 (2): 247 – 266.

- Al-Azawi, A.F.; H.S. El-Haidari; F.M. Aziz and A. Khuthair (1979):** Effect of high temperatures on *Ephestia cautella* Walker (Lepidoptera: Pyralidae) an important pest of stored dates in Iraq. 9th Interna. Cong. Of Plant Protec. And 71st Annual meeting of the American Phytopathological Soc., Washington, D.C., USA, 5 – 11 August 1979, Abst. No. 97.
- Alfieri, A. (1956):** La veritable identite du *Scarabee sacre* de l'Egypte pharaonique. Bull. Soc. Ent. Egypte, 40: 451 – 452.
- Alfieri, A. (1976):** The Coleoptera of Egypt. Monograph Soc. Ent. Egypt, 5: 85 – 220.
- Al-Jboory, I.J.; F.M. Aziz and Q.k. Zoien (1998):** Effect of insect growth inhibitor lufenuron (Match) on *Ephestia cautella* (Walker) under laboratory condition. Arab J. Plant Protec., 16 (2): 81 – 85.
- Alloley, J. and L. Goswami (1990):** Comparative biology of two phycitid moths, *Plodia interpunctella* (Hubn.) and *Ephestia cautella* (Walker) on some selected food media. Insect Sci. and its Application, 11 (2): 209 – 215.
- Al-Taweel, A.A.; M.S.H. Ahmed; M.J. Nasser and M.A. Shawkit (1995):** Reuse of the larval diet in mass rearing the fig moth, *Ephestia cautella* (Walker). J. Stored Prod. Res., 31 (3): 249 – 251.

- Amin, A. (1995):** Report of the expert consultation on date palm pest problems and their control in the near east. Al-Ain, United Arab Emirates, 22 – 26 April 1995, pp. 9 – 10.
- Batt, A.M. and G.N. Girgis (1996):** Survey of the borers attacking date palm trees in Egypt. Menofia J. Agric. Res., 21 (4): 945 – 954.
- Bartels, D. and J. Schliesske (1997):** The problem to pave the damage caused by stored products pests with an example of three species imported with raw cacao. Proc. German Soc. Gen. Appl. Ent., Bayreuth, Germany, 18 – 22 March 1997, 11 (1 - 6): 323 – 326.
- Bell, C.H. (1975):** Effects of temperature and humidity on development of four Pyralid moth pests of stored products. J. Stored Prod. Res., 11: 167 – 175.
- Bishara, S.B. (1958):** Comparative morphology of some dynastid larvae injurious to Agriculture in Egypt. Bull. Soc. Entoml. Egypte, XLII, pp. 501-514.
- Bitaw, A.A. and A.A. Ben Saad (1990):** Survey of date palm trees insect pests in Libya. Arab J. Plant Protec., 8 (2): 27 – 76.
- Cox, M.L. (1993):** Red palm weevil, *Rhynchophorus ferrugineus*, in Egypt. FAO Plant Protection Bull., 41 (1): 30-31.

- El- Haidari H. S. (1981):** New records of mites and insects infesting date palms in the near east and north Africa. Date Palm J., 1 (1): 133 –134.
- El-Haidari, H.S. (1982):** New records of Dubas bug *Ommatissus binotatus lybicus* (De Bergevin) on date palms in Sudan. Date Palm J. 1 (2): 308.
- El-Hemaesy, A.H. (1976):** A short note on the desert subterranean termite, *Amitermis desertorum* (Desneux) attacking and damaging live trees in Upper Egypt. Agric. Res. Rev., 54 (1): 193 – 195.
- El-Sebay, Y. (2001):** Termites. Termite Control Project in Aswan. Plant Protec. Res. Inst., ARC, MOA, Extension Press, Ismailia, Egypt, 36 pp.
- El-Sebay, Y. (2002):** Ecological studies on the red palm weevil, *Rhynchophorus ferrugineus* Oliv. (Coleoptera: Curculionidae) in Egypt. Egypt. Agric. Res. Rev., accepted 28 August 2002.
- El-Sebay, Y.; M.K.Abdel-Lattef and T.M. Makhoulf (2002):** Laboratory rearing of red palm weevil, *Rhynchophorus ferrugineus* Olivier (Coleoptera: Curculionidae) on artificial medium diet. Egypt. Agric. Res. Rev., accepted 25 June 2002.

- Gothilf, S.; E. Sffaaya and S. Levski (1993):** Effect of sex, age and mating on attraction of *Cadra Cautella* (Walker). Inst. Plant Protec., Volcani Center, Bet Dagan, Israel , 116 (2): 139 – 144.
- Gough L. H. (1913):** Entomologioal notes. Agric. J. of Egypt, Cairo, 3 (2): 103 – 106.
- Gough. L. H. (1917):** Notes on an *Ephestia*, an insect injurious to stored dates in Khargeh Oasis. Bull. Soc. Entomol. Egypte, 5: 133 -140.
- Hafez, M. and S.I. Bishara (1961):** Studies on the biology and ecology of *Pentodon bispanosus* Kust. In Egypt: 1. The adult stage (Coleoptera: Scarabaeidae – Dynastinae). Bull. Soc. Ent. Egypte, XLV: 155 – 178.
- Hafez, M. and S.I. Bishara (1961):** Studies on the biology and ecology of *Pentodon bispinosus* Kust. In Egypt: 1. The immature forms (Coleoptera: Scarabaeidae – Dynastinae). Bull. Soc. Ent. Egypte, XLV: 179 – 193.
- Hayes, W.P. (1930):** The life-histories of some Kansas Lachnosterrw. J. Econ. Ent., XIII, pp. 303-318.
- Helal, H. (1986):** Wood – boring insects and their host plants in Egypt. Agric. Res. Rev., 64 (1): 21 – 49.

- Helal, H. and Y. El-Sebay (1994):** Contribution on the wood borers attacking date palm trees and its control in Egypt. Egypt J. Hort., 21 (1): 25 – 46.
- Helal, H. and Y. El-Sebay (1985):** Host and host preference of the powder-post beetle, *Enneadesmus obtusidentatus* Lesne in Egypt (Coleoptera: Bostrychidae). Bull. Soc. Ent., Egypt, 65 (1): 191 – 196.
- Helal, H.; A.L. Abdel-Salam and Y. El-Sebay (1986):** Biological studies on *Bostrychopsis reichei* Mars. In Egypt (Coleoptera; Bostrychidae). Agric. Res. Rev., 64 (1): 51 – 61.
- Hussain, A.A. (1974):** Date palms and dates with their pests in Iraq. Univ. of Bagdad, Bagdad, Iraq, 166 pp.
- Hussein, A.A. (1990):** The influence of date varieties and palm height on unripe green dates infestation by the date stone beetle, *Coccotrypes dactyliperda* in Baharia Oasis. Annals Agric. Sc., Mansoura, 28 (4): 132 – 135.
- Hussein, K.M.H. (1998):** Biological , ecological and control studies on the red palm weevil *Rhynchophorus ferrugineus* (Olivier), in Sharkia and Ismailia Governorates. M.Sc. Thesis, Fac. Agric., Zagazig Univ.

- Kinawy, M.M.; F.F. Abd-Allah and A.W. Tadros (1991):** The seasonal fluctuation in the population of *Enneadesmus obtusidentatus* Lesne (Coleoptera: Bostrichidae) on fig trees in Egypt. Tropical Pest Management, London, United Kingdom, 37 (3): 228 - 230.
- Khoualida, O.; A. Rhouma; J.P. Marro and J. Brun (1997):** First observation on the date palm test *Oryctes agamemnon* in Tunisia. Fruits Paris, 52 (2): 111 – 115.
- Mostafa, F.F.M. (1977):** Studies on the biology and ecology of the sunt macrotoma, *Macrotoma palmata* F. (Coleoptera: Cerambycidae). M.Sc. Thesis, Fac. Agric., Cairo Univ.
- Mourad, A.K. and J.C.Zanunciso (1998):** Population dynamics of *Parlatoria planchardii* (Targ.) (Homoptera: Diaspididae) on two date palm varieties in Egypt. Proc. 50th Interna. Symp. On crop Protec. , Gent, 5 May 1998, 63 (2a): 389 – 395.
- Naeem,M.; S.K.Khalil; A.K. Wazir and S.F. Immanullah (1992):** Date palm borers and their management. Sarhad J. Agric., 8 (1): 101 – 106.
- Okil, A.M., S. Hagag and A.W. Tadros (2000):** Population dynamics of *Phyllognathus excavatus* (Col.: Scarabaeidae) in date palm orchards in Egypt. Fayoum Agric. Res. J., accepted Oct., 2000.

- Quartey, G.K. and T.H. Coaker (1996):** Periodicity of activity and sexual response of adult *Ephestia cautella* (Walker). J. Appl. Entomol., 120: 335 – 339.
- Rizk, G.N.; A.M. Hakel, A.K. Emam and H.W.M. Hanafy (1998 a):** Ecological studies on three Scarabaeid beetles; *Tropinota squalida* Scop., *Pachnoda fasciata* F. and *Potosia cuprea* F. 7th Conf. Agric. Dev. Res., Fac. Agric., Ain-Shams Univ., Cairo, December 15 – 17, 1998. Annals Agric. Sci., Sp. Issue 1: 201 – 211.
- Rizk, G.N.; A.M. Hakel, A.K. Emam and H.W.M. Hanafy (1998 b):** The effect of temperature and nutrition on certain biological aspects of three Scarabaeid beetles; *Tropinota squalida* Scop., *Pachnoda fasciata* F. and *Potosia cuprea* F. (Coleoptera: Scarabaeidae). Annals Agric. Sci., Ain-Shams Univ., Cairo, 43 (1): 287 – 293.
- Sadok, B.K.M. and V. Gerini (1988):** *Apate monachus* F.: Coleoptera , Bostrichidae: an insect which could become a pest of date palms in the oasis of the Governorate of Kebili, in Tunisia. Rivista de Agric. Subtropicale e Tropicale, 82 (1-2): 371 – 377.
- Salman, A.G.A.; M.A.A. Morsy and A.A. Sayed (1987):** Tolerance of some Egyptian timber to the attack of the sand termite *Psammotermis hypostoma*. Assiut J. Agric. Sc., 18 (4): 23 – 29.

Srikantaiah,M.; S.S. Joshi and C.A. Viraktamath (1997):

New host records of the almond moth, *Ephestia cautella* (Walker) in south India. Entomon, 22 (3 - 4): 251 – 253.

Swaminathan, R. and S.K. Verma (1991): Studies on the incidence of date palm scale, *Parlatoria planchardii* (Targ.) in western Rajasthan. Entomon, (16) 3: 217 – 221.

Tadros, A.W. (1994): Monitoring the population of the wasp beetle, *Chlorophorus varius* Mull. (Coleoptera: Cerambycidae) on peach and its hosts in Egypt. Egypt. J. Agric. Res., 72(1): 103-115. (5th Professional Fruit Workers Conf., Ashville, North Carolina, USA, Oct. 17 - 18, 1990, 5 (16)).

Tadros, A.W., (1998): Ecological and control studies on date stone beetle, *Coccotrypes dactyliperda* (Fab.) (Coleoptera: Scolytidae) in Egypt, Date palm conference, ACCAD, Marrakech, Morocco, 1998.

Teotia, T.P.S. and R.C. Pandey (1968): The effect of different natural foods on the oviposition, fecundity and development of *Cadra (Ephestia) cautella* Walker. Labdev. J. Sci. Techno., 6-B (3): 145 – 150.

Willcocks, F. C. (1924): A survey of the more important economic insects and mites of Egypt. Bull. Sult. Agric. Soc., Tech. Sec., 2: 219 – 221.

Wool, D. and B.N. Kamin (1992): Relative fitness in an ecological context. A three dimensional representation of fitness of almond moth strains *Ephestia cautella* (Walker). J. Appl. Entomol., 113 (2): 168 – 174.

Yassa, S.D. (1967): Biology and Control of Insects Infesting Dates in Egypt. M.Sc. Thesis, Fac. Agric., Ein_Shams Univ.