

LITERATURE CITED

- Abbas, W.A. (1999).** Effect of some additives on the tolerance of olive plants to salinity. M. Sc. Thesis, Faculty of Agric., Cairo University, Egypt.
- Abdalla, K.A.; Mohsen, A. M.; Radda, K. A. and Ahmed, R.B. (1981).** Morphological responses to salinity in (*Ficus carica*) Transplants. Zagazig J. Agric. Res., 8 (1): 21-38.
- Abd El-Ghani, N. A. (1990).** Effect of salt stress on peach plants. Ph. D. Thesis, Fac. Agric. Ain Shams Univ. Cairo, Egypt.
- Abd El-Karim, M.A. (1997).** Studies on tolerance of some grapevine cultivars to stress. Ph. D., Thesis, Faculty of Agriculture, Cairo University.
- Abd El-Khalik, S.M. (1989).** Effect of paclobutrazol on Balady mandarin trees. II. Leaf minerals content. Zagazig Jour. Agric. Res. Vol. 16 (3): 1-9.
- Abd El- Mageid, I. S. (1998).** Physiological studies on salinity tolerance of almond seedlings. M. Sc. Thesis, Fac. Of Agric. Moshtohor Zagazig Univ., Egypt.
- Abd El-Rahman, A. A., Stalaby A. F. and El-Monayeri, M. O. (1971).** Effect of moisture stress on metabolic products and ions accumulation. Plant and Soil, 34 (1): 65-90.

- Abd El-Rahman, A. M. (1999).** Effect of saline water irrigation and cycocel on growth and uptake of some elements of *Annona* seedlings. Hort., Res., Inst., Agriculture Research Center, Giza, Egypt.
- Abo El-Khashab, A. M. (1997).** A melioration of salt stress in peach and olive seedlings by Paclobutrazol. Ph. D. Thesis, Faculty of Agriculture at Kafr El-Sheikh, Tanta University.
- Agafonov, N.V., Luchkov, P.G.; Ibrahimov, V.K.; Amintaev, Z.N.; Binovskh, I.K. and Kladiko, V.M. (1983):** Application of growth' regulators in apple orchards slopes with insufficient soil water content. Timiryazev Academy, Moscow, USSR, No. 4, 121,-127. (Hort. Abst. 1983 No. 10, Vol. 53 : 6945).
- Ahmed, F. F. and EI-Dawwey, G. M. (1992).** What type of saline water could Red Roomy grapevine seedlings tolerate and at which concentration. I- Growth and leaf chemical composition. Minia J. of Agric. Res. Dev. Vol. 14: 65-81.
- Ahmed, R. B. (1982).** Studies on physioloical and histological responses of *Ficus carica* L., transplants to salinity. M. Sc. Thesis, Hort., Dept., Fac. Agric., Zagazig Univ. Egypt.
- Ahmed, R. B. (1990):** Physiological studies on draught resistance of fig transplants. Ph. D. Thesis, Fac. Agric., Ain Shams Univ., Cairo, Egypt.

- Ahmed, S. A.; Allam, A. M.; Higazi, A. M.; Atalla, A. S. and Omar, A. H. (1988).** Effect of saline water irrigation and kinetin spray on physiological and chemical characters of two grapevine cvs., (*Vitis vinifera* L.). Minufiya J. Agric. Res. Vol. 13: 1667-1689.
- Aliza, B.; Llia, G. and Vaadia, Y. (1967).** Water and salt stresses, Kinetin and protein synthesis in tobacco leaves. Plant Physiol., 42: 361-365.
- Al-Khateeb, A.F. (1989).** Effect of water salinity on plant growth of some fig varieties. M. Sc. Thesis. Fac. of Agric. Moshtohor, Zagazig Univ., Egypt.
- Al-Khateeb, A.F. (1996):** The influence of some growth regulators and mineral nutrients on growth and drought resistance of some fig varieties. Ph.D. Thesis, Fac. of Agric. Moshtohor, Zagazig University. Benha branch.
- Al-Saidi, I. H. (1980).** Studies on the influence of different concentrations of sodium chloride and calcium chloride salts types on the growth of some grape vine cultivars transplants. Mesopotamia J. Agric., 15 (1): 125-135 (C.F. Hort. Abst., 53 (3): 1626).
- **and Alwali, B. J. (1984).** Studies on the influence of different concentrations of NaCl and CaCl₂ salts types on growth, dry weight and mineral elements of some grape vine cultivars. Ann. Agric. Sci., Ain Shams Univ., 29: 971-988.

- Al-Saidi, I. H.; Shakir I. A and Hussein A. J (1988).**
Rooting of some grapevine cuttings as affected by salinity. *Annals of Agric. Sci. Ain Shams University*, 33 (1): 479-499.
- Aly, M. M. (1979).** Effect of salinity on growth of Some fruit species. Ph.D. Thesis, Hort. Dept., Fac. Agric. Ain Shams Univ., Egypt.
- ; **EL- Hammady, M.M. and Salama, M.A. (1986).** Plant nutrients of some citrus rootstocks as affected by salinity. *Proc. 1st Hort. Sci. Conf.*, Tanta Univ., 11 :804-829.
- Antipov, I. V. (1958).** Water relations of some culture grasses grown on salanized soils. *Fiziol. Rast.*, 5: 282-285.
- Antognozzi, E. and F. Catalano (1985).** The effects of treatments with exogenous growth regulators on the vegetative and reproductive activities of olive. *Annali della Facolta di Agraria Universita degli Studi di Perugia* 39:199-206.
- Antognozzi, E. and G. Frenguelli (1987).** Vegetative and productive activities, photosynthesis and carbohydrate content in olive trees treated with pacloputrazol. *Annali della Facolta di Agraria Universita degli studi di Perugia* 1987, Publ., 1989; 41: 809-825.
- Antognozzi, E. and Preziosi, P. (1986).** Effects of paclobutrazol (PP₃₃₃) on nursery trees of olive. *Acta Horticultrae*. No. 179, (Vol. II), 583-586.

- Anju-Thakur; P. S. and Singh, R. P. (1998).** Influence of paclobutrazol and triacotanol on growth and water relations in olive varieties under water stress. Indian Jour. of Plant Physiolog, 3 (2): 116-120. (Hort. Abst. 69 (2):1661).
- Atkijson, D. and Crisp, C. (1983):** The effect of number of plant growth regulators on fruit (Apples) tree root growth and mineral nutrition. Journal of the science of food and Agriculture. 34. (2) 265. Hort. Abst. 53 (7): 4820.
- Attia, R. B. (1994).** Studies the effect of salinity on some fruit plants (apple and olive) Ph. D. Thesis, Fac. Agric. Ain. Shams. Univ., Egypt.
- Attia, S. A. (2002).** Studies on growth of olive plants under salt stress . Ph. D. Thesis, Fac. Agric. Cairo. Univ. Egypt.
- Ayers, A. L. (1950).** Salt tolerance of avocado trees grown in culture solution. Cal. Avocado Year Book, pp. 139-148.
- Ayers, R. S. (1977).** Quality of water for irrigation and drainage division. Proc. Amer. Soc. Civil Engineers, 103:135-1540
- Bacha; M. A. and El-Azab, E. M. (1976).** The influence of three sodium salts on the growth, leaf and root mineral contents of pecan. Alex. J. Agric. Res., 24 (1): 83-92.
- Batels, L.S., Waldren, R.P. and Teare, I.D.(1973).** Rapid determination of free proline for water stress studies. Plant and Soil 939:205-207.

- Bausher, M.G. and G. Yelenosky (1986).** Sensitivity of potted citrus plants to top sprays and soil applications of paclobutrazol. Hort. Sci. 21 (1): 141-143.
- Behairy, Z. H.; Khamis, M. A.; Abd El-Aziz, A. Z. and Ibrahim, M. M. (1984).** Modification of salt tolerance in relation to some fruit seedlings by foliar applications with elements and growth substances. 1- Effect of salinity on growth of American and European grape seedlings. 3rd Arabic congress for Horticulture 7-10 October.
- ; **S. Maximos; M. Abo Rawash and Rokia, B. (1991):** Studies on the effect of irrigation and some growth retardants on fig. plants. 2. Physiological and chemical studies. Annals Agric. Sci., Ain Shams Univ., Cairo 36 (1): 183-192. Egypt.
- Behboudian, M. H.; R. R. Walker and Tarokfalvy, E., (1986).** Effect of water stress and salinity on photosynthesis of pistachio. Sci. Hort. 29 (3): 251-262. (C.F. Hort. Abst.; 56; 9518).
- Bernstein, L. (1961).** Osmotic adjustment of plants to saline media, I- Steady State. Am. J. Bot. 48: 909-918.
- **(1975).** Effect of salinity and sodality on plant growth. Am. Rev. of phytopathology, 13: 295-311.
- **(1980).** Salt tolerance of fruit crops. Agriculture information Bulletin. No. 292; 8pp.(En, 2 P10. Col) [C.F. Hort. Abst. , 52 (4)].

- Bernstein, L. and Hayward, H. E. (1958).** Physiology of salt tolerance. Amer. Rev. plant phys. 9: 25-46.
- ; **Francois, L. E. and Clark, R. A. (1972).** Salt tolerance ornamental shrubs and ground covers. J. Amer. Soc. Hort. Sci., 97: 550-556.
- Beshir, R. A. (1982).** Studies on physiological and histological responses of *Ficus carica* L. transplants to salinity. M. Sc. Thesis, Hort. Depart., Fac. of Agriculture, Zagazig Univ. Egypt.
- Bhambota, J.R.; Singh, P.P. and Gupta, M.R.(1963).** Studies on salt tolerance of mango plant. Panjab Hort. J. , 3:164-170.
- Bingham, F.T.; L. B. Fenn and J.J. Oerthi (1968).** A sand- culture study of chloride toxicity to mature avocado trees .Soil Sci. Soc. Amer Proc., 32 (2):249-252.
- Biricolti, S. and Pucci, S. (1995).** Effect of increasing NaCl rates on "Redhaven" peach and "G.F. 677" rootstock cultured in vitro. Advances in Horticultural. Sci. 9: 2, 75-78.
- Boland, A. M.; Jerie, P. H.; Mitchell, P.D.; Irvine, J.L. and Nardelia, N. (1996).** The effect of saline and non saline water table on peach tree, water use, growth, productivity and ion uptake. Aust. Jour. of Agric. Res. 47 (1): 121-139.
- Bondok, A.; Tawfik, H.; Shaltout, A. and Abd El-Hamid, N. (1995-a).** Effect of salt stress on growth and chemical constituents of three peach rootstocks. Assiut J. of Agric. Sci., 26(1):173-194.

- Bondok, A.; Tawfik, H.; Shaltout, A. and Abd El-Hamid, N. (1995-b).** Effect of salinized irrigation water on growth and chemical constituents of "Flordaprince" peach cultivar budded on different peach rootstocks. *Assiut J. of Agric. Sci.*, 26 (1): 149-171.
- Borsboom, O. (1983):** PP₃₃₃ a new growth regulator. *Fruitelt* (1983) 73 (5) 96 97. *Hort. Abst. No. 6*, Vol. 53: 3893.
- Bower, C.A. and Wadleigh, C.H. (1949).** Growth and cationic accumulation by four species of plants as influenced by various levels of exchangeable sodium soil. *Sci. Soc. Amer. Proc.*, 13:218-223.
- Boyer, J.S. (1965):** Effect of osmotic water stress on metabolic rates of cotton plants with open stomata. *Plant Physiol.* 40: 229-34.
- Brown, J.D. and Lilleland, O. (1946).** Rapid determination of potassium and sodium in plant material and soil extract by flame photometry . *Proc. Hort. Soc. Hort. Sci.* , 73:813.
- Chapman, H.D. and Pratt, P.F. (1961).** *Methods of Analysis for Soils; Plants and Waters.* Div. Agric. Sci. Univ. Calif., Berkeley PP. 309.
- Chu, T.M.; Aspinall, D. and Paleg, L. G. (1976).** Salinity and proline accumulation in muskmelon. *Aust. J. Plant Physiology* 3: 219-28.
- Cooper, B.S. Gorton and Obson, E.O. (1952).** Ionic accumulation in citrus, as influenced by rootstock and scion and concentration of salt and boron in the substrate. *Plant Physiol.*, 27:191-203.

- Darwesh, D. R. (2006).** Physiological and anatomical studies on tolerance of some fruit rootstocks to salinity. M.Sc. Thesis, Fac. of Agric. Benha Univ., Egypt.
- Delane, R.; Genway, H.; Munns, R. and Jame, G. (1982).** Ion concentration and carbohydrate status of the elongation leaf tissue of *Hordeum vulgare* growing at high external NaCl. 1- Relationship between solute concentration and growth. Jour. of Exp. botany, 33 (135): 557-573.
- Dimmassi, T. K. (1998).** Response of increasing rates of NaCl or CaCl₂ and prolin on "Mrs 2/5" (*Prunus cerasifera*) peach rootstock cultured in vitro. Advances in Horticultural. Sci. 12: 4. 169-174.
- Dinkelberg, W. and Ludders, I. (1990-a).** Influence of seasonally variable sodium application on water consumption transpiration coefficient and mineral consumption transpiration coefficient and mineral uptake of apple trees. Mitteilungen klostrneuburg. Rebe and Wein, obstbau and fruchhtevel-wetung 40 (3): 139-144. (C. F. Hort. Abst. 40: 3).
- Dinkelberg, W. and Ludders, I. (1990-b).** Influence of seasonally different varying Na stress on mineral content of woody organs of apple trees. Mitteilungen Klosternburg, Reba and Wein, Obsstbau and fnlchhteviewerwrtung, 41 (2) 71-75 (C.F. Hort. Abst. 1994. 64:5).
- Divate, M. R. and Poandey, R. M. (1979).** Salt tolerance in grapes. IV- Effect of salinity on

chlorophyll, photosynthesis and respiration. Indian. J. Plant Physiol., 22 (1): 81-83 (C.F. Hort. Abst., 50 6142).

----- and ----- (1981). Salt tolerance in grapes. III- Effect of salinity on chlorophyll. Indian. J. of Plant Physiol., 24 (1): 74-79 (C.F. Hort. Abst., 52 (6) : 3709).

Downton, W. J. S. and Loveys P. R. (1981). Absciscic acid content and osmotic relation of salt stressed grapevine leaves Australian Journal of Plant Physiology. 8 (4/5) 433-52. (Hort. Abst. 52: 5348).

----- and **Millhouse J. (1983).** Turgor maintenance during salt stress prevents loss of variable fluorescence in grapevine leaves. Plant Sci. Letters, 31: 1-7. (Hort. Abst., 54: 94).

Draz, M. Y. (1986). Response of bitter almond seedling to different water regime. Ph.D. Thesis Fac. of Agric. Cairo Univ. Egypt.

Dubois, M.; Gilles, K.; Hamilton, J. K.; Rebers P. A. and Smith, F. (1956). A colorimetric method for the determination of sugars and related substances. Anal. Chem. 28: p.350

Duncan, B. D. (1955). Multiple test range and multiple F tests. Biometrics. 11-142.

El-Ashram, M. A., Sharaf, M. M.; Youssef, E.Y.; Abd El-Aziz, A. Z. and Khamis, M. A. (1985). Effect of salinity, sodium adsorption ratio and chloride levels on vegetative growth and leaf mineral composition in some citrus stock seedlings. 2- Effect on leaf mineral composition. Annals. of Agric. Sci., Moshtohor, Vol. (23).

- El-Azab, E.M.; Nasr, T. A. and Barakat, M. A. (1973).**
Effect of salinity on growth and mineral content of
pecan grown in calcareous soils. Alex. J. Agric.
Res., 21: 303-308.
- El-Azab, E.M. and Minessy, F.A. (1975).** Effect of
salinity on Thompson seedless and Roumi Red
grapevines in calcareous soils. Alex. J. Agric.
Res., 23 (2): 265-74.
- ; **Taha, M.W. and Rawi, M.V. (1978).**
Effect of stratification and salinity on seed
germination, vegetative growth and mineral
content of apricot and peach seedlings. Alex. J.
Agric. Res., 26 (2): 415-22.
- El-Gazzar, M. A.; El-Azab, E.M. and Shehata, M.
(1979).** Effect of irrigation with fractions of sea
water and drainage water on growth and mineral
composition of young grapes, guavas, oranges and
olives. Alexandria Journal of Agricultural
Research 27(1) 207-219.
- El-Hawary, A.H. (1987).** Studies on propagation of
grape rootstocks and their tolerance to salinity.
Ph.D. Thesis Fac. of Agric. Cairo Univ.
- El-Hefnawi, S.M. (1986).** Physiological studies on
guava. Ph. D. Thesis Fac. Agric., Zagazig Univ.,
Egypt.
- El-Kobbia, A. T.; Hamady, H. and Mostafa, F.B.
(1971).** The effect of high salts concentrations on
the growth of barley plants. U.A.R.J. Soil Sci., 11:
61-76.

- El-Naggar, Y.I. (2002).** Physiological studies on salinity tolerance of persimmon seedlings. M.Sc. Thesis, Fac. of Agric., Moshtohor, Zagazig Univ., Egypt.
- El-Naggar, I.M. and Amer, M.H. (1990).** Effect of irrigation water quality on soil and plant in grapevine. Egypt. J. Appl. Sci. 5:190-201.
- El-Nimr, H.M.A. (1986).** Response of some vegetable crops to salinity levels and grow regulators. Ph.D. Thesis, Fac. of Agric. Minufiya University Shebin El-Kom, Egypt.
- El-Shazly, S. A. (1993).** Effect of salinity, sodium adsorption ratio of irrigation water and benzyladenine spray on growth and chemical constituents of Thompson seedless grape transplants. Egypt, J. Abbl. Sci., 8 (9): 532-553.
- El-Shourbagy, M.N.; Khafagi, O.A.; and Ahmed, F.A. (1980).** Effects of constant and gradual exposure to sodium chloride stress on DNA, RNA, protein and certain protein amino acids in two varieties of bustey phyton (Austria) Vol., 20: 215-255.
- El-Siddig, K. and Ludders, P. (1995).** Effect of nitrogen supply on leaf mineral composition of apple trees under saline conditions. Garven anwisen schaft, 60 (4): 151-156 (C. F. Hort. Abst. 66:1).
- Epstein, E. and Jefferies, R.L. (1964).** The genetic basis of selective ion transplants. Ann. Rev. plant physiol. 15: 169-184.
- Fadl, M.S. and El-Deen S.A.S. (1979).** Effect of N_6 Benzal adenine on photosynthetic pigments and total soluble sugars of olive seedling growth under saline condition. Egypt. J. of Hort. 6: 169-183.

- Fathi, M. A. (1989).** Effect of salinity on some apple rootstocks. Ph.D. Thesis. Fac. of Agric., Cuito Univ.
- **(1994).** The role of rootstock, soil type and some soil conditioners for enhancing the salt tolerance of Anna apple. Jour. of Agric. Sci. Mansoura Univ., 19 (5). 1805-1818
- Feng, S.; Wang, Y. and Low, J. (1998).** Effect of NaCl and NaCO₃ stress on contents of potassium, sodium and proline in *Malus Zumi* plants. Crop. Science 30: 781-785.
- Fenn, L. B.; Oertel, J. J. and Bingham, F.T. (1970).** Specific chloride injury in *Persea americana*. Soil Sci. Soc. Amer. Proc., 34: 617-620.
- Fernandez, R.T.; Ronald P. L. and James A. F. (1997).** Drought response of young apple trees on three rootstocks; growth and development. J. Amer. Soc. Hort. Sci. 122 (1): 14-19.
- Forlani, M. And Coppola, V. (1979).** The effect of 2-chloroethyltrimethyl ammonium chloride on grapevines of the cultivar 1-m-6, 13.1. (Hort. Abst. (49), 2: 1146.)
- Formento F. A. and Spinola, I. (1984):** Response of *Vitis vinifera* cv. Muscat Hamburg to CCC application. Investigations Agronomicas 3 (1) 21-66 (Hort. Abst. 54 :3347).
- Frakulli, F.; Voyiatzix, D. F. and Metzidakis, I. T. (1999):** The growth retardants paclobutrazol and triapenthenol affect water relations and increase drought resistance of olive (*Olea europaea*, L.). Acta Horticulturae, No. 474: 427-430.

- Gale, J.; Kohl, H. C. and Hagan, R.M. (1967).** Changes in the water balance and photosynthesis of onion, been and Cotton plants under saline conditions. *Physiol. Plant*, 20: 408-20.
- Garacia, M. and Charabji, T. (1989).** The effect of level of sodium chloride in the medium on the mineral composition of grapevines. *Agrochimic*, 33(6):412-423 (C.F.Hort. Abst. 62: 5).
- and ----- (1993). Effect of sodium chloride salinity on cation equilibria in grapevine. *Jour of Plant Nutrition*, 16 (11) 2225-2237.
- Gaser, A. A. (1986).** Physiochemical studies on tolerance of Avocado seedlings to salinity. M.Sc. Thesis, Fac. Agric. Cairo Univ., Giza, Egypt.
- (1992). Salt tolerance of some grapevine rootstocks. Ph. D. Thesis, Fac . Agric. Cairo Univ. Egypt.
- Gowda, M. A. (2002):** Physiological studies on drought tolerance some fruit transplants. Ph.D. Thesis, Fac. Agric., Minia Univ., Egypt.
- Greenway, H. (1963).** Plant response to saline substrates. III. Effect of nutrient concentration on the growth and ion uptake of *Hordium vulgar* during sodium chloride stress. *Aust. T. Bial. Sci.*, 16 (3), 616-628.

- Greenway, H. and Munns, R. (1980).** Mechanisms of salt tolerance in nonhalophytes. *Ann. Rev. Plant Physiol*, 31: 144-170.
- Gupta, I.C. (1979).** Use of saline water in agriculture. Oxford Ibh. Publ. Co. P. 2-28.
- Gusov, N. A. (1960).** Some methods in studying plant water relations. Leningrad Acad. Sci. USSR.
- Halma, F. F. (1934).** Trunk growth and water relations in the leaves of citrus. *Proc. Amer. Soc. Hort. Sci.*, 32 : 273-276.
- Handa, S.; Handa, A.K.; Hasegawa, P.M. and Bressan, R.A. (1985).** Proline accumulation and the adaptation of cultured plant cells to water stress. *Plant physiol.*, 80: 938-954.
- Hartz, T. K. (1984).** Salination A threat to valley agriculture. *J. Rio Grande Valley Hort. Soc.*, 37: 123-125.
- Hasan, A. E. (2005).** Physiological studies on the effect of salt stress on some olive cultivars. Ph. D. Thesis, Fac. of Agric. Moshtohor, Benha University.
- Hasan M.M.; Abd El-Khalik L. K. and Abou El-Azayem, A. I. (1984).** Salt tolerance of apricot trees. *Egypt. J. Hort.*, 28 (1): 91-99.
- **and Abou El-Azayem, A. L. (1990).** Differences in salt tolerance of some fruit species. *Egypt Hort.* 17 (1): 1-8.
- **and Catlin, P.B. (1984).** Screening of Egyptian apricot seedlings for response of salinity. *Hort. Sci.*, 19 (2): 243 -245.

- Hasan M.M. and Seif, S. A. (1999).** Water use of apricot trees. Egypt. J. Hort., 26 (1): 77-83.
- Hassan, M.M.; L.K. Abd-El-Khalik and Abou El-Azayem, A.I. (2001).** Salt tolerance of apricot trees. Egypt. J. Hort., 28 (1): 91-99.
- Hatem, H.H. (1984).** Studies on the effect of salinity on grapes. Ph. D. Thesis Faculty of Agric., Cairo Univ. Giza, Egypt.
- Hayward, H. E. and Long, E.M. (1941).** Anatomical and physiological response of tomato to varying concentrations of NaCl, Na₂SO₄, and nutrient solution. Bot. Gaz. 102 (3): 437-462.
- **and Spurr, W.B. (1943).** Effects of osmotic concentration of substrate on the entry of water into corn roots. (Boi. Gaz., 105-164).
- **and Wadleigh, C.H. (1949).** Plant growth on saline and alkali soils. (Adv. Agron., 1: 1-38).
- Hoffman, G.J.; Rowlins, S.L., Gorber, M.S. and Callen, E.M. (1971).** Water relation and growth of cotton as influenced by salinity and relative humidity. Agron. J. 63: 822-26.
- Hooda, P. S.; Ahlawat, V.P. and Sindhu, S.S. (1990).** Growth and mineral composition of three grape cultivars as influenced by soil salinity. Haryana Jour. of Hort. Sci., 19 (1-2): 55-61.
- Ismail, M. A. (1996).** Studies on tolerance of some grapevine cultivars to stress. Ph. D. Thesis, Fac. of Agric. Cairo Univ., Egypt.

- Ivanova, A.S. (1971).** The reaction of apricot trees to readily soluble salts in the soil. Byulleten Cos. Nik. Botan. Sada 2 (16), 80-84. (Hort. Abst., 42:1340).
- Ivanova, A. S. (1988).** Effect of natural salts on the content of some minor elements in peach leaves. Fiziologiya I- Biokhimiya- Kul'turnykh-Rosteni, 20 (4): 383-388.
- **and Ivanova, V.F. (1977).** Correlation between growth and mineral nutrition of peach under salinity. Soviet plant phsyiol., 24:492-8 (Hort. Abst., 48; 151).
- Jackson, M. L. and A. Ulrish (1959).** Analytical Methods for Use in Plant Analysis. Coll. of Agric. Exp. State Bull. 766: 35 pp.
- Kabeel, H. I. A. (1985).** Physiological studies on salt tolerance of some deciduous fruit species. M. Sc. Thesis, Fac. Agric. Moshtohor, Zagazig, Univ. Egypt .
- Karakas, B.; Bianco, R. L. and Rieger, M. (2000).** Association of marginal leaf scorch with sodium accumulation in salt stressed peach. HortSci., 35 (1): 83-84.
- Kaul, M. K. (1981).** Studies on salt tolerance in guava. Thesis Abstracts, 7 (4):325-326. Haryana Agric. Univ. Hissar, India. (C.F. Hort. Abst., 53: 1372).
- Kessler, B; Englberg, N.; Chen, D. and Greenspan, H. (1964).** Studies on physiological and biochemical problems of stress in higher plants. Voleani Inst. Agric Res.; Bull., 64.

- Khamis, M. A.; Sharaf, M. M. and Behairy, Z. H. (1985).** Salt tolerance in Thompson seedlings and American grape plants as affected by some macro element. In Moshtohor Annals of Agric. Sci. vol. 23 No. (9).
- Khanduja, S.D.; Chaturvedi, K.N. and Garg, V.K. (1980).** Effect of exchangeable sodium percentage on tile growth and mineral composition of Thompson seedless grapevines. Scientia Horticulturae 12 (1) 47-53. (Hort. Abst. 50: 7004).
- Kucherova, T.P.; Lishchuk, A.I. and Stadnik, S.A. (1979):** Effect of chlorocholine chloride and latex on the water regime, pigment content and bioelectric reaction of apricot cultivars with different degree of drought resistance. Botaicheskui sad, Yalta, Crimea, USSR. Hort.Abst. 1979. (9.), 49 : 6603.
- Levitt, J. (1980).** Responses of plants to environmental stresses. Vol. 11: Water, radiation, salt and other stresses. 2nd ED Academic press, 607 pp.
- Lloyd, J. and Howie, H. (1989).** Response of orchard "Washington Navel" orange, (*Citrus sineitsis* (L.) Qsbeck), to saline irrigation water. 1. Canopy characteristics and seasonal patterns in leaf osmotic potential, carbohydrates and ion concentrations. (Hort. Abst. 61: 11543).

- Mansour, A.E.M.; Ahmed, F.F.; Ragab, A. M. and Darwish, O. H. (1998).** Effect of some organic and amino acids on alleviating the adverse effects of salinity on El-Hamawy apricot seedlings. Egypt. J. Hort. 25 (3): 359-369.
- Marteen, J.P.; Bilters, W.P. and Ervin, J.O. (1959).** Influence of exchangeable sodium and potassium of excess lime on growth and chemical composition of orange. Proc. Amer. Soc. Hort. Sci. 74: 308-321.
- Meiri, A. and Poljakoff, M. A. (1971).** Effect of salinity regimes on growth, leaf expansion and transpiration rate of beehive plants. Soil. Sci., 109: 26-34.
- Meligi, M.A.; Hussein, F.; Tawfik, A.A. and El-Demerdash, A.M. (1983).** Effect of saline irrigation on vegetative growth of one - year - old rooted vines. Zagazig of. Agric. Res., 10 (1).
- Miller, S.S. (1983).** Growth and branching of apple seedlings as influenced by pressure-injected plant growth regulators. Hort. Abst. 53 (4), 2364.
- Miller, R.W.; Donahue, R.L. and Miller, J.U. (1990).** Soils an introduction to soils and plant growth" Published by prentice Hall Inter. Inc." Englewood Cliffs, New Jersey. PP. 308-339.
- Miyamoto, S.; Riley, T.; Gobran, G. and Petticrew, J. (1986).** Effect of saline water irrigation on soil salinity, Pecan tree growth and unit production irrigation. Hort. Sci., 7 (2): 83-95.

- Mizrachi, Y.; Blumenfeld, A. and Richmond, A.E. (1970).** Abscissic acid and transpiration in leaves in relation to osmotic root stress. *Plant Phys.* , 46:169-71.
- Mobayen, R. G. and F. L. Millthorpe (1980).** Response of seedlings of 3 citrus rootstock cultivars to salinity. *Aust. J. Agric. Res.* 31 (1): 117-124 (*C.F.Hort.Abst.* 50 (12): 9538).
- Mohamed, N. E. (1997).** Response of almond transplants to some salt stress treatments. M. Sc. Thesis, Fac. Agric., Ain Shams Univ. Egypt.
- Motosugi, H.; Sugiura, A. and Tomana, T. (1987).** Salt tolerance of various apple rootstock cultivars. *Japanese Soc. Hort. Sci.*, 56(2): 135 -141 (*CAB Abst. P.* 128).
- Murphy, J. and Riely, J.P. (1962).** A modified single dolution method for determination of phosphate in natural water. *Anol Chem (Acta)*, 27:31-36).
- Moussa, A.M.; Hassan, M.M. and Bondok, A. (1985).** Comparative physiological and biochemical studies on salt tolerance of apricot seedlings. *Bull. Fac. of Agric. Univ. of Cairo*, 36 (1) 367-379
- Nasr, T. A.; El-Azab E. M. and Hassan, E.M. (1974).** Effect of salinity and soil types on vegetative growth and root mineral contents in pecan. *Alex. J. Res.* 22 (3) 405-415.
- ; **El-Azab E. M. and El-Shurafa, M. Y. (1977).** Effect of salinity and water table on the mineral content of plum and peach. *Scientia Hort.* (7): 347-57.

- Nieman, R.H. (1962).** Effect of NaCl on growth, photosynthesis and respiration of some crop plants. Bot. Gaz., 123: 279-85.
- **(1965).** Expansion of bean leaves and its suppression by salinity. Plant Physiol., 40: 156-161.
- Nieves, M.; Cerda, A. and Botella, M. (1991).** Salt tolerance of two lemon scions measured by leaf chloride and sodium accumulation. Journal of Plant Nutrition, 14 (6): 623-636 (En, 23 ref.) (Hort., Abst., 62: 5221).
- Noaman, V.F.; El-Sherif, A. H. and Sari EL-Deen, S.A. (1994).** Effects of salinity on growth of pomegranate (*Punica granatum*) plants. Zagazig J. Agric. Res. Vol. 21, No. (2): 415-427.
- Nomir, S.A. (1994).** Physiological studies on kaki. Ph.D. Thesis., Fac. of Agric. Zagazig Univ. Egypt.
- **and El-Deeb, M. A. (2000):** Response of Washington Navel orange transplants to some CCC and PP₃₃₃ treatments. 1. Citrus leaf miners infestation and leaf chemical constituents. Zagazi Jour. Agric. Res. Vol.27, No. 4:931-945.
- Norman, T. and Lawrance, J. (1984).** Salinity, photosynthesis and leaf growth. Calif. Agric. 38 (10) 338-39.
- Omar, T.A.M. (1996).** Physiological studies on tolerance of apricot and mango seedlings to salinity. M. Sc. Thesis, Fac. Agric. Moshtohor, Zagazig University.

- Osman, A. H. (2005).** Physiological studies on growth and salt tolerance of some apple rootstocks. Ph. D. Thesis, Fac. of Agric. Benha Univ., Egypt.
- Ottman, Y. and Byrne, D.H. (1988).** Screening rootstocks of *Prunus* for relative salt tolerance. Hort. Sci. 23 (2): 375-390.
- Pandey, R.M. and Divate, M.R. (1976).** Effect of sodium salts on morphological characters of grape. Indian. J. Plant Phys. 19 (2): 230-239.
- Paranichianakis, N. V.; Angelakis, A. N. and Chartzoulakis, K.S. (1999).** Growth and mineral uptake of Sultanina grapevines irrigated with reclaimed waste water and the potential for using such water in Crete, Greece. In Third International Symposium on Irrigation of Horticultural Crops, Estoril (Lisbon), Portugal, 28 June- 2 July, 1999. [Edited by Ferreira, M. I. and H. G. Jones]. Acta Hort., 2000, (9537): 725-730. [Hort. Abst. (71): 3858].
- Patil, P.K. and Patil, V.K. (1982).** Effect of soil E.S.P. on the growth and chemical composition of pomegranate (*Punica granatum*). Progressive Hort. 14 (1): 1-5.
- and ----- and **Ghonsikar, C.P. (1984).** Salinity studies on (Yrowtl and nutritional status of guava (*Psidium gujava*). Int. J. Trop. Agric. 2 (4): 334-337.

- Pearson, G.A.; Goss, J. A. and Hayward, H.E.**
(1957). The influence of salinity and water table on the growth and mineral composition of young grapefruit trees. Proc. Amer. Soc. Hort. Sic. 69:197-203 (Hort. Ahst. 27: 3840).
- Petrosyan, G.P.; Tarverdyan, V.I. and Melikyan, A.M.** (1976). Effect of soil salinity on nitrogen metabolism in apple leaves. Trudy tashk. In., 65: 125-9. (Hort. Abst., 48: 3140).
- **Saakjan, P.G: and Sakunta, L.E.**
(1979). Pigments content in leaves and berries in relation to the amount of sodium absorbed by grapevines on ameliorated solonchak soil. (Hort. Abst., 1979: 9319).
- Peynado, A. and Young, R.H.** (1968). Moisture changes in intact citrus leaves monitored by a guage technique. Proc. Amer. Soc. Hort. Sc., 92: 211-220.
- Pokrovskay, I.** (1954). Metabolism of plants on saline soils. Avtoreferat Kandidatskoi dissertatsii, Moskva, Univ. USSR.
- Pokroveskay, E.L.** (1957). Some data on the oxidoreductive processes in halophytes in "Pamyati akad N. A. Maksimova Izdatel. Stvo. Akad. Nauk. S.S.S.R. (C.a 1972).
- Poljakoff, A.M. and Gale, J.** (1975). Plants in saline environments. Springer verlag. Berlin Heidelberg New York.
- Pregl, F.** (1945). Quantitative organic micro- analysis 4th Ed. J & A., churvhill, Ltd. London.

- Prior, L.D.; Grieve, A.M. and Cullis, B.R. (1992).** Sodium chloride and soil texture interaction in irrigated field grown Sultana grapevines. II- Plant mineral content, growth and Physiology. Aust. I. Agric. Res. 43 (5): 1067-1083. (Hort. Abst., 64. 1754).
- Prisco, J.T. and O'leary, J.W. (1972).** Enhancement of intact bean leaf senescence by NaCL salinity. Plant Phys. , 27:95-100.
- Rains, D. W. (1972):** Salt transport by plants in relation to salinity. Ann. Rev. Plant . Physiol., 23 : 367-388.
- Rajaselcaran, L.R. and Shanmugavelu, K.G. (1983).** Effect of different types of soil and quantity of water on certain physiological factors in tomato (*Lycopersicon esctdenturn* Mill.) In Proceeding of National Seminar on the production Technology of Tomato and Chillies coimbatore, India, (Hort. Abst. 53: 514).
- Reddy, M.S. (1967).** Metabolism of chloroplasts isolated from leaves of ground nut plant (*Arachis hyopgacal*) grown in normal, salinized and alkanized soils Ph.D. Thesis, S.V. Univ. Firupati.
- Rodrigues, M.L.; Chaves, M.M.; Wendler, R.; David, M.M.; Quick, W.P.; Leegool, R.C.; Stitt, M. and Pereira, J.S. (1993).** Osmotic adjustment in water stressed grapevine leaves in relation to carbon assimilation. Australian J. of Plant Physio. 20 (3) 309-321. (Hort. Ahst. 64.4404).

- Russell, R.S. (1961).** Soil conditions and plant growth.
9th Ed. Longman, London, P. 603-13.
- (1982):** Plant root systems. McGraw-Hill
Book Co. New York, P. 99.
- Saakvan, R.C. and Petrosyan, G.P. (1964).** Effect of
soil salinity on nucleic acids and nitrogenous
substances in grape leaves. Fiziol. Rost., 2:681-8
(Bio. Abst., 30012).
- Salem, A.T.M. (1981).** Effect of treatments by saline
water on mineral content and growth of grape
seedlings. Ph. D. Thesis Cairo, Univ. Giza, Egypt.
- Saric, M.; R. Kastroi; R. Curic and L. Geric (1967).**
Effect of salinity on some citrus rootstocks. Park
Fiziol. Anjiga, pp.215.
- Sari El-Deen, S. A., Wassif, M. M. and Fadi, M. S.
(1979).** Effect of salinity on olive seedling growth.
Agricultural research Review. 57:259-268.
- Sayed, S.A.M. (2003).** Evaluation of some new apricot
cultivars under different stress conditions. Ph. D.
fac. Of Agric. Ain Shams University.
- Schreiner, M. and Ludders, P. (1992).** Effect of sodium
salt on the vegetative growth of Golden Delicious
apple tress at different levels of potassium
nutrition. Mitteilungen - Klosterneuburg, Rebe
und wein, obsttbau und fruchteverwertung, 42 (1):
34-38 (C.F. Hort. Abst., 64: 5).
- Shahin, B.A. (1989).** Growth of some plum rootstocks as
affected by saline water irrigation. Ph. D., Thesis.
Fac. Agric., Cairo Univ. Giza, Egypt.

- Shahin, B.A.; El-Shall S.A. and Abou El-Azayem A. L. (1994).** Influence of saline water on chemical composition of apricot and peach seedlings. J. Agric. Sci., Mansoura University, 19 (10): 3291-3297.
- Shalaby, A.A. (1976).** Physiological studies on salt tolerance in some plants. Ph. D. Thesis. Ain Shams Univ.
- Sharaf, M.M.; Abd El-Aziz, A.Z.; Khamis, M. A. and El-Shazly S. A. (1985).** Effect of different salinity levels on leaf mineral composition of European and American grape plants. Annals of Agric. Sci. Moshtohor, 23.
- Shehata, M.M. (1989).** Physiological studies on the tolerance of some sugar beet varieties to salinity. Ph.D. Thesis, Fac. of Agric., Cairo, University, Giza, Egypt.
- SinelNilkova, V.N.; Romanova, L.V. and Udovenko, G.V. (1972).** Effect of salinization and physiologically active substances on growth and level of endogenous growth regulators in potato. Sov. Plant Physiol. 19 (1): 50-55.
- Slatyer, R.O. (1961).** Effects of several osmotic substrates on the internal water relations of tomato. Aust. T. Biol. Sci., 41., 519-540.
- Snedecor, G.W. and Cochran, W.G. (1972):** Statistical Methods. 6th ed. The Iowa state. Univ. Press, Amer, Iowa, U.S.A. PP. 593.

- Sourial, G.F.; Miligi, M.A.; Tawfik, A.A. and El-Demerdash, A.M. (1985).** Effect of saline irrigation on chemical constituents of one-year-old rooted vines sugar and NPK content. *Acta. Hort.* 158: 169-85.
- Southey, J.M. and Just, C. (1992).** Root distribution of different grapevine rootstock on a relatively. Saline soil (S.F. Hort. Abst. 64: 1076).
- Stevens, R.M. and Harvey, G.C. (1990).** Grapevine responses to transient soil salinization. Canberra, Australia; society of soil science Inc. 211-219 ISBN0- 9587460-2-8 (Hort. Abst. 61: 6788).
- ; **Harvey, G.C. and Davies, G. (1996).**
 Separating the effects of foliar and root salt uptake on growth and mineral composition of four grapevine cultivars on their own roots and Ramsey rootstock. *J. of the Amer. Soc. Hort. Sci.*, 121 (3): 569-575.
- Stewart, C. R. and Lee., J. A. (1974).** The role of proline accumulation in Halophyte Planta. *Plant Physio*, 120:279-289
- Strogonov, B.P. (1962).** Physiological basis of salt tolerance of plants. Academy of Science of USSR. Institute of Plant Physiology. English Translation by Israel Program for Scientific translation, 1964.
- Sweidan, A.M.; Salem, A.T. and Stino, G.R. (1982).**
 Growth and mineral content of apricot seedlings as influenced by various levels of sodium chloride. *Res. Bull.* 544; Fac. Agric. Zagazig Univ., Egypt.

- Sweidan, A.M.; Salem, A.T. and Fathi, M.A. (1992).** Salt tolerance of three apple rootstocks. Egypt. J. Appl. Sci., 7 (4): 710-730.
- Sykes, S.R. (1987):** Apparent variation in chloride accumulation between vines of cultivars Italia and Mataro grown under furrow irrigation. Australian salinity Newsletter. No. 15, 71 CSIRO, Div. Hort. Res.; PMB, Merbein, Vic. 3505, Australia.
- Taha, M. W.; El-Azab, E. M. and Fadlalla, Z. G. (1972).** Ionic leaves accumulation in grape, guava and olive plants as affected by salinity of irrigation water. Alex., J. Agric. Res., 20 (1) :123-135.
- Taylor, R.M.; Fenn, L.B, and Pery, C.A. (1987).** Nitrogen uptake by grapes with divided roots growing in differentially salinized soils. Hort. Sci., 22 (4): 664-666.
- Therios, I. N. and Misopolinos, N. D. (1989).** Differences in tolerance to sodium chloride salinity between three commercial apple rootstocks. Soilless culture, 5 (1): 55-71.
- Torrecillas, A. ; Galigo, R.; Perez-Pastor, A. and Ruiz-Sanchez, M. C. (1999):** Gas exchange and water relations of young apricot plants under drought conditions. J. of Agric. Sci., 132(4): 445-452.
- Tursunov, T.T. (1972).** Changes in morphological and biological characteristics of vines on saline soils and means of increasing their yields. (c.f. Hort. Abst., 1972: 3445).

- United State Salinity Laboratory Staff (1954).**
Diagnosis and improvement of saline and alkali soils. Agric. Handbook, 60.
- Viana, A.P.; Bruckner, C.H.; Martinez, H.E.P.; Martinez, Y.; Huaman, C.A. and Mosquim, R.R. (2001).** Physiological characteristics of grapevine rootstocks in saline solution. *Scientia Agricola*, 58 (1): 139-143. [Hort. Abst., (71): 4814].
- Volschenk, T. and DeVilliers, J. (2000).** Optimization of the use of saline water for apricot trees. In 6th International Micro-irrigation Congress (micro 2000) Cape Town, South Africa, 22-27 October 2000. [Hort. Abst., (71): 6588].
- Wadleigh, C.H. and Gaush, H.G. (1944).** The influence of high concentrations of sodium sulphate, sodium chloride and magnesium chloride on the growth of Guyak in sand culture *Soil*. 85 (4).
- Walker, R.P. (1994).** Grapevine response to salinity. *J. Olive*. 67: 761-762 (C.F. Hort. Abst. 1955. 65:12).
- ; **Torokfalvy, E.; Scott, N.S. and Kriedemann, P.E. (1981).** An analysis of photosynthetic response to salt treatments in *Vitis vinifera*. *Australian Journal of plant physiology*. 8(3): 359-374. (Hort. Abst., 52: 2825).
- Wallace, A.; Navde, C.N.; Mucller, R.T. and Zidan, Z.I. (1952).** The rootstock scion influence on the inorganic composition of citrus. *Proc. Amer. Soc. Hort. Sci.*. 59: 133-142.

- Wang, K.K.; Weibing, J.; Ling. Z. and Yelin W. (1995).** Study on content of sodium and potassium ions of pomegranate and peach plants under sodium chloride stress and their salt tolerance. *Acta Hort. Sci.*, 22 (4): 336- 340.
- Wilcox, L.V. (1985).** Water quality from the stand point of irrigation. *J. Amer. Water Assoc.* , 5.
- Winter, E., (1982).** Salt tolerance of *Trifolium alexandrinum* L. II. Ion balance in relation to its salt tolerance. *Aust. J. Plant Physiol.*, 9: 227-237.
- Yakushiji, H.; Morinaga, K. and Nonami, H. (1998).** Sugar accumulation and partitioning in Satsuma mandarin tree tissues and fruit in response to drought stress. *J. Amer. Soc.*, 123 (4): 719-726.