

REFERENCES

REFERENCES

- Adam, B. (1983):** In search of the best strains of bees. British Library Catalogue, No. 505- 799 QL-588, A6-USA. 206 pp.
- Allen, H.S. and Thomas, E.R. (1987):** Fast Africanized Bee identification System. Ame. Bee J., 127 (7): 511-516.
- Alpatove, W.W. (1929):** Biometrical studies on variation and races of the honeybee. Quart. Rev. Biol., 4: 1-58.
- Aly, F.K.; Eshbah, H.M. and Makadery, M.A. (1989):** Studies on the proboscis and corbiculae measurements of three races of honey bee in relation to honey and pollen production in Middle Egypt. Intentional Bee Res. Association, 392-396.
- Atallah, M.A. (1981):** Brood rearing activity of the Egyptian, Carniolan honeybees and its local crosses in middle Egypt. Bucharest, Romania, Apimondia publishing House, 221-223
- Atallah, M.A.; Aly, F.K. and Eshbah, H.M. (1989):** Comparative morphometrical investigations of the Egyptian, Carniolan and Italian honey bee races in Minia region. International Bee Res. Association, 397-400.
- Attili, D.S.; Ceccato, S.R.; Beig, D. and Bueno, O.C. (1987):** Comparative study of the number of ovarioles in larvae of queen and worker honey bees. Naturalia, (11/12): 135-138 .
- Baird, D.H. and Seeley, T.D. (1983):** An equilibrium theory of queen production in honey bee colonies preparing to swarm. Behavioral Ecology and Sociobiology 13, 221-228 .
- Bill, H. (1989):** For the love of bees; the story of Brother Adam of Buckfast Abbey. Newton Abbot, UK; David & Charles 160 pp.
- Bobrzecki, L. and Parbucki, J. (1976):** Effect of the type of queen all and of food on the success of queen rearing. Pszczelnicze Zeszyty. rg. 219-227 (AA.1124/76).
- Bridges, A.R. and Owen, M.D. (1984):** The morphology of the honey bee (*Apis mellifera* L.) venom gland and reservoir. J. of Morphology, 181: 69-86; B. (c.f. CAB Abst.)

- Bridges, A.R. and Owen, M.D. (1984):** The morphology of the honey bee (*Apis mellifera* L.) venom gland and reservoir. *Journal of Morphology* 181, 69-6,B.
- Brownridge, T.S.M. (1953):** The Morris brood way of rearing queen, *Brit. Bee Jour.* 81 (148) 165-166, 178, 194. [Abst, in *Bee World* 38,(8), 218/57].
- Butler, C.G. (1954):** The world of the honey bee. 233 pp. Collins, London.
- Butler, C.G. and Gibbon, S.D. (1958):** The inhibition of queen rearing by feeding queenless worker honey bees (*A. mellifera* L.) with an extract of queen substance. *J. Insect Physiology*, (2): 61-64.
- Casngrand-Jaloretto, D.C.; Bueno, O.C. and Stort, A.C. (1984):** Number of ovarioles in queens of *Apis mellifera*. *Naturaliz*, (9): 73-79.
- Cassier, P. and Lensky, Y. (1995):** Ultrastructure of the wax gland complex and secretion of beeswax in the worker honey bee *Apis mellifera* L. *Apidologie*., 26: 1, 17-26; (c.f. CAB Abst.).
- Chang, S.Y. (1977):** Effects of size and type of queen cup on the protection of royal jelly and acceptance by nurse bees. M. Sc. Thesis, National Chung Hsing Univ., Taichung, Taiwan. (c.f. *Apic. Abst.*, 201/79).
- Chen, C.T. and Chang, S.Y. (1993):** Relationship between royal jelly production and number of queen cups in the honey bee, *Apis mellifera* L. *Bee Science*, 3 (1): 44-49.
- Collins, A.M.; Daly, H.V.; Rinderer, T.K.; Harbo, J.R. and Hoelmer, K. (1994):** Correlation between morphology and colony defense in *Apis mellifera* L. *J. of Apic. Res.*, 33 (1): 3-10 .
- Corbella, K. and Concalves, L.S. (1982):** Relationship between weight at emergence, number of ovarioles and spermathecal volume of Africanized honey bee queens (*Apis mellifera* L.). *Revista Brasileira de Genetica*, 5 (4): 835-840.
- Daly, H.V. and Balling, S.S. (1978):** Identification of Africanized honeybees in the western hemisphere by discriminate analysis. *Journal of the Kansas Entomological Society*., 51 (4), 857-869.

- Degrandi-Hoffman, G. and Collison, C.H. (1982):** Flowering and nectar secretion as they relate to honey bee foraging activity in birds foot trefoil (*Lotus sorniculatus*). J. of Apic. Res., 21 (4) 199-207.
- Dietz, A. (1983):** An accelerated honey bee queen rearing method. J. of the Georgia Entomological Society, 18 (2): 145-151.
- Doolittle, G.M. (1880):** Introducing queens. Glean. Bee cult., 8 (4): 158-159, (c.f. Laidlaw, 1979).
- Dutton, R.W.; Ruttner, F.; Berkeley, A. and Monley, M.J.D. (1982):** Observation on the morphology relationship and ecology of *Apis mellifera* L. of Oman J. Apic. Res., 21 (4): 201-204.
- Eaton, C. V. (1986):** Determinants of queen quality in New Zealand commercial queens. New Zealand Beekeeper, (192):28-30.
- Eckert, J. E. (1934):** Studies in the number of ovarioles in queen honey bee in relation to body size. J. Econ. Ent., 21 (3): 629-635.
- Eid, M.A.A.; Ewis, M.A. and Naser, M.K. (1980):** The weight of the newly emerged honey bee queen as an index its potential productivity. Bulletin of Agric. Univ. of Cairo. 29: 91-111 .
- Eischen, F.A.; Rothenbuhler, W.C. and Kulincevic, J.M. (1983):** Brood rearing associated with a range of worker-larva ratios in the honey bee. J. of Apic. Res., 22 (3): 163-168.
- El-Berry, A.A. (1963):** Queen rearing honey bee. M. Sc. Thesis Fac. of Agric. Cairo University.
- El-Hanafly, R.S. (1991):** Preliminary studies on honeybee queens. M, Sc. Thesis, Fac. Agric., Moshtohor, Zagazig Univ., 181 pp.
- Ershov, N.M. (1969):** Methods of rearing honey bee queens artificially Trudy vost-kazakh. Gos. Sel. Khoz. Sta. 2, 268-277 USSR (AA 439/72).
- Eweis, M.A. (1974):** Some factors affecting royal jelly production and the effect of methods of storing on its quality. Ph. D. Fac. Agric., Cairo Univ. pp. 227.
- FAO (1986):** Tropical and subtropical apiculture Vol. 68. 283 pp.

- Fargala, B. and Duff, S.R. (1991):** Evaluation of honey bee stocks from three geographic areas other than the gulf states and southern California. *American Bee J.*, 131 (8): 518-521.
- Filipovie-Maskovjevie, V. (1956):** The influences of normal and modified social structures on the development of the pharyngeal glands and the work of the honey bee. *Monoger Sropska Akad. Nauk.* 262 :101. *Apic. Abst.* 39, 1959.
- Gadbin, C.; Cornuiet, J.M. and Fresnaye, F. (1979):** Biometrical study of local *Apis mellifera* in South Chad. *Apidologie*, 10 (2): 137-148.
- Hanna, M.A. (1963):** Some factors affecting the production of royal jelly. M. Sc. Thesis, Cairo Univ.
- Harbo, J.R. (1986):** Effects of population size on brood production, worker survival and honey bee in colonies of honey bee. *J. of Apic. Res.*, 25 (1): 22-29.
- Harbo, J.R. (1991):** Effect of cell size on quantity of brood and weight of worker bees. *American Bee J.*, 131 (12):776.
- Harp, E.R. (1973):** A specialized system for multiple rearing of quality honeybee queens. *American Bee J.*, 113 (7): 256-258
- Haydak, M.H. (1943):** Larval food and development of costs in honeybee. *J. Econ. Ent.*, 31 (5): 576-577.
- Hellmick, R.H.L. and Rothenbuhler, W.C. (1986):** Pollen hoarding and use by high and low pollen-hoarding honeybees during the course of brood rearing. *J. of Apic. Res.*, 25 (1): 30-40.
- Hepburn, H.R.; Bernard, R.T.; Davidson, B.C.; Moller, W.J; Lbolyd, P.; Kurstogens, S.P. and Vincent, S.L. (1991):** Synthesis and secretion of bees wax in honeybees. *Apidologie*, 22(1): 21-36.
- Herbert, E. W. JR. and Shimanuki, H. (1979):** Brood rearing and honey production by colonies of free-flying honeybees fed wheat, whey-yeast's sugar syrup. *American Bee J.*, 119 (12):833-836.
- Hogg, J.A. (1991):** After-hours controlled natural mating. *American Bee J.*, 131(5): 328-332.

- Howe, S.R.; Binick, P.K. and Benton, A. W. (1985):** Composition of Freshly harvested and commercial Royal Jelly. J. of Apic. Res., 24 (1):52-61.
- Huang Wen-Cheng and Zhichong-Yuan (1985):** The relationship between the weigh of the queen honeybee at various stages and number of ovarioles, eggs laid and sealed brood produced. Honey bee Science, 6 (3): 113-116.
- Huang, Z.Y. and Otis, G.W. (1989):** Factors determining hypopharyngeal gland activity of worker honey bees, *Apis mellifera* L. Insects-Sociaux,, 36(4): 264-276.
- Huang, Z.Y.; Otis, G.W. and Teal, P.E.A. (1989):** Nature of brood signal activating the protein synthesis of hypopharyngeal gland in honey bees, *Apis mellifera* (Apidae : Hymenoptera). Apidologie., 20: 6, 455-464; (c.f. CAB Abst.).
- Huang, Z.Y.; Robinson, G.E. and Borst, D.W. (1994):** Physiological correlates of division of labor among similarly aged honeybees. J. of Comparative Physiology, 174(6): 731-739.
- Imdorf, A.; Buehlmann, G.; Gerig, H; Kilchenmann, V. and Wille, H. (1987):** A test of a method of estimating brood areas and the number of worker honeybee in free-flying colonies. Apidologie, 18 (2):137-146.
- Ismail, A.M. (1984):** The effect of certain honey be products in medical treatment. Ph. D. Thesis, Fac. Agric. Ain-Shams Univ.
- Jhajj, H.S.; Chahal, B.K. and Brar, H.S. (1992):** Queen weight queen cell volume of *Apis mellifera* L. During different raising periods. Indian Bee J., 54 (1/4): 58-62.
- Johansson, T.S.K. and Johansson, M.P. (1971):**Queen introduction. American Bee Journal 111,98-99.
- Kaatz, H.H. and Takenaka, T. (1987):** Protein synthesis activity of hypopharyngeal glands of worker honeybees. Apidologie., 18: 4, 374-376; (c.f. CAB Abst.).
- Kassem, K.K. (1995):** Studies on Royal jelly production in Honey bees. M. Sc. Thesis, Fac. Agric., Moshtohor, Zagazig Univ., 119 pp.

- Khattab, M.M. (1976):** Effect of ecological factors on honeybee activities. M. Sc. Apiculture, Fac. of Agric., Cairo-University. 188 pp.
- Knecht, D.; Kaatz, H.H. (1990):** Patterns of larval food production by hypopharyngeal glands in adult worker bees. *Apidologie*, 21(5): 457-468.
- Krol, A. (1974):** Effects of race of nurse bees and race of grafted larvae on the results of queen rearing. *Pszczelnicze Zeszyty Naukowe*, 18: 135-143.
- Krol, A. (1985):** Provision of Royal Jelly during the development of queen larvae of four honey races and the amount of wax in the queen cells. *Pszczelnicze Zeszyty Naukowe*, (29): 57-71.
- Krol, A. (1986):** Changes in body weights of queen and drone larvae of four honey bee races from hatching to cell capping. *Pszczelnicze Zeszyty Naukowe*, (30): 183-194.
- Kyuregyan, S.M. (1965):** Early spring queen rearing in the megrim region. *Izv Sel-khoz Nauk Ann. SSR*, (3):111-115, In Armenian; Russian Summary.
- Laere, O. Van (1961):** Royal jelly II-Methods of production. *Rev. Agric. Brux*, 14 (10): 1293-1305. (A.A. 169-163).
- Laidlow, H.H.Jr. (1979):** Contemporary queen rearing. Hamilton, 12, USA; Dadant and Sons. pp. 199.
- Laidlow, H.H.Jr. and Eckert, J.K. (1962):** Queen rearing. University of California press Berkeley. 2nd ed.
- Lensky, Y. (1971):** Rearing queen honeybee larvae in queen right colonies. *J. Apic. Res.*, 10 (2): 99-101.
- Little, T.M. and Hills, F.J. (1975):** Statistical methods in Agricultural research. University of California, Davis. pp. 242.
- Macicka, M. (1985):** The effect of several factors on the accepted of larvae on queen weight. *Pszczelnicze Zeszyty Naukowe*, (29):73-80.

- Maria, K.D.; Andreas, T.; Dimitrios, T. and Konstantinos, B. (1995):** Brood and honey production of honey bee colonies requeened at various frequencies. *J. Apic. Res.*, 34 (1):9-14 ,
- Mavatadid, S.M. (1978):** Research on the biology of the queen honeybee. Memoire presente pour l'obtention du DEA Universite Paris-Sud, France, pp. 87.
- Mayer, D.F.; Johansen, C.A. and Bach, J.C. (1982):** Land-based honey production. *American Bee J.*, 122 (7):477-479 .
- Michener, C.D. (1974):** The social behaviour of the bees: a comparative study. The Belknap press of Harvard Univ. press, Cambridge Mass, (404 P.) 257-302 .
- Milne, C.P.Jr. (1980):** Laboratory measurement of honey production in the honeybee. 1. A model for hoarding behaviour by caged workers. *J. of Apic, Res.*, 19(2):122-126.
- Milne, C.P.Jr. and Pries, K.J. (1984):** Honeybee corbicular size and honey production. *J. of Apic. Res.*, 23 (1):11-14.
- Mirza, K. and Barac, I.(1961):** Investigation on royal jelly production. *Lucr. Sti. Stat. Cent. Seri, Apic.*, 213-222.
- Mishiewicz, W. and Roman, M. (1972):** Royal jelly Bdanianad Mleczdem Pszczelin, *Pszczelnicze Zeszyte Naukowe*, 16: 181-188 (c.f. *Apic. Abst.*, 871/75).
- Mulfinger, L.; Yunginger, J.; Styer, W.; GuraInick, M. and Lintner, T. (1992):** Sting morphology and frequency of sting autonomy among medically important vespids (Hymenoptera: Vespidae) and the honey bee (Hymenoptera : Apidae). *J. of Medical Entomology*, 29 (2):325-328 .
- Murrell, D.C. and Szabo, T.I. (1981):** Pollen collection by honey bees at behaviour lodge, Alberta. *American Bee J.*, 121 (12):885-888.
- Nazzi, F. (1992):** Fluctuation of forewing characters in hybrid honey bee from north-eastern Italy. *J. of Apic. Res.*, 31 (1):27-31.

- Nelson, D.L. and Gary, N.E. (1983):** Honey productivity of honey bee colonies in relation to body weight, attractiveness and fecundity of the queen. *J. of Apic. Res.*, 22 (4):209-213.
- Nelson, D.L. and Sheehan, L.R. (1988):** A simple method of weighing honey-bee queens. *American Bee J.*, 128 (7):492-493.
- Nelson, D.L., Mckenna, D. and Zumwalt, E. (1987):** The effect of continuous pollen trapping on sealed brood, honey production and gross income in northern Alberta. *American Bee J.*, 127 (9):648-650.
- Oertel, E., Rinderer, T.E. and Harville, B.G. (1980):** Changing trends in south a stern Louisiana honey production through 25 years, *Amer. Bee J.*, 120, 763-765.
- Okada, I. and Obata, H. (1962):** On the production of royal jelly. *Bull. Fac. Tamagawa Univ.* (3),125-132 (A.A. 364/64).
- Orantes-Bermejo, F.J. & Garcia-Fernandez, P. (1995):** Morphological variability of *Apis mellifera iberica* in different apiaries of southern Spain. *J. Apic. Res.*, 34 (1):22-30.
- Osterlund, E. (1983):** Brother Adam and his Buckfast bee. *American Bee J.*,123 (2): 85-88.
- Pickard, R.K. and Kither, G. Y. (1983):** Acceptance of transplanted worker larvae by queen-cell starter colonies. *J. of Apicultural Research*, 22 (3):169-174.
- Pickard, R.S. and Kither, G.Y. (1983):** An evaluation of shaking and displacement methods for separating a sample of honeybees with large hypopharyngeal glands from the remainder of a colony. *J. of Apicultural Res.*, 22: 2, 101-106; (c.f. CAB Abst.).
- Rana, B.S. (1985):** Biological and economic characteristics of *Apis cerana indica* F. in relation to selection and breeding. M. Phil. Dissertation, Hmachal Pradesh University, Shimla, India. 133 pp.
- Rashad, K. and Parker, R.L. (1958a):** Pollen as a limiting factor in brood rearing and honey production during three drought years 1954, 1955 and 1956 *Trans. Kansas Acad., Sci.*, 16 (3):237-248.

- Rashad, S. and Parker, R.L. (1958b):** Major pollen sources in the Manhattan, Kansas, area and the influence of weather factors upon pollen collection by honey bees. Proc. Xth Inter. Congr. Ent., (4): 1037-1046.
- Rashad, S.E. and El-Sarrage, M.S. (1981):** Morphometrical studies on some of the Sudanese honey bee. In "Apiculture In Tropical Climates", Vol.(II) pp.302-309. Intern. Bee Res. Assoc. Gerards Cross, England.
- Rawash, I.A.; El-Gayar, F.H.; El-Helaly, M.S. and Ibrahim, S.M.A. (1983):** Effects of larvae Age and number of queen cell cups on the quality of the Carnio-Egyptian F₁-hybrid of honey queens. In proceedings of the 2nd International Conference on Apiculture in Tropical Climates. New Delhi, February 29-March 4,(1983):320-326.
- Rinderer, T.E. (1982):** Regulated nectar harvesting by the honeybee. J. of Apic. Res., 21 (2):74-87.
- Rinderer, T.E.; Buco, S.M.; Rubink, W.L.; Daly, H.V.; Stelzer, J.A., Riggio, R.M. and Baptista, F.C. (1993):** Morphometric identification of Africanized and European honey bees using large reference population. Apidologie, 24(6):569-585.
- Rowland, C.M. and Mclellan, A.R. (1982):** A simple mathematical model, brood production in honeybee colonies. J. of Apic. Res., 21 (3):157-160.
- Ruttner, F. (1975):** Races of bees in "the hive and the honey bee", pp. 19-38.
- Ruttner, F. and Hesse, B. (1981):** Rassenspezifische Unterschiede in ovarieller Entwicklung und Eiablage von weisellosen Arbeiterinnen der Honigbiene *Apis mellifera* L. Apidologie, (12):159-183.
- Ruttner, F. and Mackensen, O. (1952):** The genetics of the honey bee. Bee World, (33): 53-62.
- SAS ,(1982):** User's guide statistics. SAS Institute Inc. Cary North Carolina.
- Sato, M. (1984):** Ultrastructure of the salivary glands of the honeybee. Honeybee-Science., 5: 4, 147-150; B. (c.f. CAB Abst.)

- Severson, D.W. and Parry, J.E. (1981):** Achronology of pollen collection by honey bees. *J. of Apic. Res.*, 20(2): 97-103.
- Sharma, O.P. and Garg, R. (1988):** Winter broodlessness in *Apis mellifera* L. colonies and its impact on honey production. *American Bee J.*, 128 (5):355-356.
- Silva de Moraes, R.L.M. and Cruz-Landim, C. da. (1984):** The effect of population density on nuclei of the hypopharyngeal glands of *Apis mellifera*. *Naturalia*, 9: 27-33; B. (c.f. CAB Abst.)
- Singh, L.; Brar, H.S. and Vashishat, C.H. (1992):** Effect of different bee strengths on seasonal brood rearing, colony stores and development of queen cells in *Apis mellifera* L, at Ludhiana, India. *Indian Bee J.*, 54 (1/4):68-75.
- Smith, M.V. (1954):** Some facts about royal jelly production, *Gleanings in Bee Culture*, 82 (12):713-715. (c.f. Apic. Abst.: 313/1955).
- Smith, M.V. (1959):** The production of royal jelly. *Bee World*, 40 (10): 250-254. (c.f. A.A. 312/1960).
- Smith, R.K.; Rossman, J.F.; York, H.Jr. and Taylor, O.Jr. (1988):** Stock certification of European queens. *American Bee J.*, 28 (10): 676-678.
- Snedecor, G. W. and Cochran, W. G. (1989):** *Statistical Methods*. 8th Ed. Iowa State Univ. Press, Ames, Iowa, USA.
- Snodgras, R.E. (1956):** *Anatomy of the honey bee*. Ithaca, New York. 334 pp.
- Soudek, S.(1927):**The pharyngeal glands of the honey bee (*Apis mellifera* L.) *Bull. de l'Ecole Sup. d'Agron. Brno. Sign.C10:1-16*, 6 text figs., 3 pls.
- SPSS, (1982):** *Spss user's guide* Spss Inc. Chiago, Illionis.
- Sugden, M.A. and Furgala, B. (1983):** Starline queens from eight commercial source evaluated in Minnesota. *American Bee J.*, 123 (10):701-704.

- Sylvester, H.A. and Rinderer, T.E. (1987):** Fast Africanized bee identification system (FABIS). *Amer. Bee. J.* Vol.127 (7):511-516.
- Szabo, T.I. (1993):** Brood rearing in outdoor wintered honey bee colonies. *American Bee J.*, 133 (8):579-580.
- Szabo, T.I. and Lefkovitch, L.P. (1990):** Effects of honey removal and supering on honeybee colony gain. *American bee J.*, 130 (12):815-816.
- Szabo, T.I.; Mills, P.F. and Heikel, D.T. (1987):** Effect of honey bee queen weight and air temperature on the initiation of oviposition. *J. of Apic. Res.*, 26 (2):73-78.
- Takenaka, T. (1982):** Chemical composition of royal jelly. *Honeybee Sci.*, 3 (2): 69-74. (c.f. *Apic. Abst.*, 290/83).
- Takenaka, T. (1984):** Studies on protein and carboxylic acid in royal jelly. *Bull. Fac. Agric. Tomagaw Univ.*, 24: 101-149 (c.f. *Apic. Abst.*, 337/87).
- Takenaka, T. (1988):** Proteins synthesis by the hypopharyngeal glands of worker honey bee. *Honey bee Sci.*, 9 (1): 13-18.
- Takenaka, T. and Echigo, T. (1980):** Chemical composition of royal jelly. *Bull. Fac. Agric., Tamagawa Univ.*, No. (20) 71-78. (c.f. *Apic. Abst.*, 1330/83).
- Takenaka, T. and Echigo, T. (1982):** Changes in nitrogenous components of royal jelly from queen honey bee larvae of different ages. *Nippon Nogeikagoku Kaishi, Japan*, 56 (10):931-933. (c.f. *Apic. Abst.*, 996/84).
- Takenaka, T.; Yatsunami, K. and Echigo, T.(1986):** .Changes in quality of royal jelly during storage. *Nippon Shokullin-Kogy. Gakkaishi*, 33 (1): 1-7.
- Thomas, E.R. and William, A.H. (1985):** The effect of empty comb on the proportion of foraging honeybee colonies nectar. *J. of Apic. Res.*, 24 (1):49-50.

- Vailati, G.; Sommaruga, A. and Festo, N. (1986):** Investigation on the development of the ovaries of queen honeybee reared in northern Italy. *Ape Nostra Amrica*. 8 (6): 29-31.
- Vaillaume, M. (1955):** The production of royal jelly using one colony continuously as a starter. *Apiculture, Sect. Sci.*, 99 (11): 67-71 (A.A. 20/1959).
- Weiss, K. (1986):** Deposition of royal jelly and development of queen larvae during consecutive experiments in queenless colonies of *Apis mellifera*. *Apidologie*; 17 (2): 175-191. (c.f. *Apic. Abst.*, 176/87).
- Wille, H.; Imdorf, A.; Buhlmann, G.; Kilchenmann, V. and Wille, M. (1985):** Relationship between pollen harvest, brood production and median life expectancy of workers in honeybee colonies. *Mitteilungen der schweizerschen Entomologishc en Geselleschafi*, 58 (1/2): 205-214.
- Williams, I.H.; Carreck, N. and Little, D.J. (1993):** Nectar sources for honey bees and the movement of honey bee colonies for crop pollination and honey production in England. *Bee World*, 74 (4): 160-175.
- Woyke, J. (1981):** Effect of sex allele homo-heterozygosity on honeybee colony population and on their honey production 2. Un favourable development conditions and restricted queens. *J. of Apic. Res.*, 20 (3): 148-155.
- Woyke, J. (1984a):** Exploitation of comb cells for brood rearing in honey bee colonies with larvae of different survival rates. *Apidelogie*, 15(2): 123-136.
- Woyke, J. (1984b):** Correlation and interactions between population length of worker life and honey production by honeybees in a temperate region. *J. of Apic. Res.*, 23 (3): 148-156.
- Zimmer, R. (1987):** The Buckfast bee : questions and answers. Oppenau, German Federal Republic; C. Koch Veriag 230 pp.