

REFERENCES

- Abou-Raya, M.A., Radi, A.F. and Heikal, M.M. (1970).
The uniform rhythm in absorption and release of
labelled phosphate by host and parasite.
U.A.R. Journal of Botany 13(1):121-124.
(C.F. weed Abst. Vol, 22, 354, 1973).
- Abou-Raya, M.A., Eadi, A.F. and Heikal, M.M. (1973).
Host-parasite relationship of Orobanche spp. in
symposium on parasitic weeds, Malta, Wageningen, Netherlands,
European weed Research Council; 167-176.
- Abu-Irmaileh, B.E., A (1977)
Some aspects of the mechanism of action of glyph-
osate on purple nutsedges.
(Cyperus rotundus L.).
Thesis, University California, Riverside, Calif-
ornia, U.S.A. (1977) 102 pp.
(C.F. Weed Abst. Vol. 27, 522, 1978)
- Ahmed, A.H. (1981).
Physiological studies on Orobanche parasitism on
Vicia faba.
M.Sc. Thesis, Fac. Agric. Cairo Univ.
- Al-Menoufi, A.O. (1982).
Studies on Orobanche spp. 2: Fungi associated with
Orobanche crenata Forsk.
The American Phytopathological Society.
Vol. 72, No. 7, 1982.
- Ashton, F.M. and Crafts, A.S. (1973).
Mode of action of herbicides.
John Wiley and Sons, Inc., New York, pp. 110-122.

Assad, M. (1971).

Physiological Studies on Orobanch
parasitism and its control in
Tomatoes.

Ph.D. Thesis, Fac. Agric. Cairo Univ.

Baccarini, A. and Melandri, B. A. (1967).

Studies on Orobanch heder
ology: pigments and co_2 fixation.
Physiologia plantarum (Scandinavia)
V. 20(11) P. 245-250.

Bakr Ahmed, M. and Zahran, M. K. (1958).

Control of Orobanch on horse bean.
Cairo Univ., Fac. Agric., Bull. 204.

Bakr Ahmed, M., Hassan, H. M., Higazy, M. A. and

El-Ghanrawy, N. (1969a).

Physiological studies on Orobanch
parasitism. I. The effect of Orobanch
parasitism on the growth and devel-
opment of Vicia faba.

Bull. of Faculty of Agric., Univ. of
Cairo, 20(2) P. 47-58.

Bakr Ahmed, M., Hassan, H. M., Higazy, M. A. and El-
Ghanrawy, N. (1969b).

Physiological studies on Orobanch
parasitism.

II. Sugar and nitrogen contents of
Vicia faba as affected by Orobanch
parasitism.

Bull. of Faculty of Agric., Univ. of Cairo,
20(2) P. 59 - 76.

Bakr Ahmed, M., Hassan, H.M., Higazy, M.A. and El-Ghamrawy, N. (1969c).

Physiological studies on Orobanch parasitism.

III . Some mineral contents of Vicia faba as affected by Orobanch parasitism.

Bull. of Faculty of Agric., Univ. of Cairo
V.20(2) P.77-95.

Barloy, J. and Pelhate, J. (1962).

Preliminary observations on the parasites and diseases of hemp in Anjou, Ann.

Epiphyt., 13:117-149.

(Hort. Abst., 32:7160, 1972).

Basler, F. (1979).

Broomrape (Orobanch spp.) control in broad bean (Vicia faba).

PABIS 1, 27.

Beck Von Managetta, G. (1930).

Orobanchaceae.

In: Engler, A. (ed.) Das Pflanzenreich.

Wilhelm Englmann (Germany) V.96(IV.261) P.1-348.

Bhattacharya, M.K. (1971).

Orobanch egyptiaca Pers., infection, economic loss of host, and control of the parasite.

Acta Agrogenica Academiae Scientiarum

Hungaricae, 20, 1/2:93-100.

(C.F. Weed Abst. Vol.21, 1250, 1972).

Bischof, F. and Koch, W. (1974).

Chemical and biological control of Orebanche
aegyptiaca L.

Philippines, 1974 13 pp.

(C.F. Weed Abst. Vol. 25, 1245, 1975).

Blackwell, S. (1977).

Weed control handbook.

Volume 1, principles including plant growth
regulators.

Edited by Fryer and Makepeace.

Boyle, W.S. and Evans, J.O. (1974).

Effect of glyphosate and ethephon on meiotic
chromosomes of Secale cereal L. J. Hered. 65: 250.

Burg, S.P. (1962).

The physiology of ethylene formation.

Annu. Rev. Plant physiol. 13: 250-302.

Burg, S.P. (1973).

Ethylene in Plant growth.

Proc. Nat. Acad. Sci. U.S.A. 70 : 591-597.

Burlov, V.V. and Kostyuk, S.V. (1976).

Inheritance of resistance to a local race
of broomrape (Orebanche cumana Wallr) in
the sunflower.

Genetika 12(2): 44-51.

(C.F. Weed Abst. Vol. 27, 410, 1978).

Garas, N.A., Karssen, C.M. and Bruinsma, I. (1974).

Effects of growth regulating substances and root exudates on the seed germinating of Orobancha crenata Forsk.

Z. Pflanzphysiol. 71 (2): 108-114.

(Agric. Res. Council, Weed Res. Orga. Bib. No. 77).

Haderlie, L.C., Widholm, J.M. and Slife, F.W. (1976).

Effect of glyphosate on carrot and tobacco cells. Plant physiol. 60: 40-43.

Hameed, K.M., Saghir, A.R., and Fay, C.L. (1973).

Influence of root exudates on Orobancha seed germination.

Weed Rec. (1973), 13 (1) : 114 - 117.

Hammad, S.H.; Elarosi and Al-Menoufi, O.A. (1967)".

Phytomyza orobanchia Kalt. feeding on Orobancha crenata Forsk. in Egypt.

Bull. Soc. ent. Egypte 51: 141 - 144.

Harb, E.M.Z. (1972).

Developmental changes in the carbohydrate and amino acid components of free lived and Orobanche parasitised Vicia faba plants .
M.Sc. Thesis , Fac. Agric. Cairo Univ.

Harb, E.M.Z. (1979).

Physiological studies on germination and early development of Orobanche crenata seeds in relation to its Host, Vicia faba plants.
Ph.D. Thesis , Fac. Agric. Cairo Univ.

Hassan, E.A.F. (1977)

Orobanche parasitism on Vicia faba. A case of correlative growth .
Ph.D. Thesis , Fac. Agric . Cairo Univ.

Hiron, R.W.P. (1973).

An investigation into the processes involves in germination of Orobanche crenata using a new bio-assay technique .

In : proceedings of the symposium on parasitic weeds (Malta) P.76-88.

Ismail, A.M. and Obeid , M. (1976) .

A study of assimilation and translocation in Cuscuta hirsuta Heyneex Roth., Orobanche ramosa L. and Striga hermontheica Benth. Weed Rec., 16(2) 87-92., 1976 .

Kabulev, D. T. (1969).

Infestation on musk melons.

Kartofel'i Ovoshchi (USSR), V. 14(12)P.38-40.

Kasasian, L. and Parker, C. (1971).

The effect of numerous herbicides on the germination of Orobanche aegyptiaca and Striga hermontheca.

PANS, Pest Articles and News Summaries, 17(4)P.471-481.

Kasasian, L. (1971 a)

Weed control in the tropics.

Leonard Hill, London (UK) 307 P.

Kasasian, L. (1971 b)

Orobanche spp.

PANS, 17(1)P.35-41.

Kasasian, L. (1973 a).

The chemical control of Orobanche crenata in Vicia faba and the susceptibility of 53 cultivars of Vicia faba to Orobanche crenata.

In: Symposium on parasitic weeds.

Malta, 1973. Wageningen, Netherlands, European weed Research council 1973, 224 - 230

(C.F. Weid. Abstr. Vol. 23, 228, 1974).

Kassasian, L. (1973 b).

Control of Orobanche .

PANS 19 (3) : 368-371.

King, E.J. (1951).

Micro-analysis in medical biochemistry.

2nd Ed. Churchill, London.

Kiraly, Z., Klement, Z., Solymosy, F., and Voros, I. (1974).

Methods in plant Pathology with special

reference to Breeding for Disease Resistane.

Budapest, Akademiai Kiado, PP.509.

Kott, S.A. (1969).

Cultural control of broomrape.

(Weeds and their control) , Kolos, Moscow:

1969 ,69,177-8.

(C.F. Weed Abst. Vol. 20,1194, 1971).

Kline, W.L. (1977).

Effect of glyphosate applications on hedge
bindweed.

In proceedings of the Northeastern weed Science
Society Baltimore 31:98.

(C.F; Weed Abst. Vol.27,741, 1978).

Klingman, G.C. (1961)

Weed control as a Science.

Jhon Wiley and Sons, Inc. New York, London, PP.421.

Knutson, D.M. (1979).

How parasitic seed Plants induce disease in other plants.

In Plant disease : an advanced treatise. Vol. IV, How pathogen induce disease ; ed. by J.G.

Horsfall and E.B. Cowling .

New York; U.S.A : Academic Press, 1979 293-312.

(C.F. Weed Abst. Vol. 31, No. 1, 232, 1982).

Kolyadko, I.V. (1973).

The resistance of hemp hybrids to branched broomrape.

Leni Konoplya 1: 27 - 28 .

(C.F. Weed Abst. Vol. 22, 2944, 1973).

Krishnamurty, G.V.G., Lal, R. and Nagarajan, K. (1977).

Further studies on the effect of various crops on the germination of Orobanche seed.

PAWS 23 (2) : 206 - 208 .

(C.F. Weed Abst. Vol. 27 ; 408, 1978).

Krishnamurty, S. and Unamaheswara Rao, M. (1976).

Control Orobanche through crop rotation.

Indian Farming 25 (10) : 23.

(C.F. Weed Abst. Vol. 26, 342, 1977).

Lotti, G. and Paradossi, C. (1977).

Host - parasite mineral composition in plants infected with Orobanchaceae .

Agricoltura Italiana 106 (2) : 153 - 165.

(C.F. Weed Abst., Vol. 27 , 2667, 1978).

Lund - Hoie , K. (1976).

The correlation between the tolerance of Norway spruce (Picea abies) to glyphosate (N-Phosphon - methyl glycine) and the uptake , distribution and metabolism of the herbicide in the spruce plants.

Meldinger fra Norges Landbrukshogskole 55 (21) : 26. (C.F. Weed Abst. Vol. 26, 3433, 1977).

Manjunath, T.M. and Nagarkatti, S. (1977).

Natural enemies of Orobanche in India and possibilities of its biological control.

Technical Bulletin, Commonwealth Institute of Biological control, No. 18 : 75 - 83.

Misra , P.C. and Saxena , Y.R. (1971).

Nitrogen metabolism in angiosperm parasites : bound amino-acids.

Indian Journal of Biochemistry and Biophysics, v.8 (1), P. 60- 62.

Moreno Marquez, V. (1947).

The osmotic pressure of plant juices as a possible index for resistance to broomrape (Orobanche crenata Forsk.) attack .

Estación de Fitopatología Agrícola de Badajoz, Madrid, no. 178.

Moshier, L.J. (1978).

Factors affecting N-(phosphonomethyl) glycine (glyphosate) activity in turfgrass and alfalfa (Medicago sativa) seedling, environments and degradation in the soil.

Disseration Abstracts Inter.B 38(10): 4577-4578.

(C.F. Weed Abst. Vol. 27, 624, 1979).

Mukumov, K.H. M. (1970).

Determining the resistance of cucurbitaceous crops to broomrape by excavating the roots. Navoi (1970) 187 : 90-95.

(C.F. Weed Abst. Vol. 22, 1799, 1973).

Murphy, H. and Jand, J.M. (1973).

Weed control in white potatoes in Maive-1972. In proceedings of the Northeastern weed Science Society. New York 27:284 - 293.

(C.F. Weed Abst. Vol. 23, 1237, 1974).

Narasimhan, M.J. and Thirumalachar, M.J. (1954).

A Sclerotinia disease of Orobancha cernua in Bihar (India).

Phytopatho. Z., 22 (4) : 420-428.

(C.F. PANS Vol. 12, No.1, 1971).

- Nomura, N.S. and Hilton, H.W. (1977).
The adsorption and degradation of glyphosate
in five Hawaiian sugar cane soils.
Weed Research 17(2) : 113-121.
(C.F.Weed Abst. Vol.26,3499,1977).
- Okonkwo, S.N.C. (1960).
Studies on Striga senegalensis.II Translocation
of C¹⁴ labelled photosynthate, Urea- c and
Sulfur 35 between host and parasite.
Amer. Jour Bot.53 (2) : 142-148.
- Osgood, R., Yaeger, W., Nomura, N. and Kameda, S. (1975).
Progress towards registration of glyphosate
(Roundup). 44-45.
(C.F. Weed Abst. Vol.24,2484, 1975).
- Palkin, YU. and Prokudina, F. (1973).
Cultural control of broomrape.
Kartofol'i ovoschchi 18(7) : 35-36.
(C.F. Weed Abst. Vol. 22,2943,1973).
- Papayan, A.G. and Arutyunyan, Kh.M. (1981).
Harmful effect of broomrape on tobacco plants.
Izvestiya sel's Kokhozyarstvenn or Nauki
Armenyanskor SSR (1981), No.5, 33-37 .
(C.F. Weed Abst. Vol. 32 No.4, 727, 1983).

Pieterse, A.H. (1979).

The broomrape (Orobanchaceae)- a review.

Abst. on Trop. Agric., Vol.5 (3) :9-35.

Piglioni, V. (1973).

Results of control trials carried out for several years against broomrape on broad bean.

Annali della Facoltà di Agraria dell'

Università di Bari 26 (2) :743-763.

(C.F. Weed Abst. Vol. 24,2927 , 1975).

Piper, C.S. (1947).

Soil and plant analysis, The University of

Adelaide; Adelaide

Pogorletskii, B.K. and Geshele, E.E. (1975).

On the immunity of sunflower to broomrape.

Genetika 11 (7) : 18-26.

(C.F. Weed Abst. Vol. 26,1061, 1977).

Poletaeva, G.V., Greshanova, V.N. and Natalina, O.B.

(1963). Powdery mildew of Orobanche spp.

Bot. Z.,48 : 126-127.

Pratt, H.K. and Goeschl, J.D. (1969)

Physiological roles of ethylene in plant.

Ann. Rev. Plant physiol. 20 : 541-584.

Pregle, F. (1945).

Quantitative organic micro-analysis 4th Ed.,
J. and A. Churchill Ltd. London.

Rakitska, V. (1971).

Dynamics of the non-volatile organic acids in
broomrape-resistant and susceptible sunflower
plants.

Nauchni Trudove, Visshe Selskostopanski Institut
Georgi Dimitrov (seriya obshcho zemedelic).
(Bulgaria), V.21, p. 149-156.

Safra, R. (1959).

The control of Orobanche and wild Oats in the
U.S.S.R.

Pesticide Abstract and News Summery.

Seet. C., 1959, Vol. 5 (Nos. 2/3), PP. 59-60
(C.F. Review of literature on Orobanche with
suggestions for its control. Publ. F.A.O.(n.d.),
61/B/1288, PP.6).

Saghir, A.R., Foy, C.L. and Hameed, K.M., (1972).

Effect of herbicides on the germination of
Orobanche.

Weed Sciences Society of America, (1972), No.42,
(C.F. Weed Abst. Vol.24, 1951, 1975).

Saghir, A.R., Destgneib, F. and Karakhanian, M. (1974).

Chemical control of Orobanche crenata in
broad beans in Lebanon.

Colloquium on parasitic seed plants, Old Dominion
University, Norfolk, Virginia 23508, October 3,
1974. Abstracts of papers submitted for
presentation to the colloquium.

Saghir, A.R. (1979).

Different chemicals and their potential for
Orobanche control.

Second International Symposium on parasitic weeds,
North Carolina, 1979.

Said, Akila and Naguib, M.T. (1964).

Sucrose determination as means of estimation
of draw back tax on the exported Halawa Tehinia.
Cairo Univ., Fac. Agric. Bull. 39: 307.

Schluter, K. and Aber, M. (1979).

Chemical control of Orobanche crenata in
commercial culture of broad bean in Morocco,
2nd Inter. Symp.

Parasitic weeds (supplement).

Schluter, K. and Aber, M. (1980).

Chemical control of Orobanche crenata in field
beans in Morocco.

Zeitschrift für Pflanzen Krankheiten und Pflanzen
schutz, 1980, 87, 8, 433-438.

- Schmitt, U., Schluter, K., and Boorsma, P.A. (1979).
Chemical control of Orobanche crenata in
broad bean.
FAO plant protection Bulletin, 1979, 27, 3, 88-91.
- Singh, J.N., Singh, J.N. and Rai, T.B. (1971).
Studies on the physiology of host-parasite
relationship in Orobanche.
II-Growth and mineral nutrition of host and
parasite.
Physiol. Plant. 25 : 425-431.
- Taslakhch'yan, M.E. and Grigoryan, S.V. (1978).
Fungi found on broomrape species growing in the
Armenian - SSR, USSR.
Mikol Fitopatol 12 (2), 112 -114.
- Thomas, M. and Dutcher, R.A. (1924).
The colorimetric determination of CHO in plants
by the picric acid reduction method.
Jour.Amer. Chem. Soc. 46: 7-12.
- Timchenko, V.I. and Dovgal, E.S. (1972).
Microbiological control method for broomrape on
vegetable crops.
In Biologicheskii Method Bor'by Svereditelyami
ovoshchnykh kul'tur shornik. Moscow, USSR ,
Kolos. (1972) 109 -111.
(C.F. Weed Abst. Vol.22, 162, 1973).

Tincheva, Ts. (1971).

Changes in the chemical composition of tobacco
caused by broomrape

B'lgarski Tyutyun (Bulgaria) , V.16 (10), P.18-22

Webster, B.D. (1968).

Anatomical aspects of abscission.

Plant Physiol. 43: 1512-1544.

Wilde, R.C. (1971).

The interaction between auxine and ethylene and
its role in plant growth.

Hort. Science 6: 364.

Williams , G.H. (1977).

The effect of herbicide mixtures on the control
of bracken (Pteridium aquilinum L .Kuhn.)

In proceedings of the EWRS Symposium on Different
Methods of weed control and their Integration,
Uppsala , 1977, 1:157-162.

(C.F. weed Abst. Vol.27,738,1978).

Zahran, M.K., Farag, F.H., Ibrahim, T.S. and Kirollos,
M.A., (1976).

Control parasitic plants (broomrape and dodder)
in different crops in Egypt.

Ann. Rep. (EG -ARS -15 Pl. 480 project), 1976.

Zahran, M.K. (1977).

Control of broomrape in field and vegetable crops in Egypt.

Final Technical Report, Agricultural Research programme , public law 480. Grant No.FG-EG.109.
Project No. F4- CR -4
(C.F.Weed Abst. Vol. 26,409 (1977))

Zahran, M.K., Farage, F.H., Ibrahim , T.S. and Kirollos, M.A.(1979).

The potential use of pronamide against Orobanche crenata in Vicia faba.

Prcc. 3 rd Arab pesticide conf., Tanta Univ.
11: 1-10.

Zahran, M.K., Farag, F.H., Ibrahim, T.S. and Kirollos, M.A.
(1980).

Chemical control of Orobanche crenata in Vicia faba.
FABIS 2,47.

Zahran ,M.K. (1981).

Weed and Orobanche control.

International conference of Faba beans, Cairo, March 1981.

Zoebelein , G. Von. (1976).

Preliminary trials to control Orobanche Species.

Trope. ~~Tropenlandwirt~~ 77(2):91 -101 .

(C.F. Weed Abst. Vol. 26, 2885, 1977).
