




REFERENCES

- A. O. A. C. (1980). Official Methods of Analytical of official chemists, Association, of Official Analytical Chemists, Washington D.C.
- A. O. A. C. (1990). Official Method of Analysis, 10th Ed., Association of Official Analytical Chemists, Inc. USA.
- Amzallag, G. N., Lerner, H. R. and A. Poljakoff-Mayber (1992). Introduction between mineral nutrients, cytokinin and gibberellic acid during growth of sorghum at high NaCl salinity. J. Exp. Bot. 43, 81-87.
- Askari, A.; Solangi, M. S.; Ahmed S. I. and A. Askari (1995). Autecological studies of extic plant Hibiseus sabdriffa L. (Roselle), a mullipurpose plant, for its introduction and culture. Pakistan J. of Sci and Indus Res. 38:1, 17-21.
- Badr, A. M., (1976). Deficiency effect of some major elements on the yield and some qualities of Roselle plant. M. Sc. Thesis, Ain Shams Univ., Fac. Of Agriculture, Hort. Sec., Ann, Agric. Sci., 28, (2).
- Barker, A. V. (1979). Nutritional factors in photosyn thesis of higher plants. J. plant Nutr. 1, 309-342.
- Bould, C. and R. T. Parfitt (1973). Leaf analysis as a guide to the nutrition of fruit crops. X. Magnesium and

- Phosphorus sand culture experiments with apple. J. Sci. Food Agric. 24, 175-185.
- Bruinsma, J. (1977).* Rolle der cytokinine bei Blüten-und fruchten twicklung. Z. pflanzenernahr. Bodenk. 140, 15-23.
- Buhan, T., Varga, A., Tromp, J., Kengt, E. and J. Bruinsma (1978).* Effects of ammonium and nitrate nutrition on the level of zeatin and amino nitrogen in xylem sap of apple rootstocks. Z. pflanzenphysiol 89, 289-295.
- Cao, W. and T. W. Tibbitts (1993).* Study of various $\text{NH}_4^+/\text{NO}_3^-$ P mixtures for enhancing growth of potatoes. J. plant. Nutr. 16:1691-1704.
- Chapin, F. S. III and I. F. Wardlaw (1988).* Effect of phosphorus deficiency on source-sink interactions between the flag leaf and developing grain in barley. J. Exp. Bot. 39, 165-177.
- Chen, J. G.; Cheng, S. H., Cuo., W. and X. Zhou (1998).* Involvement of Endogenous plant Hormones in the effect of mixed nitrogen source on growth and tillering of wheat. J. of plant Nutr. 18:10, 2179-2190.
- Chew, W. Y., M. A. A. Malek and K. Pamli (1982).* Nitrogen and potassium fertilization of Congo Jute (*Urenalobata*) and Kenaf (*Hibiscus Cannabinus*) on

Malaysian peat. Soils and fertilizers Record No. 05047-05171.

- Cuo, C., Oosterhuis, D. M. and Z. Zhao (1994).* Enhancing mineral nutrient uptake of cotton plants with growth regulators. PP. 83-87. In Sabbe, W. E. (Ed) Arkansas soil fertility studies (1993) Arkansas Agric. Exp. Stn. Res. Series 436.
- Dastur, R. H., (1962).* The effect of N, P. and K on Growth and yield of American cotton Uidarbha. Ind. Cotton Gr. Rev., 16: 274-281. (Cited from Soil and Fertility Abstr. 26: 497, (1963).
- Dethier, M.; Cordier, Y.; Demeyer, K.; Palevitch, D.; Simon. J. E. and A. Mathe (1993).* Cultivation of *Datura* species for scopolamine and hyoscyamine production in Burundi. Acta. Hortic. 331, 39-48.
- Du, C. T. and F. J. Francis, (1973):* Anthocyanin of rosella (*Hibiscus sabdariffa*, L.) J. Food Sci., 38: 810-812.
- Dubois, K. A., Gilles, J. K., Ramilton, R. P. A. and F. Smith (1956).* Calorimetric method for determination sugars and related substances. Anal. Chem. 28: 350-356.
- El-Shaarawi, A. J., Fouad, M. K., El-Sahhar, M. F. and S. S. El-Shaarawi (1982).* Effect of gibberillic acid (GA_3) and nitrogen fertilization on the growth of *Hibiscus*

- sabdariffa. Res. Bull, Fac. of Agric. Ain Shams. Univ. 1926, Cairo, Egypt.
- El-Adawy, T. A. and A. H., Khalil (1994).* Characteristics of roselle seeds as a new source of protein and lipid. J. of Agric and food chemi. 42:9, 1869-1900.
- El-Kashlan, S. H. (1984).* Studies on the response of roselle Hibiscus sabdariffa to plant density and nitrogen fertilization. M. Sc. Thesis, Fac. Agric., Cairo Univ.
- El-Sayed, A.; El-Gamal, Mahmoud M. M. and F. A. Omar (1983).* Effect of nitrogen fertilization on the growth and yield Hibiscus sabdariffa L. Ann. Agric. Sci., Fac. Ain Shams, Univ., Cairo, Egypt. 28, (2), 839-850.
- El-Seoud-MAA; Abdel-Sabour-MF; Omer-EA. and MA-Abo-El-Seoud (1997).* Productivity of Roselle (H. Sabdariffa L.) plant as affected by organic waste composts addition to sandy soil. Bulletin – of – the national Res. Cent. Cairo, 22: 4, 495-505.
- El-Shafie, S. A. (1979).* Effect of different fertilization rates on the growth and yield of roselle in Egypt. Ind. J. Agric. Sci.: 49(2) 118 (Field crop Abst. 33, 1979, 2326).
- El-Sherbeny-SE.; Naguib-NY. and ME. Hussein (1997).* Effect of gamma irradiation and sulphur fertilizer on growth

and chemical composition of *Hibiscus sabdariffa* L.
Egypt. J. of Physio. Sci., 21:1, 115-127.

El-Tantawy, A.; D. M. Abraham and E. I. El-Maadawy (1993).
Effect of sowing dates and nitrogen on growth and
chemical constituents of roselle (*Hibiscus*
sabdariffa L.). J. Agric. Sci. Mansoura Univ. 18 (12)
: 3651-3659.

El-Tantawy, A.; D. M. Ibrahim and H. A. Mansour (1994). The
combined effects of irrigation intervals and nitrogen
sources on the growth and productivity of roselle
(*Hibiscus sabdariffa* L.) plants. J. Agric. Sci.
Mansura Univ. 19 (8): 2657 -2675.

*Fahmy-R; Abd-El-Daiem, SA.; Abd-El-Hafeez-S. and MAA-
Rady (1983).* The effect of gibberellic acid on the
germination rate and seedlings properties of kenaf and
roselle. Agric. Res: Review 61.8, 137-150.

Fuleki, T. and F. Francis, (1968): Quantitative methods for
anthöcyanins. J. Food Sci., 33 : 72-76.

Gardner, F. P.; Pearce, R. B. and R. L. Mitchell (1985).
Physiology and Cropplants. 3-Transport and
Partitioning. Iowa state Univ. press. Ames. PP. 75.

Gerendus, J., Ratcliffe, R. G. and B. sattelmacher (1990).
Influence of nitrogen form and concentration on
growth and ionic balance of tomato (*Lycopersicon*

- esculentum) and potato (*solanum tuberosum*). In plant. Nutrition – Physiology and Application. (M. L. van Beusichem, ed.), PP. 33-37. Kluwer Academic, Dordrecht.
- Grasmanis, V. O. and G. E. Edwards (1974)*. Promotion on flower initiation in apple trees by short exposure to the ammonium ion. Aust. J. plant physiol. 1, 99-105.
- Gui, C., Oosterhuis, D. M. and Z. Zhao (1994)*: Enhancing mineral (nutrient uptake of cotton plant with growth regulators. PP. 83-87. In sabbe, W. E. (E. d) Arkansas soil fertility studies (1993) Arkansas Agric. Exp. Stn. Res. Series 436.
- Hanson, H. C. and E. D. Churchill (1968)*. The plant community 3rd printing –Reinhold pub. Crop., PP 108-111.
- Hecht-Buchholz, C. (1972)*. Wirkung der Mineralstoffernahrung auf die Feinstruktur der Pflanzen zelle Z. Pflanzenernahr. Bodenk. 118, 12-22.
- Heldt, H. W., Chon, C. J., Marond, D., Herold, A., Stankovic, Z. S., Walker, D. A., Kraminer, A., Kirk, M. R. and U. Heber (1977)*. Role of orthophosphate and other factors in the regulation of starch formation in leaves and isolated chloroplasts. Plant physiol. 59, 1146-1155.

- Hendrix, J. E. (1995).* Assimilate transport and partitioning. In: Handbook of plant crop physiology (M. Pessaraklied). Marcel Dekker, Inc. New York. Basel. Hang Kong. Pp. 357-385.
- Herzog, H. (1981).* Wirkung Von zeitlich begrenzten stickstoff- und cytokinin gaben auf die fahnenblatt- und kornentwicklung von weizen. Z. pflanzenernahr. Bodenk. 144, 241-253.
- Hopkins, W. G. (1995).* Carbon assimilation and productivity. In: introduction to plant physiology. John Wiley & Sons Inc ed PP: 251-261.
- Horgan, J. M. and P. F. Wareing (1980).* Cytokinins and the growth response of seedling of *Betula pendula* Roth. and *Acer pseudo platanus* L. to nitrogen and phosphorus deficiency. J. Exp. Bot. 31. 525-532.
- Horneck, D. A. and D. Hanson (1998).* Determination of potassium and sodium by flame emission spectrophotometry. In Handbook of Reference Methods for plant analysis. Kalra. Y. P. (ed): 153-155.
- Horneck, D. A. and R. O. Miller (1998).* Determination of total nitrogen plant tissue. In Handbook of Reference Methods for plant analysis. Kalra, Y. P. (ed): 75-83.

- Hussein-MS; El-Saeid-HM. and SE-El-Sherbeny (1994).*
Response of Hibiscus sabdariffa L. plants to some growth regulators. Egypt. J. of Hort. 21:2, 227-238.
- Hussein-MS; El-Sherbeny-SE; El-Saeid-HM. and MM-Kandeel (1989).* Field experiments of foliar application with B-q and micronutrients on Hibiscus sabdariffa L. Egypt. J. of Hort. 16:1, 59-68.
- Jain, N. K., (1965).* Fertility trials with roselle (*Hibiscus sabdariffa* var *altissima* Hort.). tropical Abstr. 20: 1074.
- Khalil, M. S.; Khalil, Z. and F. A. El-Daly (1988).* Effect of zinc sulphate and manganese chloride on nitrogen metabolism of roselle (*Hibiscus sabdariffa* L.). Egypt. J. of Bot. 31:1-3, 205-215.
- Khattab, M. E. (1997).* Growth and yield response of roselle new cvs. To foliar nutrient application. Bulletin – of – the Nat. Res. Cent. Cairo, 22: 4, 473-494.
- Krishnamurthy-N; Gururaj-Hunsigi; Rudra radhya-M; Singalachar-MA; and G. Hunsigi (1994).* Effect of nitrogen level and spacing regimes on physiological parameters in biomass production of mesta. Current – Res-Univ. of – Agrica. Sci-Bangalore. 23:9, 102-103.
- Krishnamurthy-N; Gururaj-Hunsogo; Rudra radhya-M; Singlacahar-MA; and G. Hunsigi (1994a).* Effect of

nitrogen level and spacing regimes on physiological parameters in biomass production of mesta. Current – Res-Univ. of – Agric. Sci-Bangalore. 23:9, 102-103.

Krishnamurthy-N; Gururaj-Hunsogo; Rudra radhya-M; Singlachar-MA; and G. Hunsigi (1994b). Effect of nitrogen level and spacing regimes on physiological parameters in biomass production of mesta. Current – Res-Univ. of – Agric. Sci-Bangalore. 23:9, 102-103.

Krishnamurthy-N; Hunsigi-G; Singlachar-MA; Rudraradhya-M; and H.-Gliruraj (1992). Influence of plant density and nitrogen levels on mesta: growth components, dry matter and biomass yields. Mysore-Journal-of Agric-Sci. 26:3, 239-243.

Kudoyarova, G. R.; Farkhutdimov, R. C. and S. Y. veselov (1997). Comparison of the effects of nitrate and ammonium forms of nitrogen on auxin content in roots and the growth of plants under different temperature conditions. Plant growth Regul. 1.23:3, 207-208.

Kuiper, D. (1988). Growth responses of plantago major L. ssp. pleiosperma (Pilger) to changes in mineral supply. Plant physiol. 87, 555-557.

Kuiper, D., Kuiper, P. J. G., Lambers, H., Schuit, J. and M.Staal (1989). Cytokinin concentration in relation

to mineral nutrition and benzyladenine treatment in plantago major ssp. Pleiosperma. *Physiol. Plant.* 75, 511-517.

MacAdam, J. W., Volenec, J. J. and C. J. Nelson (1989). Effect of nitrogen on mesophyll cell division and epidermal cell elongation in tall fascue leaf blades. *Plant physiol.* 89, 549-556.

Mandour, M. S., Abou-Zied, E. N. and S. A. Ibrahim (1980). Response of Hibiscus Sabdariffa to fertilization. (*Bull. Nat. Res. Cent.* 6, 1981, 91-97).

Mansur-cp; Nadagoudar-BS; Kubsad-Vs; Gouda-DSM; and CS. Hunshal (1993). Influence of nitrogen, phosphorus and potassium on the performance pf mesta. *Farming –systems.* 9:1-2, 8-12.

Mansur-Sp; Kubsad-VS; Gowda-DSM; Patil-SI; and CS-Hunshal (1995). Drymatter accumulation studies in mesta at different fertilizer combinations. *Farming-systems.* 11: 3-4, 33-39.

Marschner, H. (1995). Mineral nutrition and yield esponse. In : Mineral nutrition of higher plants. 2nd ed., Academic press, Harcoit Brace & company, Pub., PP: 184-200.

Menary, R. C. and J. Van staden, (1976). Effect of phosphorus nutrient and cytokinins on floweing in the tomato,

lycopersicon esculentum Mill. Aust. J. plant physiol.
3, 201-205.

Mercier, H.; Kerbaudy, C. B.; Sotta, B. and Miginiac, E. (1997).

Effects of NO_3^- NH_4^+ and urea nutrition on
endogenous levels of IAA and four cytokinins in two
epiphytic bromeliads. Plant Cell and Envir. 20: 3, 387
– 392.

Miller, R. I. (1965). Influence of $(\text{NH}_4)_2 \text{SO}_4$ on root growth and
P.absorption by corn from a fertilizer band. Soil. Sci.
Soc. Am. Proc. 57 : 393-396.

Muller-BM and G-Franz (1992). Chemical structure and
biological activity of polysaccharides from Hibiscus
sabariffa planta- Medica. 58:1, 60-67.

Naidu, M. V.; Prasad, P. R. and M. B. Lakshmi (1996).
Influence of species, fertility level and stage of
harvest on biomass production and pulp yield in
mesta (*Hibiscus spp.*) Journal – of – Research –
AOAU. 24:3-4,1-4.

Natr, L. (1975). Influence of mineral nutrition on photosynthesis
and the use of assimilates. Photosynth. Prod. Differ.
Environ. [Proc. IBP synth. Meet.], 1973, Vol. 2, PP.
537-555.

Nilsen E. and D. M. Orcutt, (1996). The physiology of plants
under stress, Abiotic factors. Gohn wikey & sons.

- INC, New yourk Tornoto, Singapore, Weinheim.
Chapter 4 of high boron availability. J. of plant Nutr
18:10, 2179-2190.
- Nornal, R. (1982).* Formulae for determination of chlorophyllous pigments extracted with N, N-Dimethyl lformamide. Plant physiology, 69: 1371-1381.
- Omer-EA; Kattab-ME and ME-Ibrahim (1997).* Effect of pinching and foliar application of some growth regulators on two new early mature varieties of Hibiscus sabdariffa L. Egypt. J. of Hort. 24:2, 117-130.
- Oosterhuis, D. M. (1994).* Effects of PGR-IV on the growth and yield of cotton: are view. Challenginn the future: proc. of the world cotton Res conf. I, Brisbane Australia, Febuary 14-17, G. A. constable and V. W. forrster (Eds). CSIRO, Melbourne, PP, 29-39.
- Oosterhuis D. M. and D. Zhao (1994):* Increased root length and regulators PGR-IVPP. 107-112 In Baluska F., Ciamporovan M., Gasprikova, O. and Barlow. P. W. (Eds.)-structure and Function of roots. Kluwer Academic publishers. Dordrecht, Netherlands.
- Radin, J. W. and J. S. Boyer (1982).* Control of leaf expansion by nitrogen nutrition in sunflower plants : role of

hydraulic conductivity and turgor. Plant physiol 69, 771-775.

Rahmam, M. S. and J. H. Wilson (1977). Effect of phosphorus applied as superphosphate on rate of development and spikelet number per ear in different cultivars of wheat. Aust. J. Agric. Res. 28, 183-186.

Ramu-Bs; Farooqi-AA; and BC-Shankaralingappa (1995). Nutrient uptake and yield of dry calyces in roselle (*Hibiscus sabdariffa*. L. Var. sabdariffa) as influenced by different nitrogen levels and row spacings Mysore-Journal – of – Agric-Sci. 29:3, 256-260.

Ramu-Bss; and AA. Farooqi (1996). Influence of nitrogen levels and row spacing on seed yield and uptake of major nutrients in roselle (*Hibiscus sabdariffa*. L. Var. Sabdariffa). Indian-Journal – of –forestry, 19:4, 349-254.

Rao-Pu (1996). Nutrient composition and biological evaluation of mesta (*Hibiscus sabdriffa*) seeds. Plant- Foods for Human-Nut. 49: 1. 27-34.

Rhoden – EG; David-P; Smal-T; Janick- J (ed.) and JE-Simon (1993). Effect of nitrogen nutrition on roselle. New-Crops. 583-584.

Sandell, R. (1950). Colorimetic determination of traces of metal 2nd Ed. Interscience Publishers Inc. New York.

- Scheffer, M. C.; Ronzelli-Junior, P.; Koehler, HS; Palevitch, D.; Simon, J. E. and A. Mathe (1993).* Influence oil of organic fertilization on the biomass, yield and composition of the essential oil of *Achillea millefolium* L Acta-Hort. 331, 109-114.
- Selim. S. M. Rokba. A. M. Hassan. M. R. and M. A. Hassanain (1993).* Effect of sowing dates nitrogenous and potoassium fertilization on roselle plant I- Effect vegetative growth and flowring . II-Effect on chemical composition. Egypt. J. Hort. 20, 1.
- Selim. S. M. Rokba. A. M. Hassan. M. R. and M. A. Hassanain (1993a).* Effect of sowing dates nitrogenous and potoassium fertilization on roselle plant I- Effect vegetative growth and flowring . II-Effect on chemical composition. Egypt. J. Hort. 20, 1.
- Selim. S. M. Rokba. A. M. Hassan. M. R. and M. A. Hassanain (1993b).* Effect of sowing dates nitrogenous and potoassium fertilization on roselle plant I- Effect vegetative growth and flowring . II-Effect on chemical composition. Egypt. J. Hort. 20, 1.
- Sermsri, N.; Tipayarek. S; and Y. Murata (1987).* Studies on reoselle (*Hibiscus sabdoviffa* var. *altissima* L.) cultivation in thailand. Japanese-J-of-crop-Sci. 56:1, 59-63.

- Shome- A. and SK-Hazra (1987)*. Re-irradiation response of X-ray-induced mutant of roselle. Ind. J. of Agric. Sci. 57:9, 664-665.
- Singh, D. V. and M. Ram(1987)*. Effect of spacing, extent of pruning, growth hormone and nutrients on flower yield of essential oil bearing rose (*Rosa damascena*) in subtropical India. Acta Horticulturae, 208 : 83-86.
- Singh-D V; and M. Ram (1987)*. Effect of spacing, extent of pruning, growth hormone and nutrients on flower yield of essential oil bearing rose (*Rosa damascena*) in subtropical. India. Acta- Hort. No. 208: 83-86.
- Spencer, D. and J. V. Possingham (1960)*. The effect of nutrient deficiencies on the Hill reaction of isolated chloroplasts from tomato. Aust. J. Biol Sci. 13, 441-445.
- Sreeramu-BS (1996)*. Effect of different levels of nitrogen and row spacings on yield and harvest index of roselle. Farming. Systems. 12:1-2, 40-42.
- Steel, R. G. and H. J. Torrie (1980)*. Principles and procedures of statistics with special Reference to Biological Sciences. Mc Graw Hill Co. Inc., New York, Toronto and London.
- Steer, B. T., Hocking, P. J., Kortt, A. A. and C. M. Roxburgh (1984)*. Nitrogen nutrition of sunflower (*Helianthus*

- annuus L.) yield components the timing of their establishment and seed characteristics in response to nitrogen supply. Field crops. Res. 9, 219-236.
- Teplova, I.; Veselov, S.; Kudoyarova, G. and J. E. Box (1998).* Changes in ABA content in the roots and shoots of wheat seedlings under nitrogen deficiency. Root demographics and their efficiencies in sustainable agric. grass lands and forest eco: Proc of the 5th symp. of the inter. Soc. of root Res., held 14-18 July, 1996, Clemson. Univ. South Carolina, USA. 599-605; Dev. In plant and soil Sci. Vol. 82.
- Terushima, I. and J. R. Evans (1988).* Effects of light and nitrogen nutrition on the organization of the photosynthetic apparatus in spinach. Plant cell physiol. 29, 143-155.
- Thomas, W. and R. A. Dutcher (1924).* The Colorometric Determination of carbohydrates Methods. J. Amr. Chem. Soc., 46: 1662-1669.
- Van, D. P., Viaene, N. and P. Van-Damme (1987).* Optimal proportions between N, S and P. and Between K, Ca, and Mg in the fertilization of roselle (*Hibiscus sabdariffa* L.). Tropical Agric. UK 64 : 4, 279-282.
- Wakhlou, J. L. (1975a).* studies of the growth, flowering, and production of female sterile flowers as affected by

different levels of foliarpotassium in *Solanum sisymbri-folium* Lam. I. Effect of potassium content of the plant on vegetative growth and flowering J. Exp. Bot. 26, 425-433.

Wang, X. T.; Below, F. and Wang, X. T. (1996). Cytokinin in enhanced growth and tillering of wheat induced by mixed nitrogen source. Crop science. 36:1, 121-126.

Youssef, A. K. (1996). Physiological studies on *Hibiscus sabdariffa* L. Plants. Thesis M. Sc. Fac of Agric. Cairo Univ.