

CONTENTS

	Page
-INTRODUCTION.....	1
-REVIEW OF LITERATURE.....	4
I-Ecological studies on corn borers:	
I-1-The pink stalk borer <i>Sesamia cretica</i> Led.....	4
1-a-Rate of infestation caused by <i>S. cretica</i>	4
1-b-Annual generations and peaks of <i>S. cretica</i> in different localities in Egypt.....	5
1-c- Behaviour of <i>S. cretica</i>	7
I-2-The European corn borer, <i>Ostrinia nubilalis</i> (Hubn.)	8
2-a- Host plants of <i>O. nubilalis</i>	9
2-b- Economic losses and damage caused by <i>O. nubilalis</i> to maize plants	9
2-c- Annual generations and peaks of <i>O. nubilalis</i> abundance in different localities in Egypt.....	10
2-d- Distribution of European corn borer eggs, larvae and pupa .	11
II-Survey of corn borers parasitoids.....	13
III-parasitoids of corn borers in maize fields in Egypt	17
1-Egg parasitoids.....	17
1-a- <i>Platytelenomus hylas</i> Nixon....	17
1-b- <i>Trichogramma</i> spp.....	18
2-Larval parasitoids.....	20
2-a- <i>Tachina larvarum</i> (L.).....	20
2-b- <i>Meteorus rubens</i> Nees.....	21

	page
2-c- <i>Bracon brevicornis</i> Wesm	22
3-Pupal parasitoids.....	24
3-a- <i>Conomorium eremita</i> Forst.....	24
3-b- <i>Pediobus furvus</i> (Gahan)	25
IV-Effect of storage at low temperatures on the parasitoids.....	25
V-Different control methods of corn borers.....	31
1-Chemical control.....	31
2-Use of Insect Growth Regulator	32
3-Biological control	35
3-1-Field releases of <i>Trichogramma</i> spp. against the egg masses of European corn borer.....	35
3-2- Using bioinsecticide (<i>Bacillus thuringiensis</i>)	37
3-3- Using both bioinsecticide (<i>B. thuringiensis</i>) and field release of <i>Trichogramma</i> spp.....	39
-MATERIALS AND METHODS	
I-Laboratory studies	
I-1-Effect of bioinsecticide and Insect Growth Regulator against larvae of corn stalk borer <i>Sesamia cretica</i> Led.	41
1-A-Rearing of corn stalk borer <i>Sesamia cretica</i>	41
1-B-Material used.....	41
1-C-Treatment.....	42
I-2-Effect of bioinsecticide on larvae of European corn borer <i>Ostrinia nubilalis</i> Hb.....	43
2-A-Rearing of <i>O. nubilalis</i>	43
2-B-Treatments.....	43

	page
I-3-Morphological and biological studies on <i>Conomorium</i> sp.	
(Hymenoptera: Pteromalidae) a newly recorded parasitoid	
on pupae of <i>S. cretica</i> Led.....	44
3-A-Rearing of the parasitoid.....	44
3-B-Morphological studies on the parasitoid immature stages	
and their duration.....	45
3-C-Sex differentiation.....	45
3-D- Host range in laboratory	46
3-E-Effect of different temperature on:	
- Oviposition periods, females longevity and total	
developmental period.....	46
- The number of adults emerged per female and sex ratio	
during the life-span of adult female.....	46
3-F-Effect of mating on sex-ratio in <i>Conomorium</i> sp.....	47
3-G-Fecundity and life-span of mated and unmated	
<i>Conomorium</i> sp.....	47
3-H- Effect of rearing <i>Conomorium</i> sp. on different host	
species on the number of emerged adults, sex-ratio and	
life-cycle.....	47
3-I- Number of generations of <i>Conomorium</i> sp. per year in	
laboratory.....	48
3-J- Effect of different types of supplementary food on the	
longevity of <i>Conomorium</i> sp. adults.....	48
I-4-Storage of <i>Conomorium</i> adults:	

4-A-Effect of storage on mortality rates among <i>Conomorium</i> sp adults at 10 °C.....	49
4-B- Effect of storage on mated females <i>Conomorium</i> sp stored for different periods at 10 °C.....	50
4-C- Effect of storage at 10 °C on virgin females of <i>Conomorium</i> sp.....	50
4-D-Effect of different periods of storage at 10 °C on the fertility of <i>Conomorium</i> males.....	50

II-Field studies

II-1- Survey of corn borers parasitoids and percentages of parasitism :

1-A- Egg parasitoids.....	51
1- Percentages of parasitism on <i>S. cretica</i> eggs by <i>Platytelenomus hylas</i> Nixon	51
2- Percentages of parasitism on <i>O. nubilalis</i> egg by <i>Trichogramma evanescens</i> (Westwood)....	51
1-B- Larval parasitoids	52
1-C- Pupal parasitoids.....	52

II-2-Different methods for corn borers control :

2-A-Summer plantation for controlling the corn stalk borer, <i>S. cretica</i>	53
2-B-Field evaluation of releasing <i>Trichogramma evanescens</i> and application of Delfin for controlling <i>O. nubilalis</i> infesting maize plants	54

	page
Evaluation of parasitism, <i>O. nubilalis</i> larval population density and crop damage.....	56
4-a- Percentages of parasitism.....	56
4-b- Population density of <i>O. nubilalis</i> larvae in different treatment.....	57
4-c- Rate of infestation in ears.....	57

RESULTS AND DISCUSSION

I-Laboratory studies:

I-1-Effect of bioinsecticide on <i>O. nubilalis</i> and <i>S. cretica</i>	58
I-2-Effect of Insect Growth Regulator on <i>S. cretica</i>	69
I-3-Morphological and biological studies on <i>Conomorium</i> sp (Hymenoptera: Pteromalidae), a newly recorded parasitoid on pupa of <i>S. cretica</i> Led.....	75
3-1- Description of immature stages.....	75
1-A- Egg stage.....	75
1-B- Larval stage.....	78
1-C- Pre-pupal stage.....	79
1-D- Pupal stage	80
3-2- Duration of <i>Conomorium</i> sp immature stages	80
3-3-Adult stage	
3-A-Emergence.....	88
3-B-Sex differentiation.....	88
3-C-Mating process.....	89
3-D-Oviposition process.....	93

3-E-Host range in the laboratory.....	94
3-F-Effect of temperature on biological aspects.....	94
3-G-Effect of mating on sex ratio in <i>Conomorium sp</i>	98
3-H- Fecundity and life-span of mated and unmated <i>Conomorium sp.</i> females.....	100
3-I-Effect of the host species on number of progeny, sex- ratio and life cycle.....	100
3-J-Number of generations of <i>Conomorium sp.</i> per year in the laboratory.....	101
3-K- Effect of different types of supplementary food on the longevity of <i>Conomorium sp.</i> adults	104
I-4-Cold storage of <i>Conomorium sp</i> adults:	
4-A-Effect of storage on mortality rates among <i>Conomorium sp.</i> adults.....	106
4-B-Effect of storage at 10 °C on mated females of <i>Conomorium</i> <i>sp.</i> stored for different period	107
4-C-Effect of storage at 10 °C on virgin females of <i>Conomorium</i> <i>sp.</i> virgin females.....	109
4-D-Effect of different periods of storage storage at 10 °C on the fertility of <i>Conomorium</i> males.....	111

II-Field studies

II-1-Survey of corn borer parasitoids and percentages of
parasitism:

1-1-Egg parasitoids:

1-A- Rates of parasitism by <i>P. hylas</i>	115
1-B-Rates of parasitism by <i>T. evanescens</i> on <i>O. nubilalis</i> eggs.....	120
1-2-Larval parasitoids:	
2-A- <i>Apanteles</i> sp.....	122
2-B- <i>Bracon brevicornis</i> Wesm.....	122
2-C- <i>Meteorus rubens</i> Nees.....	125
2-D- <i>Tachina larvarum</i> L.....	125
1-3-Pupal parasitoids, <i>Conomorium</i> sp.....	126
II-2-Different control methods of <i>S. cretica</i> :	
2-1-Rate of infestation caused by <i>S. cretica</i> in different treatments.....	132
1-A-Rate of infestation in the untreated maize plants....	132
1-B-Rate of infestation in the treated maize plants.....	133
2-2-Rates of infestation by <i>S. cretica</i> in maize plants after application of Delfin, Delfin + 1% NaCl and Consult...	136
2-2-A-1 Infestation by <i>S. cretica</i> eggs	136
2-2-B- <i>S. cretica</i> larval infestation	136
2-2-C- <i>S. cretica</i> pupal infestation	141
2-3-Effect of different treatments on percentages of parasitism	
2-3-A-Egg parasitoids	142
2-3-B- Larval parasitoids.....	146
II-3-Evaluation of <i>Trichogramma evanescens</i> and <i>Bacillus</i> <i>thuringiensis</i> as control management tools of <i>O. nubilalis</i> in corn field at Qalubia Governorate	152

3-A-Prediction of the period of oviposition.....	152
3-B-Percentages of parasitism in <i>O. nubilalis</i> eggs in released treatments(<i>Trichogramma and Trichogramma</i> with Delfin)and unreleased treatment (control and Delfin)....	154
3-C- Rate of damage caused by <i>O. nubilalis</i>	155
3-D- Rate of infestation in ears.....	158
Conclusion	165
SUMMARY	166
REFERENCES	178
ARABIC SUMMARY	