

Reference

- 1) Achenbach S. Detection of coronary stenoses by multidetector computed tomography: It's all about resolution. J Am Coll Cardiol 2004; 43: 840-841.
- 2) Dirksen MS, Lamb HJ, Doornbos J, et al. Coronary magnetic resonance angiography: technical developments and clinical applications. J Cardiovasc Magn Reson 2003; 10: 219-27.
- 3) Kuettner A, Beck T, Drosch T, et al. Diagnostic accuracy of non invasive coronary imaging using 16-detector slice spiral computed tomography with 188 ms temporal resolution. J Am Coll Cardiol 2004; 45: 123-127
- 4) Schroeder S, Kopp AF, Baumach A, et al. Non invasive detection and evaluation of atherosclerotic coronary plaques with multislice computed tomography. J Am Coll Cardiol 2001 ;37:1430-1435
- 5) Schlosser T, Konorza T, Hunold P, et al. Noninvasive visualization of coronary artery bypass grafts using 16-detector row computed tomography. J Am Coll Cardiol 2004; 44: 1224-1229.
- 6) Anderson RH, HO SY and Becker AE. The surgical anatomy of the conduction tissues in Gray's anatomy edition 2005; 39: 6023-6024.
- 7) Rodenwaldt J. Multislice computed tomography of the coronary arteries. Eur Radiol 2003; 13:748-757.

- 8) James TN: Anatomy of the coronary arteries. In Harber Medical Division, Harber and Row, New York, 1961 p 20.
- 9) Baroldi G.: Diseases of the coronary arteries. In silver MD (es); cardiovascular pathology, vol.1, New York, Churchill Livingston 1982, p 317-391.
- 10) Zipes DP, Libby P, Bonow R, et al. Braunwald's Heart Disease: A Textbook of Cardiovascular Disease, 8th edition. Philadelphia: WB Saunders; 2007:472-482.
- 11) McAlpine WA: Heart and coronary arteries. Springer-Verlag, New York, 1975, p 44.
- 12) Raphael M J, Hawtin D R and Allwork S P. The angiographic anatomy of the coronary arteries. Br J Surg 1980; 67: 181-187.
- 13) King SB III, Douglas FS Jr. and Morris DC: New Angiographic views for coronary arteriography. In Hurst The heart I.V, , McConey Hill, New York, 1981 p 615,
- 14) Lu B, Mao SS, Zhuang N, et al. Coronary artery motion during the cardiac cycle. Invest Radiol 2001; 36:250-256.
- 15) Anthony A and Stephen L. Mayo Clinic Cardiology Concise Textbook third edition 2007; 66: 780 – 800.
- 16) Heeschen C, Hamm CW, Bruemmer J, et al: AntiPlatelet Therapy in Unstable angina Refractory to standard treatment trial (CAPTURE) Investigators: Predictive value of C-reactive

protein and troponin T in patients with unstable angina: A comparative analysis. *J Am Coll Cardiol* 2000; 35:1535-1542

- 17) Braunwald E, Antman EM, Beasley JW, et al: ACC/AHA guideline update for the management of patients with unstable angina and non-ST segment elevation myocardial infarction-2002: Summary Article: A report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Committee on the Management of Patients with Unstable Angina). *Circulation* 2002; 106:1893-1900.
- 18) Hochman JS, Tamis JE, Thompson TD, et al: Sex, clinical presentation, and outcome in patients with acute coronary syndromes. Global Use of Strategies to Open Occluded Coronary Arteries in Acute Coronary Syndromes IIb Investigators. *N Engl J Med* 1999; 341:226-232.
- 19) Khot UN, Khot MB, Bajzer CT, et al: Prevalence of conventional risk factors in patients with coronary heart disease. *JAMA* 2003; 290:898-904.
- 20) Khot UN, Jia G, Moliterno DJ, et al: Prognostic importance of physical examination for heart failure in non-ST-elevation acute coronary syndromes: The enduring value of Killip classification. *JAMA* 2003; 290:2174-2181.
- 21) Kleiman N, Lakkis N, Cannon C, et al: Prospective analysis of creatine kinase muscle-brain fraction and comparison with troponin T to predict cardiac risk and benefit of an invasive

strategy in patients with non-ST elevation acute coronary syndromes. *J Am Coll Cardiol* 2002; 40:1044-1050.

- 22) Cannon CP, McCabe CH, Stone PH, et al: The ECG predicts one-year outcome of patients with unstable angina and non-Q wave myocardial infarction: Results of the TIMI III Registry ECG Ancillary Study. *J Am Coll Cardiol* 1997; 30:133-140.
- 23) Fleming SM, O'Byrne L, Finn J, et al: False-positive cardiac troponin I in a routine clinical population. *J Am Coll Cardiol* 2002; 89:1212-1215.
- 24) Horwich TB, Patel J, MacLellan WR, et al: Cardiac troponin I is associated with impaired hemodynamics, progressive left ventricular dysfunction, and increased mortality rates in advanced heart failure. *Circulation* 2003; 108:833-838.
- 25) Dokainish H, Pillai M, Murphy S, et al: Prognostic implications of elevated troponin in patients with suspected acute coronary syndromes but no epicardial coronary disease. *J Am Coll Cardiol* 2005; 45:19-24.
- 26) Cheitlin MD, Armstrong MF, Arigema GP et al. summary article: a report of ACC/AHA task force on practice of guidelines of clinical application of echocardiography. *Circulation* 2003; 108: 114 – 1162.
- 27) Karha J, Cannon CP, Murphy S, et al: Safety of stress testing following an acute coronary syndrome. *Am J Coll Cardiol* 2004; 94:1534-1536

- 28) Kopp AF, Schroeder S, Kuettner A, et al: Non-invasive coronary angiography with high resolution multidetector-row computed tomography. Results in 102 patients. Eur Heart J 2002; 23:1714 – 1725.
- 29) Becker CR, Knez A, Leber A, et al: Detection of coronary artery stenoses with multislice helical CT angiography. J Computed Assist Tomography 2002; 26:750 – 755.
- 30) Ohnesorge B and Flohr T: Multislice Cardiac CT Principles - Protocols - Indications - Outlook. Second Edition. Springer. 2007: P71-74
- 31) Budoff MJ and Shinbane. Computed Tomography in Cardiac CT imaging. Diagnosis of Cardiovascular disease. First edition, 2006. P1-18.
- 32) Kalender W, Seissler W, Klotz E, et al: Spiral volumetric CT with single-breath-hold technique, continuous transport and continuous scanner rotation. Radiology 1990; 176: 181-183
- 33) Rubin GD, Dake MD, Semba CP. Current status of three dimensional spiral CT scanning for imaging the vasculature. Radiol Clin North Am 1995; 33(1): 51-70
- 34) Rubin GD, Schmidt AJ, Logan LJ, et al: Multidetector row CT angiography of lower extremity arterial inflow and, runoff: initial experience. Radiology 2001; 221(1): 146-58

- 35) Klingenbeck-Regn K, Schaller S, Flohr T, et al: multi-slice computed tomography: basics and applications. EJR 1999; 31: 110-124
- 36) Schoepf UJ, Becker CR, Hofmann LK, et al: Multislice CT angiography. Eur Radiol 2003; 13:1946-1961
- 37) Jacob G, Lucia JMK, Jeroen J et al. Techniques for Cardiovascular Computed Tomography. MRI and CT of the cardiovascular system. Ed. Charles B. Higgins and Albert de Roos, 2nd ed. 2003; P 3738.
- 38) Harell GS, Guthaner DF, Breiman RS, et al: Stop-action cardiac computed tomography. Radiology 1977; 123(2): 515-517.
- 39) Ohnesorge B, Flohr T, Becker C, et al: Cardiac imaging by means of electrocardiographically gated multisection spiral CT initial experience. Radiology 2000; 217:564-571
- 40) Hong C, Becker C R, Huber A, et al: ECG-gated reconstructed multi-detector row CT coronary angiography: effect of varying trigger delay on image quality. Radiology 2001; 220: 712-717.
- 41) Achenbach S, Ulzheimer S, Baum U et al. Noninvasive coronary angiography by retrospectively ECG-gated multislice spiral CT. Circulation 2000; 102:2823-2828.
- 42) Nieman K, Oudkerk M, Rensing B, et al: Coronary angiography with multi-slice computed tomography. The Lancet 2001; 357: 599-603

- 43) Kopp A, Schroder S, Kuttner A et al: Coronary arteries: retrospectively ECG-gated multi detector row CT angiography with selective optimization of the image reconstruction window. *Radiology* 2001;221: 683-688.
- 44) Nieman K, Cademartiri F, Lemos' PA, et al: Reliable noninvasive coronary angiography with fast submillimeter multislice spiral computed tomography. *Circulation* 2002; 106; 2051-2054
- 45) Dorgelo J, Willems TP, Geluk CA, et al: Multidetector computed tomography guided treatment strategy in patients with non-ST elevation acute coronary syndromes: a pilot study. *Eur Radiol*; 2005: 15:708-713.
- 46) Leschka S, Alkadhi H, Plass A, et al: Accuracy of MSCT coronary angiography with 64- slice technology: first experience. *Eur Heart J*; 2005 (26): 1482-1487.
- 47) Stehling MK, Turner R, and Mansfield P. Echoplanar imaging: magnetic resonance imaging in a fraction of a second. *Science*; 1991: 254: 43-50
- 48) Parker DL. Optimal short scan convolution reconstruction for fan beam CT. *Med. Phys.* 1982; 9(2):254-257
- 49) Ritchie CJ, Godwin JD, Crawford CR, et al: Minimum scan speed for suppression of motion artifacts in CT. *Radiology* 1992; 185: 37-42.

- 50) Flohr T, Ohnesorge B. Heart-rate adaptive optimization of spatial and temporal resolution for ECG-gated multislice spiral CT of the heart. JCAT 2001; 25:907-923.
- 51) Shoepf UJ, Christoph RB, Lars KH, et al. Multidetector- row CT of the heart. Radiol Clin N Am 2003; 41: 491-505.
- 52) Kachelriess M, Kalender WA. ECG-correlated image reconstruction from sub second spiral CT scans of the heart. Med Phys 1998; 25: 2417-2431.
- 53) Ulzheimer S, Kalender WA. ECG-correlated image reconstruction from subsecond spiral CT scans of the heart. Med Phys 2000; 27: 1881-1902.
- 54) Hartmann IJ, Lo RT, Bakker J, et al: Optimal scan delay in spiral CT for the diagnosis of acute pulmonary embolism. Computed Assist Tomography 2002; 26(1):21-25.
- 55) Mao S, Takasu J, Child J, et al: Comparison of LV mass and volume measurements derived from electron beam tomography using cine imaging and angiographic imaging. Int J Cardiovasc Imaging 2003; 19(5):439 - 445.
- 56) West JB. Best and Taylor's Physiological basis of medical practice. Baltimore, MD: Williams & Wilkins, 1991: 119-139.
- 57) Fleischmann D, Rubin GD, Bankier AA, et al: Improved uniformity of aortic enhancement with customized contrast

medium injection protocols at CT angiography. *Radiology* 2000; 214(2): 363-371.

- 58) R. Haberl, E. Bohme, J. Tittus, et al. The role of multislice spiral CT in cardiology. *MEDICAMUNDI* 48/1 2004/05.
- 59) Cademartiri F, Mollet N, Van der Lugt A, et al: Non-invasive 16 row multislice CT coronary angiography. *EUR Radiol* 2004, 14: 178-183.
- 60) Mahnken AH, Wild Berger JE, Sinha AM, et al: Value of 3D-volume rendering in the assessment of coronary arteries with retrospectively ECG-gated multislice spiral CT. *Acta Radiologica*; 2003: 44(3): 302
- 61) Lawler LP, HK Pannu, and E.K. Fishman. MDCT evaluation of the coronary arteries: how we do it-data acquisition, postprocessing, display, and interpretation. *Am J Roentgenol*, 2005, 184, 1402 – 1412.
- 62) Schoenhagen P, et al. Non-invasive assessment of plaque morphology and remodeling in mildly stenotic coronary segments: comparison of 16 - slice computed tomography and intravascular ultrasound. *Coron Artery Dis*, 2003, 14, 459 – 462.
- 63) Woodhouse C.E., W.R. Janowitz, and M. Viamonte Jr. Coronary arteries: retrospective cardiac gating technique to reduce cardiac motion artifact at spiral CT. *Radiology*, 1997, 204, 566 – 69.

- 64) Stephan Achenbach, Ropers D, Kuettner A, et al. Contrast-enhanced coronary artery visualization by dual-source computed tomography -initial experience. *Eur J Radiol* 2006; 57:331 – 5.
- 65) Anders K, Baum U, Schmid M, et al. Coronary Artery Bypass Graft (CABG) patency: assessment with high-resolution submillimeter 16- slice multidetector-row computed tomography (MDCT) versus coronary angiography. *Eur J Radiol* 2006; 57:336 – 44.
- 66) Moore RKG, Sampson C, Mac Donald S, Moynahan C, Groves D, Chester MR. Coronary artery bypass graft imaging using ECG-gated multislice computed tomography: comparison with catheter angiography. *Clin Radiol* 2005;60:990 – 8.
- 67) Chiurlia E, Menozzi M, Ratti C, Romagnoli R, Modena MG. Follow-up of coronary artery bypass graft patency by multislice computed tomography. *Am J Cardiol* 2005; 95:1094 – 7.
- 68) Salm LP, Bax JJ, Jukema JW, et al. Comprehensive assessment of patients after coronary artery bypass grafting by 16-detector-row computed tomography. *Am Heart J* 2005 ; 150:775 – 81.
- 69) Funabashi N, Komiyama N and Komuro I. (2003) : Patency of coronary artery lumen surrounded by metallic stent evaluated by three dimensional volume rendering images using ECG gated multislice computed tomography. *Heart*; 89:388-400.

- 70) Cademarteni F, Nieman K, Raaymakers RH et al: Non-invasive demonstration of coronary artery anomaly performed using 16-slice multidetector spiral computed tomography. *Ital Heart J* 2003; 56-59.
- 71) Gilard M, Cornily JC, Pennec PY, et al. Assessment of coronary artery stents by 16 slice computed tomography. *Heart* 2006;92:58 – 61.
- 72) Mahnken AH, Muhlenbruch G, Seyfarth T, et al. 64-slice computed tomography assessment of coronary artery stents: a phantom study. *Acta Radiol* 2006; 47:36 – 42.
- 73) Schuijf JD, Bax JJ, Salm LP, et al. Noninvasive coronary imaging and assessment of left ventricular function using 16-slice computed tomography. *Am J Cardiol* 2005; 95:571 – 4
- 74) Gaspar T, Halon DA, Lewis BS, et al. *Diagnosis of coronary in-stent restenosis with multidetector row spiral computed tomography. J Am Coll Cardiol* 2005; 46:1573 – 79.
- 75) Komatsu S, Hirayama A, Omari Y, et al., detections of coronary plaque by computed tomography *with a novel plaque analysis system, plaque map. And comparison with intravascular u/s and angiography. Circ J.* 2005 ; 69: 72-77 .
- 76) Leber AW, Becker A, Knez A, et al. Accuracy of 64-slice computed tomography to classify and quantify plaque volumes in the proximal coronary system: a comparative study using intravascular ultrasound. *J Am Coll Cardiol* 2006; 47:672 – 7.

- 77) Achenbach S, Moselewski F, Ropers D, et al. Detection of calcified and noncalcified coronary atherosclerotic plaque by contrast-enhanced, submillimeter multidetector spiral computed tomography: a segment based comparison with intravascular ultrasound. *Circulation* 2004; 109: 14 – 17.
- 78) Pohle K, Achenbach S, MacNeill B, et al. Characterization of non-calcified coronary atherosclerotic plaque by multi-detector row CT: Comparison to IVUS. *Atherosclerosis* 2006.
- 79) Carrascosa PM, Capunay CM, Garcia-Merletti P, Carrascosa J, Garcia MF. Characterization of coronary atherosclerotic plaques by multidetector computed tomography. *Am J Cardiol* 2006; 97:598-602.
- 80) Shi H, Aschoff AJ, Brambs HJ, et al. Multislice CT imaging of anomalous coronary arteries. *Eur Radiol* 2004; 14: 2172.
- 81) Pelliccia A.: Congenital Coronary Artery Anomalies in Young patients: new perspectives for timely identification. *J Am Coll Cardiol* 2001; 37: 598-600.
- 82) Dirksen MS, Bax JJ, de Roos A, Jukema JW, van der Geest RJ, Geleijns K, et al. Usefulness of dynamic multislice computed tomography of left ventricular function in unstable angina pectoris and comparison with echocardiography. *Am J Cardiol* 2002; 90:1157 – 60.
- 83) Deibler AR, Kuzo RS and Voohringer M: Imaging of Congenital Coronary Anomalies with Multislice Computed Tomography. *Myo Clin Pro.* 2004; 79:1017-1023.

- 84) Wexler L, Brundage B, Crouse J, et al: Coronary artery calcification: pathophysiology, epidemiology, imaging methods, and clinical implications. *Circulation* 1996; 94: 1175-1192.
- 85) George C. Koop A, Schroder S et al. Optimizing image reconstruction timing for RR in image coronary artery with MSCT (abstr). *EUR Radiol.* 2001, 143; 563.
- 86) O' Malley PG, Feuerstein IM, Taylor AJ. Impact of electron beam tomography, with or without case management, on motivation, behavioral change, and cardiovascular risk profile: a randomized controlled trial. *JAMA* .2003;289:2215 – 2223.
- 87) Hoffmann MHK, Shi H, Schmitz BL, et al. Noninvasive coronary angiography with multislice computed tomography. *JAMA* 2005; 293: 2471 – 2478.
- 88) Thompson P, Clarkson P, Karas R. Statin- associated myopathy. *JAMA* 2003; 289:1681 – 1690.
- 89) Schmermund A, Bailey KR, Rumberger JA, et al: An algorithm for noninvasive identification of angiographic three-vessel and/or left main coronary artery disease in symptomatic patients on the basis of cardiac risk and electron-beam computed tomographic calcium scores. *J Am Coll Cardiol* 1999; 33:444 – 452.
- 90) Secci A, Wong N, Tang W, et al: Electron beam computed tomographic coronary calcium as a predictor of coronary

events: comparison of two protocols. *Circulation* 1997; 96:1122 – 1129.

- 91) O' Rourke RA, Brundage BH, Frolicher VF, et al. : American college of cardiology/ American Heart Association Expert consensus Document on electron-beam computed tomography for the diagnosis and prognosis of coronary artery disease. *J Am Coll Cardiol*. 2000; 36:326-40.
- 92) Van Hoe LR, De Meerler KG, Le PP, et al: Coronary artery calcium scoring using ECG-gated MDCT. *AJR Am J Roentigenol* 2003; 181:1093-100.
- 93) Hendel RC, Patel MR, Kramer CM, et al. appropriate criteria for cardiac computed tomography and cardiac magnetic resonance imaging: a report of the American College of Cardiology, American College of Radiology, Society of Cardiovascular Computed Tomography, Society for Cardiovascular Magnetic Resonance, American Society of Nuclear Cardiology, North American Society for Cardiac Imaging, Society for Cardiovascular Angiography and Interventions, and . Society of Interventional Radiology. *J Am Coll Cardiol* 2006; 48:1475-97.
- 94) Tops LF, Krishnan SC, Schuijf JD, et al: Non coronary Applications of Cardiac Multi-detector Row Computed Tomography. *JACC: Cardiovascular imaging* 2008; 1: 94-106.
- 95) Henneman MM, Bax JJ, Schuijf JD, et al: Global and regional left ventricular function: a comparison between gated SPECT,

2D echocardiography and multi-slice computed tomography.
Eur J Nucl Med Mol Imaging 2006; 33: 1452- 60.

- 96) Yamamuro M, Tadamura E, Kubo S, et al. Cardiac functional analysis with Multidetector row CT and segmental reconstruction algorithm: comparison with echocardiography, SPECT, and MR imaging. Radiology 2005; 234: 381-90.
- 97) Grode M, Juergens KU, Wiehter T, et al. Evaluation of global left ventricular myocardial function with electrocardiogram - gated multidetector computed tomography: comparison with magnetic resonance imaging. Invest Radiol 2003; 38: 653- 61.
- 98) Higgins CB, Sovak M, Schmidt W, et al. Differential accumulation of radiopaque contrast material in acute myocardial infarction. Am J Cardiol 1979; 43: 47-51.
- 99) Hoffmann U, Millea R, Enzweiler C, et al. Acute myocardial infarction: contrast-enhanced multidetector row CT in a porcine-model. Radiology 2004; 231:697 - 701.
- 100)Mahnken AH, Bruners P, Katoh M, et al. Dynamic multi-section CT imaging in acute myocardial infarction: preliminary animal experience. Eur Radiol 2006; 16: 746-52.
- 101)Nieman K, Cury RC, Ferencik M, et al: Differentiation of recent and chronic myocardial infarction by cardiac computed tomography. Am J Cardiol 2006; 98: 303 - 308.

- 102) Lardo AC, Cordeiro MA, Silva C, et al. Contrast-enhanced multidetector computed tomography viability imaging after myocardial infarction: characterization of myocyte death, microvascular obstruction, and chronic scar. *Circulation* 2006; 113: 394-404.
- 103) Gerber BL, Beige B, Legros GJ, et al. Characterization of acute and chronic myocardial infarcts by multi detector computed tomography: comparison with contrast-enhanced magnetic resonance. *Circulation* 2006; 113: 823-33.
- 104) Lessick J, Dragu R, Mutlak D, et al. Is functional improvement after myocardial infarction predicted with myocardial enhancement patterns at multidetector CT? *Radiology* 2007; 244: 736-44.
- 105) Schuijf JD, Wijns W, Jukema JW, et al. Relationship between noninvasive coronary angiography with multi-slice computed tomography and myocardial perfusion imaging. *J Am Coll Cardio* 2006; 48: 2508 -14.
- 106) George RT, Silva C, Cordeiro MA, et al. Multidetector computed tomography myocardial perfusion imaging during adenosine stress. *J Am Coll Cardiol* 2006; 48: 153- 60.
- 107) Habis M, Daoud B, Roger VL, et al. Comparison of 64-slice computed tomography planimetry and Doppler echocardiography in the assessment of aortic valve stenosis. *J Heart Valve Dis.* 2007; 16: 216 -24.

- 108) Laissy JP, Messika-Zeitoun D, Serfaty JM, et al. Comprehensive evaluation of preoperative patients with aortic valve stenosis: usefulness of cardiac multidetector computed tomography - Heart 2007; 93: 1121-5.
- 109) Messika Zeitoun D, Serfaty JM, Laissy JP, et al. Assessment of the mitral valve area in patients with mitral stenosis by multislice computed tomography. J Am Coll Cardiol 2006; 48: 411-413.
- 110) Feuchtner GM, Muller S, Bonatti J, et al. Sixty-four slice CT evaluation of aortic stenosis using planimetry of the aortic valve area. AJR Am J Roentgenol 2007; 189: 197-203 .
- 111) Abbara S, Pena AJ, Maurovich Horvat P, et al. Feasibility and optimization of aortic valve planimetry with MDCT. AJR Am J Roentgenol 2007; 188: 356-60.
- 112) Gilkeson RC, Markowitz AH, Balgude A, et al. MDCT evaluation of aortic valvular disease. AJR Am J Roentgenol 2006; 186: 350-360.
- 113) Koos R, Mahnken AH, Sinha AM, et al. Aortic valve calcification as a marker for aortic stenosis severity: assessment on 16-MDCT. AJR Am J Roentgenol 2004; 183: 1813- 8.
- 114) Alkadhi H, Bettex D, Wildermuth S, et al. Dynamic cine imaging of the mitral valve with 16 MDCT: a feasibility study. AJR Am J Roentgenol 2005; 185: 63.6-46.

- 115) Willmann JK, Kobza R, Roos JE, et al. ECG-gated multidetector row CT for assessment of mitral valve disease: initial experience. *Eur Radiol* 2002; 12: 2662-9.
- 116) Gilard M, Cornily JC, Pennec PY, et al. Accuracy of multislice computed tomography in the preoperative assessment of coronary disease in patients with aortic valve stenosis. *J Am Coll Cardiol* 2006; 47: 2020-4.
- 117) Webb JG, Harnek J, Munt BI, et al. Percutaneous transvenous mitral annuloplasty initial human experience with device implantation in the coronary sinus. *Circulation* 2006; 113: 851-855.
- 118) Choure AJ, Garcia MJ, Hesse B, et al. In vivo analysis of the anatomical relationship of coronary sinus to mitral annulus and left circumflex coronary artery using cardiac multidetector computed tomography: implications for percutaneous coronary sinus mitral annuloplasty. *J Am Coll Cardiol* 2006; 48:1938-45.
- 119) Tops LF, Van de Veire NR, Schuijf JD, et al. Noninvasive evaluation of coronary sinus anatomy and its relation to the mitral valve annulus: implications for percutaneous mitral annuloplasty. *Circulation* 2007; 115: 1426-32.
- 120) Cappato R, Calkins B, Chen SA, et al. Worldwide survey on the methods, efficacy, and safety of catheter ablation for human atrial fibrillation. *Circulation* 2005; 111: 1100-5.

- 121) Haissaguerre M, Jais P, Shah DC, et al. Spontaneous initiation of atrial fibrillation by ectopic beats originating in the pulmonary veins. *N Engl J Med* 1998; 339: 659-66.
- 122) Jongbloed MR, Dirksen MS, Bax JJ, et al. Atrial fibrillation: multi detector row CT of pulmonary vein anatomy prior to radiofrequency catheter ablation - initial experience. *Radiology* 2005; 234:702-9.
- 123) Marom EM, Herndon JE, Kim YH, et al. Variations in pulmonary venous drainage to the left atrium: implications for radiofrequency ablation. *Radiology* 2004; 230: 249.
- 124) Wongcharoen W, Tsao RM, Wu MR, et al. Morphologic characteristics of the left atrial appendage, roof, and septum: implications for the ablation of atrial fibrillation. *J Cardiovascular Electrophysiology* 2006; 17: 951- 6.
- 125) Pappone C, Oral H, Santinelli V, et al. Atrio-esophageal fistula as a complication of percutaneous transcatheter ablation of atrial fibrillation. *Circulation* 2004; 109: 2724-6.
- 126) Takahashi Y, Jais P, Hocini M, et al. Acute occlusion of the left circumflex coronary artery during mitral isthmus linear ablation. *J Cardiovasc Electrophysiology* 2005; 16: 1104 -7.
- 127) Kistler PM, Rajappan K, Jahngir M, et al. The impact of CT image integration into an electroanatomical mapping system on clinical outcomes of catheter ablation of atrial fibrillation. *J Cardiovasc Electrophysiol* 2006; 17: 1093-101.

- 128) Cleland JG, Daubert JC, Erdmann E, et al. The effect of cardiac resynchronization on morbidity and mortality in heart failure. *N Engl J Med* 2005; 352: 1539-49.
- 129) Meisel E, Pfeiffer D, Engelmann L, et al. Investigation of coronary venous anatomy by retrograde venography in patients with malignant ventricular tachycardia. *Circulation* 2001; 104: 4427.
- 130) Van de Veire NR, Schuijf JD, De Sutter J, et al. Noninvasive visualization of the cardiac venous system in coronary artery disease patients using 64 slices computed tomography. *J Am Coll Cardiol* 2006; 48: 1832- 8.
- 131) Ou P, Celermajer DS, Caleagni G, et al. Three dimensional CT scanning: a new diagnostic modality in congenital heart disease. *Heart* 2007; 93:908 - 13.
- 132) Tatli S, Lipton MJ. CT for intracardiac thrombi and tumors. *Int J Cardiovasc Imaging* 2005; 21: 115-31.
- 133) Wang ZJ, Reddy GP, Gotway MB, et al. CT and MR imaging of pericardial disease. *Radiographies* 2003; 23: S167- 80.
- 134) Kopp AF, Kuttner A, Schroeder S et al. MDCT scanning and contrast protocols. Chapter of MDCT for diagnosis of pulmonary embolism: have we reached our goal? Springer 1st edition, 2005: 89.

- 135) Remy MJ and Mastora A. pulmonary embolism imaging with MSCT. Radiol Clin N Am 2003: 41; 507.
- 136) Catalano C, Napoli A, Fraioli et al. MDCT scanning and contrast protocols. Chapter of abdominal Aorta, renal arteries and run-off vessels. Springer 1st edition, 2005: 79.
- 137) Q George A. better: Relative merits of cardiac diagnostic techniques, Braunwald's Heart disease, A textbook of cardiovascular medicine, 7th edition 2005; 386.
- 138) Haberl R, Tittus J, Boehme E et al. CT Angiography of Coronary Arteries: Direct Detailed Comparison to Catheter Angiography (Abstract) AHA 2003; 3.
- 139) Agatston AS, Janowitz WR, Budner FJ, et al. Quantification of coronary artery calcium using ultrafast computed tomography. JACC; 1990: 15, 827-832
- 140) Ohnesorge B, Flohr T, Becker C, et al. Cardiac imaging with rapid, retrospective ECG synchronized multilevel spiral CT. Radiology 2000; 40:111 – 117.
- 141) Scoblionko DP, Brown BG, Mitten S, et al. A new digital electronic caliper for measurement of coronary arterial stenosis: comparison with visual estimates and computer-assisted measurements. Am J Cardiol 1984; 53:689 – 693.
- 142) Austen WG, Edwards JE, Frye RL, et al. A reporting system on patients evaluated for coronary artery disease. Report of the

Ad-Hoc Committee for grading of coronary artery disease, council on cardiovascular surgery. *Circulation* 1975; 51: 5-40

- 143) Jacobs AK, Faxon DP, Hirshfeld JW et al: Task force 3: Training in diagnostic cardiac catheterization and interventional cardiology. Revision of the 1995 COCATS training statement. *J Am Coll Cardiol* 2002; 39:1242.
- 144) Altman DG, Bland JM. Measurement in medicine: the analysis of method comparison studies. *Statistician* 1983; 32:307-317.
- 145) Leber AW, Kenz A, Von Zeigler F, et al. Quantification of obstructive and nonobstructive coronary lesions by 64 - slice CT: a comparative study with quantitative coronary angiography and intravascular ultrasound. *J Am Coll Cardiol*. 2005; 46:147 - 154.
- 146) Mollet NR, Cadmartiri F, Krestin GP, et al. Improved diagnostic accuracy with 16 row MSCT CA. *J AM Coll Cardiol*. 2005, 45; 128.
- 147) Pannu HK, Flohr TG, Corl FM, et al. current concepts in multi-detector row CT evaluation of the coronary arteries: Principles, Techniques and anatomy, *Radiographics* 2003,23;111.
- 148) Achenbach S, Giesler T, Ropers D, et al. Detection of coronary artery stenoses by contrast-enhanced, retrospectively ECG - gated, multislice spiral computed tomography. *Circulation* 2001; 103:2535 – 2538.

- 149) Becker CR, Knez A, Leber A, et al. Detection of coronary artery stenoses with multislice helical CT angiography. *J Computed Assisted Tomography* 2002; 26:750 - 755.
- 150) Giesler T, Baum U, Ropers D, et al. Noninvasive visualization of coronary arteries using contrast - enhanced multidetector CT: influence of heart rate on image quality and stenosis detection. *Am J Rontegenol* 2002; 179: 911 - 915.
- 151) Pugliese F, Mollet NR, Runza G, et al. Diagnostic accuracy of non invasive 64 - slices CT CA in patients with stable angina pectoris. *Eur J Radiol.* 2006; 16: 575.
- 152) Kopp AF, Ohnesorg B, Backer CR, et al. reproducibility and accuracy of coronary calcium measurement with multidetector row vs. electron beam CT. *Radiology* 2002;255:113 - 117.
- 153) Sato Y, Kanmatsuse K, Inoue F, et al. non invasive coronary artery imaging by multislice spiral CT - A novel approach for a retrospectively ECG - gated reconstruction technique. *Circulation* 2003: 67:107 - 112.
- 154) Gerber TC, Kuzo RS, Karstaedt N, et al. current results and new development of coronary angiography with the use of contrast - enhanced CT of the heart. *Myo CLin Proc.* 2002; 77: 55 - 65.
- 155) Schoenhagen P, Halliburton SS, Stillman AE, et al. non invasive imaging coronary arteries: current and future role of multidetector row CT. *Radiology* 2004; 232:7 - 9.

- 156) Berman DS, Wong ND, Gransar H, et al. Relationship between stress - induced myocardial ischemia and atherosclerosis measured by coronary calcium tomography. *J Am Coll Cardiol*. 2004; 44:932 - 941.
- 157) Cademartiri F, Mollet N, Lemos PA, et al. usefulness of multi - slices computed tomography coronary angiography to assess in - stent restenosis. *J Am Cardiol* 2005; 96:799 - 802.
- 158) Raff GL, Gallagher MJ, O'Neill WW, et al. Diagnostic accuracy of noninvasive coronary angiography using 64 - slice spiral CT. *J AM Coll Crdiol*. 2005; 46:552 - 557.
- 159) Ong Tk, Chin SP, Liew CK et al. Accuracy of 64-row multi detector computed tomography in detecting coronary artery disease in 134 symptomatic patients: influence of calcification. *Am Heart J* 2006; 151: 1323.e 1- 1323 e 6.
- 160) McLaughlin VV, Balogh T, Rich S. Utility of electron beam computed tomography to stratify patients presenting to the emergency room with chest pain. *Am J Cardiol* 1999; 84:327 – 328.
- 161) Laudon DA, Vukov LF, Breen JF, et al. Use of electronbeam computed tomography in the evaluation of chest pain patients in the emergency department. *Ann Emerg Med* 1999; 33:15 – 21.
- 162) Georgiou D, Budoff MJ, Kaufer E, et al. Screening patients with chest pain in the emergency department using electron beam

tomography: a follow-up study. *J Am Coll Cardiol* 2001; 38:105 – 110

- 163) Gaudio U, Moselewski F, Nieman K, et al. Noninvasive assessment of plaque morphology and composition in culprit and stable lesions in acute coronary syndrome and stable lesions in stable angina by multidetector computed tomography. *J Am Coll Cardiol* 2006; 47: 1655 – 62.
- 164) Sheth T, Amlani S, Ellins ML. et al. Computed tomographic coronary angiographic assessment of high-risk coronary atomy in patients with suspected coronary artery disease and intermediate pretest probability. *Am Heart J* 2008; 155: 918-923.
- 165) Muhlenbruch G, Seyfarth T, Soo CS, et al. Diagnostic value of 64-slice multi-detector row cardiac CTA in symptomatic patients. *Eur Radiol* 2007; 17: 603-609.
- 166) Nikolaou K, Knez A, Rist C, et al. Accuracy of 64-MSCT in the diagnosis of ischemic heart disease. *Am J Roentgenol* 2006; 187: 111-117.