

References

- Allred DC, Mohsin SK, Fuqua SAW. Histologic & biological evaluation of human premalignant breast disease. *Endocr Rel cancer*. 2001; 8: 46-61
- American College Of Radiology. Breast imaging, reporting & data system (BIRADS). 4th edition; 2003.
- Andrea F. & Amberson. Benign lesions. *Breast MRI diagnosis & intervention*; 2005. 8: 140-163
- Andy Evans, Sarah Pinder, Robin Wilson et al. breast calcifications; 2002. 2: 33-51.
- Balu-Maestro C, Chapellier C, Bleuse A, etal. Imaging in evaluation of response to neo-adjuvant breast cancer treatment benefits of MRI. *Breast cancer Res treat*. 2002; 72: 145-152.
- Berg WA rationale for a trial of screening breast ultrasoun : American college of radiology imaging network 6666. *ajr* 2003; 180:1225-1228
- Boo-Kyung Han, Yeon Hyeon Choe, young-Hyeh Ko et al . foreign body granulomas of the breast presenting as bilateral speculated masses. *Korean Journal of radiology*; 2001 Apr – Jun;2: 113-116
- Brenner RJ, Bassett LW, Fajardo LL, etal: stereotactic core-needle biopsy a multi –institutional prospective trial *radiology* 2001 mar;218(3)

References

- Cardenosa G. breast imaging companion; 1997:271-275
- Carol H. Lee MD. Problem solving MRI of the breast. Radiol Clin N Am; 2004. 42:919-934.
- Caroline P Daly, Barbara J & David S. variable appearances of fat necrosis on breast MRI. Am journal of Reont; 2008. 191: 1374-13780.
- Christiane kuhl. The current status of breast MRI imaging part I .choice of technique ,image interpretation, diagnostic accuracy & transfer to clinical practice . Radiology 2007; 244: 356-376.
- Christiane Khul. Dynamic breast MRI. Breast MRI diagnosis & intervention; 2005. 79-139.
- Daniel B Kopans. Breast imaging; 2007.
- Delille JP, Slantez PJ, Yeh ED, Halpern EF, Kopans DP, Garrido L. Invasive ductal breast carcinoma response to neo-adjuvant chemotherapy: non-invasive motoring with functional MR imaging pilot study, radiology 2003:228:63-69.
- Edwards BK, Brown ML, Wingo PA, et al. Annual report to the nation on the status of cancer. 1975-2002, featuring population based trends in cancer treatment J.Natl cancer inst; 2005. 7:411-415.
- Elizabeth A Morris . Assessment of residual disease. Breast MRI

References

- diagnosis & intervention. 2005:214-226.
- Elizabeth A Morris . Breast MRI lexicon . Breast MRI diagnosis & intervention.;2005: 51-78.
 - Elizabeth A.Morris & Laura Liberman (2005): Breast MRI diagnosis & invention. 4:23-44.
 - Eren Yeh, Priscilla Slantez, Daniel B.kopans, etal. prospective comparison of mammography, sonography & MRI in patients undergoing neoadjuvant chemotherapy for palpable breast cancer. *Ajr* 2005; 184:868-877.
 - Esserman L, kaplan E, Partridge S, etal. MRI phenotype is associated with response to do xorubicin & cyclophosphamide neo-adjuvant chemotherapy in stage III braest cancer. *Am surg oncol* 2001; 8:549-559.
 - Fisher ER, Dignom J, Tan-Chiu E, et al. pathological findings from the national surgical adjuvant breast project : intra-ductal carcinoma. *Cancer*; 1999. 86 (3):429-38.
 - Friedman PD, Swaminathan SV, Herman K, et al. Breast MRI: the importance of bilateral imaging. *AJR* 2006; 187: 345–349.
 - Hayes C, Padhani AR, Leach MO. Assessing changes in tumour vascular function using dynamic contrast-enhanced magnetic resonance imaging. *NMR Biomed* 2002; 15:154 –163
 - Hendrick RE. Breast MRI: Fundamentals & technical aspects.

References

- Breast MRI acquisition protocols. 2008; 135-170.
- Heywang – Kobrunner SH, Beck R. Contrast enhanced MRI of the breast. 1996; 2: 7-56.
 - Ho LWC, Wong KP, Chan JHM, et al. MR appearance of metastatic melanotic melanoma in the breast. *Clin Radiol* 2000; 55:572 -573
 - Jenifer H Menell. Ductal carcinoma in situ. Breast MRI diagnosis & intervention; 2005. 9:164-172.
 - Joo Young & Elizabeth A.Morris. Breast MRI diagnosis & intervention. Breast MRI historical overview. 2005; 3-7.
 - Kablan JB, Dershow DD. Post therapeutic magnetic resonance imaging. Breast MRI diagnosis & intervention. 2005:227-237.
 - Kinkel K, Helbich TH, Esserman LJ, et al. Dynamic highspatial-resolution MR imaging of suspicious breast lesions: diagnostic criteria and interobserver variability. *AJR Am J Roentgenol*. 2000;175:35–43.
 - Kneeshaw PJ, Turnbull LW, Drew PJ; 2003. Current application & future direction of MR mammography. *Br J Cancer*. 88: 4-10.
 - Kriege M, Brekelmans CT, Boetes C, et al. efficacy of MRI mammography for breast cancer screening in women with a familial or genetic predisposition. *N Engl J Med*. Jul 2004; 351 (5): 427-37.

References

- Kuhl CK. MRI of breast tumors. *Eur Radiol*; 2000. 10: 46-58.
- Laura Weldon Hoque. Breast diseases. Pathology, prognosis & staging of breast cancer. 2000; 88-99
- Lee SG, Oral SG, Wooi J, et al. MRI screening of the contra-lateral breast in patients with newly diagnosed breast cancer: Preliminary results. *Radiology* 2003; 226:773-778.
- Lehman CD, Gatsonis C, Kuhl CK, Hendrick RE, Pisano ED, et al. MRI evaluation of the contralateral breast in women with recently diagnosed breast cancer. *N Engl J Med* 2007;356:1295–1303
- Lebman AJ, Stylo TM , Bostwick J. Mammography of post construction breast. *Plast Reconstr surg*;1997. 99 (3):698-704.
- Lia Bartella & David D Dershaw. MRI of invasive breast carcinoma. *Breast MRI diagnosis & intervention*;2005.10: 173-182.
- Liberman L, Morris EA, Kim CM. et al. MR findings in the contra-lateral breast of woman with recently diagnosed breast cancer. *Am J Roentgenol.*; 2003. 180: 333-341.
- Liberman L, Morris EA, Lee MJY, et al. breast lesions detected on MRI: features positive predictive value. *AJR Am J Roentegenol*; 2002.179:171-178.
- Mathes SJ, Nahai F. reconstruction surgery:principles, anatomy & technique. Churchill Livengstone;1997.
- Murakam S, Nagano H, Okubok, et al. angiosarcoma of the breast:

References

- report of a case & its findings on MRI; 2001. 8:254-258.
- Murray AD, Red path TW, Needham G et al, dynamic magnetic resonance mammography of both breasts following local excision & radiotherapy for breast carcinoma. Br j radiol.1996; 69:594-600.
 - Nolha M.Hylton. Breast MRI diagnosis & intervention. Breast MRI imaging techniques. 2005; 7-14.
 - Nunes LW, Schnall MD, Orel SG. Breast MR imaging; architectural interpretation model. Radiology ; 2001. 219::484-494
 - Nuschin Morakkabati, MD, Claudiac. Leutner, MD, Alexandra Schmeidel, MD, et al: Breast MR imaging during or soon after radiation therapy. Radiology 2003; 229:893-901.
 - Olson JA, Morris EA, Zee KJ, et al. MRI facilitates breast conservation for occult breast cancer. Ann Surg Oncol; 2000. 7 : 411-415.
 - Orel SG: MR imaging of the breast: the radiologic clin of north am 38:4, 2000 jul.
 - Orel SG, Dougherty GS, Reynold SC, et al. MRI in patients with nipple discharge, initial experience. Radiology; 200. 216: 254-84.
 - Orel SG, Schnall MD, Newman RW, et al. MRI guided localization & biopsy of breast lesions: initial experience. Radiology; 2001. 193:97-102.

References

- Partridge SC, Gibbs JE, Lu Y, Esserman LJ, Sudilovsky D, Hylton NM. Accuracy of MR imaging for revealing residual breast cancer in patients who have undergone neoadjuvant chemotherapy. *AJR Am J Roentgenol.* 2002;179:1193–1199.
- Rosen EL, Blackwell KL, Baker JA, Soo MS, Bentley RC, Yu D, Samulski TV, Dewhirst MW. Accuracy of MRI in the detection of residual breast cancer after neoadjuvant chemotherapy. *AJR Am J Roentgenol.* 2003;181:1275–1282.
- Rieber A, Brambs HJ, Gabelmann A, Heilmann V, Kreienberg R, Kuhn T. Breast MRI for monitoring response of primary breast cancer to neo-adjuvant chemotherapy. *Eur Radiol.* 2002;12:1711–1719.
- Runge VM, Nelson KL. Contrast agents. In DD Stark and WG Bradley, eds. *Magnetic Resonance Imaging*, 3rd Edition. St. Louis: C. V. Mosby Publishing Co., 1999, 257–275.
- Sasaki M, Shibata E, Kanbara Y, et al. enhancement effects & relaxivities of gadolinium DTPA at 1.5 versus 3 tesla: a phantom study. *Magn Reson Med Sci*; 2005. 4:145-149.
- Schnall MD: breast MR imaging: radiol clin n am 41: 43-50 ,2003 Jan.
- Shellock FG, Kanal E. safety of MRI contrast agents. *J Magn Reson Imaging*; 1999. 19: 477-484.

References

- Suzan Ackerman. Breast post surgical imaging. Radiology Oct 2009.
- Szabo BK, Aspelin P, Kristoffersen, Wiberg M, Bone B. dynamic MRI of the breast: analysis of kinetic & morphologic diagnostic criteria. Acta Radiol; 2003. 44: 379-86.
- Warren R, Coulthard A. breast MRI in practice; 2002: 73-96.
- Weatherall P.T, Gregory F. Evanc etal: MRI VS Histological measurement of breast cancer following chemotherapy; 2001.
- Yeh ED, Slanetz PJ, Edmister WB, et al. invasive lobular carcinoma: spectrum of enhancement & morphology on MRI. Breast J;2003. 9:13-18.