

---

---

## REFERENCES

- 1-**Abe K., Yoshimura H., Tanaka H., et al. (2003):** Comparison of conventional and diffusion-weighted MRI and proton MR spectroscopy in patients with mitochondrial encephalomyopathy, lactic acidosis, stroke-like events. *Neuroradiology*.
- 2-**Alhied G.F. Heimer L. and Switzer R.C. (1990):** Basal ganglia. In the human nervous system, San Diego: Academic Press, pp: 483-582.
- 3-**Ashwal S., Holshouser B., Tong K., et al. (2004):** Proton Spectroscopy Detected Myoinositol in Children with Traumatic Brain Injury. *Pediatric Research* 56:630-638
- 4-**Barkovich A.J. (2005).** Pediatric neuroimaging (Fourth Edition), Chapter 3: Toxic and metabolic brain disorders. LIPPINCOTT WILLIAMS & WILKINS
- 5-**Barkovich A.J., Baranski K., Vigneron D., et al. (1999):** Proton MR Spectroscopy for the Evaluation of Brain Injury in Asphyxiated, Term Neonates. *American Journal of Neuroradiology* 20:1399-1405 (9)
- 6-**Bartha A.I., Barber A.F., Miller S.P. et al. (2004):** Neonatal Encephalopathy: Association of Cytokines with MR Spectroscopy and Outcome. *Pediatric Research* 56:960-966
- 7-**Bizzi A., Uluş A.M., Crawford T.O., et al. (2001):** Quantitative Proton MR Spectroscopic Imaging in Acute Disseminated Encephalomyelitis. *American Journal of Neuroradiology* 22:1125-1130 (6)
- 8-**Bowen B.C. (1998):** Proton MR spectroscopy and the ring-enhancing lesion. *Am J Neuroradiol*, Mar; 19:589-590
- 9-**Brismar J., Brismar G., Gascon G., et al. (1990):** Canavan disease: CT and MR imaging of the brain. *AJNR* 11:805-810.

- 10-Butteriss D.J.A., Ismail A., Ellison D.W., and Birchall D. (2003):** Use of serial proton magnetic resonance spectroscopy to differentiate low grade glioma from tumefactive plaque in a patient with multiple sclerosis. *British Journal of Radiology* 76, 662-665
- 11-Butzen J., Prost R., Chetty V., et al. (2000):** Discrimination between neoplastic and nonneoplastic brain lesions by use of proton MR spectroscopy: The limits of accuracy with a logistic regression model. *Am J Neuroradiol*, Aug; 21: 1213-1219
- 12-Byrd S., Radkowski M. and Darling C. (1998):** Neuroimaging adjuncts to MRI: MRA/MRS/CINE MR CSF flow and analysis. *The Child's Doctor, Journal of Children's Memorial Hospital, Chicago.*
- 13-Capizzano A.A., Schuff N., Amend D.L., et al. (2000):** Subcortical Ischemic Vascular Dementia: Assessment with Quantitative MR Imaging and <sup>1</sup>H MR Spectroscopy. *American Journal of Neuroradiology* 21:621-630 (4)
- 14-Castillo M. (2001):** Neuroimaging and cartography: Mapping brain tumors. *Am J Neuroradiol*, Apr; 22:597-598
- 15-Castillo M. and Kwock L. (1998):** Proton MR Spectroscopy of common brain tumors. *Neuroimaging Clin North Am*; 8:733-752.
- 16-Castillo M., Kwock L., Scatliff J. and Mukherji S. (1996):** Clinical applications of proton MR spectroscopy. *Am J Neuroradiol*, Jan; 17: 1-15.
- 17-Celesia G.C. and De Marco P.J. (1994):** Anatomy and physiology of visual system. *J Clin Neurophysiol*; 11: 482-492.
- 18-Chang K.H., Song I.C., Kim S.H., et al. (1998):** In vivo single voxel proton MR spectroscopy in intracranial cystic masses. *AJNR*; 19: 401-405.

- 19-Cortey A., Jarvik J.G., Lenkinski R.E., et al. (1994):** Proton MR spectroscopy of brain abnormalities in neonates born to HIV-positive mothers. *AJNR Am J Neuroradiol.*;15:1853-1859.
- 20-Cousins J.P. (1995):** Clinical MR spectroscopy: Fundamentals, current applications, and future potential. *Am J Roentgenol*; 164: 1337-1347.
- 21-Danielsen E.R. and Ross B. (1999):** Magnetic resonance spectroscopy diagnosis of neurological diseases. New York: marcel Dekker, -5-22.
- 22-Dickerson B.C. and Sperling R.A. (2005):** Neuroimaging biomarkers for clinical trials of disease-modifying therapies in Alzheimer's disease. *NeuroRx* 2: 348-360.
- 23-Dixon R.M., Bradley K.M., Budge M.M., et al. (2002):** Oxford Journals, Medicine, Brain, Volume 125, Number 10, Pp. 2332-2341
- 24-Donnelles L.F., Jones B.L.V., O'Hara S.M., et al. (2005).** Diagnostic Imaging (Pediatric). Section 7, Metabolic diseases. Amirsys Inc 2005.
- 25-Dowling C., Bollen A.W., Noworolski S.M., et al. (2001):** Preoperative proton MR spectroscopic imaging of brain tumors: Correlation with histopathologic analysis of resection specimens. *Am J Neuroradiol*, Apr; 22: 604-612
- 26-Edelman R.R., Hesselink J.R., Zlatkin M.B., et al. (2005):** Clinical Magnetic Resonance Imaging edition, 3rd edition, volume two, brain, neurodegenerative disorders.
- 27-Eichler F.S., Itoh R., Barker P.B., et al. (2002):** Proton MR Spectroscopic and Diffusion Tensor Brain MR Imaging in X-linked Adrenoleukodystrophy: Initial Experience<sup>1</sup>; *Radiology* ;225:245-252.
- 28-Fan G., Sun B., Wu Z., et al. (2004):** In vivo single-voxel proton MR spectroscopy in the differentiation of high grade gliomas and solitary metastasis. *Clin Radiol*. Jan; 59(1): 77-85.

- 29-Farina L., Bizzi A., Finocchiaro G., et al., (2002):** MR Imaging and Proton MR Spectroscopy in Adult Krabbe Disease. *American Journal of Neuroradiology* 21:1478-1482 (8)
- 30-Fitzgerald M.J.T, and Curran J.F. (2002):** Clinical neuroanatomy and related neurosciences. 4<sup>th</sup> ed., Spain: WB Saunders.
- 31-Frith C.D. and Dolan R.J. (1997):** Higher cognitive process in brain function, London: Academic Press. pp. 329-366.
- 32-Froelich J.W., Stephen A.K., David A., et al. (2003):** Standard for the performance and interpretation of magnetic resonance spectroscopy of the brain. *General Diagnostic Radiology*; 9:73-76.
- 33-Fulham M.J., Bizzi A., Dietz M.J., et al. (1992):** Mapping of brain tumor metabolites with proton MR spectroscopic imaging: Clinical relevance. *Radiology*; 185(3): 675-686
- 34-Gadian D.G. (1997):** Introduction to Physics of MRI. Fifth scientific meeting of International Society for Magnetic Resonance in Medicine; Apr 12-18, (Vancouver BC, Canada); ISMRM Educational Course Syllabus, 229-233
- 35-Garwood M. (1997):** Principles of spectroscopic localization. Fifth scientific meeting of International Society for Magnetic Resonance in Medicine; Apr 12-18, (Vancouver BC, Canada): ISMRM Educational Course Syllabus, 250-259
- 36-Gonen O., Gruber S., Li B.S.Y., et al. (2001):** Multivoxel 3D proton spectroscopy in the brain at 1.5 versus 3.0 T: Signal-to-noise ratio and resolution comparison. *Am J Neuroradiol*, Oct; 22(9): 1727- 31
- 37-Grand S, Passaro C, Ziegler A, et al. (1999):** Necrotic tumor versus brain abscess: importance of aminoacids detected at 1H MR spectroscopy-initial results. *Radiology* 1999; 213: 785-793.
- 38-Graves E.E., Nelson S.T., Vigneron D.B., et al. (2001):** Serial proton MR spectroscopic imaging of recurrent malignant gliomas after gamma knife radiosurgery. *AJNR*; 22: 613-624.

- 39-Griffiths J.R. (1997):** MRS in tumors-Clinical. Fifth scientific meeting of International Society for Magnetic Resonance in Medicine; Apr 12-18, (Vancouver BC, Canada); ISMRM Educational Course Syllabus, 321-328
- 40-Gruetter R., Weisdorf S.A., Rajanayagan V., et al. (1998):** Resolution improvements in *in vivo* <sup>1</sup>H-NMR spectra with increased magnetic field strength. *J Magn Reson.* 135:260-264.
- 41-Guyton A.,C. and Hall J.,E. (1996):** Textbook of medical physiology. Ninth edition, unit XI, the nervous system: C. Motor and integrative neurophysiology. Chapter 61: Cerebral blood flow, the cerebrospinal fluid, and brain metabolism: 789.
- 42-Hageman AT, Gabreels FJ, de Jong JG, et al (1995):** Clinical symptoms of adult metachromatic leukodystrophy and arylsulfatase A pseudodeficiency. *Arch Neurol* 52:408.
- 43-Hatton G.L. (1990):** Emerging concepts of structure-function dynamics in adults brain: the hypothalamo-neurohypophysial system. *Prog Neurobiol*; 34: 337-504.
- 44-Hopkins A.P. (1993):** Clinical Neurology, a Modern Approach.
- 45-Hornak J.P. (2002):** The basics of MRI, XII, Chap 4, 5 & 12.
- 46-Horne M.K. and Butler E.G. (1995):** the role of cerebello-thalamocortical pathway in skilled movements. *Progr Neurobiol*; 46: 190-213.
- 47-Howe F.A., Barton S.J., Cudlip S.A., et al. (2003):** Metabolic profiles of human brain tumors using quantitative *in vivo* magnetic resonance spectroscopy *Magan Rosen Med Feb.*; 46; 223-32.
- 48-Hu M.T.M., Taylor-Robinson S.D., Chaudhuri K.R., et al. (1999):** Evidence for cortical dysfunction in clinically non-demented patients with Parkinson's disease: a proton MR spectroscopy study. *J Neurol Neurosurg Psychiatry* ;67:20-26 ( July)

- 49-Ishimaru H., Nakashima K., Morikawa M., et al. (2001):** Improved diagnostic accuracy of contrast-enhancing brain lesions with recently developed MR techniques: diffusion-weighted image, perfusion image, and MR spectroscopy. Presented at the 39<sup>th</sup> annual meeting of the American Society of Neuroradiology, Boston, April .
- 50-Kadota T., Horinouchi T., and Kuroda C. (2001):** Development and aging of the cerebrum: assessment with proton MR spectroscopy. *AJNR*; 22: 128-135.
- 51-Kienlin M. Von (1999):** Basic magnetic resonance spectroscopy and localization methods. 16<sup>th</sup> annual scientific meeting of European Soc. For MR in Medicine and Biology (ESMRMB) September; 3-27.
- 52-Kim S.H., Chang K.H., Song I.C., et al. (1997):** Brain abscess and brain tumor: Discrimination with in vivo <sup>1</sup>H-MR spectroscopy. *Radiology*,; 204:239-245
- 53-Kimura H., Grossman R.I., Lenkinski R.E., and Gonzalez-Scarano F. (1996):** Proton MR spectroscopy and magnetization transfer ratio in multiple sclerosis: correlative findings of active versus irreversible plaque disease. *AJNR Am J Neuroradiol*,;17:1539-1547.
- 54-Kizu O., Yamada K. and Nishimura T. (2002):** Proton Chemical Shift Imaging in Pick Complex . *American Journal of Neuroradiology* 23:1387-1392, September 2002
- 55-Koopmans R.A., Li D.K., Zhu G., et al. (1993):** Magnetic resonance spectroscopy of multiple sclerosis: in-vivo detection of myelin breakdown products. *Lancet*,;341:631-632.
- 56-Lakhkar B.N., Aggarwal M., and John J.R. (2002):** MRI in White Matter Diseases – Clinico Radiological Correlation. *Ind J Radiol Imag* 12:1:43-50
- 57- Latchaw R.E., Kucharczyk J., and Moseley M.E. (2005):** Imaging of the nervous system (Diagnostic and therapeutic applications), volume II. Metabolic and neurodegenerative diseases in

- 
- children [Ball W.S., Jones B.V., and Cecil K.M.] ppt: 1294-96. Mosby Inc.
- 58-Lin A., Ross D.B., Harris K., and Wong W. (2005):** Efficacy of Proton Magnetic Resonance Spectroscopy in Neurological Diagnosis and Neurotherapeutic Decision Making. . *Neurorx*. April; 2(2): 197–214.
- 59-Lin C.H., Jeng J.S., and Yip P.K. ( 2004):** : Plasmapheresis in acute disseminated encephalomyelitis. *J Clin Apheresis* 19:154,
- 60-Lin D.D.M., Crawford T.O. and Barker P.B. (2003):** Proton MR Spectroscopy in the Diagnostic Evaluation of Suspected Mitochondrial Disease. *American Journal of Neuroradiology* 24:33-41, January
- 61-Lindsey J.W. and Wolinsky S.J. (2005):** American College of Physicians (ACP)medicine, section 11 neurology, IX demyelinating disease.
- 62-Mandava P. and Kent T.A. (2005):** *Metabolic Disease & Stroke: MELAS* emedicine, neurology, neuro-vascular diseases. August 25.
- 63-Medina L., Chi T.L., De Vivo D.C., et al. (1990):** MR finding in patients with subacute necrotizing encephalomyelopathy (Liegh syndrome): correlation with biochemical defect. *AJNR*; 11:379.
- 64-Meyerand M.E., Pipas J.M., Niamourian A., et al. (1999):** Classification of biopsy-confirmed brain tumors using single-voxel MR spectroscopy. *Am J Neuroradiol*, Jan; 20(1): 117-123
- 65-Moller-Hartmann W., Herminghaus S., Krings T., et al. (2002):** Clinical application of proton magnetic resonance spectroscopy in the diagnosis of intracranial mass lesions. *Neuroradiology* ;44(5):371-81.
- 66-Murata T., Fujito T., Kimura H., et al. (2001):** Serial MRI and <sup>1</sup>H-MRS of Wernicke's encephalopathy: report of a case with remarkable cerebellar lesions on MRI [abstr]. *Psychiatry Res*;108:49–55

- 67-Murphy P.S., Viniers L., Abson C., et al. (2004):** monitoring temozolomide treatment of low grade glioma with proton magnetic resonance spectroscopy. *Br. J. Cancer.* February; 23;90(4):781-6.
- 68-Narayana P.A. (2005):** Magnetic Resonance Spectroscopy in the Monitoring of Multiple Sclerosis. *J Neuroimaging.* October; 15(4 Suppl): 46S–57S.
- 69-Nelson S.J., Vigneron D.B., and Dillon W.P. (1999):** Serial evaluation of patients with brain tumors using volume MRI and 3D MRSI. *NMR Biomed.* 12: 123-138.
- 70-Osborn A.G. (1994):** Diagnostic Neuroradiology. Part Four. Infection, white matter abnormalities and degenerative diseases. *Mosby: Year book* pp: 716-778
- 71-Pattany P.M., Khamis I.H., Bowen B.C., et al (2002):** Effects of physiologic human brain motion on proton spectroscopy: Quantitative analysis and correction with cardiac gating. *Am J Neuroradiol* Feb; 23: 225-230.
- 72-Petrella J.R., Coleman R.E., and Doraiswamy P.M. (2003):** Neuroimaging and Early Diagnosis of Alzheimer Disease: A Look to the Future. *Radiology*;226:315-336.)
- 73-Pizzini F., Fatemi A.S., Barker P.B., et al. (2003):** Proton MR Spectroscopic Imaging in Pelizaeus-Merzbacher Disease. *American Journal of Neuroradiology* 24:1683-1689, September
- 74-Prayer L., Wimberger D., Kramer J., Et al. (1990):** Cranial MRI in Wilson's Disease. *Neuroradiol*;32:211.
- 75-Preul MC, Caramanos Z, Collins DL et al. (1996):** Accurate, noninvasive diagnosis of human brain tumors by using proton magnetic resonance spectroscopy. *Nat Med*; 2: 323-325
- 76-Prost R., Haughton V. and Li S.J. (1997):** Brain tumors: Localized H-1 MR spectroscopy at 0.5 T. *Radiology*,; 204: 235-238



- 77-Rand S.D., Prost R., Haughton V., et al. (1997):** Accuracy of single-voxel proton MR spectroscopy in distinguishing neoplastic from non-neoplastic brain lesions. *Am J Neuroradiol*, Oct; 18: 1695-1704
- 78-Robertson N.J., Lewis R.H., Cowan F.M., et al. (2001):** Early Increases in Brain myo-Inositol Measured by Proton Magnetic Resonance Spectroscopy in Term Infants with Neonatal Encephalopathy. *Pediatric Research* 50:692-700
- 79-Ross B. and Bluml S. (2001):** Magnetic resonance spectroscopy of the human brain. *Anat Rec.* 265:54-84.
- 80-Rovira A., Grivé E., Pedraza S., et al. (2001):** Magnetization Transfer Ratio Values and Proton MR Spectroscopy of Normal-appearing Cerebral White Matter in Patients with Liver Cirrhosis. *American Journal of Neuroradiology* 22:1137-1142 (6)
- 81-Rugilo C.A., Roca M.C.U., Zurru M.C., et al. (2003):** Proton MR Spectroscopy in Wernicke Encephalopathy *American Journal of Neuroradiology* 24:952-955, May
- 82-Schlemmer H., Bachert P., Herfarth K.K., et al. (2001):** Proton MR spectroscopic evaluation of suspicious brain lesions after stereotactic radiotherapy. *Am J Neuroradiol*, Aug; 22: 1316-1324
- 83-Schmahmann J.D. and Sherman J.C. (1998):** the cerebellar cognitive affective syndrome. *Brain* 121: 861-579.
- 84-Shellock F.,G.(2001):** Magnetic resonance procedures: health effects and safety. Boca Raton, FLA:CRC PRESS.
- 85-Shukla-Dave A., Gupta R.K., Husain N.,et al. (2001):** Prospective evaluation of in vivo proton MR spectroscopy in differentiation of similar appearing intracranial cystic lesions. *Magn Reson Imaging*; 19(1):103-10.
- 86-Silverman F.N., Kuttu J.P., Berdon W.E., et al. (1993):** Caffey's Pediatric X-Ray Diagnosis: an integrated imaging approach-9<sup>th</sup> edition, volume I, Part I, Brain and spinal cord, Congenital brain malformation. Mosby pp: 240-245

- 87-Simonetti W.I., Mlessen A.W., Vander-Graaf M., et al. (2003):** A chemometric approach for brain tumor classification using magnetic resonance imaging and spectroscopy. *Anal chem.*, 75:5325-61.
- 88-Singh I. (2002):** TextBook of Human Neuroanatomy. 6th ed. New Delhi: Jaypee Brothers Medical publishers Ltd.
- 89-Speck O, J Hennig and T. Thiel (1997):** Improved sensitivity to overlapping multiplet signals in invivo proton spectroscopy using multiecho volume selective (CPRESS-) experiment magnetic resonance in medicine ;37:816.
- 90-Takahashi Y., Sukegawa K., Aoki M., et al. (2001):** Evaluation of Accumulated Mucopolysaccharides in the Brain of Patients with Mucopolysaccharidoses by <sup>1</sup>H-Magnetic Resonance Spectroscopy before and after Bone Marrow Transplantation. *Pediatric Research* 49:349-355
- 91-van der Knaap M.S., and Valk J. (1989):** The reflection of histology in MR imaging of Pelizaeus-Merzbacher disease. *AJNR* 10:99-103.
- 92-van der Knaap M.S., Naidu S., et al. (2001):** Alexander Disease: Diagnosis with MR Imaging. *AJNR*22:541-552.
- 93-Vector Haughton, Prost D, Rand SD, et al. (2003):** Accuracy of single voxel proton MR spectroscopy in distinguishing neoplastic from non neoplastic brain lesions. *AJNR*; 18 1695-1704.
- 94-Wichmann T. and Delong M.R. (1996):** functional and pathophysiological models of the basal ganglia. *Curr Opin Neurobiol.*5: 751-758.
- 95-Zarifi M.K., Tzika A.A., Astrakas L.G., et al. ( 2001):** Magnetic resonance spectroscopy and magnetic resonance imaging findings in Krabbe's disease. *J Child Neurol* 16(9): 657.