

REFERENCES

- [1] Chul Park, Sangshik Kim, Yongnam Kwon, Youngseon Lee, Junghwan Lee, “Mechanical and corrosion properties of rheocast and low-pressure cast A356-T6 alloy”, *Materials Science and Engineering A*, 391, 2005, pp. 86–94.
- [2] ASM Handbook, “Welding, brazing, and soldering”, vol. 6, 1993.
- [3] Thomas W.M., Nicholas E.D., Needham J.C., Murch M.G., Temple-Smith P., Dawes C.J., “Friction stir butt welding”, *International Patent Application No. PCT/GB92/02203*; 1991.
- [4] Nandan R., DebRoy T., Bhadeshia H.K.D.H., “Recent advances in friction-stir welding – Process, weldment structure and properties”, *Progress in Materials Science*, 53, 2008, pp. 980–1023.
- [5] Mishra R. S., Ma Z. Y., “Friction stir welding and processing”, *Materials Science and Engineering*, R 50, 2005, pp. 1–78.
- [6] Peel M, Steuwer A, Preuss M, Withers PJ. “Microstructure, mechanical properties and residual stresses as a function of welding speed in aluminium AA5083 friction stir welds” , *Acta Materiala*, 51(16), 2003, pp. 4791–4801.
- [7] Khandkar M.Z.H., Khan J.A., Reynolds A.P., Sutton M.A., “Predicting residual thermal stresses in friction stir welded metals”, *Journal of Materials Processing Technology*, 174, 2006, pp. 195–203.
- [8] Cabello Munoz A., Ruckert G., Huneau B., Sauvage X., Marya S., “Comparison of TIG welded and friction stir welded Al–4.5Mg–0.26Sc alloy”, *Journal of materials processing technology*, 197, 2008, pp. 337–343.
- [9] Moreira P.M.G.P., de Figueiredo M.A.V., de Castro P.M.S.T., “Fatigue behaviour of FSW and MIG weldments for two aluminium alloys”, *Theoretical and Applied Fracture Mechanics*, 48, 2007, pp. 169–177.
- [10] Mahmoud T. S., Gaafer A. M. and Khalifa T. A., “Effect of tool rotational and welding speeds on microstructural and mechanical characteristics of friction stir welded A319 cast Al alloy”, *Materials Science and Technology*, 24(5), 2008, pp. 553-559.
- [11] Nagano Y., Jogan S., Hashimoto T., “Mechanical properties of aluminum die casting joined by FSW”, *Proceedings of the 3rd International Friction Stir Welding Symposium*, Kobe, Japan, 2001, (CD-ROM).
- [12] Kim Y.G., Nakata K., Murakami T., Maeda M., Ushio M., Komazaki T., “Effect of tool plunge downforce on welding temperature during FSW of ADC12”, *Preprints of the national meeting of J.W.S.*, 73, 2003, p. 44 (in Japanese).

- [13] Liu HJ, Fujii H, Nogi K. “Microstructure and mechanical properties of friction stir welded joints of AC4A cast aluminium alloy”, *Material Science and Technology*, 20,2004, pp. 399–402.
- [14] Kim Y. G., Fujii H., Tsumura T., Komazaki T., Nakata K., “Effect of welding parameters on microstructure in the stir zone of FSW joints of aluminum die casting alloy”, *Materials Letters*, 60, 2006, pp. 3830-3837.
- [15] Lee W. B., Yeon Y.M., Jung S. B., “The improvement of mechanical properties of friction stir-welded A356 Al alloy”, *Material Science and Engineering A*, 355. 2003, pp. 154-159.
- [16] Steuwer A., Peel M.J., Withers P.J., “Dissimilar friction stir welds in AA5083–AA6082: The effect of process parameters on residual stress”, *Materials Science and Engineering A*, 441, 2006, pp. 187–196.
- [17] Cavaliere P., Nobile R., Panella F. W., Squillace A., “Mechanical and microstructural behaviour of 2024–7075 aluminium alloy sheets joined by friction stir welding”, *International Journal of Machine Tools & Manufacture*, 46, 2006, pp. 588–594.
- [18] Yutaka S. Sato, Seung Hwan C. Park, Masato Michiuchi, Hiroyuki Kokawa, “Constitutional liquation during dissimilar friction stir welding of Al and Mg alloys”, *Scripta Materialia*, 50, 2004, pp. 1233–123.
- [19] McLean A. A., Powell G. L. F., Brown I. H., Linton V. M., “Friction stir welding of magnesium Alloy AZ31B to aluminum alloy 5083”, *Science and Technology of Welding and Joining*, 8, 2003, pp. 462–464.
- [20] Rodriguez N. A., Almanza E., Alvarez C. J., “Study of Friction Stir Welded A319 and A413 Aluminium Casting Alloys”, *Journal Of Materials Science*, 40, 2005, pp. 4307 – 4312.
- [21] Uematsu Y., Tozaki Y., Tokaji K., Nakamura M., “Fatigue Behaviour of Dissimilar Friction Stir Welds Between Cast and Wrought Aluminium Alloys”, *Strength of Materials*, 40 (1), 2008, pp. 138-141.
- [22] Su J-Q, Nelson T.W., Mishra R, Mahoney M., “Microstructural investigation of friction stir welded 7050-T651 aluminium”, *Acta Materiala*, 51(3), 2003, pp. 713–729.
- [23] Scialpi A., De Giorgi M., De Filippis L.A.C., Nobile R., Panella F.W., “Mechanical analysis of ultra-thin friction stir welding joined sheets with dissimilar and similar materials”, *Materials and Design*, 29 (5), 2007, pp. 928-936.
- [24] Amirizad M., Kokabi A.H., Abbasi Gharacheh M., Sarrafi R., Shalchi B., Azizieh M., “Evaluation of microstructure and mechanical properties in friction stir welded A356+15%SiC_p cast composite”, *Materials Letters*, 60, 2006, pp. 565–568.
- [25] Frigaard O., Grong Ø, Midling O.T., “A process model for friction stir welding of age hardening aluminium alloys”, *Metallurgical and Materials Transactions A*, 32, 2001, pp. 1189–1200.

- [26] Sato Y.S., Urata M., Kokawa H., “Parameters controlling microstructure and hardness during friction-stir welding of precipitation-hardenable aluminum alloy 6063”, *Metallurgical and Materials Transactions A*, 33, 2002, pp. 625-635.
- [27] Mahoney M.W., Rhodes C.G., Flintoff J.G., Spurling R.A., Bingel W.H., “Properties of friction-stir-welded 7075 T651 aluminum”, *Metallurgical and Materials Transactions A*, 29, 1998, pp. 1955-1964.
- [28] Liu G., Murr L.E., Niou C.S., McClure J.C., Vega F.R., “Microstructural aspects of the friction-stir welding of 6061-T6 aluminum”, *Scripta Materiala*, 37, 1997, pp. 355-361.
- [29] Sato Y.S., Kokawa H., Enmoto M., Jogan S., “Precipitation sequence in friction stir weld of 6063 aluminum during aging”, *Metallurgical and Materials Transactions A*, 30 (12), 1999, pp. 3125-3130.
- [30] Heinz B., Skrotzki B., “Characterization of a friction-stir-welded aluminum alloy 6013”, *Metallurgical and Materials Transactions B*, 33 (6), 2002, pp.489-498.
- [31] Jata K.V., Sankaran K.K., Ruschau J.J., “Friction-stir welding effects on microstructure and fatigue of aluminum alloy 7050-T7451”, *Metallurgical and Materials Transactions A*, 31 (9) ,2000, pp. 2181-2192.
- [32] Cavaliere P., Campanile G., Panella F., Squillace A., “Effect of welding parameters on mechanical and microstructural properties of AA6056 joints produced by Friction Stir Welding”, *Journal of Materials Processing Technology*, 180, 2006, pp. 263–270.
- [33] Sunggon Lim, Sangshik Kim, Chang-Gil Lee, Sungjoon Kim, “Tensile Behavior of Friction-Stir-Welded Al 6061-T651”, *Metallurgical and Materials Transactions A*, 35A, 2004, pp. 2829-2835.
- [34] Saad Ahmed Khodir, Toshiya Shibayanagi, “Friction stir welding of dissimilar AA2024 and AA7075 aluminum alloys”, *Materials Science and Engineering B*, 148, 2008, pp. 82–87.
- [35] Cavaliere P., De Santis A., Panella F., Squillace A., “Effect of welding parameters on mechanical and microstructural properties of dissimilar AA6082–AA2024 joints produced by friction stir welding”, *Materials and Design*, 30, 2009, pp. 609–616.
- [36] Hidetoshi Fujii, Ling Cui, Masakatsu Maeda, Kiyoshi Nogi, “Effect of tool shape on mechanical properties and microstructure of friction stir welded aluminum alloys”, *Materials Science and Engineering A*, 419, 2006, pp. 25–31.
- [37] Elangovan K., Balasubramanian V., “Influences of tool pin profile and welding speed on the formation of friction stir processing zone in AA2219 aluminium alloy”, *Journal of Materials Processing Technology*, 200, 2008, pp. 163–175.

- [38] Krishnan K. N., “The effect of post weld heat treatment on the properties of 6061 friction stir welded joints”, *Journal of Materials Science*, 37, 2002, pp. 473– 480.
- [39] Sullivan A., Robson J.D., “Microstructural properties of friction stir welded and post-weld heat-treated 7449 aluminium alloy thick plate”, *Materials Science and Engineering A*, 478, 2008, pp. 351–360.
- [40] Uematsu Y., Tozaki Y., Tokaji K., “Fatigue Behavior of Dissimilar Friction Stir Welds Between Cast and Wrought Aluminum Alloy”, *Strength of Materials*, Vol. 40, No. 1, 2008, 138-141.
- [41] Paglia C.S., Buchheit R.G., “A look in the corrosion of aluminum alloy friction stir welds”, *Viewpoint Paper, Scripta Materialia*, 58, 2008, pp. 383–387.
- [42] Paglia C.S., Jata K.V., Buchheit R.G., “A cast 7050 friction stir weld with scandium: microstructure, corrosion and environmental assisted cracking”, *Materials Science and Engineering A*, 424, 2006, pp. 196–204.
- [43] Fonda R.W., Pao P.S., Jones H.N., Feng C.R., Connolly B.J., Davenport A.J., “Microstructure, mechanical properties, and corrosion of friction stir welded Al 5456”, *Materials Science and Engineering A*, 519, 2009, pp.1–8.
- [44] Wadeson D.A., Zhou X., Thompson G.E., Skeldon P., Djapic Oosterkamp L., Scamans G., “Corrosion behaviour of friction stir welded AA7108 T79 aluminium alloy”, *Corrosion Science*, 48, 2006, pp. 887–897.
- [45] Jariyaboon M., Davenport A.J., Ambat R., Connolly B.J., Williams S.W., Price D.A., “The effect of welding parameters on the corrosion behaviour of friction stir welded AA2024–T351”, *Corrosion Science*, 49, 2007, pp. 877–909.
- [46] Pao P.S., Gill S.J., Feng C.R., Sankaran K.K., “Corrosion-fatigue crack growth in friction stir welded Al 7075”, *Scripta Materialia*, 45, 2001, pp. 605-612.
- [47] Biallas G., Braun R., Donne C.D., Staniek G., Kaysser W.A., “Mechanical properteis and corrosion behavior of friction stir welded 2024-T3”, in: 1st International Symposium on Friction Stir Welding, Thousand Oaks, CA, 1999.
- [48] Connolly B.J., Davenport A.J., Jariyaboon M., Padovani C., Ambat R., Williams S.W., Price D.A., Wescott A., Goodfellow C.J., Lee C.-M., “Localized corrosion of friction stir welds in aluminium alloys”, in: 5th International Friction Stir Welding Symposium, Metz, France, 2004.
- [49] Lumsden J.B., Mahoney M.W., Rhodes C.G., Pollock G.A., “Corrosion Behavior of Friction-Stir-Welded AA7050-T7651”, *Corrosion*, 59, 2003, pp. 212–219.

- [50] Lumsden J.B., Mahoney M.W., Pollock G., Rhodes C.G., “Intergranular corrosion following friction stir welding of aluminum alloy 7075-T651”, *Corrosion*, 55, 1999, pp. 1127–1135.
- [51] Paglia C.S., Carroll M.C., Pitts B.C., Reynolds A.P., Buchheit R.G., “Strength, corrosion, and environmentally assisted cracking of a 7075-T6 friction stir weld”, *Materials Science Forum*, 396–402, 2002, pp. 1677–1684.
- [52] Hannour F., Davenport A., Strangwood M., “Corrosion of friction stir welds in high strength aluminium alloys”, in: 2nd International Symposium on Friction Stir Welding, Gothenburg, Sweden, 2000.
- [53] Corral J., Trillo E.A., Li Y., Murr L.E., “Corrosion of friction-stir welded aluminum alloys 2024 and 2195”, *Journal of Materials Science Letters*, 19, 2000, pp. 2117–2122.
- [54] Frankel G.S., Xia Z., “Localized Corrosion and Stress Corrosion Cracking Resistance of Friction Stir Welded Al Alloy 5454”, *Corrosion*, 55, 1999, pp. 139–150.
- [55] Zucchi F., TrabANELLI G., Grassi V., “Pitting and stress corrosion cracking resistance of friction stir welded AA 5083”, *Materials and Corrosion*, 52, 2001, pp. 853–859.
- [56] Squillace A., De Fenzo A., Giorleo G., Bellucci F., “A comparison between FSW and TIG welding techniques: modifications of microstructure and pitting corrosion resistance in AA 2024-T3 butt joints”, *Journal of Materials Processing Technology*, 152, 2004, pp. 97–105.
- [57] Hu W., Meletis E.I., “Corrosion and environment assisted cracking behavior of friction stir welded Al 2195 and Al 2219 alloys”, *Materials Science Forum*, 331–337, 2000, pp. 1683–1688.
- [58] Paglia C.S., Buchheit R.G., “Microstructure, microchemistry and environmental cracking susceptibility of friction stir welded 2219-T87”, *Materials Science and Engineering A*, 429, 2006, pp. 107–114.
- [59] Surekha K., Murty B.S., Prasad Rao K., “Effect of processing parameters on the corrosion behaviour of friction stir processed AA 2219 aluminum alloy”, *Solid State Sciences*, 11, 2009, pp. 907–917.
- [60] Stefano Maggiolino, Chiara Schmid, “Corrosion resistance in FSW and in MIG welding techniques of AA6XXX”, *Journal of materials processing technology*, 197, 2008, pp. 237–240.
- [61] Crawford R., Cook G.E., Strauss A.M., Hartman D.A., Stremmler M.A., “Experimental defect analysis and force prediction simulation of high weld pitch friction stir welding”, *Science and Technology of Welding and Joining*, 11, 2006, pp. 657–65.

- [62] Liu H.J., Fujii H., Maeda M., Nogi K., “Tensile fracture location characterisation of friction stir welded joints of different aluminium alloys”, *Materials Science and Technology*, 20, 2004, pp. 103–105.
- [63] Long X., Khanna S.K., “Modelling of electrically enhanced friction stir welding process using finite element method”, *Science and Technology of Welding and Joining*, 10, 2005, pp. 482–487.
- [64] Kim Y.G., Fujii H., Tsumura T., Komazaki T., Nakata K. “Three defect types in friction stir welding of aluminium die casting alloys”, *Materials Science and Engineering A*, 415, 2006, pp. 250–254.
- [65] Leal R., Loureiro A., “Defect formation in friction stir welding of aluminium alloys”, *Advanced Materials Forum II*, 455–456, 2004, pp. 299–302.
- [66] Fujii H., Ueji R., Takada Y., Kitahara H., Tsuji N., Nakata K., et al., “Friction stir welding of ultrafine grained interstitial free steels”, *Materials Transactions JIM*, 47, 2006, pp. 239–242.
- [67] Kimapong K., Watanabe T., “Effect of welding process parameters on mechanical properties of FSW lap joint between aluminium alloy and steel”, *Materials Transactions*, 46, 2005, pp. 2211–2217.
- [68] Khandkar M.Z.H., Khan J.A., Reynolds A.P., “Prediction of temperature distribution and thermal history during friction stir welding: input torque based model”, *Science and Technology of Welding and Joining*, 8, 2003, pp.165–174.
- [69] Chen C.M., Kovacevic R., “Parametric finite element analysis of stress evolution during friction stir welding”, *J. of Engineering Manufacturing*, 220, 2006, pp. 1359–1371.
- [70] ASTM Standard G110, Standard Practice for Evaluating Inter-granular Corrosion Resistance of Heat Treatable Aluminum Alloys by Immersion in Sodium Chloride + H₂O₂ Solutions, Vol. 03.02, 1998.
- [71] ASM Handbook, “Properties and Selection: Nonferrous Alloys and Special-Purpose Materials”, vol. 2, 1990.
- [72] Zhang Hu, Wu Huiqiang, Huang Jihua, WN Sanbao, WU Lin, “Effect of welding speed on the material flow patterns in friction stir welding of AZ31 magnesium alloy”, *Rare Metals*, 26 (2), 2007, pp. 158-162.
- [73] Santella M. L., Engstrom T., Storjohann D., Pan T.Y., “Effects of friction stir processing on mechanical properties of the cast aluminum alloys A319 and A356.”, *Scripta Mater.* 53, 2005, pp. 201–206.
- [74] Ma Z.Y., Sharma S.R., Mishra R.S., ”Effect of friction stir processing on the microstructure of cast A356 aluminum”, *Materials Science and Engineering A*, 433, 2006, pp. 269–278.
- [75] Vargel C., Jacques M., Schmidt M. P., “Corrosion of Aluminium”, Elsevier, 2004, p. 125.