

References

Allman KG and Wilson IH (2006):

The oxford handbook of anesthesia,

Oxford University Press, ISBN 01985660932, p. 21.

Apfelbaum JL, Chen C, Mehta SS, and Gan TJ (2003):

Postoperative pain experience: results from a national survey suggest postoperative pain continues to be under managed.

Anesth Analg; 97: 534-40.

Armon C, Argoff CE, Samuels J, and Bakonja MM (2007):

Therapeutics and technology assessment subcommittee of the American academy of neurology. Assessment; use of epidural steroid injections to treat radicular lumbosacral pain.

Neurology. Mar 6; 68 (10): 723-9.

Beck P.W., Handwerker H.O., and Zimmerman (1977):

Nervous outflow from the cat's foot during noxious radiant heat stimulation.

Brain Res. 67: 373.

Beilin Y, Arnold I, and Telfeyan C (2000):

The quality of analgesia when air vs. saline is used for identification of the epidural space in the parturient.

Reg Anesth; 25: 569-9.

Block BM, Liu SS, and Rowlingson AJ (2003):

Efficacy of postoperative epidural analgesia: A meta-analysis.

JAMA, 290, 2455-2463.

Bodian CA, Freedman G, and Hossain S (2001):

The visual analog scale for pain: clinical significance in postoperative patients.

Anesthesiology; 95: 1356-61.

Carolyn Middleton (2006):

Epidural analgesia in acute pain management.

Carroll, Angst MS and Clark JD (2004):

Management of perioperative pain in patients chronically consuming opioids.

Reg Anesth Pain Med, 29: 576-591.

Chamberlain DP, Bodily MN, Olssen GL, and Ramsey DH, (1989):

Comparison of lumbar epidural versus thoracic epidural fentanyl for postthoracotomy analgesia using patient controlled dosage.

Reg Anesth; 14:26.

Conacher ID. (2001):

Postthoracotomy analgesia. Anesth. Clinic.

North American, 19 (3): 611-625.

Concha M, Dagnino J, Cariaga M, Aguilera J, Apricio R, and Guerrero M(2004):

Analgesia after thoracotomy: epidural fentanyl/bupivacaine compared with intercostals nerve block plus intravenous morphine.

J Cardiothoracic. Vasc. Anesth; 18 (3): 322-6.

Coutin A, Grouzard V, and Henkens M (2007):

Obstetrics in remote settings-practical guide for non-specialised health care professionals, Medicine Sans Frontieres.

***David E. Longncker, David L. Brown. Mark, Mark F. Newman,
and Warren M. Zapol (2008):***

Marcaine pharmacology,

Text anesthesia (2008).954:973.

***David E. Longncker, David L. Brown. Mark, Mark F. Newman,
and Warren M. Zapol (2008):***

Fentanyl pharmacology,

Text anesthesia (2008).869:896.

Dawson S (2001):

Epidural catheter infection.

J Hosp infect; 47: 3-8.

Deb Gordon, Sue Deeren, Michael Ford, and Mark Shroeder (2000):

Epi-manual, it is revised in 2000, but it is first authorized
by Sausan L. Shroeder in 1997,

This is the third edition that is produced by the
department of nursing resources and development.

DeLoach LJ, Higgins MS, Caplan AB, and Stiff JL (1998):

The visual analog scale in the immediate postoperative
period: intrasubject variability and correlation with a
numeric scale.

Anesth Analg, 86: 102-6.

Dolin SJ, Cashman JN, and Bland JM (2002):

Effectiveness of acute postoperative pain management.
Evidence from published data.

Br J Anesth; 98; 409-23.

Etches (1992):

Complications of acute pain management.

Anesth Clinics of North America, 10: 147.

Etches, Sandler, and Daley (1989):

Respiratory depression and spinal opiates.

Can J. Anesth, 36: 165.

Grayson H. Wheatley, Michael A.W., and Michael E.J (2005):

Improved pain management outcomes with continuous
infusion of a local anesthetic after thoracotomy.

J. Thoraco Cardiovasc Surg; 130: 464-468.

Herr K (2002):

Pain assessment in cognitively impaired older adults.

American journal of nursing; 102 (12) 65-67.

Ho AM, Chung DC, and Joynt GM (2000):

Neuraxial blockade and haematoma in cardiac surgery, estimating the risk of a rare adverse event that has not (yet) occurred, chest, 117: 551-5.

Kaya FN, Sahin S, Owen MD, and Eisenach JC (2004):

Epidural neostigmine produces analgesia but also sedation in women after cesarean delivery. Anesthesiology; 100: 381-5.

Lauretti GR, Oliveira R, and Reis MP (1999):

Study of three different doses of epidural neostigmine co administered with Lidocaine for postoperative analgesia. Anesthesiology; 90: 1534-8.

Norman D (2003):

Epidural analgesia using loss of resistance with air versus saline: does it make a difference? Should we reevaluate our practice?

AANA J; 71:449-53. PMID 15098532.

Oglivly, A.J. and Smith G (1994):

Postoperative pain.

2nd edn, 3:119.

Pasero C (2002):

Pain assessment in the critically ill.

American journal of nursing; 102 (1): 59-60.

Potential benefits of thoracic epidural anesthesia and analgesia

in patients undergoing coronary artery bypass grafting.

Anesth Analg (2001); 93: 528-35.

A.G. Reis, E. Ferreira, Claudio S, and A.L. Zaritsky (2007):

Magnesium in cardiopulmonary resuscitation:

Critical review journal of resuscitation Vol. 77 P. 21-25.

Sawchuk Corey WT, Ong B, Unruh H, Horan T, and Greengrass R (1993):

Thoracic versus Lumber epidural fentanyl for postthoracotomy pain.

Ann Thoraco Surg; 55:1472-1476.

Scott S. Reuben (2007):

Preventing postthoracotomy pain syndrome following surgery. International research foundation for RSD/CRPS.

Last update: Monday 1 January.

Sprigger JS and Harper SI (2008):

Accidental dural puncture and post dural puncture headache in obstetric anesthesia".

Anesthesia. Jan; 63 (1): 36-43.

Urde S, Basko J, Pirtnicks A, Kopeika, and Peka M (2003):

Thoracic epidural versus intravenous analgesia following thoracic surgery.

Eur Resp. J. 22 (45); 368-368.

Van Hees J and Gybels J (1981):

C-nociceptor activity in human nerve during painful and non-painful skin stimulation.

J. Neurol Neurosurg Psychiatry, 44: 600.

Wewers M.E and Lowe N.K (1990):

A critical review of visual analogue scales in the measurement of clinical phenomena.

Research in nursing and health 13, 227-236.

Wheatley RG, Schug SA, and Watson D (2001):

Safety and efficacy of postoperative epidural analgesia.

Br. J Anesth; 87: 47-61.

Yegin A, Erdogan A, Kayacan N, Karsli B. (2003):

Early postoperative pain management after thoracic surgery; pre-and postoperative versus postoperative epidural analgesia: a randomized study.

Eur J Cardiothoracic Surg; 24: 420-4.

Yuan-Yi Chia, Ting-Hang Chang, and Kang Liu (2000):

The efficacy of thoracic epidural neostigmine infusion after thoracotomy. Department of anesthesiology, Kaohsiung Veterans General hospital and school of medicine. National Yaung-Ming University, Taiwan, Anesth Analg; Jan; 102 (1): 20:8.

Yuan-Yi Chia, Ting-Hang Chang, and Kang Liu. (2006):

Pain Medicine, Efficacy of epidural neostigmine infusion, published in Anesth Analg (2006); 102:201-8.

Ozalevli M, Cetin TO, Unlugenc H, and Guler T (2005):

The effect of adding intrathecal magnesium sulphate to bupivacaine-fentanyl spinal anesthesia.

Acta Anesthesiol Scand **49**:1514–9.

Sirvinskas E and Laurinaitis R (2002):

Use of magnesium sulfate in anesthesiology. *Medicine* **38**:147–50.

Tramer MR, Scheneider J, Marti RA, and Kaplan R. (1996):

Role of **magnesium sulfate** in
postoperative analgesia. *Anesthesiology*
84:340–7

Benzon HT and Knight AE. (2002):

Acute situations: trauma. **In** Raj PP (Ed.).

Textbook of Regional Anesthesia

(Churchill Livingstone, USA) pp. 505–
24.

Varrassi G, Marinangeli F, Donatelli F, and Paladini A. (2002):

Economic impact of regional anesthesia.

In Raj PP (Ed.). Textbook of Regional
Anesthesia

(Churchill Livingstone, USA) pp. 35–46.

Chanimov M, Cohen MI, and Grinspun Y (1997):

Neurotoxicity after spinal anesthesia
induced by serial **intrathecal injections** of
magnesium sulphate. An experimental
study **in** a rat model.

Anesthesia **52**:223–8.

Goodman EJ, Haas AJ, and Kantor GS (2006):

In advertent administration of magnesium sulphate through epidural catheter: report and analysis of a drug error. *Int J Obs Anesth* **15**:63–7

Saeki H, Matsumoto M, and Kaneko S (2004):

Is intrathecal magnesium sulfate safe and protective against ischemic spinal cord injury in rabbits?

Anesth Analg 99:1805–12.

Bilir S., Gulec A., Erkan A., and Ozcelik (2007):

Epidural magnesium reduces postoperative analgesic requirement

Accepted for publication January 15, 2007.

BJA Advance Access published online on February 26, 2007

British Journal of Anesthesia, doi:10.1093/bja/aem029.

Ramsay MA, Savege TM, Simpson BR, Goodwin R (1974):

Controlled sedation with 20 alphaxalone-alphadolone.

Br Med J 1974; 2:656–E2=80=93659.

Kroin JS, McCarthy RJ, and Von Roenn N (2000):

Magnesium sulfate potentiates morphine antinociception at the spinal level.

Aneth Analg; 90:913-7.

NS Swaroop, YK Batra, N Bhardwaj, P Chari, and P Ram (2002):

Thoracic and lumbar epidural Fentanyl.

Annals of cardiac anesthesia; 5:53-58.

OP Sanjay, MD, VR Kadam MD, MNAMS, J Menezes MD, P Prashanth DA, DI Tauro MBBS, (2003):

Thoracic epidural infusions for postthoracotomy pain relief: a clinical study to compare the efficacy of Fentanyl-Bupivacaine mixture versus Fentanyl alone.

Ind J Thoraco Cardiovasc Surg, 2003; 19:113-118.

Gough, J. D., Williams, A. B., Vaughan, R. S., Khalil, J. F. and Butchart, E. G. (1988):

The control of post-thoracotomy pain. A comparative evaluation of thoracic epidural Fentanyl infusions and cryo-analgesia. Anesthesia, 43: 780–783.

Doi: 10.1111/j.1365-2044.1988.tb05757.x

Article first published online: 22 FEB 2007.

Seri LT, and French JH, (1984):

Magnesium: nature's physiologic calcium blocker.

Am Heart J 1984; 108: 188–93.

Wolf CJ, Thompson SW, (1991):

The induction and maintenance of central sensitization is dependent on N-methyl-D-aspartic acid receptor activation: implications for the treatment of post-injury pain and hypersensitivity states. Pain; 44: 293–9.

Liu HT, Hollmann MW, Liu WH, (2001):

Modulation of NMDA receptor function by ketamine and magnesium: part I. Anesth Analg; 92: 1173–81.

Fawcett WJ, Haxby EJ, and Male DA, (1999):

Magnesium; physiology and pharmacology.

Br J Anesth; 83:302-20.

Yegin A, Erdogan A, Kayacan N, and Karsli B, (2003):

Early postoperative pain management after thoracic surgery; pre- and postoperative versus postoperative epidural analgesia: a randomized study. *Eur J Cardiothorac Surg*; 24:420–4.