
REFERENCES

- A.T.S./C.D.C. (1994):** American Thoracic Society and Centers for Disease Control. Treatment of tuberculosis and tuberculosis infection in adults and children. *Am. J. Resp. Care med.*, 149:1359-1379.
- Aagaard C., Brock I., Olsen A., Ottenhoff T.H., Weldingh K. and Andersen P. (2004):** Mapping immune reactivity toward Rv2653 and Rv2654: two novel low-molecular-mass antigens found specifically in the *Mycobacterium tuberculosis* complex. *J. Infect. Dis.* 189:812-9.
- Aagaard C., Govaerts M. and Meikle V. (2006):** Optimizing antigen cocktails for *Mycobacterium bovis* diagnosis in herds with different disease prevalence: ESAT6/CFP10 mixture shows optimal sensitivity and Specificity. *J. Clin. Microbiol.* 44: 4326-35.
- Abadco D.L. and Steiner P. (1992):** Gastric lavage is better than bronchoalveolar lavage for isolation of *mycobacterium tuberculosis*. *Pediatr. Infect. Dis. J.* 11:735-8.
- Abd –El Ghany (1983):** Tuberculin test survey and its value in studying some epidemiological aspects of tuberculosis in Assuit city. MSc Thesis; Assuit University.
- Abdel Hafez S.A., El Badrawy M. and Rizk M.S. (2001):** Diagnosis and treatment of tuberculosis in a primary school in Dakahlia governorate. *Journal of Environmental Sciences*; 21:163-165.
- Abou El Faddle A., Fadel K.A.M., Osman A.H., Hamed H.E., Salem E.S. and Merzek T.S. (1993):** A Study of some characteristics of tuberculous patients in El-Minia and Sohag. Egypt. *J. Chest Ds. and Tuberc.* 41(2):113.

- Adler J.J. and Rose D.N. (1996):** Transmission and pathogenesis of tuberculosis. Tuberculosis 1st edited by W.N. Rom and S.M. Garay Boston: Little, Brown Co. chapt. 9, p. 129.
- Albert H., Heydenrych A. and Brookes R. (2002):** Performance of rapid phage-based tests, FAST plaque TB, to diagnose pulmonary tuberculosis from sputum specimen in South Africa. Int. J. Tuberc. Lung Dis. 6:529-37.
- Alcaide F., Benitez M.A., Martin R. and Escriba J.M. (2000):** Evaluation of the Bactec MGIT 960 and MB BACT system for routine detection of mycobacterium tuberculosis. J. Clin. Microbiol. 38:3131-2.
- Alisjahbana B., Van Crevel R. and Danusantoso H. (2005):** Better patient instruction for sputum sampling can improve microscopic tuberculosis diagnosis. Int. J. Tuberc. Lung Dis. 9:814-7.
- American Academy of Pediatrics (2003):** Committee on Infectious Diseases. Tuberculosis. In: Red Book. Report of the Committee on Infectious Diseases. pp: 642-60.
- American Thoracic Society (1992):** Control of tuberculosis in the United States. Am. Rev. Resp. Dis.146:1623-1633.
- American Thoracic Society (2000):** Diagnostic Standards and Classification of Tuberculosis in Adults and Children. Am. J. Resp. Dis. Crit. Care. Med. 161:1371-95.
- American Thoracic Society, Centers for Disease Control and Prevention (2000):** Targeted tuberculin testing and treatment of latent tuberculosis infection. Am J Respir Crit Care Med.;161:221â€“247.
- American Thoracic Society/Centers for Disease Control and Prevention (2000):** Targeted tuberculin testing and treatment of latent tuberculosis infection. Am. J. Respir. Crit. Care Med. 161:S221-S247.
- Andersen P. (2001):** TB vaccines: progress and problems. Trends Immunol. 22:160-168.

- Andersen P., Munk M.E., Pollock J.M. and Doherty T.M. (2000):** Specific immune-based diagnosis of tuberculosis. *Lancet* 2000; 356: 1099-04.
- Anderson C., Inhaler N. and Menzies D. (1995):** Comparison of sputum induction with fiber-optic bronchoscopy in the diagnosis of tuberculosis. *Am. J. Resp. Crit. Care Med.* 152:1570-4.
- Attia A.H. (1987):** Prevalence of tuberculous infection.
- Ayele W.Y., Neill S.D. and Zingstag J. (2004):** Bovine tuberculosis: an old disease but a new threat to Africa. *Int. J. Tuberc. Lung Dis.* 8:924-937.
- Badak F.Z., Kiska D.L., Setterquists, Hartleyc, O'Connell M.A. and Hopfer R.L. (1996):** Comparison of Mycobacterial Growth Indicator Tube with Bactec 460 for detection and recovery of mycobacteria from clinical specimens. *J. Clin. Microbiol.* 34:2236-9.
- Barker L.F., Geiter L. and Rayner R.E. (2002):** TB vaccine products and regimens; can boosting improve protection? In: Fourth World Congress on Tuberculosis; Washington, D.C. Abstract 48.
- Barnes P.F. (2004):** Diagnosis of Latent Tuberculosis infection: Turning glitter to gold. *Am. J. Respir. & Crit. Care Med.* 170:5-6.
- Barnes P.F., Lakey D.L., Burman W.J. (2002):** Tuberculosis in patients with HIV infection. *Infect. Dis. Clin. North Am.* 16: 107-126.
- Basem S.E. (2002):** Some epidemiological features of tuberculosis as a re-emerging disease in Dakahlia governorate. MD Thesis; Mansoura University.
- Bass J.B., Jr., Farer L.S. and Hopewell P.C. (1994):** Treatment of tuberculosis and tuberculosis infection in adults and children. American Thoracic Society and the Centers for Disease Control and Prevention. *Am. J. Respir. Crit. Care Med.*;149(5):1359-1374.

- Bates J.H. and Stead W.W. (1993):** The history of tuberculosis as a global epidemic. *Med. Clin. North. Am.*;77:1205-1217.
- Bemer P., Bodmer T. and Munzinger J. (2004):** Multicenter evaluation of the MB/BACT system for susceptibility testing of *Mycobacterium tuberculosis*. *J. Clin. Microbiol.* 42(3):1030-1034.
- Bendiner E. (1992):** Albert Calmette: a vaccine and its vindication. *Hosp. Pract. (Off Ed)*; 27:113-6, 119-122, 125 passim.
- Bhagyalaxmi A., Kadri A.M., Lala M.K., Primal Jivarajani, Tushar Patel and Mitesh Patel (2003):** Prevalence of tuberculosis infection among children in slums of Ahmedabad. *Indian pediatrics*; 40:239-243.
- Borgdorff M.W., Nagelkerke N.J., Dye C. and Nunn P. (2000):** Gender and tuberculosis: a comparison of prevalence surveys with notification data to explore sex differences in case detection. *Int. J. Tuberc. Lung Dis.* 4: 123-32.
- Brewer T.F., Heymann S.J. and Krumplitsh S.M. (2001):** Strategies to decrease tuberculosis in US homeless populations. *JAMA*; 286:834-842.
- Brock I., Munk M.E., Kok-Jensen A. and Andersen P. (2001):** Performance of whole blood IFN-gamma test for tuberculosis diagnosis based on PPD or the specific antigens ESAT-6 and CFP-10. *Int. J. Tuberc. Lung Dis.* 5: 462-7.
- Brodie D. and Schluger N.W. (2005):** The diagnosis of tuberculosis. *Clin. Chest. Med.* 26:247-71.
- Bruce J., Fine P.E.M., Ponnighaus J.M., Nkhosa P., Harawa A. and Vynnycky E. (1999):** Tuberculin sensitivity: conversions and reversions in a rural African population. *Tubercle and Lung Disease*; 3: 962-967.

- Bucher H.C., Griffith L.E. and Guyatt G.H. (1999):** Isoniazid prophylaxis for tuberculosis in HIV infection: a meta-analysis of randomized controlled trials. *AIDS*. 13(4):501-507.
- Buchholz N.P., Salahuddin S. and Haque R. (2000):** Genitourinary tuberculosis. A profile of 55 inpatients. *Journal of Pakistan Medical Association*, 50: 265-269.
- Burgess L.J., Maritz F.J., Le Roux I. and Taljaard J.J (1996):** Combined use of pleural adenosine deaminase with lymphocyte/neutrophil ratio. Increases specificity for the diagnosis of tuberculous pleuritis. *Chest*; 109:414-9.
- Burman W.J. and Jones B.E. (2003):** Clinical and radiographic features of HIV-related tuberculosis. *Semin. Respir. Infect.* 18: 263-271.
- Busi Rizzi E, Schinina V, Palmieri F, Girardi E, Bibbolino C. (2003):** Radiological patterns in HIV-associated pulmonary tuberculosis: comparison between HAART-treated and non-HAART-treated patients. *Clin. Radiol.*; 58: 469-73.
- Camirero Luna (2004):** A tuberculosis guide for specialist physician. International Union Against Tuberculosis and Lung Disease (IUATLD): 68 boulevard Saint Michel, 75006 Paris-France; September.
- Campos P.E., Suarez P.G. and Sanchez J. (2003):** Multidrug-resistant Mycobacterium tuberculosis in HIV-Infected Persons, Peru. *Emerg. Infect. Dis.* 9(No.2):1571-1578.
- Castelo-Filho A., Kritski A.L. and Barreto A.W. (2004):** II Consenso Brasileiro de Tuberculose: Diretrizes Brasileiras para Tuberculose. *J. Bras. Pneumol.* 2004; 30 (Supl. 1): S57-S86.

- Cauthen G.M., Pio A. and ten Dam H.G. (1988):** Annual risk of tuberculosis infection. WHO/TB/88.154,1-34, limited circulation, World Health Organization, Geneva, Switzerland.
- CDC (1994):** Centre for Disease Control. Guidelines for preventing the transmission of Mycobacterium tuberculosis in health-care facilities. MMWR Morb. Mortal. Wkly Rep. 43:1-132.
- CDC (2000):** Centre for Disease Control. Core Curriculum on Tuberculosis, 4th ed. Washington, D.C. Government Printing Office.
- CDC (2000):** Centre for Disease Control. Targeted tuberculin testing and treatment of latent tuberculosis infection. MMWR Morb. Mortal. Wkly. Rep. 49:1-51.
- CDC (2003):** Centre for Disease Control. Guidelines for using the QuantiFERON-TB test for diagnosing latent Mycobacterium tuberculosis infection. MMWR Morb. Mortal. Wkly Rep. 52:15-18.
- Centers for Disease Control and Prevention (1995):** Essential components of a tuberculosis prevention and control program: recommendations of the Advisory Council for the Elimination of Tuberculosis. MMWR Morb. Mortal. Wkly Rep. 44(No. RR-11):1-17.
- Chadha V.K., Jagannath P.S. and Savanur P.S. (2001):** Annual risk of tuberculosis infection in Bangalore city. Ind. J. Tub., 48: 63.
- Chadha V.K., Krishna Murthey M.S., Shashidhara A.N., Jagannath P.S. and Magesh V. (1999):** Estimation of annual risk of tuberculosis infection among BCG vaccinated children. Ind. J. Tub., 46: 105.
- Chakraborty A.K., Chaudhury K., Srinivas T.R., Khshnamurthy M.S., Shashidhara A.N. and Channabasavaiah R. (1992):** Tuberculosis infection in a rural population of south India, 23 years trend. Tubercle and LD; 73:213-218.

- Chan C.H., Chan R.C., Arnold M., Cheung S.W. and Cheng A.F. (1992):** Bronchoscopy and tuberculostearic acid assay in the diagnosis of sputum smear-negative pulmonary tuberculosis: a prospective study with the addition of transbronchial biopsy. *Q. J. Med.* 82:15-23.
- Chen L., Wang J. and Zganiacz A. (2004):** Single intranasal mucosal *Mycobacterium bovis* BCG vaccination confers improved protection compared to subcutaneous vaccination against pulmonary tuberculosis. *Infect. Immun.* 72:238-246.
- Colditz G., Brewer T., Berkey C. and Wilson M. (1994):** Efficacy of BCG vaccine in the prevention of tuberculosis. *JAMA.*, 271:698-702.
- Comstock G.W. (1999):** How much isoniazid is needed for prevention of tuberculosis among immunocompetent adults? *Int. J. Tuberc. Lung Dis.* 3(10):847-850.
- Concato J. and Rom W.N. (1994):** Endemic tuberculosis among homeless men in New York City. *Arch. Inter. Med.* 154:2069-2107.
- Curley C. (2003):** New guidelines: what to do about an unexpected positive tuberculin skin test. *Cleve Clin. J. Med.* 70: 49-55.
- Daley C.L., Small P.M. and Schechter G.F. (1992):** An outbreak of tuberculosis with accelerated progression among persons infected with human immunodeficiency virus. *N. Engl. J. Med.* 326:231-235.
- Davidson P.T. and Fernandez (1994):** Bone and joint tuberculosis. In: David Schlosberg (ED), *Tuberculosis 3rd edition*, Sprigerverlag, New York: 165-78.
- Delgado J.C., Beena A. and Thim S. (2002):** Ethnic-specific genetic associations with pulmonary tuberculosis. *J. Infect. Dis.*; 186:1463-1468.

- Diba Siddiki, Sanjoy Ghose, Krishnamurthy M.S. and Shashidhara A.N. (1996):* Tuberculosis infection rate in rural population of Bikaner district. *Ind. J. Tub.*; 43:91-96.
- Dorronsoro I., Martin C., Cabodevilla B., Ojer M. and Ruz A. (2000):* Effect of the number of samples studied on the diagnosis of tuberculosis. *Enferm. Infec. Microbiol. Clin.* 18:215-8.
- Drancourt M., Carrier P., Gevaudan M.J. and Raoult D. (2003):* Blood agar and mycobacterium tuberculosis: the end of a dogma. *J. Clin. Microbiol.* 41:1710-1.
- Dye C (2006):* Global epidemiology of tuberculosis. *Lancet*; 367: 938-40.
- Dye C., Watt C.J., Bleed D.M., Mehran Hosseini S. and Raviglione M.C. (2005):* Evolution of tuberculosis control and prospects for reducing tuberculosis incidence, prevalence, and deaths globally. *JAMA*; 293: 2767-75.
- El-Badrawy M., Abdel Hafez S.A., and Rizk M.S. (2000):* Diagnosis and treatment of tuberculosis in a primary school in Dakahlia governorate. *Journal of Environmental Sciences*, 21:163-165.
- El-Ebiary S., de Coster E.J., Tolba F.M., van Mareen P., Wasily L., van Cleeff M., el Saied K., Veen J., Zaher H.A., and Borgdorff M.W. (1997):* Trend in the annual risk of tuberculosis infection in Egypt, 1950-1996. *Int. J. Tuberc. Lung Dis.* 1999 Apr; 3(4):294-9 (IUATLD).
- El-Zomor A.Y., Salem E.S., Attia A.H. and El-Zahaby M. (1986):* A diagnostic approach to pulmonary tuberculosis in childhood. Thesis for master degree (*Chest*) p.117.

Esmat M., El Taybe S., Ahmed A. and Attia A. (1986): A Study of cell mediated immunity among tuberculous patients and their contact. Egypt. J. Chest Dis. and Tuberc., 32:37-72.

Esmat M.M., El-Maraghy A.S., Mohammed F., Sawi M.S. and Abou-El-Yazid H. (1985): Study of the annual infection rate of pulmonary tuberculosis in Kafr El-Sheikh province. Egypt. J. Chest Dis. and Tuberc., p. 95-131.

Fine P.E., Carneiro I.A. and Milstien J.B. (1999): Issues relating to the use of BCG in immunization programs: a discussion document. Geneva, Switzerland: Department of Vaccines and Biologicals, World Health Organization; 1-45.

Fox W. (1977): Modern management of pulmonary tuberculosis. Bull. Inter. Un. Tuberc.; 52:25-30.

Girardi E., Raviglione M.C. and Antonucci G. (2000): Impact of the HIV epidemic on the spread of other diseases: the case of tuberculosis. AIDS (14 Suppl); 3:S47-S56.

Glynn J.R. (1998): Resurgence of tuberculosis and the impact of HIV infection. Br. Med. Bull. 54:579-593.

Goldfrab D.S. and Saiman L. (1996): Tuberculosis of the genitourinary tract. In: Tuberculosis 1st ed. Edited by W.N. Rom and S.M. Garay Boston: Little, Brown and Co.; chapt. 4, p. 807.

Gopi P.G., Subramani R., Nataraja T. And Narayanan P.R. (2006): Impact of BCG vaccination on tuberculin surveys to estimate the annual risk of tuberculosis infection in south India. Indian J. Med. Res., 124: 71-6.

Gordin F., Chaisson R.E. and Matts J.P. (2000): Rifampin and pyrazinamide vs isoniazid for prevention of tuberculosis in HIV-infected persons: an

- international randomized trial. Terry Beirn Community Programs for Clinical Research on AIDS, the Adult AIDS Clinical Trials Group, the Pan American Health Organization, and the Centers for Disease Control and Prevention Study Group. *JAMA*. 283(11): 1445-1450.
- Gradmann C. (2006):** Robert Koch and the white death: from tuberculosis to tuberculin. *Microbes Infect.*; 8: 294-301.
- Greco S., Giardi E., Masciangelo R., Capocotta G.B. and Saltini C. (2004):** Adenosine deaminase and interferon gamma measurements for diagnosis of tuberculous pleurisy: a meta-analysis. *Int. J. Tuberc. Lung Dis.* 8:622-3.
- Gupta R., Kim J.Y. and Espinal M.A. (2001):** Responding to market failure in tuberculosis control. *Science*; 293:1049-1051.
- Heifets L.B. (1996):** Drug susceptibility testing. *Clin. Lab. Med.* 16(3):641-656.
- Hersh A.L., Tala-Heikkil M. and Tala E. (2002):** A cost-effectiveness analysis of universal versus selective immunization with *Mycobacterium bovis* Bacille Calmette-Guerin in Finland. *Int. J. Tuberc. Lung Dis.* 7:22-29.
- Hoda A.A. (2002):** Human HLA Antigen Typing And Tuberculin Reactive Status In Patients With Pulmonary TB. MSc. Thesis; Cairo University.
- Hoepfich D., Jordan C. and Ronald A. (1998):** *Infectious Diseases. A treatise of infectious process.* Fifth edition. B. Lippincott Company Philadelphia, P. 447-471.
- Hoft D.F. and Tennant J.M. (1999):** Persistence and boosting of Bacille Calmette-Guerin-induced delayed-type hypersensitivity. *Ann. Intern. Med.* 131:32-36.
- Howard T.P. and Soloman D.A. (1988):** Reading The Tuberculin Skin Test: WHO; When and How? *Arch. Intern. Med.*; 148:2457.

- Huebner R.E., Schein M.F. and Bass J.B. (1993):** The Tuberculin Skin Test. Clin. Infect. Dis., 17:968-975.
- Iademarco M.F. and Castro K.G. (2003):** Epidemiology of tuberculosis. Seminars in respiratory infections.
- Iseman M.D. (1993):** Treatment of multidrug-resistant tuberculosis. N. Engl. J. Med. 329:784-791.
- Janet R. Serwint, MD; Barbara S. Hall, RN; Robert M. Baldwin, MD; Jane M. Virden, RN (1997):** Outcome of annual tuberculosis screening by Mantoux test in children considered to be at high risk: results from one urban clinic. Pediatrics; 99:529-533.
- Jasmer R.M., Saukkonen J.J. and Blumberg H.M. (2002):** Short-course rifampin and pyrazinamide compared with isoniazid for latent tuberculosis infection: a multicenter clinical trial. Ann. Intern. Med. 137:640-647.
- John T. J. (2000):** Tuberculosis control, without protection from BCG. Indian Pediatr.; 37:9-18.
- Johnson H., Lee B., Doharty E., Kelly E. and McDonnell T. (1995):** Tuberculin sensitivity and the BCG scar in tuberculosis contacts. Tubercle and LD; 76:122-125.
- Kasilk J.E. (1994):** Central Nervous System Tuberculosis. In: Schlosberg D. (ED), Tuberculosis 3rd edition, Springer-Verlag, New York: 129-42.
- Kemp E.B., Belshe R.B. and Hoft D.F. (1996):** Immune responses stimulated by percutaneous and intradermal Bacille Calmette-Guerin. J. Infect. Dis. 174:113-119.

- Kopanoff D.E., Snider D.R. and Johnson M. (1998):** Recurrent tuberculosis. Why do patients develop disease again? A United States Public Health Service Cooperative Survey. *Am. J. Public Health*; 78:30-33.
- Kroger L., Korppi M. and Brander E. (1995):** Osteitis caused by Bacille Calmette-Guerin vaccination: a retrospective analysis of 222 cases. *J. Infect. Dis.* 172:574-576.
- Kumar V., Abbas A., Fausto N. And Mitchell Richard N. (2007):** Robbins Basic Pathology (8th ed).
- Lalvani A., Brookes R. and Wilkinson R. (1998):** Human cytolytic and interferon gammasecreting CD81 T lymphocytes specific for Mycobacterium tuberculosis. *Proc. Natl. Acad. Sci. USA*; 95: 270-5.
- Lalvani A., Pathan A.A. and McShane H. (2001):** Rapid detection of Mycobacterium tuberculosis infection by enumeration of antigen-specific T cells. *Am. J. Respir. Crit. Care Med.* 163: 824-8.
- Lentich A.G. (2000):** Pulmonary tuberculosis: Clinical features. In: Crofton and Douglas's respiratory diseases, Seaton A. 5th edition, Blackwell scientific puplication, pp. 507.
- LoBue P.A., LeClair J.J. and Moser K.S. (2004):** Contact investigation for cases of pulmonary mycobacterium bovis. *Int. J. Tuberc. Lung Dis.* 8:868-872.
- Lodha R. and Kabra S.K. (2004):** Newer diagnostic modalities for tuberculosis. *Indian J. Pediatr.* 71:221-227.
- Louden R.G., Roberts R.M. (1996):** Droplet expulsion from the respiratory tract. *Am. Rev. Respir. Dis.* 95:435-442.
- Maher D. and Raviglione M.C. (1999):** The global epidemic of tuberculosis. A WHO perspective. In: Tuberculosis and non-Tuberculous Mycobacterial

infections 14th (ed). By Schlossberg D. Philadelphia: W.B Saunders Co. Chapter 10; P. 104.

Marais B.J., Gie R.P. and Schaaf H.S. (2004): The clinical epidemiology of childhood pulmonary tuberculosis: a critical review of literature from the pre-chemotherapy era. *Int. J. Tuberc. Lung Dis.* 8:278-285.

Martien W. Borgdorff (2002): Annual risk of tuberculosis infection; time for an update *Bull. World Health Organ.* vol.80 no.6 Genebra June 2002.

Masrer R.N. (1992): "Mycobacteriology" *Clinical Microbiology Procedures.* Hand book, Section Editor. ASM, Washington D.C. vol. 1; p 336.

Maxcy R. (1998): *Public Health Preventive Medicine.* 14th (ed). Appleton and Lange. Stanford, Connecticut; P. 212-217.

Mazen S.M. (2005): Prevalence of tuberculous infection by using tuberculin test in a rural area in Dakahlia governorate (Tarnees village). Master degree thesis; Mansoura University.

Mazurek G.H., LoBue P.A. and Daley C.L. (2001): Comparison of a whole-blood interferon γ assay with tuberculin skin testing for detecting latent *Mycobacterium tuberculosis* infection. *JAMA*; 286:1740-1747.

McShane H., Pathan A.A. and Sander C.R. (2004): Recombinant modified vaccinia virus; Ankara expressing antigen 85A boosts BCG-primed and naturally acquired anti-mycobacterial immunity in humans. *Nature Medicine.*

Mejia G.I., Castrillon L., Trujillo H. and Robledo J.A. (1999): Microbiology detection in 7 H '11' thin layer culture as an alternative for rapid diagnosis of *mycobacterium tuberculosis* infection. *Int. Tuberc. Lung Dis.* 3:138-42.

- Menzies R. and Vissandjee B. (1992):** Effect of Bacille Calmette-Guerin vaccination on tuberculin reactivity. *Am. Rev. Respir. Dis.* 145:621-625.
- Mobasher A.A., Salah A., El-Nagdy H., Hussein R.M., and Salem E.S. (1989):** An analytic study of tuberculin reactivity among outpatient chest clinics attendants in Sharkia and Damietta. *Egypt. J. Chest Dis. and Tuberc.*, 40(2):197.
- Moussa E., Tag- Eldin M. and Rady M. (2000):** Tuberculosis contact tracing: A follow up study of a group of sputum positive pulmonary tuberculosis patients. *Egypt. J. Community Med.*, 18:1-11.
- Murray C.J.L., Styblo K. and Rouillon A. (1990):** Tuberculosis in developing countries: Burden, intervention and cost. *Bull. Int. Union Tuberc. Lung Dis.* 65:6-24.
- Murray J., Barret A., Magee J.G. and Freeman R. (2003):** Optimization of acid fast smears for the direct detection of mycobacteria in clinical samples. *J. Clin. Pathol.* 56:613-5.
- Nardell E.A. (2003):** Environmental infection control of tuberculosis. *Semin. Respir. Infect.* 18:307.
- National Tuberculosis Control Program, NTP, (2006):** Ministry of Health and Population.
- National Tuberculosis Control Program, NTP, (2010):** Ministry of Health and Population.
- Nolan C.M., Goldberg S.V. and Buskin S.E. (1999):** Hepatotoxicity associated with isoniazid preventive therapy: a 7-year survey from a public health tuberculosis clinic. *JAMA*; 281: 1014-1018.
- Norris A.H. and Buckley R.M. (1995):** Central Nervous System Tuberculosis. In: Rossman M.D., Mac Gregor R.R. (ED), *Tuberculosis: Clinical management and new challenge*, Mc Graw-Hill Inc. New York: 157-71.

- Odhiambo J.A., Borgdorff M.W., Kiambih F.M., Kibuga D.K., Kwamanga D.O. and Ng'ang'a L. (1999):** Tuberculosis and the HIV epidemic: increasing annual risk of tuberculous infection in Kenya, 1986 - 1996. American Journal of Public Health; 89:1078-82.
- Okab A. (1990):** Annual tuberculosis infection rate among primary school children in Qaluoobia and Sharkia governorates. MD thesis; Zagazig University.
- Orme I.M. and Cooper A.M. (1999):** Cytokine/chemokine cascades in immunity to tuberculosis. Immunol. Today. 20: 307-312.
- Palomino J.C., Leão S.C. and Ritacco V. (2007):** Tuberculosis 2007. From basic science to patient care; First Edition.
- Philips C., Hopwell and Barry R. (1994):** Tuberculosis and other mycobacterial diseases in text of respiratory medicine: 2nd ed. W.B. Saunders, pp.561-566.
- Pottumarthy S., Morris A.J., Harrison A.C. and Wells V.C. (1999):** Evaluation of the tuberculin gamma interferon assay: potential to replace the Mantoux skin test. J. Clin. Microbiol. 37: 3229-32.
- Ramaswamy S. and Musser J.M. (1998):** Molecular genetic basis of antimicrobial agent resistance in Mycobacterium tuberculosis: Int. J. Tuberc. Lung Dis. update; 79(1):3-29.
- Reuter H., Burgess L., Van Vuuren W. and Doubell A. (2006):** Diagnosing tuberculous pericarditis. Q.J.M.; 99:827-39.
- Rottenberg G.T. and Shaw P. (1996):** Radiology of pulmonary tuberculosis: Br. J. Hosp. Med. 56:195-9.

- Safaa S.E. (2002):** Prevalence of pulmonary TB and bronchial asthma in Central Security Soldiers in Egypt. MD Thesis. Ain Shams University.
- Sahn S.A. (1998):** Diseases of the pleura and pleural sac. In: Baum G.L., Grapo J.D., Gell B.R. and Karlinsky J.B. Text book of pulmonary diseases, 6th ed. Lippincott, Raven publishers, Philadelphia C. 75, p. 1493.
- Salem E.S., Shallouf M.A., EL Badrawi M. and Awadallah H.H. (1988):** A Study on tuberculosis problems in primary school children in Gharbia governorate. Egypt. J. Chest Dis. and Tuberc., 35(2):67.
- Schlesinger N., Lardizabal A., Raoj M.C. and Donald R. (2005):** tuberculosis of the spine: experience in an inner city hospital. J. Clin. Rheumatol. 11:17-20.
- Schlossberg D. (2006):** Tuberculosis and non tuberculous mycobacterial infections. 5th ed., McGraw-Hill. W.B. Sounder Co. London.
- Schluger N.W. and Rom W.N. (1998):** The host immune response to tuberculosis. Am. J. Respir. Crit. Care Med. 157:679-691.
- Sharma S.K., Mohan A. and Kadhiravan T. (2006):** HIV-TB coinfection: epidemiology, diagnosis and management. Ansari Nagar, New Delhi, India; 110:29.
- Shashidhara A.N., Chadha V.K., Jagannatha P.S., Ray T.K. and Mania R.N. (2004):** The annual risk of tuberculosis infection in Orissa state, India. Int. J. Tuberc. Lung Dis.; 8(5):545-551 (IUATLD).
- Sheffield L.A. (1994):** The pathology of tuberculosis. In: Clinical tuberculosis; Ed.PPD: Davies, published by Champan and Hall, London, p.43-45.

- Shigenaga T., Dannenberg A.M. Jr. and Lowrie D.B. (2001):** Immune responses in tuberculosis: Antibodies and CD4-CD8 lymphocytes with vascular adhesion molecules and cytokines (chemokines) cause a rapid antigen-specific cell infiltration at sites of Bacillus Calmette-Guerin reinfection. *Immunol.* 102:466-479.
- Shreef S.E. (2004):** A Study of the annual risk of infection (ARI) of TB in Sohag city. MSc Study; Cairo University.
- Sinan T., Sheikh M., Ramadan S., Sahwney S. and Behbehani A. (2002):** CT features in abdominal tuberculosis: 20 years experience. *BMC. Med. Imaging* 12:2-3.
- Small P.M., Schechter G.F. and Goodman P.C. (1991):** Treatment of tuberculosis in patients with advanced human immunodeficiency virus infection. *N. Engl. J. Med.* 324:289-294.
- Smeja C. and Brassard P. (2000):** Tuberculosis infection in an Aboriginal (First Nations) population of Canada. *Int. J. Tuberc. Lung Dis.;* 4(10): 925-30
- Smith R.M., Drobniowski F. and Gibson A. (2004):** Mycobacterium bovis infection, United Kingdom. *Emerg. Infect. Dis;* 10: 539-41.
- Stead W.W., Senner J.W. and Reddick W.J. (1990):** Racial differences in susceptibility to infection to mycobacterium tuberculosis. *N. Engl. J. Med.* 322:422-427.
- Stebbing J., Gazzard B. and Douek D.C. (2004):** Where does HIV live? *N. Engl. J. Med.* 350:1872-1880.
- Steinbrook R. (2004):** The AIDS Epidemic in 2004. *N. Engl. J. Med.* 351:115-117.

Styblo K. (1985): The relationship between the risk of tuberculosis infection and the risk of developing infectious tuberculosis.

Styblo K.and Sutherland J. (1969): The transmission of tubercle bacilli, its trend in human population. Tuberculosis surveillance research unit, report no. 11. Bull. Inter. Un. Tuberc.; 42:5-104.

Suhail Ahmad and Abu Salim Mustafa (2001): Molecular diagnosis of Drug-resistant Tuberculosis. Kuwait Medical Journal 33 (2):120-126.

Sutherland J. (1978): The association of the risk of tuberculosis infection with age. Bull. Int. Un. Tuber.; 50:70-81.

Tala E., Romanus V. and Tala-Heikkil M. (1997): Bacille Calmette-Guerin vaccination in the 21st century. Eur. Respir. Mon. 4:327-353.

Talbot E.A., Perkins M.D. and Silva S.F.M. (1997): Disseminated Bacille Calmette-Guerin disease after vaccination: case report and review. Clin. Infect. Dis. 24:1139-1146.

Templeton G.L., Illing L.N. and Young L. (1995): The risk of transmission of Mycobacterium tuberculosis at the bedside and during autopsy. Ann. Intern. Med. 122:922-925.

Thornton G.F. (1995): extrapulmonary tuberculosis, excluding the central nervous system. In: Rossman M.D.; Mac Gregor R.R. (ED), Tuberculosis: Clinical management and new challenge, McGraw-Hill Inc. New York: 173-840.

Toossi Z. (2003): Virological and immunological impact of tuberculosis on human immunodeficiency virus type 1 disease. J. Infect. Dis. 188:1146-1155.

Torres M.J., Criado A. and Ruiz M. (2003): Improved real-time PCR for rapid detection of rifampin and isoniazid resistance in Mycobacterium

-
- tuberculosis clinical isolates. *Diagn. Microbiol. Infect. Dis.* 45(3):207-212.
- Trevenen C.L. and Pagtakhan R.D. (1982):** Disseminated tuberculoid lesions in infants following BCG vaccination. *Can. Med. Assoc. J.* 127:502-504.
- Tuberculosis Control Guide (1998):*** National tuberculosis control program. Arab Republic of Egypt, Ministry of Health and population, Directorate General for chest disease.
- Tuberculosis Prevention Trial, Madras (1980):*** Trials of BCG vaccine in south India for tuberculosis prevention. *Ind. J. Med. Res.*; 78:1-74.
- Tuberculosis Research Centre (ICMR), Chennai (1999):*** Fifteen year follow up of trial of BCG vaccine in south India for tuberculosis prevention. *Ind. J. Med. Res.*; 110:56-69.
- Tufariello J.M., Chan J. and Flynn JL (2003):*** Latent tuberculosis: mechanisms of host and bacillus that contribute to persistent infection. *Lancet Infect. Dis.* 3: 578-90.
- Turnbull F.M., McIntyre P.B. and Achat H.M. (2002):*** National study of adverse reactions after vaccination with Bacille Calmette-Guerin. *Clin. Infect. Dis.* 34:447-453.
- von Reyn C.F. and Vuola J. (2002):*** New vaccines for the prevention of tuberculosis. *Clin. Infect. Dis.* 35:465-474.
- Wallace/Maxcy-Rosenau-Last (2008):*** Public Health & Preventive Medicine. 15th (ed.) McGraw-Hill Companies, Inc.; 2: 5-27.
- Warren G.N. and Body A.B. (1995):*** Bacteriology and diagnosis. In: Rossman D.M., Mac Gregor R.R. (ED), Tuberculosis. Clinical Management and New Challenges. 1st edition, New York, McGraw Hill Press, ch. 3 p. 47-52.
-

- Watterson S.A. and Drobniewski F.A. (2000):** Modern laboratory diagnosis of mycobacterial infections. *J. Clin. Pathol.* 53: 727-732.
- Wayne L.G. (1992):** Family Mycobacteria, in *Bergey's Manual of Systematic Bacteriology*. Sneath P.H.A., Mair N.S., Sharpe M.E. and Holt J.G. (eds). The Williams and Wilkins Co. Baltimore 2:1436-1457.
- Wise G.J. and Marella V.K. (2003):** Genitourinary manifestations of tuberculosis: *Urol. Clin. North. Am. J.* 30:111-21.
- Woods G., Brown-Elliot B. and Desmond E. (2003):** Susceptibility Testing of Mycobacteria, Nocardiae, and Other Aerobic Actinomycetes. Approved Standard M-24-A. Wayne, PA: National Committee for Clinical Laboratory Standards.
- World Health Organization (2002):** A strategic framework to decrease the burden of TB/HIV, (WHO/CDS/TB/2002.296). Geneva, Switzerland: WHO; 2002.
- World Health Organization (2002):** An expanded DOTS framework for effective tuberculosis control, (WHO/CDS/TB/2002.297). Geneva, Switzerland: WHO; 2002.
- World Health Organization (2003):** Global Tuberculosis Control: Surveillance, Planning, Financing, WHO Report 2003, (WHO/CDS/TB/2003.316). Geneva: WHO; 2003.
- World Health Organization (2003):** Treatment of tuberculosis. Guidelines for national programmes. Third edition, (WHO/CDS/TB/2003.313). Geneva, Switzerland: WHO; 2003.
- World Health Organization (2004):** Global Tuberculosis Control: Surveillance, Planning, Financing, WHO Report 2004, (WHO/HTM/TB/2004.331). Geneva, Switzerland: WHO; 2004.

World Health Organization (2004): Interim policy on collaborative TB/HIV activities, (WHO/HTM/TB/2004.330). Geneva, Switzerland: WHO; 2004.

World Health Organization (2004): The world health report 2004: TB; changing history. Geneva: WHO.

World Health Organization (2006): Tuberculosis Fact Sheet N° 104- Global and Regional Incidence (March 2006).

World Health Organization (2009): Global Tuberculosis Control: Epidemiology, Strategy, Financing, WHO Report 2009, (WHO/HTM/TB/2009.411). Geneva: WHO; 2009.

Yang Z., Kong Y. and Wilson F. (2004): Identification of risk factors for extrapulmonary tuberculosis. Clin. Infect. Dis. 38: 199-205.

Youssef (1981): The prevalence of tuberculous infection in Sharkia governorate. MSc. thesis; Zagazig University.

Zeitoun M.M.A. (1986): Study of tuberculin test in children vaccinated with BCG at early infancy. MSc. thesis (Chest Diseases); Alexandria University.