

REFERENCES

Abul-Hassan M (1991): Anatomy of temporalis fascia, cited from (Wormald and Alum-Jones), 1986.

Albrite, J.P. and Leigh, B. G. (1966): Dural homograft myringoplasty. Laryngoscope, 76: 1687-1693.

Albrite. J. P. and Leight B. G., (1966): Dural homograft (allostatic) myringoplasty. Preliminary Report. Laryngoscope 1966; 76; 1687-1693.

Alternau, M.A. and Sheehy, J.L. (1978): Tympanoplasty cartilage prostheses-a report of 564 cases. Laryngoscope. 6, 895-904.

Amedee RG, Mann WJ and Herbert (1989): Cartilage palisade tympanoplasty. Am J. otol, 10. (6), 447-450.

Andrew J. (2005): Otolaryngol Head neck surg; 132: 906-15.

Applebaum El and Dutsch EC (1986): An endoscopic method of fluorescein angiography. Ann Otorhinolaryngol., 95: 439-433.

References

Austein, D. F. (1963): Vein graft tympanoplasty: 2 year report. Transactions of the American Academy of ophthalmology and otolaryngology., 67: 1 198-208.

Békésy G von (1939): Uber die mechanisch-akustischen vorganage beim Horen. Acta Otolaryngol (Stockh); 27: 281-388.

Bluestone CD (1990): Intratemporal complications and sequelae of otitis media. In Bluestone CD, stool ES (eds.): pediatric otolaryngology, ed 2. Philadelphia, WB Saunders, p. 499.

Bluestone CD, Contekin EL and Douglas (1979): Local anaesthesia in synopsis of operative ENT surgery 1st edn eds. (Butter worth Heinemann) page 25-26.

Buckingham, R. A. (1990): Middle ear gas generation in myringoplasty. Otol. Rhinol. Laryngol., 99: 335-336.

Buckingham. R. A. (1992): Fascia and perichonrdrium atrophy in tympanoplasty and recurrent middle ear atelactasis. Otol. Rhinol. Laryngol., 101: 755-8.

Cable H (1981): Surface tension of the temporalis fascia grafts. J Layngol otol., 95: 667-673.

References

Clark JM, Saffold SH, Israel JM. (2003): Decellularized dermal grafting in cleft palate repair. Arch Facial Plast Surg; 5: 40-4.

Cumming, (2005): Oto Rhino Laryngology & Head and Neck surgery; 136: 3058-3075.

Derlacki EL. (1982): Residual perforations after tympanoplasty: office technique for closure. Otolaryngol Clin North Am; 15: 861-7.

Diaa M., El-Hennawi (2001): International Journal of Pediatric Otorhinolaryngology 59, 2001; 1-5.

Don A and Tinthicum FH (1975): The fate of cartilage grafts for ossicular reconstruction in tympanoplasty. Ann. Otorhinolaryngol., 84: 187-191.

Dornhoffer, J.L. (1997): Hearing results with cartilage tympanoplasty. Laryngoscope. 107: 1094-1099.

Douglas W., Peter D., David H., (2001): Tympanic membrane repair with dermal Alloderm. Laryngoscope; 111: 702-707.

References

Downey TJ, Champeaux Al, Silva AB. (2003): AlloDerm tympanoplasty of tympanic membrane perforations. Am J Otolaryngol; 24: 6-13.

Eavey RD (1998): Inlay tmpanoplasty cartilage butterfly technique. Laryngoscope, 108: 657-661.

El-Wany S (1985): Histochemical study of cartilage autograft in tympanoplasty. J. laryngol otol., 99: 637-642.

Eviatar, A (1978): Tragal perichondrium and cartilage in reconstructive ear surgery. Laryngoscope, 88 (Suppl. 11): 1-23.

Eviatar, A. (1978): Tragal perichondrium and cartilage in reconstructive ear surgery. Laryngoscope, 88 (suppl. 11): 1-23.

Fayad JN Bains T, Parisier SC. (2003): Preliminary results with the use of alloderm in chronic otitis media. Laryngoscope; 113: 1228-30.

Frootko NJ (1985): Applying the language of transplant to tympanoplasty. Acta Otorhinolaryngol. (Belgica), 374-376.

References

Frootko, N.J. (1985): Applying the language of "transplantese" to tympanoplasty. *Acta. Otol. Rhino. Laryngological (Belgica)*, 374-376.

Gates GA, Avery CA, Cooper JC and Prihoda TJ (1989): Chronic secretory otitis media: Effects of surgical management. *Ann Otorhinolaryngol.* 98 (Supp 138): 2-32.

Gerber, M.J., Mason, J.C., Lambert, P.R (2000): Hearing results after primary cartilage tympanoplasty. *Laryngoscope.* 110: 1994-1999.

Gillies HD (1980): Plastic surgery of the face. London, Hodder & Stoughton.

Gladstone HB, Jackler RK, Varav K. (1995): Tympanic membrane wound healing. An overview. *Otolaryngol Clin North Am*; 28: 913-32.

Glasscock M.E. (1991): Histochemical study of the temporalis fascia. *Ann. Oto. Rhino. Laryngo.*, 102: 212-214.

Glasscock –Shambaugh, (2003): Surgery of the ear 5th edition 20: 400-416/ 24: 465-485.

References

Glasscock, ME, Jackson, CG, Nissen, AJ and Schwaber MK (1982):

Post-auricular under surface tympanic membrane grafting: A follow up report. Laryngoscope, 92: 718-727.

Glenn Isaacson (1994): Tympanoplasty children, otolaryngologic clinics of north America Vol. (27). Number 3. June.

Goodhill, V., harris, I. and Bvrokman, S. J. (1979): Tympanoplasty with perichondrial graft. Arch. Otol., 64: 131-137.

Goodhill, V., Harris, I. and Prockman, S.J. (1967): Tympanoplasty with perichondrial graft. Arch. Otolaryngol., 79: 131-137.

Goodman, W. S. (1971): Tympanoplasty: areolar tissue graft. Laryngoscope, 81: 1819-1826.

Griffin WL, (1979): Jr. A retrospective study of tramatic tympanic membrane perforations in a clinical practice. Laryngoscope; 89: 261-82.

Gross, J.J. (1984): Homologous dura use in problem pocket repair. Laryngoscope, 94 (7): 919-22.

References

Groves J. (1979): Physiology of hearing in Scott. Brown's diseases of the ear nose and throat, London. Butter Worths. Vol. 1: 67-117.

Groves, J. and Gray, R. F. (1985): Physiology of hearing. In A synopsis of otolaryngology, Bristol Wright J. and Sons itd.: 38-45

Halik JJ and Smith GDL (1988): Long term results of tympanic membrane repair. Otolaryngol Head and neck surg 98: 162-169.

Heermann H. (1960): Tympanic membrane plastic with temporal fascia. Hals-Nasen-Ohrenh 1960; 9: 136.

Helmholtz HLF. Die (1968): Mechanik der Gehorknochelchen und des Trommelfelles Pflugers Arch; 1: 1.

Holmquist J. Eustachian (1991): tube function and tympanoplasty. Acta Otorhinolaryngol Belg; 45: 67-9.

Hough, J. V. D. (1970): Tympanoplasty with the interior fascial graft technique and ossicular reconstruction. Laryngoscope, 80; 1385-1413.

J. Dornhoffer, (1997): Hearing results with cartilage tympanoplasty, Laryngoscope 107, 1094-1098.

References

James E., Beneche, Jr; MD, RFCS (2001): laryngoscope 1525-1527.

Jansen, C. (1963): The combined approach for tympanoplasty. J. Otolaryngol. Otol. 882: 779-793.

Jose N. F., Tony B., Simon C., (2003): Preliminary results with the use of Alloderm in chronic otitis media. Laryngoscope 2003; 113: 1228-1230.

Kartush JM Michaelides EM, Becvarovski Z, (2002): Over – under tympanoplasty. Laryngoscope; 112: 802-7.

Kay DJ, Nelson M, Rosenfeld RM. (2001): Meta-analysis of tympanostomy tube sequelae. Otolaryngol Head Neck Surg; 124: 374-80.

Keller AP Jr. (1958): A study of the relationship of air pressure to myringopuncture. Laryngoscope 68: 2015-29.

Khan I, Jan AM, Shahzad F. (2002): Middle-ear reconstruction: a review of 150 cases. J Laryngol Otol; 116: 435-9.

References

Kirsch CM, Wehner JH, Jensen WA, et al. (1995): Tuberculous otitis media. South Med J; 88: 363-6.

Koch WM, Friedman EM, MC Gill TJI and Healy GB (1990): Tympanoplasty in children. Arch otolaryngology head and neck surg 116: 3540.

Lee KJ and Schuknecht HF (1971): Results of tympanoplasty and Massoidectomy at the Massachusetts eye and ear infirmary. Laryngoscope 81: 529-543.

Levinson, R. M. (1987): Cartilage perichondrial composite graft tympanoplasty in the treatment of posterior marginal and attic retraction pockets. Laryngoscope 97: 1069-1074.

Mair IW, Hallmo P. (1994): Myringoplasty. A conventional and extended high-frequency, air-and bone-conduction audiometric study. Scand Audiol; 23: 205-8.

Manning SC, Cantekin EI, Kenna MA and Bluestone CD (1987): Prognostic value of Eustachian tube function in pediatric tympanoplasty. Laryngoscope 97: 1012-1016.

References

Mauri, M., Neto, J., Fuchs, S. (2001): Evaluation of inlay butterfly cartilage tympanoplasty: a randomized clinical trial. *Laryngoscope*. 111: 1479-1484.

Milewski, C. (1993): Cartilage graft tympanoplasty in the treatment of ears with advanced middle ear pathology. *Laryngoscope*. 103: 1352-1356.

Mills RP (1991): Management of retraction pocket of the pars tensa. *J. laryngol. Otol.*, 105, (7), 225-228.

Minatogowa, T., Kumoi, T., Inamori, T., Oki, K., Machizuka, H. (1990): Hyogo ear bank experience with allograft tympanoplasty on 68 ears. *American journal of Otology* 11: 157-163.

Moon, C.N. (1973): Loose areolar connective tissue: A graft for otological surgery. *Laryngoscope*, 83: 771-776.

Murbe D, Zahnert T, Bornitz M, (2002): Acoustic properties of different cartilage reconstruction techniques of the tympanic membrane. *Laryngoscope* 2002; 112: 1769-76.

References

Nicholos J and Frootko (1997): Reconstruction of the middle ear. Scott. Brown's otolaryngology, VO1 93) 6th edition (eds. A. Gkerr and John B. Booth). Buter worth-Heinemann, oxford page 3/11/8-3/11/9.

Nicholos J and Frootko (1997): Reconstruction of the middle ear. Scott. Bown's otolaryngology, Vol (3) 6th edn (eds. A. Gkerr and John B. Booth). Butter worth- Heinemann, oxford page 3/11/8-3/11/9.

Nichols PT, Ramadan HH, Wax MK, Santrock RD. (1998): Relationship between tympanic membrane perforations and retained ventilation tubes. Arch Otolaryngol Head Neck Surg; 124: 417-9.

Ophiz D, Porat M and Marshak G (1987): Myringoplasty in the pediatric population. Arch otolaryngol Head and Neck Surg. 113: 1288-1290.

P. Dennis, (1993): A. Grade, Cartilage tympanoplasty for management of retraction pockets and cholestetoma, Laryngoscope 103, 614-618.

References

Packer P (1982): Mackendrick A, Solar M. What's best in myringoplasty: underly or overlay, dura or fascia? J Laryngol Otol 96: 25-41.

Packer, P., Mackendrick, A., and Solor, M. (1982): What is best myringoplasty? Underlay or overlay dura or fascia. J. Laryngol. Otol. 96: 25-41.

Philip Lai, Evan Jon Propst, Blake croll Papsin (2006): International Journal of Pediatric Otorhinolaryngology 70, 1423-1429.

Raine CH and Singh SD (1983): Tympanoplasty in children-a review of 114 cases J laryngolotol 97: 217-221.

Regijnen CH and Kuijpers W (1977): The healing pattern of the drum membrane. Acta otolaryngol: Suppl., 287: 1-41.

Ringenberg JG. (1962): Fat graft tympanoplasty, Laryngoscope 72: 188.

Roosa DB. (1876): Diseases of the ear. New York: William Wood & Co.

Rudolf Probst. M. D. Professor (2005): Department of otorhinolaryngology University Hospital Basle Basle, Switzerland,

References

Basic Otorhinolaryngology. Astep-by-step learning Guide P. 245.

Saad El Sayed, Mamdouh El-Gohary & Mohamed El Begermy (1993): Tympanic membrane graft, Essay for M. ch of ENT Ain Shams University (67-69).

Saadat D, MD; Mathaw Ng, MD; Stish Vadapvallim MD; Uttamk, Sinha, MD; (2001): Laryngoscope 2001; 181-189.

Salen. B. (1968): Tympanic membrane grafts of full thickness skin, fascia, and cartilage with its perichondrium, an experimental and clinical investigation. Acta Otolaryngol. Suppl. Stockh. Suppl. 244: 5-73.

Schmitt H. (1957): Uber die Bedeutung der Schalldrucktransformation und der Schallprotektion fur Horschwelle. Acta Otolaryngol (Stockh); 49:71.

Schuring AG. Te GO, Rizer FM, (1998): Pediatric tympanoplasty of iatrogenic perforations from ventilation tube therapy. Am J Otol 19: 301-5.

References

Scott-Brown's (2008): Otorhinolaryngology, Head and Neck Surgery 7th edition 229: 3173-3206.

Shea JJ. (1960): Vein graft closure of eardrum perforations. J Laryngol Otol; 74: 358.

Sheehy (1989): Surgery of chronic otitis media. In: English GM, ed. Otolaryngology, vol. 19, Philadelphia; Harper, Row Publishers, 1989: 1-86.

Sheehy JL (1964): Tympanic membrane grafting: Early and long-term results, Laryngoscope. 74: 985.

Sheehy JL (1980): Anderson RG. Myringoplasty. A review of 472 cases. Ann Otol Rhinol Laryngol; 89: 331-4.

Sheehy JL (1981): Surgery of chronic otitis media. In: Otolaryngology-V.I Revised Ed. Harper and Row, Philadelphia, chap. 20.

Sheehy, J.L. and Anderson, R. G. (1980): Myringoplasty (Review of 472 cases). In: Ann. Otol., 89-331.

Shih L, DeTar and Crbatree JA (1991): Myringoplasty in children. Otolaryngol head and neck. Surg 105: 74-77.

References

Singh M, Rai A, Bandyopadhyay S, et al. (2003): Comparative study of the underlay and overlay techniques of myringoplasty in large and subtotal perforations of the tympanic membrane. *J Laryngol Otol* 117: 444-8.

Smyth GDL and Hassard TH (1980): Tympanoplasty in children. *Am J otol* 1: 199-205.

Smyth, G. D.L. (1976): Tympanic reconstruction. *Journal of Laryngology and Otology.*, 90: 713-741.

Somers T, Goovaerts G, Schelfhout L, (1998): Growth factors in tympanic membrane perforations. *Am J Otol*; 19: 428-34.

Storrs LA (1961): Myringoplasty with use of fascia grafts, *Arch Otolaryngol Head Neck Surg* 74: 45, 1961.

Tayfunk. Kirazil, MD, CEM Bilgen, Md, Pasit Middilli, MD, (2005): *Otolaryngol Head Neck Surg*; 2005;132, 933-7.

Terry, R. M., Bellini, M. I and Granhi, A. G. (1988): Fat graft myringoplasty: A prospective trail. *Clin Otolaryngol.*, 13: 227-229.

References

Vartiainen E, Nuutinen J (1993): Success and pitfalls in myringoplasty: follow-up study of 404 cases. *Am J Otol*; 14: 301-5.

Wainwright DJ. (1995): Use of an acellular allograft dermal matrix (AlloDerm) in the management of full-thickness burns. *Burns* 21: 243-8.

Wormald PJ and Alum-Jones T (1986): Antaomy of temporalis. Fascia. *J laryngol otol.*, 105 (7), 522.

Wright WK (1963): Tissues for tympanic grafting. *Arch otol.*, 78: 291.

Wullstein H. (1952): Funktionelle Operation im Mittelohr mit Hilfe des freien Spalt-lappen-Transplantates. *Arch Ohren-Nasen-u Kehlkopfh*; 161: 422.

Youssef Am. (1999): Use of acellular human dermal allograft in tympanoplasty. *Laryngoscope*; 109: 1832-3.

Yung MW. (1983): Myringoplasty: hearing gain in relation to perforation site. *J Laryngol Otol*; 97: 11-7.

References

Zollner F. (1955): The principles of plastic surgery of the sound-conducting apparatus. *J Laryngol Otol* 69: 637.

Zollner F. (1963): Panel of myringoplasty second workshop on reconstructive middle ear surgery. *Arch Otol*; 78: 301.