

REFERENCES

- **Adamski-Werner SL, Palaninathan SK, Sacchettini JC, et al.** Potent inhibition of amyloidogenesis. *J Med Chem* **2004**
- **Akar H, Seldin DC, Magnani B, O'Hara C, Berk JL, Schoonmaker C, Cabral H, Dember LM, Sancharawala V, Connors LH, Falk RH, Skinner M:** : Quantitative serum free light chain assay in the diagnostic evaluation of AL amyloidosis. *Amyloid*12: 210–215,**2005**
- **Almeida MR .** Selective binding to transthyretin and tetramer stabilization in serum from patients with familial amyloidotic polyneuropathy by an iodinated diflunisal derivative. **2004**
- **Ancsin JB, Kisilevsky R:** Serum amyloid A peptide interactions with glycosaminoglycans. *chromatography. Methods*, **2001**
- **Argiles A, Bataille R, Mourad G, Demaille JG.** Presence of beta 2 microglobulin and alpha 2 macroglobulin in kappa AL-amyloidosis. *Nephrol Dial Transplant* **1992**
- **Argiles A, Charnet A, Schmitt-Bernard CF, et al.** B2Microglobulin amyloidosis. Boca Raton, FL: CRC Press, **2005**.
- **Argiles A, Mourad G, Atkins RC, Mion C.** New insights in the pathogenesis of hemodialysis associated amyloidosis. *Editorial Semin Dial* **1990**
- **Asmundsson P, Snaedal J:** Persistent water diuresis in renal amyloidosis. A case report. *Scand J Urol Nephrol* **1981**
- **Ayli M, Ayli D, Azak A et al.** The effect of high-flux hemodialysis on dialysis-associated amyloidosis. *Ren Fail* **2005**
- **Bakkaloglu A.** Familial Mediterranean fever. *Pediatr Nephrol* **2003**.

- **Balal M, Paydas S, Seyrek N, Karayaylali I, Gonlusen G:**Other glomerular pathologies in patients with diabetes mellitus. Ren Fail 26: 185–188, **2004**
- **Bardin T, Lebail-Darne JL, Zingraff J, Laredo JD, Voisin MC, Kreish H, Kuntz D:** Dialysis arthropathy: Outcome after renal transplantation. Am J Med 99: 243-248, **1995**
- **Bardin T, Zingraff J, Kuntz D, Drfldce T.** Dialysis-related amyloidosis. Nephrol Dial Transplant **1986**
- **Benson MD.** Non-transthyretin hereditary amyloidoses. In: Grateau G, Kyle RA, eds. Boca Raton, FL: CRC Press, **2005**
- **Biewend ML, Menke DM, Calamia KT.** The spectrum of localized amyloidosis. Boca Raton, FL: CRC Press, **2005**.
- **Booth DR .** Instability, unfolding and aggregation of human lysozyme variants underlying amyloid fibrillogenesis. Nature 385: 787–793 (**1997**)
- **Booth DR, Tan SY, Booth SE, Tennent GA, Hutchinson WL, Hsuan JJ, Totty NF, Sole M, Campistol JM, Pepys MB:** Hereditary hepatic and systemic amyloidosis J Clin Invest , **1996** -
- **Botto M .** Amyloid deposition (**James, William; Berger, Timothy; Elston, Dirk (2005)**).
- **Brenner DA, Jain M, Pimentel DR, Wang B, Connors LH, Skinner M, Apstein CS, Liao R:** Human amyloidogenic light chains directly impair cardiomyocyte function .**2004**
- **Bridoux F, Hugue V, Coldefy O, Goujon JM, Bauwens M, Sechet A, Preud'Homme JL, Touchard G:** Fibrillary glomerulonephritis and immunotactoid (microtubular) glomerulopathy are associated with distinct immunologic features. Kidney Int 62: 1764–1775, **2002**

- **Buxbaum JN.** The systemic amyloidoses. *Curr Opin Rheumatol* **2004.**
- **Campistol JM, Argiles A.** Dialysis-related amyloidosis: Visceral involvement . *Nephrol Dial Transplant* **1996.**
- **Campistol JM, Molin R, Bernard D, Rodriguez R, Mirapeix E, Munoz-Gomez J, Revert LI.** In vitro synthesis of B2- microglobulin: *Nephrol Dial Transplant* **1992.**
- **Campistol JM, Molina R, Rodriguez R, Munoz-Gomez J, Revert L:** Dialysis membranes inhibit synthesis and release of (B2- microglobulin in lymphocyte culture. *Nephron* **1995.**
- **Casserly LF, Fadia A, Sanchorawala V, Seldin DC, Wright DG, Skinner M, Dember LM:** *Kidney Int* 63: 1051–1057, **2003**
- **Celik A, Saglam F, Dolek D, Sifil A, Soylu A, Cavdar C, Temizkan A, Camsari T:** *Transplant Proc* 38: 435–439, **2006**
- **Choufani EB, Sanchorawala V, Ernst T, Quillen K, Skinner M, Wright DG, Seldin DC:** *Blood* 97: 1885–1887, **2001**
- **Christou L, Hatzimichael EC, Sotsiou-Candila F, Siamopoulos K, Bourantas KL:** Amyloidosis and light-chain deposition disease in kidneys . **1999**
- **Cianciolo G, Colí L, LaManna G et al.** Is beta2-microglobulin-related amyloidosis of hemodialysis patients a multifactorial disease? A new pathogenetic approach. *Int J Artif Organs* **2007.**
- **Cohen AD, Zhou P, Chou J, Teruya-Feldstein J, Reich L, Hassoun H, Comenzo RL:** *Br J Haematol* 139: 224–233, **2007**
- **Comenzo RL, Zhang Y, Martinez C, Herrera GA:** The tropism of organ involvement in primary systemic amyloidosis: **2001** -

Comenzo RL, Zhou P, Fleisher M, Clark B, Teruya-Feldstein J: systemic AL amyloidosis: **2006**

- **Connors LH, Prokayeva T, Akar H, et al.** Familial amyloidosis: Recent novel and rare mutations in a clinical population. Boca Raton, FL: CRC Press, **2005**.

- **Connors LH, Shirahama T, Slrinner M, Fenves A, Cohen AS.** In vitro formation of amyloid fibrils from intact picroglobulin. Biochem Biophys Res Commtm **1985**.

- **Current Medical Dx & Tx ,Nephrology,** Stephen J. McPhee, MD, Maxine A. Papadakis, MD, Lawrence M. Tierney, Jr., MD **2009**

- **Daugirdas, John T.; Blake, Peter G.; Ing, Todd S.** Handbook of Dialysis, 4th Edition **2007**

- **Deforges-Lasseur C, Combe C, Cernier A, Vital JM, Aparicio M.** Destructive spondylarthropathy presenting with progressive paraplegia in a dialysis patient. Recovery after surgical spinal cord decompression and parathyroidectomy. Nephrol **1993**.

- **Dember LM.** Modern treatment of amyloidosis: Unresolved questions. Journal of the American Society of Nephrology. **2009**

- **Dember LM, Hawkins PN, Hazenberg BP, Garceau D, Hauck W, Skinner M:** N Engl J Med 356: 2349–2360, **2007**

- **Dember LM, Jaber BL.** Dialysis-related amyloidosis: late finding or hidden epidemic? Semin Dial **2006**.

- **Dember LM, Sanchorawala V, Seldin DC, et al.** Effect of doseintensive intravenous melphalan and autologous blood stem-cell transplantation on al amyloidosis-associated renal disease. *Ann Intern Med* **2001**.
- **Dispenzieri A, Lacy MQ, Zeldenrust SR, Hayman SR, Kumar SK, Greipp PR, Kabat B, Gertz MA:** *Blood* 109: 465–470, **2007**
- **Dode C, Cuisset L, Delpech M, et al.** TNFRSF1A-associated periodic syndrome (TRAPS), Muckle-Wells syndrome (MWS) and renal amyloidosis. *J Nephrology* **2003**
- **Dominguez DI and De Strooper B,** Novel therapeutic strategies provide the real test for the amyloid hypothesis of Alzheimer's disease **2002**.
- **Eder L, Bitterman H.** "Image in clinical medicine. Amyloid purpura". **June 2007**
- **Ehlerding G, Floege J, Schaffer J, Drommer W, Koch KM.** No evidence for inflammatory or fibrotic synovial changes prior to deposition of dialysis related amyloid. *J Am Soc Nephrol* **1993**.
- **Ehlerding G, Schaeffer J, Drommer W, Miyata T, Koch KM, Floege J:** Alterations of synovial tissue and their potential role in the deposition of B2-microglobulin-associated amyloid. *Nephrol Dial Transplant* 13: 1465–1475, **1998**
- **Elkayam O, Hawkins PN, Lachmann H, Yaron M, Caspi D:** Rapid and complete resolution of proteinuria due to renal amyloidosis in a patient with rheumatoid arthritis treated with infliximab *Arthritis Rheum* 46: 2571–2573 **2002**

- **Elsevier – Bologna, Jorizzo and Rapini:** table 48.1 Dermatology
– www.dermtext. Com **2003**
- **Ericzon BG, Larsson M, Herlenius G, Wilczek HE:** (FAPWTR)
and (DLTR). Amyloid 10[Suppl 1]: 67–76, **2003**
- **Fadia A, Casserly LF, Sanchowala V, Seldin DC, Wright DG,
Skinner M, Dember LM:** Kidney Int 63: 1868–1873, **2003**
- **Falk RH, Comenzo RL, Skinner M:** The systemic amyloidoses
Engl J Med 337: 898–909, **1997**
- **Floege J, Burchert W, Brandis A, Gielow P, Nonnast-Daniel B,
Spindler E, Hundeshagen H, Shaldon S, Koch KM.** imaging of
dialysis-related amyloid (AB-amyloid) deposits with 131I-02-
microglobulin. Kidney Int **1990**
- **Floege J, Ketteler M.** Beta2-microglobulin-derived amyloidosis
Kidney Int Suppl **2001**
- **Fushimi T, Takei Y, Touma T, et al.** Bilateral localized amyloidosis
of the ureters: Amyloid **2004**
- **Garbar C, Jadoul M, Noel H, van Ypersele de Strihou C:**
Histological characteristics of sternoclavicular beta 2-microglobulin
amyloidosis and clues for its histogenesis. Kidney Int 55: 1983–1990,
1999
- **Garceau D, Gurbindo C, Laurin J.** Safety, tolerability and
pharmacokinetic profile of Fibrilex (anti-AA amyloid agent) in healthy
and renal impaired subjects. In: Apathy D, ed. Amyloid and
Amyloidosis. Hungary: **2001**

- **Garcia-Garci M, Garcia-Valero J, Mourad G, Argiles A.** Protein constituents of amyloid deposits in B2-microglobulin amyloidosis. *Rev Rhum (Engl Ed)* **1994**
- **Gejyo F, Narita I.** Current clinical and pathogenetic understanding of B2-m amyloidosis . *Nephrology* **2003**
- **Gejyo F, Yamada T, Odani S, Nakagawa Y, Arakawa M, Kunitomo T, Kataoka H, Suzuki M, Hirasawa Y, Shirahama T, et al.:** A new form of amyloid protein associated with chronic hemodialysis was identified as beta 2-microglobulin. *Biochem Biophys Res Comm* **1985**.
- **Gertz MA,** Amyloidosis. *Best Practice & Research Clinical Haematology.* *Am J Hematol* 79: 319–328 ,**2005**
- **Gertz MA, Kyle RA, O'Fallon WM.** Dialysis support of patients with primary amyloidosis *Arch Intern Med* **1992**
- **Gertz MA, Lacy MQ, Dispenzieri A.** Amyloidosis. *Hematol Oncol Clin North Am* **1999**
- **Gertz MA, Lacy MQ, Dispenzieri A.** Treatment of primary systemic amyloidosis. *Bone Marrow Transplant* **2000**
- **Gillmore JD** , Amyloid load and clinical outcome in AA amyloidosis , *Lancet* 358: 24–29, **2001**
- **Gillmore JD, Stangou AJ, Tennent GA, et al.** Hepatorenal transplantation for hereditary systemic amyloidosis. *Transplantation* **2001**
- **Goodkin DA, Bragg-Gresham JL, Koenig KG et al.** Association of comorbid conditions and mortality in hemodialysis patients , *J Am Soc Nephrol* **2003**

- **Gorevic PD.** An overview of amyloidosis. <http://www.uptodate.com/home/index.html>. Accessed June 12, **2009**.
- **Gottenberg JE, Merle-Vincent F, Bentaberry F, Sibilia J, Dougados M, Mariette X:** Arthritis Rheum 48: 2019–2024, **2003**
- **Gregorini G, Izzi C, Obici L, Tardanico R, Rocken C, Viola BF, Capistrano M, Donadei S, Biasi L, Scalvini T, Merlini G, Scolari F:** Renal apolipoprotein A-I amyloidosis: A rare and usually ignored cause of hereditary tubulointerstitial nephritis J Am Soc Nephrol 16: 3680–3686, **2005**
- **Haagsma EB, Hawkins PN, Benson MD, et al.** Familial amyloidotic polyneuropathy with severe renal involvement Amyloid **2004**
- **Haas LF. Rudolph Ludwig Carl Virchow .** J Neurol Neurosurg Psychiatry **1996**
- **Hakim RM, Wingard RL, Husni L, Parker RA, Parker TF III.** The effect of membrane biocompatibility on plasma B2-microglobulin levels in chronic hemodialysis patients . J Am Soc Nephrol **1996**
- **Harrison's Principles of Internal Medicine. 17th ed. New York, N.Y.: Seldin DC, et al. Amyloidosis. In: Fauci AS, et al Accessed June 11, 2009.**
- **Hartmann A, Holdaas H, Fauchaud P, et al.** Renal transplantation in systemic amyloidosis. Transplant Int **1992**
- **Hassan W, Al-Sergani H, Mourad W, Tabbaa R ,Tex Heart Inst J 32 (2): 178–84. PMID 16107109. 2005**
- **Hauk W, Dember LM, Hawkins PN, et al.** A prospective analysis of demography, etiology, and clinical findings of AA amyloidosis patients

enrolled in the international clinical phase II/III Fibrillex study. In: Grateau G, Kyle RA, Skinner M, eds. Amyloid and Amyloidosis. Boca Raton, FL: CRC Press, **2005**

- **Hawkins PN.** Diagnosis and monitoring of amyloidosis. *Curr Opin Nephrol Hypertens* **2002**;11:649..

- **Hawkins PN.** Hereditary systemic amyloidosis with renal involvement. *J Nephrol* **2003**

- **Hawkins PN, Bybee A, Goodman HJB, et al.** Phenotype, genotype and outcome in hereditary ApoA1 amyloidosis, Boca Raton, FL: CRC Press, **2005**

- **Hazenberg BPC.** The changing face of AA amyloidosis. Boca Raton, FL: CRC Press, **2005**

- **Hazenberg BP, van Gameren II, Bijzet J, et al.** Diagnostic and therapeutic approach of systemic amyloidosis. *Neth J Med* **2004**

- **Hetzel GR, Uhlig K, Mondry A, Helmchen U, Grabensee B:** AL-amyloidosis *Am J Kidney Dis* 36: 630–635, **2000**

- **Hoffman HM, Rosengren S, Boyle DL, et al.** Prevention of cold-associated acute inflammation in familial cold autoinflammatory syndrome by interleukin-1 receptor antagonist. *Lancet* **2004**

- **Hou FF, Reddan DN, Seng WK, Owen WF:** Pathogenesis of B2M amyloidosis: *Semin Dial* 14: 135–139, **2001**

- **Iskandar SS, Herrera GA.** Glomerulopathies with organized deposits. *Semin Diag Pathol* **2002**

- **Jaccard A.** High-dose melphalan versus melphalan plus dexamethasone for AL amyloidosis *New England Journal of Medicine.* **2007**

- **Jacobson DR, Pastore RD, Yaghoubian E, et al.** Variant-sequence transthyretin (isoleucine 122) in late onset cardiac amyloidosis in black Americans .N Engl J Med 336: 466–473, **1997**
- **Jadoul M, Garbar C, Noel H, et al.** Histologic prevalence of beta2-microglobulin amyloidosis in hemodialysis: A prospective post-mortem study. Kidney Int **1997**
- **Jadoul M, Garbar C, Vanholder R, et al.** Prevalence of histological B2microglobulin amyloidosis in CAPD patients compared with hemodialysis patients. Kidney Int **1998**
- **Jadoul M, Malghem J, Van De Berg B, Van Ypersele De Strihou C:** Ultrasonography of joint capsules and tendons in dialysisrelated amyloidosis. Kidney Int 43: 5106-5110, **1993**
- **Jadoul M, Noel H, van Ypersele de Strihou C.** B2-M amyloidosis Nephrol Dial Transplant **1990**
- **Jochmann G, Schumm O.** Zur kenntniss des myeloms und der sogenannten Kahler'schen Krankheit Ztschr Klin Med **1902**;14:445.
- **Kabanda A, Jadoul M, Pochet JM, van Ypersele de Strihou C, Bernard A.** . Deteminants of the serum concentrations of low molecular weight proteins in patients on maintainance hemodialysis Kidney Int **1994**
- **Kallee E.** The 100th birthday of Hans Hermann Bennhold [in German]. Dtsch Med Wochenschr **1993**
- **Kallen RJ.** Proteinuria. e-Medicine. April **2008**.
- **Kastritis E, Anagnostopoulos A, Roussou M, Mellou S, Nanas J, Dimopoulos MA:** Haematologica 92: 1351– 1358, **2007**

- **Kay J, Benson CB, Lester S, Corson JM, Lazarus JM, Owen WF.** Utility of high-resolution ultrasound for the diagnosis of dialysis-related amyloidosis. *Arthritis Rheum* **1992**
- **Keeling J, Herrera GA.** The role of matrix metalloproteinases and tissue inhibitors of metalloproteinases in mesangial remodeling in light chain-related glomerular damage. *Kidney Int* **2005**
- **Keeling J, Teng J, Herrera GA.** Light chain deposition disease . *Lab Invest* **2004**
- **Keven K, Sengul S, Kutlay S, Ekmekci Y, Anadol E, Nergizoglu G, Erbay B:** *Transplant Proc* 36: 2632–2634, **2004**
- **Kiyota A, Sugimura T, Yamagami S, Kishimoto T.** Specific scintigraphy imaging of dialysis-related amyloid (DRA) . *J Am Soc Nephrol* **1992**
- **Kumar S, Dispenzieri A, Lacy MQ, Litzow MR, Gertz MA:** *Bone Marrow Transplant* 28: 381–385, **2001**
- **Kumar, Vinay; Abbas, Abul K.; Fausto, Nelson; & Mitchell, Richard N.** *Robbins Basic Pathology* (8th ed.). Saunders Elsevier. p.171, **2007**
- **Kyle RA, Gertz MA.** Systemic amyloidosis. *Crit Rev Oncol Hematol* **1990**
- **Kyle RA, Therneau TM, Rajkumar SV, Larson DR, Plevak MF, Offord JR, Melton LJ 3rd:** Prevalence of monoclonal gammopathy of undetermined significance. *N Engl J Med* 354: 1362–1369, **2006**
- **Lachmann HJ.** Natural history and outcome in systemic AA amyloidosis. *N Engl J Med* 356: 2361–2371, **2007**
- **Lachmann HJ, Booth DR, Booth SE, et al.** Misdiagnosis of hereditary amyloidosis *N Engl J Med* 346: 1786–1791, **2002** -

- Lachmann HJ, Goodman HJB, Gallimore J, et al.** Systemic AA amyloidosis Boca Raton, FL: CRC Press, **2005** -
- Lachmann HJ, Hawkins PN.** Novel pharmacological strategies in amyloidosis. *Nephron Clin Pract* **2003**
- **Lacy MQ, Wettstein P, Dispenzieri A et al.** Dendritic cell-based idiotype vaccination for primary systemic amyloidosis. *Blood* **2000**.
- **Leung N, Dispenzieri A, Fervenza FC, Lacy MQ, Villicana R, Gertz MA:** Renal response after highdose melphalan and stem cell transplantation is a favorable marker in patients with primary systemic amyloidosis *Am J Kidney Dis* 46: 270–277, **2005** - **Liao R, Jain M, Teller P, Connors LH, Ngoy S, Skinner M, Falk RH, Apstein CS:** 104: Infusion of light chains from patients with cardiac amyloidosis causes diastolic dysfunction in isolated mouse hearts. *Circulation* 1594–1597, **2001**
- **Li JP.** In vivo fragmentation of heparin sulfate by heparanase overexpression renders mice resistant to amyloid protein A amyloidosis. *Proc Natl Acad Sci USA* 102: 6473–6477, **2005**
- **Lobato L, Beirao I, Guimaraes SM, Droz D, Grunfeld JP, Noel LH:** *Am J Kidney Dis* **1998** .
- **Lobato L, Beirao I, Silva M, et al.** . End-stage renal disease in familial amyloidosis ATTR Val30Met: A definitive indication to combined liver-kidney transplantation. *Nephrol Dial Transplant* **2003**
- **Locatelli F, Manzoni C:** *Nephrol Dial Transplant* 15[Suppl 1]: 29–35, **2000**
- **Lonnemann G:** Should ultra-pure dialysate be mandatory. *Nephrol Dial Transplant* 15[Suppl 1]: 55–59, **2000** - **Lornoy**

W, Beaus I, Billiouw JM, Sierens L, van Malderen P, D'Haenens P: On-line haemodiafiltration. Remarkable removal of B 2-microglobulin. Long-term clinical observation Nephrol Dial Transplant

15: 49–54, **2000**

- **Maeda K.** An overview of dialysis treatment in Japan³¹, (1998) J Jpn Soc Dial Ther **2000**

- **Magy N, Liepnieks JJ, Yazaki M, et al.** Renal transplantation for apolipoprotein AII amyloidosis Amyloid **2003**

- **Mai HL, Sheikh-Hamad D, Herrera GA, et al.** Immunoglobulin heavy chain can be amyloidogenic: Morphologic characterization, including immunoelectron microscopy. Am J Surg Pathol **2003**.

- **Markowitz GS:** Dysproteinemia and the kidney. Adv Anat Pathol 11: 49–63, **2004**

- **Matsuo K, Ikizler TA, Hoover RL, Nakamoto M, Yasunaga C, Pupim LB, Hakim RM:** Transforming growth factor-B is involved in the pathogenesis of dialysis-related amyloidosis. Kidney Int 57: 697–708, **2000**

- **McCarthy JT, Jenson BM, Squillace DP, Williams AW.** Improved preservation of residual renal function in chronic hemodialysis patients using polysulfone dialyzers. Am J Kidney Dis **1997**

- **McMahon LP, Xadford J, Dawbom JK.** Shoulder ultrasound in dialysis related amyloidosis. Clin Nephrol **1991**

- **McTaggart SJ;** Aust Fam Physician. Nov;34(11):937-41,**2005**

- **Merlini G.** Uncommon conditions underlying AA amyloidosis. In: Grateau G, Kyle RA, Skinner M. Amyloid and Amyloidosis, Boca Raton, FL: CRC Press, **2005**

- **Merlini G, Bellotti V:** Molecular mechanisms of amyloidosis. N Engl J Med 349: 583–596, **2003**
- **Merlini G, Westermark P.** The systemic amyloidoses: J Intern Med **2004**
- **(MFMER) .. Mayo Foundation for Medical Education and Research. 1998-2009**
- **Migita K, Tominaga M, Origuchi T, Kawabe Y, Aoyagi T, Urayama S, Yamasaki S, Hida A, Kawakami A, Eguchi K:** Induction of cyclooxygenase-2 in human synovial cells by β_2 -microglobulin Kidney Int 55: 572–578, **1999**
- **Mitchell, Richard Sheppard; Kumar, Vinay; Abbas, Abul K.; Fausto, Nelson.** Robbins Basic Pathology. Philadelphia: Saunders. 8th edition, **2007**
- **Miyata, T., R. Inagi, Y. Iida, M. Sato, N. Yamada, O. Oda, K. Maeda, and H. Seo.** Involvement of B2-microglobulin modified with advanced glycation end products in the pathogenesis of hemodialysis-associated amyloidosis. Induction of human monocyte chemotaxis and macrophage secretion of TNF and IL-1 . J. Clin. Invest. 93:521–528. **1994**
- **Miyata T, Iida Y, Ueda Y et al.** Monocyte/macrophage response to β_2 -microglobulin Kidney Int **1996**
- **Miyata T, Ueda Y, Saito A, et al.** dialysis-related amyloidosis. Nephrol Dial Transplant **2000**
- **Moe SM, Singh GK, Bailey AM:** B2-microglobulin induces MMP-1 , Kidney Int 57: 2023–2034, **2000**

- **Mok KH, Pettersson J, Orrenius S, Svanborg C** "HAMLET, protein folding, and tumor cell death". *Biochem. Biophys. Res. Commun.* 354 (1): 1–7. doi:10.1016/j.bbrc.2006.12.167. PMID 17223074, **2007**
- **Moriniere P, Marie A, El Esper N, Fardellone P, Deramond H, Remond A, Sebert JL, Fournier A.** Destructive spondylarthropathy with β 2-microglobulin amyloid deposits in a uremic patient before chronic hemodialysis. *Nephron* **1991**
- **Mousson C, Heyd B, Justrabo E, Rebibou JM, Tanter Y, Miguet JP, Rife G:** *Am J Transplant* 6: 632– 635, **2006**
- **Mpofu S, Teh LS, Smith PJ, Moots RJ, Hawkins PN:** Cytostatic therapy for AA amyloidosis complicating psoriatic spondyloarthropathy. *Rheumatology (Oxford)* 42: 362–366, **2003**
- **Mrowka C, Schiffli H:** Comparative evaluation of B2-microglobulin. *Nephron* 63: 368–369, **1993**
- **Murphy CL, Wang S, Weaver K, et al.** Renal apolipoprotein A-I amyloidosis (AApo-A-I), Boca Raton, FL: CRC Press, **2005**
- **Nakamoto Y, Hamanaka S, Akihama T, Miura AB, Uesaka Y:** Renal involvement patterns of amyloid nephropathy: A comparison with diabetic nephropathy. *Clin Nephrol* 22: 188–194, **1984**
- **National Institute of Diabetes and Digestive and Kidney Diseases .Amyloidosis. The Merck Manuals:** Amyloidosis and kidney disease. June 12, **2009**
- **Neeper, M., A.M. Schmidt, J. Brett, S.D. Yan, F. Wang, Y.C. Pan, K. Elliston, D. Stern, and A. Shaw.** Cloning and expression of RAGE: a cell surface receptor for advanced glycation endproducts of proteins. *J. Biol. Chem.* 267:14998–15004, **1992**

- **Niwa T, Sato M, Katsuzaki T et al.** Amyloid b2-microglobulin is modified with Ne-(carboxymethyl)lysine in dialysis-related amyloidosis. *Kidney Int* **1996**
- **Noel LH, Zingraff J, Bardin T, Atienza C, Kuntz D, Driieke T.** Tissue distribution of dialysis amyloidosis. *Clin Nephrol*; 27: 175-178,**1987**
- **Novak L, Cook WJ, Herrera GA, Sanders PW:** AL-amyloidosis *Nephrol Dial Transplant* 19: 3050–3053, **2004**
- **Obici L, Perfetti V, Palladini G, Moratti R, Merlini G:**Clinical aspects of systemic amyloid diseases, *Biochim Biophys Acta* 1753: 11–22, **2005**
- **Olafsson I, Grubb A.** Hereditary cystatin C amyloid angiopathy. *Amyloid* **2000**
- **Omtvedt LA, Bailey D, Renouf DV, et al.** Glycosylation of immunoglobulin light chains associated with amyloidosis. *Amyloid* **2000**
- **Oran B, Wright DG, Seldin DC, McAneny D, Skinner M, Sanchorawala V:** *Am J Hematol* 74: 131–135, **2003**
- **Otsubo S, Otsubo K, Sugimoto H et al.** Characteristics of patients on hemodialysis therapy for more than 30 years .*Ther Apher Dial* **2007**
- **Ozdemir BH, Ozdemir FN, Sezer S, Sar A, Haberal M:** *Transplant Proc* 38: 432–434, **2006**
- **Ozen S:** Renal amyloidosis in familial Mediterranean fever. *Kidney Int* 65: 1118–1127, **2004**
- **Paccalin M, Rubi M, Hachulla E, et al.** Localized amyloidosis: Boca Raton, FL: CRC Press, **2005**

- **Padeh S.** Periodic fever syndromes. *Pediatr Clin North Am* **2005**
- **Palladini G, Lavatelli F, Russo P, Perlini S, Perfetti V, Bosoni T, Obici L, Bradwell AR, D'Eril GM, Fogari R, Moratti R, Merlini G:** Circulating amyloidogenic free light chains and serum N-terminal natriuretic peptide type B decrease simultaneously in association with improvement of survival in AL. *Blood* 107: 3854–3858, **2006**
- **Pepys MB .** Targeted pharmacological depletion of serum amyloid P component , *Nature* 417: 254–259,**2002**
- **Pepys MB, Amyloidosis** *Annu Rev Med* 57: 223–241,**2006**
- **Pettersson-Kastberg J, Aits S, Gustafsson L, et al.** "Can misfolded proteins be beneficial? The HAMLET case". *Ann. Med.* 41: 1–15. doi:10.1080/07853890802502614. PMID 18985467. ,**November 2008**
- **Picken MM, Leya F, Picken RN.** Wild type transthyretin-derived senile systemic amyloidosis with limited proteolytic digestion of the monomer: Clinico-pathologic studies with DNA and amyloid protein characterization. In: Grateau G, Kyle RA, Skinner M, eds. *Amyloid and Amyloidosis*. Boca Raton, FL: CRC Press, **2005**
- **Picken MM, Shen S.** Beta2-microglobulin amyloidosis: Illustrative cases. *Ultrastruct Pathol* **1994**
- **Ponz E, Piera C, Campistol JM, Lomena F, Deulofeu R, Munoz J, Revert L.** Diagnostic imaging of dialysis-related amyloidosis (D-AM) with ¹³¹I-beta2-microglobulin (B2-M). Preliminary results. *Nephrol Dial Transplant* **1990**
- **Ravindran J, Shenker N, Bhalla AK, Lachmann H,Hawkins P:** Response in proteinuria due to AA amyloidosis but not Felty's

syndrome in a patient with rheumatoid arthritis treated with TNF-alpha blockade. *Rheumatology (Oxford)* 43: 669–672, **2004**

- **Ricken C, Shakespeare A.** Pathology, diagnosis and pathogenesis of AA amyloidosis. *Virchows Arch* **2002**;440:111.

- **Ricken C, Sletten K.** Amyloid in surgical pathology. *Virchows Arch* **2003**

- **Rikitake O, Sakemi T, Yoshikawa Y, Nagano Y, Watanabe T:** Adult Fanconi syndrome in primary amyloidosis with lambda light-chain proteinuria. *Jpn J Med* 28: 523–526, **1989**

- **Rosenstock JL, Markowitz GS, Valeri AM, Sacchi G, Appel GB, D'Agati VD:** Fibrillary and immunotactoid glomerulonephritis: Distinct entities with different clinical and pathologic features. *Kidney Int* 63: 1450–1461, **2004**

- **Russo LM, Sandoval RM, McKee M, et al;** *Kidney Int.* **2007**

- **Rydh A.** Serum amyloid P component scintigraphy, *Eur J Nucl Med* 25: 709–713, **1998**

- **Sacchetti JC and Kelly JW (2002)** Therapeutic strategies for human amyloid diseases *Nat Rev Drug Discov* 1: 267–275

- **Sanchez R, Praga M, Salas JJR et al.** Compressive myelopathy due to dialysis-associated amyloidosis. *Nephron* **1993**

- **Sanchrawala V, Wright DG, Seldin DC, et al.** High-dose intravenous melphalan and autologous stem cell transplantation as initial therapy or following two cycles of oral chemotherapy for the treatment of AL amyloidosis: Results of a prospective randomized trial. *Bone Marrow Transplant* **2004**

- **Satoskar AA, Burdige K, Cowden DJ, Nadasdy GM, Hebert LA, Nadasdy T** "Typing of amyloidosis in renal biopsies: diagnostic pitfalls". Arch. Pathol. Lab. Med. 131 ,**June 2007**
- **Schaffer J, Burchert W, Floege J, Gielow P, Mahiout A, Nonnast-Daniel B, Shaldon S, Koch KM.** Scanning for dialysis related amyloidosis: improved resolution and reduced radiation exposure with Indium-111 microglobulin. J Am Soc Nephrol **1993**
- **Schaeffer J, Ehlerding G, Burchert W, Floege J, Shaldon S, Koch KM.** Relationship of scintigraphically proven dialysis-related amyloidosis (DRA) to age and time on hemodialysis (HD). J Am Soc Nephrol **1992**
- **Schaffer J, Floege J, Koch KM.** Clinical aspects of dialysis-related amyloidosis. Contrib Nephrol **1995**
- **Schindler R, Boenisch O, Fischer C, Frei U:** Effect of the hemodialysis membrane on the inflammatory reaction in vivo. Clin Nephrol 53: 452–459, **2000**
- **Schmidt, A.M., O. Hori, J.X. Chen, J.F. Li, J. Crandall, J.H. Zhang, R. Cao, S.D. Yan, J. Brett, and D. Stern.** Advanced glycation end products interacting with their endothelial receptor induce expression of vascular cell adhesion molecule-1 (VCAM-1) in cultured human endothelial cells and in mice. A potential mechanism for the accelerated vasculopathy of diabetes. J. Clin. Invest. 96:1395–1403. **1995**
- **Scholefield Z, Yates EA, Wayne G, Amour A, McDowell W, Turnbull JE:** Heparan sulfate regulates amyloid precursor protein processing by BACE1, the Alzheimer's betasecretase, Biol 163: 97–107, **2003**

- **Seldin DC, Anderson JJ, Sanchorawala V, et al.** Improvement in quality of life of patients with AL amyloidosis treated with high-dose melphalan and autologous stem cell transplantation .Blood **2004**

- **Sethi D, Naunton Morgan TC, Brown EA, Jewkes RF, Gower PE.** Dialysis arthropathy. Nephron **1990**
- **Setoguchi M, Hoshii Y, Kawano H, et al.** Analysis of plasma cell clonality in localized AL amyloidosis. Amyloid **2000**
- **Sherif AM, Refaie AF, Sobh MA, Mohamed NA, Sheashaa HA, Ghoneim MA:** Am J Kidney Dis 42: 370–375, **2003**
- **Sigurdsson EM.** In vivo reversal of amyloid-beta lesions in rat brain. Am J Pathol 159: 439–447 ,**2001**
- **Skinner MD.** Therapeutic management of AA amyloidosis: Amyloid and Amyloidosis. Boca Raton, FL: CRC Press, **2005**
- **Skinner M, Sanchorawala V, Seldin DC, Dember LM, Falk RH, Berk JL, Anderson JJ, O’Hara C, Finn KT, Libbey CA,Wiesman J, Quillen K, Swan N, Wright DG:** High-dose melphalan and autologous stem-cell transplantation in patients with AL amyloidosis: An 8-year study Ann Intern Med ,**2004**
- **Snanoudj R, Durrbach A, Gauthier E, Adams D, Samuel D, Ferlicot S, Bedossa P, Prigent A, Bismuth H, Charpentier B:** Changes in renal function in patients with familial amyloid polyneuropathy treated with orthotopic liver transplantation Nephrol Dial Transplant 19: 1779–1785, **2004**
- **Sole M, Munoz-Gomez J, Campistol JM.** Role of amyloid in dialysis-related arthropathies. A morphological analysis of 23 cases. Virchows Arch A **1990**

- **Sousa MM, Cardoso I, Fernandes R, Guimaraes A, Saraiva MJ:** Receptor for advanced glycation end products-dependent triggering of neuronal inflammatory and apoptotic pathways. *Am J Pathol* 159: 1993–2000, **2001**
- **Stangou AJ, Hawkins PN.** Liver transplantation in transthyretin-related familial amyloid polyneuropathy. *Curr Opin Neurol* **2004**.
- **Stangou AJ, Lachmann HJ, Goodman HJB, et al. Fibrinogen A B-chain amyloidosis:** Clinical features and outcome after hepatorenal or solitary kidney transplantation. Boca Raton, FL: CRC Press, **2005**
- **Stein G, Schneider A, Thoss K, Ritz E, Schaefer T K, Hiller M, Sperschneider H, Marzoll B.** -microglobulin serum concentration and associated amyloidosis in dialysis patients. *Nephrol Dial Transplant* **1991**.
- **Stevens FJ, Kisilevsky R:** Immunoglobulin light chains, and amyloid. *Cell Mol Life Sci* 57:441–449, **2000**
- **Stjernberg-Salmela S, Ranki A, Karenko L, et al.** The genetic background of tumour necrosis factor receptor-associated periodic syndrome and other systemic autoinflammatory disorders. *Scand J Rheumatol*, **2004**
- **Sunde M .** Common core structure of amyloid fibrils by synchrotron X-ray diffraction. *J Mol Biol* 273: 729–739, **1997**

- **Takenaka R, Fukatsu A, Matsuo S, Ishikawa K, Toriyama T, Kawahara H.** Surgical treatment of hemodialysis-related shoulder arthropathy . Clin Nephrol ,**1992**
- **Tanaka F, Migita K, Honda S, et al.** Clinical outcome and survival of secondary (AA) amyloidosis. Clin Exp Rheumatol, **2003**
- **Tan S-Y, Baillod R, Brown E, et al.** Clinical, radiological and serum amyloid P component scintigraphic features of B2-microglobulin amyloidosis associated with continuous ambulatory peritoneal dialysis. Nephrol Dial Transplant, **1999**
- **Tan SY, Irish A, Winearls CG et al.** Long term effect of renal transplantation on dialysis-related amyloidosis deposits and symptomatology. Kidney Int, **1996**
- **Tan SY, Madhoo S, Brown E, Gower P, Irish A, Winearls C, Clutterbuck RI, Pepys MB, Hawkins PN:** Effect of renal transplantation on dialysis-related amyloid deposits: Prospective evaluation by ²³¹SAP scintigraphy [Abstract]. Nephrol Dial Tra, isplant 9: 1017, **1994**
- **Teng J, Russell WJ, Gu X, Cardelli J, Jones ML, Herrera GA:** Different types of glomerulopathic light chains interact with mesangial cells using a common receptor but exhibit different intracellular trafficking patterns: Lab Invest 84:440–451, **2004**
- **Teng J, Zhang PL, Russell WJ, et al** Insights into mechanisms responsible for mesangial alterations associated with fibrogenic glomerulopathic light chains.. Nephron Physiol **2003**
- **Toor AA, Ramdane BA, Joseph J, Thomas M, O’Hara C, Barlogie B, Walker P, Joseph L:** Cardiac nonamyloidotic immunoglobulin disease. Mod Pathol 19: 233–237, **2006**

Touitou I, Lesage S, McDermott M, et al. Infevers: An evolving mutation for auto-inflammatory syndromes. Hum Mutat 2004

- **Traut M, Haufe CC, Eismann U et al.** Increased binding of beta-2-microglobulin to blood cells in dialysis patients treated with high-flux dialyzers compared with low-flux membranes contributed to reduced beta-2-microglobulin concentrations. Results of a cross-over study. Blood Purif, **2007**

- **Tuglular S, Yalcinkaya F, Paydas S, et al.** A retrospective analysis for aetiology, pathology, diagnosis and pathogenesis of AA amyloidosis. Virchows Arch **2002**

- **Ueda T.** A histological study on the synovial tissue of rat knee joints in the experimental beta2-microglobulin derived amyloidosis. Ryumachi (Japan) **1992**

- **Valleix S, Drunat S, Philit JB, et al.** Hereditary renal amyloidosis caused by a new variant lysozyme W64R in a French family. Kidney Int **2002**

- **Van Ypersele de Strihou C, Floege J, Jadoul M, Koch KM.** Amyloidosis and its relationship to different dialysers. Nephrol Dial Transplant **1994**

- **Van Ypersele de Strihou C, Jadoul M, Malghem J, Maldague B, Jamart J,** Effect of dialysis membrane and patient's age on signs of dialysis-related amyloidosis. Kidney Int **1990**

- **Wautier, J, C. Zoukourian, O. Chappey, M.-P. Wautier, P.-J. Guillausseau, R. Cao, D. Stern, and A.M. Schmidt.** Receptor-mediated endothelial cell dysfunction in diabetic vasculopathy. Soluble receptor for advanced glycation end products blocks hyperpermeability in diabetic rats. J. Clin. Invest. 96:238–243. **1996**

- **Wechalekar AD, Lachmann HJ, Offer M, Hawkins PN, Gillmore JD:** Haematologica 93: 295–298, **2008**
- **Westermarck P, Benson MD, Buxbaum JN, et al.** myloid: Toward terminology clarification. Amyloid **2005**
- **Westermarck P, Bergstrim J, Solomon A, et al.** Transthyretin-derived senile systemic amyloidosis: Clinico-pathologic and structural considerations. Amyloid **2003**
- **WHO-IUS Nomenclature subcommittee:** Nomenclature of amyloid and amyloidosis. Bull World Health Organ **1993**
- **Wingo CS, Clapp WL;** Proteinuria: Am J Med Sci. **2000**
- **Witko-Sarsat V, Friedlander M, Capeille`re-Blandin C et al.** Advanced oxidation protein products as a novel marker of oxydative stress in uremia. Kidney Int **1996**
- **Wizemann V, Lotz C, Techert F, Uthoff S:** A prospective randomized study. Nephrol Dial Transplant 43–48, **2000**
- **Woo P.** Amyloidosis in children. Baillieres Clin Rheumatol **1994**
- **Yamada T, Kakihara T, Gejyo F, Okada M.** A monoclonal antibody recognizing apolipoprotein E peptides in systemic amyloid deposits. Ann Clin Lab Sci **1994**
- **Yamaguchi I, Suda H, Tsuzuike N, Seto K, Seki M, Yamaguchi Y, Hasegawa K, Takahashi N, Yamamoto S, Gejyo F, Naiki H:** Glycosaminoglycan and proteoglycan inhibit the depolymerization of beta2-microglobulin amyloid fibrils in vitro. Kidney Int 64: 1080–1088, **2003**
- **Yan, S.D., S.F. Yan, X. Chen, J. Fu, M. Chen, P. Kuppusamy, M.A. Smith, G. Perry, G.C. Godman, P. Nawroth, et al.** Nonenzymatically-glycated tau in Alzheimer's disease induces

neuronal oxidant stress resulting in cytokine gene expression and release of amyloid- β peptide. *Nat. Med.* 1:693–699. **1995**

- **Yan SD, Zhu H, Zhu A, Golabek A, Du H, Roher A, Yu J, Soto C, Schmidt AM, Stern D, Kindy M**: Receptor-dependent cell stress in systemic amyloidosis. *Nat Med* 6: 643–651, **2000**

- **Yazaki M, Fushimi T, Tokuda T, et al.** A patient with severe renal amyloidosis associated with an immunoglobulin B heavy chain fragment. *Am J Kidney Dis* **2004**

- **Zeier M, Perz J, Linke RP, Donini U, Waldherr R, Andrassy K, Ho AD, Goldschmidt H**: No regression of renal AL amyloid in monoclonal gammopathy after successful autologous blood stem cell transplantation and significant clinical improvement. *Nephrol Dial Transplant* 18: 2644–2647, **2003**

- **Zeldenrust S, Gertz M, Uemichi T, Bjornsson J, Wiesner R, Schwab T, Benson M**: *Transplantation* 75: 560–561, **2003**

- **Zhu H, Yu J, Kindy MS**: Inhibition of amyloidosis using low-molecular-weight heparins. *Mol Med* 7: 517–522, **2001**

- **Zingraff J, Caillat-Vigneron N, Urena P, Gagne ER, Bererhi L, Moretti JL, Bardin T, Drueke TB**: Plasma kinetics of ¹²⁵I-labelled amyloid P component in B2m amyloidosis: A possible approach to quantitate disease activity. *Nephrol Dial Transplant* 10: 223-229, **1995**