

## References

- **Abell T.L. and Minocha A. (2006):** Gastrointestinal complications of bariatric surgery: Diagnosis and Therapy. *Am J Med Sci.* 331(4): 214-218.
- **Ali M.R., Fuller W.D., Choi M.P., Wolfe B.M. (2005):** Bariatric surgical outcomes. *Surg Clin North Am.* 85(4): 835-52.
- **Andronico G., Cottone S., Mangano M.T., Ferraro-Mortellaro R., Baiardi G., Grassi N., Ferrara L., Muleâ G. and Cerasola G. (2001):** Insulin, renin-aldosterone system and blood pressure in obese people. *International Journal of Obesity* 25, 239-242.
- **Ashley J.M., St Jeor S.T., Schrage J.P., Perumean-Chaney S.E., Gilbertson M.C., McCall N.L., Bovee V. (2001):** Weight control in the physician's office. *Arch Intern Med* 2001, 161:1599-1604.
- **Azagury D., Dumonceau J.M. and Morel P. (2006):** Preoperative work-up in asymptomatic patients undergoing Roux-en-Y gastric bypass: is endoscopy mandatory? *Obes Surg*; 16: 1304–11.
- **Baker R.S., Foote J. and Kemmeter P. (2004):** The Science of stapling and leak. *Obes Surg*; 14: 1290-8.
- **Balsiger B.M., Kennedy F.P. and Abu-Lebdeh H.S. (2000):** Prospective evaluation of Roux-en-Y gastric bypass as primary operation for medically complicated obesity. *Mayo Clin Proc*; 75:673–80.

- **Basdevant A., Laville M., Ziegler O., Barbe P., Bellisle F. and Borys J. (1998):** Guide pratique pour le diagnostic, la prevention, le traitement des obesities en France. Cah Nutr Diet. 33: 10-42.
- **Bauchowitz A.U., Gonder-Frederick L.A. and Olbrisch M.E. (2005):** Psychosocial evaluation of bariatric surgery candidates: a survey of present practices. Psychosom Med; 67:825–32.
- **Belachew M., Legrand M.J., Vincent V. (2002):** History of lap band from dream to reality. Obes Surg, 11.297-302 .
- **Bennett J., Mehta S. and Rhodes M. (2007):** Surgery for morbid obesity Postgrad Med J; 83:8–15.
- **Bensimhon D.R., Kraus W.E. and Donahue M.P. (2006):** Obesity and physical activity: a review. Am Heart J; 151: 598–603.
- **Berger J.R. (2004):** The neurologic complications of bariatric surgery. Arch Neurol; 61:1185–1189.
- **Bloomberg R.D., Fleishman A. and Nalle J.E. (2005):** Nutritional deficiencies following bariatric surgery: what have we learned? Obes Surg; 15: 145-61.
- **Blue Cross Blue Shield Association (BCBSA) Technology Evaluation Center (TEC) (2005):** Newer techniques in bariatric surgery. TEC Assessment Program. 18(10): Chicago.
- **Bond D.S., Evans R.K. and DeMaria E.J. (2004):** A conceptual application of health behavior theory in the design and implementation of a successful surgical weight loss program. Obes Surg; 14:849–56.

- **Bond D.S., Wing R.R., Vithiananthan S. (2011):** Significant resolution of female sexual dysfunction after bariatric surgery. *Surg Obes Relat Dis.*; 7(1):1–7.
- **Bralely S.C., Nguyen N.T., Wolfe B.M. (2002):** Late gastrointestinal haemorrhage after gastric bypass. *Obes Surg* ; 12: 404–7.
- **Brodsky J.B. (2008):** Post-operative complications following bariatric surgery. *Conferencias Magistrales.* 31(1): S93-S96.
- **Brodsky J.B., Lemmens H.J. and Brock-Utne J.G. (2009):** Morbid obesity and tracheal intubation. *Anesth Analg*; 94:732–6.
- **Brolin R.E. (2001):** Gastric bypass. *Surg Clin North Am*;81:1077–95.
- **Brolin R.E. (2002):** Bariatric surgery and long-term control of morbid obesity. *JAMA.* 11; 288(22): 2793-6.
- **Brolin R.E., Gorman J.H. and Gorman R.C. (1998):** Are vitamin B12 and folate deficiency clinically important after Roux-en-Y gastric bypass? *J Gastrointest Surg*; 2:436–42.
- **Brooks-Bunn J.A. (1997):** Predictors of post-operative pulmonary complications following abdominal surgery. *Chest*; 111:564–71.
- **Buchwald H. (2005):** Consensus conference panel. Consensus conference statement bariatric surgery for morbid obesity: health implications for patients, health professionals, and third-party payers. *Surg Obes Relat Dis.* 1(3): 371-81.
- **Buchwald H., Avidor Y., Braunwald E., Jensen M.D., Pories W. and Fahrbach K. (2004):** Bariatric surgery a systematic review and meta-analysis *JAMA.* 13: 292(14) 1724-37.

- ***Byhahn C., Lischke V. and Meininger D. (2005):*** Peri-operative complications during percutaneous tracheostomy in obese patients. *Anaesthesia*; 60:12–5.
- ***Calle E.E., Rodriguez C., Walker-Thurmond K. and Thun M.J. (2003):*** Overweight, obesity and mortality from cancer in a prospectively studied cohort of US adults. *N Engl J Med*; 348:1625–8.
- ***Campos T.C., Buchwald H. and Bourdages H. (1996):*** Surgery for obesity, chapter 10. Digestive tract surgery.
- ***Capella J.F. and Capella R.F. (1999):*** Gastro-Gastric Fistulas and marginal ulcers in gastric bypass procedures for weight reduction. *Obes Surg*; 9:22–27
- ***Carey L.C., Martin E.W. (1981):*** Treatment of morbid obesity by gastric partitioning. *World J Surg* 5:829–831, 1981.
- ***Carucci L.R., Turner M.A., Conklin R.C., DeMaria E.J., Kellum J.M. and Sugerman H.J. (2006):*** Roux-en-Y gastric bypass surgery for morbid obesity: evaluation of postoperative extraluminal leaks with upper gastrointestinal series. *Radiology*; 238:119–127.
- ***Chagnon Y.C., Perusse L., Weisnagel S.J., Rankinen T. and Bouchard C. (2000):*** The human obesity gene map: the 1999 update. *Obes Res*,8:89-117.
- ***Chandler R., Srinivas G., Chintapalli K.N., Schwesinge W.H. and Prasad S.R. (2008):*** Imaging in Bariatric Surgery: A Guide to Postsurgical Anatomy and Common Complications. *AJR*; 190:122–135.

- **Chapman D.G., Berend N., King G.G. and Salome C.M. (2008):** Increased airway closure is a determinant of airway hyperresponsiveness. *Eur Respir J* 32: 1563–1569.
- **Chelala E., Cadiere G.B., Favretti, (1997):** Conversions and complications in 185 laparoscopic adjustable gastric banding cases. *Surg Endosc*; 268-271.
- **Choban P.S., Jackson B., Poplawsk S. and Bistolarides P. (2002):** bariatric surgery for morbid obesity. *Cleveland clinic Journal of Medicine*. 69(11): 897-903.
- **Christou N., Sampalis J. and Liberman M. (2004):** Surgery decreases long-term mortality, morbidity, and health care use in morbidly obese patients. *Ann Surg* 240 (3): 416-23.
- **Clapham J.C., Arch J.R.S. and Tadayyon M. (2001):** Anti-obesity drugs: a critical review of current therapies and future opportunities. *Pharmacol Ther*, 89:81-121.
- **Colleoni M., Gelber R.D., Price K.N., Coates A.S., Castiglione-Gertsch M. and Goldhirsch A. (2005):** Relation between chemotherapy dose, oestrogen receptor expression and body-mass index. *Lancet*; 366:1108–10.
- **Curtis J.P., Selter J.G., Wang Y., Rathore S.S., Jovin I.S. and Jadbabaie F. (2005):** The obesity paradox. Body mass index and outcomes in patients with heart failure. *Arch Intern Med*; 165:55–61.
- **Dallal R.M. and Bailey L.A. (2006):** Ulcer disease after gastric bypass surgery. *Surg Obes Relat Dis*; 2:455–9.

- **Danaei G., Vander Hoorn S., Lopez A.D., Murray C.J.L. and Ezzati M. (2005):** The Cooperative Risk Assessment collaborating group. Causes of cancer in the world: comparative risk assessment of nine behavioural and environmental risk factors. *Lancet*; 366:1784–93.
- **De Maria E., Sugerman H., Kellum J., Meador J. and Wolfe L. (2002):** Results of 281 consecutive total laparoscopic roux-en-Y gastric bypasses to treat morbid obesity. *Ann Surg*; 5: 640-7.
- **De Waele B., Reynaert H., Urbain D. and Willems G. (2000):** Intragastric balloons for preoperative weight reduction. *Obes Surg* 10; 58-60.
- **Decker G.A., Swain J.M. and Gowell M.D. (2007):** Gastrointestinal and Nutritional complications after bariatric surgery. *Am J Gastroenterol.* 102: 1-10.
- **Deitel M. and Shikora S. (2002):** Development of the Surgical Treatment of Morbid Obesity. *Journal of the American College of Nutrition*, 21, 5, 365–371.
- **Dewald T., Khaodhiar L., Donahue M.P., Blackburn G. (2006):** Pharmacological and surgical treatments for obesity. *Am Heart J.* 151(3): 604-24.
- **Dhabuwala A., Cannan R.J., Stubbs R.S. (2000):** Improvement in comorbidities following weight loss from gastric bypass surgery. *Obes surg* 10: 428-435.
- **Ditschuneit H.H., Flechtner-Mors M., Johnson T.D. and Adler G. (1999):** Metabolic and weight loss effects of a long term dietary intervention in obese patients. *Am J Clin Nutr*, 69:198-204.

- **Dixon J.B., Bhathal P.S. and Hughes N.R. (2004):** Nonalcoholic fatty liver disease: improvement in liver histological analysis with weight loss. *Hepatology*; 39:1647–54.
- **Doherty C. (2001):** Vertical banded gastroplasty surg *Clin North Am* 73 ; 5: 1097-1113.
- **Doherty C., Maher J.W., Heitshusen D.S. (2001):** Prospective investigation of complication, reoperative and sustained weight loss and adjustable gastric banding device for treatment of morbid obesity. *J Gastrointest Surg* 2; 102-108.
- **Eagle K.A., Berger P.B. and Calkins H. (2002):** ACC/AHA guideline update for perioperative cardiovascular evaluation for noncardiac surgery-executive summary: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Committee to Update the 1996 Guidelines on Perioperative Cardiovascular Evaluation for Noncardiac Surgery). *J Am Coll Cardiol*; 39:542–53.
- **Eid G.M., Cottam D.R. and Velcu L.M. (2005):** Effective treatment of polycystic ovarian syndrome with Roux-en-Y gastric bypass. *Surg Obes Relat Dis*; 1:77–80.
- **Ejerblad E., Fored C.M., Lindblad P., Fryzek J., McLaughlin J.K. and Olof Nyre´n (2006):** Obesity and Risk for Chronic Renal Failure. *J Am Soc Nephrol* 17: 1695–1702.
- **Elder K.A., Wolfe B.M. (2007):** Bariatric surgery: a review of procedures and outcomes. *Gastroenterology*; 132: 2253–71.

- **Eric J.D., Harvey J.S., Jill G.M., Ren B.S., James M.D., John M.K., Wolfe L., Richard A.S. and Mary A. (2001):** High Failure Rate After Laparoscopic Adjustable Silicon Gastric Banding for Treatment of Morbid Obesity. *Ann. Surg* 233; 6: 809-818.
- **Esposito K., Giugliano D. (2005):** Obesity, the metabolic syndrome, and sexual dysfunction. *Int J Impot Res.*; 17:391–398.
- **Evans J.D. and Scott M.H.. (2001):** Lnteagatric balloon in the treatment of patients with morbid obesity. *Br. J. Surg* 88; 1245 –1248.
- **Favretti F., Cadiere G.B., Segato G. (2002):** Laparoscopic adjustable silicone gastric banding: how to avoid complications. *Obes surg*;7:352-358.
- **Favretti F., Segato G., Ashton D., Busetto L., De Luca M., Mazza M. et al. (2007):** Laparoscopic adjustable gastric banding in 1, 791 consecutive obese patients: 12-year results. *Obes Surg* 17:168–175.
- **Fernandez A.Z., Demaria Y. and Tichansky D.S. (2004):** Experience with over 3.0000 open and laparoscopic bariatricprocedures: multivariate analysis of factors related to leak and resultant mortality. *Surg Endosc.* 18: 193-7.
- **Flegal K.M., Carroll M.D., Ogden C.L., Johnson C.L. (2002):** Prevalence and trends in obesity among US adults, 1999-2000. *JAMA* 288; 1723-7.
- **Flum D.R., Salem L. and Elrod J.A. (2005):** Early mortality among medicare beneficiaries undergoing bariatric surgical procedures. *JAMA*; 294: 1903-8.

- ***Fobi M.A. (2004):*** Surgical treatment of obesity: a review. *J Natl Med Assoc*; 96:61–75.
- ***Fobi M.A.L., Lee H., Holness R. and Cabinda D. (1998):*** Gastric bypass operation for obesity. *World J Surg*; 22:925-935.
- ***Foster A., Laws H.L. and Conzalez Q.H. (2003):*** Gastrointestinal symptomatic outcome of for lap-Roux-en-y gastric by pass. *J Gastrointest Siurg.* 7: 750-3.
- ***Fransen M., McConnell S. and Bell M. (2001):*** Exercise for osteoarthritis of the hip or knee. *Cochrane Database Syst Rev*, 2.
- ***Frezza E.E., Ikramuddin S. and Gourash W. (2002):*** Symptomatic improvement in gastroesophageal reflux disease (GERD) following laparoscopic Roux-en-Y gastric bypass. *Surg Endosc*; 16:1027–31.
- ***Fried M., Hainer V., Basdevant A., Buchwald H., Deitel M. and Finer N. (2008):*** Interdisciplinary European Guidelines on Surgery of Severe Obesity *Facts*; 1:52–59.
- ***Fried M., Peskova M., Kasalicky M. (2000):*** Bariatric surgery in some "Central and East-European (formerly eastern block)" countries-current status and prediction for the next millennium. *Obes Surg* 10: 255-8.
- ***Friedman J.M. (1997):*** The alphabet of weight control. *Nature* 385:119-120.
- ***Gami A.S., Pressman G., Caples S.M., Kanagala R., Gard J.J. and Davison D.E. (2004):*** Association of atrial fibrillation and obstructive sleep apnea. *Circulation*; 110:364–7.

- **Garaulet M. and Heredia F. (2009):** Behavioural therapy in the treatment of obesity (I): new directions for clinical practice. *Nutr Hosp.*; 24(6):629-639.
- **Garza C.A., Pellikka P.A., Somers V.K., Sarr M.G., Seward J.B., Collazo-Clavell M., Oehler E. and Jimenez M. (2008):** Major weight loss prevents long-term left atrial enlargement in patients with morbid and extreme obesity. *European Journal of Echocardiography*, 9, 587–593.
- **Goldfeder L.B., Rene J. and Gill J.R. (2005):** Fotal complications of bariatric surgery. *Obesity Surg*; 16: 1050-56.
- **Goldner W.S., O’Dorisio T.M. and Dillon J.S. (2002):** Severe metabolic bone disease as a long-term complication of obesity surgery. *Obes Surg*; 12:685–92.
- **Gomez C.A. (1980):** Gastroplasty in the surgical treatment of morbid obesity. *Am J Clin Nutr* 33:406–415, 1980.
- **Gonzalez R., Haines K. and Nelson L.G. (2006):** Predictive factors of thromboembolic events in patients undergoing Roux-en-Y gastric bypass. *Surg Obes Relat Dis*; 2:30–5.
- **Gonzalez R., Sarr M.G., Smith C.D., Baghai M., Kendrick M., Szomstein S. et al. (2007):** Diagnosis and contemporary management of anastomotic leaks after gastric bypass for obesity. *J Am Coll Surg* ; 204: 47–55.
- **Gress R.E., Smith S.C. et al. (2007):** Long-term mortality after gastric bypass surgery. *N Engl J Med*. Aug 23;357(8):753-61.
- **Gusenoff J.A., Rubin J.P. (2008):** Plastic surgery after weight loss: current concepts in massive weight loss surgery. *Aesth Surg J*; 28(4):452-455.

- **Gutschow C.A., Collet P. and Prenzel K. (2005):** Long-term results and gastroesophageal reflux in a series of laparoscopic adjustable gastric banding. *J Gastrointest Surg*; 9:941–8.
- **Hall J.C., Tarala R.A., Hall J.L. and Mander J. (1991):** A multivariate analysis of the risk of pulmonary complications after laparotomy. *Chest*; 99:923–7.
- **Hamoui N., Anthone G.J., Kaufman H.S. and Crookes P.F. (2006):** Sleeve gastrectomy in the high-risk patient. *Obes Surg*. Nov; 16(11):1445-9.
- **Hampel H., Abraham N.S. and El-Serag H.B. (2005):** Meta-Analysis: Obesity and the Risk for Gastroesophageal Reflux Disease and Its Complications. *Ann Intern Med.*; 143:199-211.
- **Hansen C.L., Woodhouse S. and Kramer M. (2000):** Effect of patient obesity on the accuracy of thallium- 201 myocardial perfusion imaging. *Am J Cardiol*; 85:749–52.
- **Hedberg J., Hedenstrom H. and Nilsson S. (2005):** Role of gastric acid in stomal ulcer after gastric bypass. *Obes Surg*; 15:1375–8.
- **Heini A.F. and Weinsier R.L. (1997):** Divergent trends in obesity and fat intake patterns: the American paradox. *Am J Med*;102:259– 264.
- **Herpertz S., Kielmann R. and Wolf A.M. (2004):** Do psychosocial variables predict weight loss or mental health after obesity surgery? A systematic review. *Obes Res*; 12:1554–69.
- **Herron D.M. (2004):** The Surgical Management of Severe Obesity. *The Mount Sinai Journal Of Medicine*; 17[1]: 63-71.

- **Herron D.M., Bloomberg R. (2006):** Complications of bariatric surgery. *Minerva Chir*; 61: 125–39.
- **Higa K.D., Ho T.C., Boone K.B. (2003):** Internal hernias after laparoscopic Roux-en-Y gastric bypass: incidence, treatment and prevention. *Obes Surg*; 13:350–354.
- **Himpens J., Dapri G., Cadiere G.B. (2006):** A Prospective Randomized Study Between Laparoscopic Gastric Banding and Laparoscopic Isolated Sleeve Gastrectomy: Results after 1 and 3 Years. *Obesity Surgery Vol 16, No 11 / Nov* pgs 1450-6.
- **Huang C., Forse A. and Farraye F.A. (2004):** Bariatric surgery: An interactive instructional program for gastrointestinal endoscopists. *ASGE Learning Center DDW*.
- **Huang C., Forse A., Jacobson B. and Farraye F.A. (2003):** A study of the endoscopic findings and their clinical correlations in symptomatic gastric bypass patients. *Gastrointest Endosc*; 58:859-66.
- **Huang Z., Hankinson S.E., Colditz G.A., Stampfer M.J., Hunter D.J. and Manson J.E. (1997):** Dual effects of weight and weight gain on breast cancer risk. *JAMA*; 278:1407–11.
- **Hutter M.M., Randall S. and Khuri S.F. (2006):** Laparoscopic Versus Open Gastric Bypass for Morbid Obesity: A Multicenter, Prospective, Risk-Adjusted Analysis From the National Surgical Quality Improvement Program, *Annals of Surgery* 243 (5): 657-666.

- **John A., Batsis J.A., Romero-Corral A., Collazo-Clavell M.L., Sarrmg Somers V.K. and Jimenez F. (2008):** Effect of Bariatric Surgery on the Metabolic Syndrome: A Population-Based, Long-term Controlled Study Mayo Clin Proc.; 83(8):897-906.
- **Jones K.B. (1996):** Biliopancreatic limb obstruction in gastric bypass at or proximal to the jejunojejunostomy: a potentially deadly, catastrophic event. Obes Surg; 6:485–493.
- **Jood K., Jern C., Wilhelmsen L. and Rosengren A. (2004):** Body mass index in mid-life is associated with a first stroke in men: a prospective population study over 28 years. Stroke; 35:2764–9.
- **Juhasz-Pocsine K., Rudnicki S.A., Archer R.L., Harik S.I. (2007):** Neurologic complications of gastric bypass surgery for morbid obesity. Neurology; 68:1843–1850.
- **Kaly P., Orellana S. and Takagishi C. (2006):** Unrealistic weight loss expectations in candidates for bariatric surgery. San Francisco (CA): American Society for Bariatric Surgery.
- **Kanda H., Tateya S., Tamori Y., Kotani K., Hiasa K., Kitazawa R., Kitazawa S., Miyachi H., Maeda S., Egashira K. and Kasuga M. (2006):** MCP-1 contributes to macrophage infiltration into adipose tissue, insulin resistance, and hepatic steatosis in obesity. J Clin Invest 116: 1494–1505.
- **Keeling W.B., Haines K. and Stone P.A. (2005):** Current indications for preoperative inferior vena cava filter insertion in patients undergoing surgery for morbid obesity. Obes Surg;15:1009–12.

- **Kiewiet R.M., Durian M.F. and van Leersum M. (2006):** Gallstone formation after weight loss following gastric banding in morbidly obese Dutch patients. *Obes Surg*; 16:592–6.
- **Klein S., Mittendorfer B. and Eagon J.C. (2006):** Gastric bypass surgery improves metabolic and hepatic abnormalities associated with nonalcoholic fatty liver disease. *Gastroenterology*; 130:1564–72.
- **Klein S., Wadden T. and Sugerman H. (2002):** AGA Technical Review on Obesity. *Gastroenterology*; 123:882–932.
- **Knoetgen J., Petty P.M., Johnson C.H. (2005):** Plastic surgery after bariatric surgery and massive weight loss. *Mayoclin Proc*; 80: 136.
- **Kolanowski J. (1997):** Surgical treatment for morbid obesity. *Br Med Bull*. 53; 433-438.
- **Kral J.G., Thung S.N. and Biron S. (2004):** Effects of surgical treatment of the metabolic syndrome on liver fibrosis and cirrhosis. *Surgery*; 135:48–58.
- **Kuno A., Yamamoto H. and Kita H. (2004):** Double-balloon enteroscopy through a Roux-en-Y anastomosis for EMR of an early carcinoma in the afferent duodenal limb. *Gastrointest Endosc*; 60:1032–4.
- **Kuruba R., Koche L. and Murr M. (2007):** Preoperative Assessment and Perioperative Care of Patients Undergoing Bariatric Surgery, *Med Clin N Am* 91 339–351.
- **Latner J.D., Hildebrandt T., Rosewall J.K. (2007):** Loss of control over eating reflects eating disturbances and general psychopathology. *Behav Res Ther.*; 45:2203–2211.

- **Lee C., Kelly J., Wassef W. (2007):** Complications of bariatric surgery. *Curr Opin Gastroenterol*; 23: 636–43.
- **Lee C.M., Cirangle P.T., Jossart G.H. (2007):** Vertical gastrectomy for morbid obesity in 216 patients: report of two-year results. *Surg Endosc* 21(10):1810–1816.
- **Lines D. (2011):** Plastic surgery post-bariatric surgery South Afr J Anaesth Analg;17(1) 153;157
- **Livingston E.H. (2004):** Procedure, incidence and complication rates of bariatric surgery in the United States. *Am J Surg* 188:105–110 .
- **Luncă S., Pertea M., Bouras G., Dumitru L. and Hatjissalatas S.G. (2005):** Morbid Obesity: a surgical perspective. *Romanian Journal of Gastroenterology*. 14(2): 151-158.
- **Macgregor A. (1999):** The story of surgery of obesity, [www.Asbs.Org](http://www.Asbs.Org).
- **Machado M., Marques-Vidal P. and Cortez-Pinto H. (2006):** Hepatic histology in obese patients undergoing bariatric surgery. *J Hepatol*; 45:600–6.
- **Malnick S.D.H. and Knobler H. (2006):** The medical complications of obesity. *Q J Med*; 99:565–579.
- **Marema R.T., Perez M. and Buffington C.K. (2005):** Comparison of benefits and complications between laparoscopic and open Roux-en-Y gastric bypass series. *Surg End* 3.
- **Martinez J., Sanchez-Paya J., Palazon J.M., Aparicio J.R., Pico A. and Petez-Mateo M. (1999):** Obesity: a prognostic factor of severity in acute pancreatitis. *Pancreas*;19:15–20.

- *Mason E.E., Munns J.R. and Kealey G.P. (1976):* Effect of gastric bypass on gastric secretion. *Am J Surg*; 131:162–8.
- *Mason E.E., Renquist K.E., Zhang W. et al. (2003):* Trends in Bariatric surgery. *Obes Surg* ; 13:225.
- *Matthews B.D., Sing R.F. and DeLegge M.H. (2000):* Initial results with a stapled gastrojejunostomy for the laparoscopic isolated Roux-en-Y gastric bypass. *Am J Surg*; 179:476–81.
- *McAlister F.A., Khan N.A., Straus S.E., Papaioakim M., Fisher B.W. and Majumdar S.R. (2003):* Accuracy of the preoperative assessment in predicting pulmonary risk after nonthoracic surgery. *Am J Resp Care Med*; 167:741–4.
- *Merkle E.M., Hallowell P.T., Crouse C., Nakamoto D.A. and Stellato T.A. (2005):* Roux-en-Y gastric bypass for clinically severe obesity: appearance and spectrum of complications at imaging. *Radiology*; 234:674–683.
- *Micheletto G., Roviario G., Lattuada E., Zappa M.A., Mozzi E., Perrini M., Lanni M., Francese M., Librenti M.C., Doldi S.B. (2006):* Adjustable gastric banding for morbid obesity. Our experience. *Ann Ital Chir* ; 77(5):397–400.
- *Miller K. (1999):* Obesity surgery 9,183-187.
- *Miller K., Pump A., Emanuel H. (2007):* Surgery for Obesity and Related Diseases (3): 84–90.
- *Miller M.T. and Rovito P.F. (2004):* An approach to venous thromboembolism prophylaxis in laparoscopic Roux-en-Y gastric bypass surgery. *Obes Surg*; 14:731–7.

- **Mine S., Okada Y., Tanikawa T., Kawahara C., Tabata T. and Tanaka Y. (2006):** Increased expression levels of monocyte CCR2 and monocyte chemoattractant protein-1 in patients with diabetes mellitus. *Biochem Biophys Res Commun* 344:780-785.
- **Msika S. (2002):** La chirurgie de l'obésité morbide de l'adulte: 1. Efficacité clinique des différents procédés chirurgicaux. *J Chir*; 139: 194-204.
- **Nammi S., Koka S., Chinnala K.M. and Boini K.M. (2004):** Obesity: An overview on its current perspectives and treatment options. *Nutrition Journal*, 3:3.
- **Nathan B.M. and Moran A. (2008):** Metabolic complications of obesity in childhood and adolescence: more than just diabetes. *Curr Opin Endocrinol Diabetes Obes*; 15: 21-9.
- **Neter J.E., Stam B.E., Kok F.J. and Grobbee D.E. (2003):** Influence of weight reduction on blood pressure: a meta-analysis of randomized controlled trials. *Hypertension*; 42:878–84.
- **Nguyen N.T., Goldman C., Rosenquist C.J. et al. (2001):** Laparoscopic versus open gastric bypass: A randomized study of outcomes, quality of life, and costs. *Ann Surg* 234: 279-91.
- **Nicolacakis K., Skowronski M.E., Coreno A.J., West E., Nader N.Z., Smith R.L. and McFadden E.R. (2008):** Observations on the physiological interactions between obesity and asthma. *J Appl Physiol* 105: 1533–1541.
- **Ogunnaike B.O., Jones S.B. and Jones D.B. (2002):** Anesthetic considerations for bariatric surgery. *Anesth Analg*; 95:1793–805.

- **Ong J.P., Elariny H., Collantes R., Younoszai A., Chandhoke V. and Reines H.D. (2005):** Predictors of non-alcoholic steatohepatitis and advanced fibrosis in morbidly obese patients. *Obes Surg*; 15:310–15.
- **Otake S., Takeda H., Suzuki Y., Fukui T., Watanabe S. and Ishihama K. (2005):** Association of visceral fat accumulation and plasma adiponectin with colorectal adenoma: evidence for participation of insulin resistance. *Clin Cancer Res*; 11:3642–6.
- **Overbo K.K., Hatlebakk J.G., Viste A. (1999):** Gastroesophageal reflux in morbidly obese. patients treated with gastric banding or vertical banded gastroplasty. *Ann Surg.* 228:51-58.
- **Pandolfino J.E., Krishnamoorthy B. and Lee T.J. (2004):** Gastrointestinal Complications of Obesity Surgery. *Med Gen Med.*; 6(2): 15.
- **Papasavas P.K., Caushaj P.F. and Mc Cormick J.T. et al. (2003):** Laparoscopic management of complications following laparoscopic roux-en-y gastric bypass for morbid obesity. *Surg Endosc* 17: 610–614.
- **Papavramidis S.T., Eleftheriadis E.E. and Papavramidis T.S. (2004):** Endoscopic management of gastrocutaneous fistula after bariatric surgery by using a fibrin sealant. *Gastrointest Endosc*; 59:296–300.
- **Parikh M.S., Shen R., Weiner M., Siegel N., Ren C.J. (2005):** Laparoscopic bariatric surgery in superobese patients (BMI >50) is safe and effective: a review of 332 patients. *Obes Surg.* 15(6): 858-63.

- **Park J., Hilmers D.C. and Mendoza J.A. (2010):** Prevalence of Metabolic Syndrome and Obesity in Adolescents Aged 12 to 19 Years: Comparison between the United States and Korea. *J Korean Med Sci*; 25: 75-82.
- **Parsee A., Haines K. and Gallagher S. (2005):** Cholecystectomy or not? That is the question: analysis of gallbladder pathology in bariatric surgery patients. Presented at Digestive Disorders Week: Society for Surgery of the Alimentary Tract. Chicago, May 14–18.
- **Pascual M., Pascual D.A., Soria F., Vicente T., Hernandez A.M. and Tebar F.J. (2003):** Effects of isolated obesity on systolic and diastolic left ventricular function. *Heart*; 89:1152–6.
- **Pasnik, Krupu, Stanowski, Lapisnski, Zareba (2004):** Indication and contra-indication for surgical treatment of morbid obesity- the choice of operative Method. *Pol Mer Kuniusz Lek.*: 17 Supp 1: 117-9.
- **Patterson E.J., Urbach D.R. and Swanstrom L.L. (2003):** A comparison of diet and exercise therapy versus laparoscopic Roux-en-Y gastric bypass surgery for morbid obesity: a decision analysis model. *J Am Coll Surg*; 196:379–384.
- **Pawlow L.A., O’Neil P.M. and White M.A. (2005):** Findings and outcomes of psychological evaluations of gastric bypass applicants. *Surg Obes Relat Dis*; 1:523–7.

- **Peifer K.J., Shiels A.J., Azar R., Rivera R.E., Eagon J.C., Jonnalagadda S. (2007):** Successful endoscopic management of gastrojejunal anastomotic stricture following Rouxen- Y gastric bypass. *Gastrointest Endosc*; 66: 253–5.
- **Picot J., Jones J., Colquitt J.L., Gospodarevskaya E., Loveman E. and Baxter L. (2004):** The clinical effectiveness and cost-effectiveness of bariatric (weight loss) surgery for obesity: a systematic review and economic evaluation. *Health Technol Assess*: 13(41).
- **Pieracci F.M., Barie P.S. and Pomp A. (2006):** Critical care of the bariatric patient. *Crit Care Med*; 34: 1796–804.
- **Pietras, Sara M., Usdan, Lisa S. and Apovian, Caroline M. (2007):** Preoperative and Postoperative Management of the Bariatric Surgical Patient. *Journal of Clinical Outcomes Management*, May, Vol. 14, No. 5.
- **Pilcher J. et al., (1999):** The Roux-en-Y gastric bypass and other weight loss surgical techniques. *Surg* 12;330-33.
- **Podnos Y.D., Jimenez J.C. and Wilson S.E. et al. (2003):** Complications after laparoscopic gastric bypass: A review of 3464 cases. *Arch Surg* 138: 957–961.
- **Pope G.D., Goodney P.P. and Burchard K.W. (2002):** Peptic ulcer/stricture after gastric bypass:Acomparison of technique and acid suppression variables. *Obes Surg*; 12:30–3.
- **Pories J.W. (1997):** The surgical approach to morbid obesity, *Biological basis of modern surgical practice*, edited by, Sabiston CD.,14th edition 2; 851 -866.

- ***Pories W.J. (2008):*** Bariatric Surgery: Risks and Rewards. *J Clin Endocrinol Metab* 93: S89–S96.
- ***Rankinen T., Perusse L., Weisnagel S.J., Snyder E.E., Chagnon Y.C. and Bouchard C. (2002):*** The human obesity gene map: the 2001 update. *Obes Res*;10:196–243.
- ***Rasheid S., Banasiak M. and Gallagher S.F. (2003):*** Gastric bypass is an effective treatment for obstructive sleep apnea in patients with clinically significant obesity. *Obes Surg*; 13:58–61.
- ***Rexrode K.M., Carey V.J. and Hennekens C.H. (1998):*** Abdominal adiposity and coronary heart disease in women. *JAMA*; 280: 1843–1848.
- ***Ridley N. (2005):*** Expert panel on weight loss surgery-executive report. *Obes Res*; 13:206–226.
- ***Rosén T., Bosaeus I., Tölli J., Lindstedt G. and Bengtsson B.A. (1993):*** "Increased body fat mass and decreased extracellular fluid volume in adults with growth hormone deficiency". *Clin. Endocrinol. (Oxf)* 38 (1): 63-71.
- ***Rosik C.H. (2005):*** Psychiatric symptoms among prospective bariatric surgery patients: rates of prevalence and their relation to social desirability, pursuit of surgery, and follow-up attendance. *Obes Surg*; 15:677–83.
- ***Ruigomez A., Johansson S., Wallander M.A. and Rodriguez L.A. (2002):*** Incidence of chronic atrial fibrillation in general practice and its treatment pattern. *J Clin Epidemiol*; 55:358-63.

- ***Rushing P.A., Hagan M.M., Seeley R.J., Lutz T.A. and Woods S.C. (2000):*** Amylin: a novel action in the brain to reduce body weight. *Endocrinology*, 141:850-853.
- ***Salas-Salvado J., Garcia-Lorda P. and Cuatrecasas G. (2000):*** Wernicke's syndrome after bariatric surgery. *Clin Nutr*; 19:371–3.
- ***Salinas A., Baptista A., Santiago E., Antor M., Salinas H. (2006):*** Self-expandable metal stents to treat gastric leaks. *Surg Obes Relat Dis* ; 2: 570–2.
- ***Salome C.M., King G.G. and Berend N. (2010):*** Physiology of obesity and effects on lung function. *J Appl Physiol* 108: 206–211.
- ***Sarwer D. and Diks R. (2011):*** Overview of the psychological and behavioral aspects of bariatric surgery. *Bariatric Times*. 8(2): 18-24.
- ***Sarwer D.B., Thompson J.K., Cash T.F. (2005):*** Body image and obesity in adulthood. *Psychiatr Clin North Am.*; 28:69–87.
- ***Sauerland S., Angrisani L. and Belachew M. (2005):*** Obesity surgery: evidence-based guidelines of the European Association for Endoscopic Surgery (EAES). *Surg Endosc*; 19:200–21.
- ***Schauer P.R. and Schirmer B.D. (2005):*** The surgical management of obesity. In: Brunicaardi FC, Andersen DK, Billiar TR, dunn DL, Hunter JG, Pollok RE (eds): *Schwartz's Principles of surgery*. 8<sup>th</sup> ed, Mc Graw Hill, New York, 997-1020.

- **Schauer P.R., Burguera B., Ikramuddin S. et al. (2003):** Effect of laparoscopic Roux-en Y gastric bypass on type 2 diabetes mellitus. *Ann Surg*; 238:467-485.
- **Schauer P.R., Ikramuddin S., Gourash W. et al. (2000):** Outcomes after laparoscopic Roux-en-Y gastric bypass for morbid obesity. *Ann Surg*; 232:515-529.
- **Schaumberg D.A., Glynn R.J., Christen W.G., Hankinson S.E. and Hennekens C.H. (2000):** Relations of body fat distribution and height with cataract in men. *Am J Clin Nutr*; 72:1495–1502.
- **Schenk S., Saberi M. and Olefsky J.M. (2008):** Insulin sensitivity: modulation by nutrients and inflammation. *J Clin Invest* 118:2992–3002.
- **Schillaci G., Pasqualini L., Vaudo G., Pirro M., Gemelli F. and De Sio M. (2003):** Effect of body weight changes on 24-hour blood pressure and left ventricular mass; a 4-year follow-up. *Am J Hypertens*; 16:634-9.
- **Schwartz's ,(2004):** Principles of surgery;8th edition.26:1003-1009.
- **Serra C., Baltasar A., Bou R., Miro J., Cipagauta L.A. (1999):** Internal hernias and gastric perforation alter a laparoscopic gastric bypass. *Obes Surg* ; 9:546–549.
- **Shai I., Henkin Y., Weitzman S., Levi I. (2002):** Long-term dietary changes after vertical banded gastroplasty: is the trade-off favorable? *Obes Surg*; 12:805–11.
- **Shikora S.A., Mande-Griffin R. (2005):** Barroscreen: Using machine learning to improve patient selection for implantable gastric stimulation. *SCARD* 1(3):242–249.

- **Siilin H., Wanders A., Gustavsson S. et al. (2005):** The proximal gastric pouch invariably contains acid-producing parietal cells in Roux-en-Y gastric bypass. *Obes Surg* 15:771–777 .
- **Silberhammer G.R., Miller K., Kriwanek S., Widhalm K., Pump A. and Prager G. (2006):** Laparoscopic adjustable gastric banding in adolescents: the Austrian experience. *Obes Surg*; 16:1062–1067.
- **Silecchia G., Boru C., Pecchia A., Rizzello M., Casella G., Leonetti F., Basso N. (2006):** Effectiveness of laparoscopic sleeve gastrectomy (first stage of biliopancreatic diversion with duodenal switch) on co-morbidities in super-obese high-risk patients. *Obes Surg* 16(9):1138–1144 .
- **Silecchia G., Perrotta N., Boru C., Pecchia A., Rizzello M., Greco F., Genco A., Bacci V., Basso N. (2004):** Role of a minimally invasive approach in the management of laparoscopic adjustable gastric banding postoperative complications. *Arch Surg* ; 139:1225–30.
- **Smetana G.W. (1999):** Preoperative pulmonary evaluation. *N Engl J Med*; 340:937–44.
- **Smetana G.W. and Macpherson D.S. (2003):** The case against routine preoperative laboratory testing. *Med Clin North Am*;87:7–40.
- **Sogg S. (2007):** Alcohol misuse after bariatric surgery: epiphenomenon or “Oprah” phenomenon? *Surg Obes Relat Dis.*; 3(3):366–368.
- **Spivak H., Anwar F., Burton S., Guerrero C., Onn A. (2003):** The Lap Band system in the United States: One surgeon’s experience with 271 patients. *Surg Endosc*;18:198–202.

- *Stewart P.M. and Tomlinson J.W. (2002):* Cortisol, 11 beta-hydroxysteroid dehydrogenase type 1 and central obesity. Trends Endocrinol Metab, 13:94-96.
- *Stunkard A.J. (1996):* Current views of obesity. Am J Med 100: 230-6.
- *Sugerman H., Windsor A., Bessos M. and Wolf M. (1997):* Abdominal pressure, sagittal abdominal diameter and obesity comorbidity J Int Med; 241:71.
- *Sugerman H.J. (1997):* Morbid Obesity. Maingot's Abdominal Operations. Micheal J. Zinner et al.,10th. edit., prentice Hall International, Inc.
- *Sugerman H.J. and Nguyen N.T. (2006):* Management of morbid obesity. New York: Taylor & Francis.
- *Sundbom M., Hedenstrom H. and Gustavsson S. (2002):* Duodenogastric bile reflux after gastric bypass: A cholescintigraphic study. Dig Dis Sci;47:1891-6.
- *Sundbom M., Nyman R. and Hedenstrom H. (2001):* Investigation of the excluded stomach after Roux-en-Y gastric bypass. Obes Surg; 11:25-7.
- *Szucs R.A., Turner M.E., Kellum J.M. (1998):* Adjustable gastric banding for the treatment of morbid obesity: Radiologic evaluation. AJR Am J Roentgenol; 170:993-996.
- *Tanne D., Medalie J.H. and Goldbourt U. (2005):* Body fat distribution and long-term risk of stroke mortality. Stroke; 36:1021-5.