
REFERENCES

Adams LA, Deboer B, Jeffrey G, et al. (2006). Ganciclovir and the treatment of Epstein–Barr virus hepatitis. *J Gastroenterol Hepatol.*;21:1758–1760.

Adjei AA, Armah HB, Gbagbo F, et al. (2008). Seroprevalence of HHV-8, CMV, and EBV among the general population in Ghana, West Africa *BMC Infectious Diseases*, 8:111-115.

Aghenta A, Osowo A, Thomas J. (2008). Symptomatic atrial fibrillation with infectious mononucleosis. *Can Fam Physician*. May; 54(5): 695–696.

Aguilar J, Huaman M, Brar I. (2009). Epstein-Barr Virus Induced Fulminant Hepatitis in a Young Immunocompetent Male. *Infect Dis Clin Pract*; Volume 17 - Issue 5 - pp 295-297

Ambender RF ,Lin L. (2005). mononucleosis in the laboratory. *Jornal of infectious disease*; 192:1503-4.

Anagnostopoulos I, Hummel M, Kreschel C, et al. (1995). Morphology, immunophenotype, and distribution of latently and/or productively Epstein–Barr virus-infected cells in acute infectious mononucleosis: implications for the interindividual infection route of Epstein–Barr virus. *Blood*; 85:744–750.

Andersson J(A). (1996). Clinical and immunological considerations in Epstein–Barr virus associated diseases. *Scand J Infect Dis Suppl*,100:72–82

Andnderesson J(B).;(2006) .Epstein–Barr Virus. editors: Tselis A, Jenson H, chapter 6. Taylor & Francis Group, New York, Page 116

Andrianakis I, Kotanidou AN, Marinos T, et al.(2002). Life-

threatening bilateral empyema and mediastinitis complicating infectious mononucleosis. *Intensive Care Med*; 28: 663-664.

Armitage JO, Longo DL .(2001). Malignancies of lymphoid cells. In: Braunwald E et al (eds) *Harrison's principles of internal medicine*, 15th edn. McGraw-Hill, New York, p 715.

Balfour HHJr, Hokanson KM, Schacherer RM, et al. (2007). A virologic pilot study of valacyclovir in infectious mononucleosis. *J Clin Virol* 39:16–21.

Bauer CC, Aberle SW, Popow-Kraupp T, et al, (2005). Serum Epstein–Barr Virus DNA Load in Primary Epstein–Barr Virus Infection *J. Med. Virol.* 75:54–58.

Bender CE, (1967). The value of corticosteroids in the treatment of infectious mononucleosis. *JAMA.*;199:529-531.

Blader I, and Saeij J.(2009). Communication between *Toxoplasma gondii* and its host: impact on parasite growth, development, immune evasion, and virulence. *APMIS*;117: 458-476.

Blum KA, Lozanski G, Byrd JC. (2004). Adult Burkitt leukemia and lymphoma. *Blood*;104:3009–20.

Bottieau E, Clerinx J, Van den Enden E, et al. (2006). Infectious mononucleosis-like syndromes in febrile travelers returning from the tropics]. *J Travel Med* 13 (4): 191–7.

Burkitt D.(1983). The discovery of Burkitt's lymphoma. Charles S Mott Award Lecture. *Cancer*; 51:1777–1786.

Cantow EF, Kostinas JE (1966). Studies on infectious mononucleosis: III. Platelets. *Am J Med Sci* 251: 664–667

Carter RL (1965). Platelet levels in infectious mononucleosis. *Blood* 25: 817–821

Carter RL, Penman H.(1969). The early history of infectious mononucleosis and its relation to “glandular fever”. In: Carter R, Penman H, eds. *Infectious Mononucleosis*. Oxford:Blackwell Scientific Publications, 1969:1–18.

Casola S, Otipoby KL, Alimzhanov M, , et al. (2004). B cell receptor signal strength determines B cell fate. *Nat Immunol*;5:317-27.

Cheng CC, Chang LY, Shao PL, et al .(2007).Clinical manifestations and quantitative analysis of virus load in Taiwanese children with Epstein-Barr virus-associated infectious mononucleosis. *Microbiol Immunol Infect.*; 40:216-221 .

Chu RW.(1999).Leukocytes in blood transfusion: adverse effects and their prevention. *Hong Kong Med J*. 1999 Sep;5(3):280-284.

Cleator GM,and Klapper PE.(2004). Herpes simplex. In: Zuckerman AJ, Banatvala JE, Pattison JR, Griffiths PD, Schoub BD, *Principles and Practice of Clinical Virology*, 5th ed. New York, NY: John Wiley andSons;:27-54.

Cohen JI, (2000). Epstein–Barr virus, *The New England Journal of Medicine*.343,(481-491)

Corssmit EP,Hall MA, Portegies P, et al. (1997). Severe neurological complications in association with Epstein–Barr virus infection. *J Neurovirol*; 3: 460–464.

Crawford.DH, Macsween.KF,Higgins.D, et al. (2006). A Cohort Study among University Students: Identification of Risk Factors for Epstein - Barr virus Seroconversion and Infectious Mononucleosis. *Clinical*

Infectious Diseases;43:276–282

de The G, Geser G, Day N, et al. (1978). Epidemiological evidence for causal relationship between Epstein-Barr virus and Burkitt's lymphoma from Ugandan prospective study. *Nature*; 274:756–761.

de-The G. (1997). Nasopharyngeal Carcinoma. *Viral Infections of Humans: Epidemiology and Control*. New York: Plenum; 935-967.

Diebold J, Raphael M, Prevot S, et al.(1997). Lymphomas associated with HIV infection. *Cancer Surv*; 30:263–293.

Dong HY, Scadden DT, de Leval L, et al. (2005). Plasmablastic lymphoma in HIV-positive patients: an aggressive Epstein-Barr virus-associated extramedullary plasmacytic neoplasm. *Am J Surg Pathol.*;29:1633–1641.

Drebber U, Kasper HU, Krupacz J, et al. (2006). The role of Epstein-Barr virus in acute and chronic hepatitis. *J hept.*;44:879–885.

Dreyfus DH. (2005). Immunopathology associated with Epstein-Barr virus (EBV) infection: Evidence for interactions with T-lymphocyte EBV receptor CD21., Volume 5, Issue 4, (241-256)

Epstein M, Achong B, Barr Y(A). (1964). Virus particles in cultured lymphoblasts from Burkitt's lymphoma. *Lancet*; 1:702-3.

Epstein M, Barr Y. (1964). Cultivation in vitro of human lymphoblasts from Burkitt's malignant lymphoma. *Lancet*; 1:252–253.

Ergene U, Ozbalci D, Baykal B, et al. (2007) . Aplastic anemia, mucormycosis and aspergillosis in infectious mononucleosis: Success is possible. *Transfusion and Apheresis Science* 37: 125–129 .

Evans AS , Mueller NE.(1997). Epstein-Barr Virus and Malignant Lymphomas. *Viral Infections of Humans: Epidemiology and*

Control. New York: Plenum; 895-93.

Farrell P. (2007). Role for HLA in susceptibility to infectious mononucleosis. *J. Clin. Invest.* 117:2756–2758 .

Figueira-Silva CM , Pereira F.E.L;(2004). Prevalence of Epstein-Barr virus antibodies in healthy children and adolescents in Vitória, State of Espírito Santo, Brazil. *Revista da Sociedade Brasileira de Medicina Tropical*; 37(5): 409-412.

Garefalakis K, Tsiodra P, Charalampopoulos A. (2007) . Acute hemolytic anemia following infectious mononucleosis. *European Journal of Internal Medicine* 18: 260-265

Geati G, Verucchi G, chiodo F. (1987). hemolytic anemia as a complication of Epstein- barr virus infection : a report of tow cases. *J Exp Pathol*; 3: 485-9.

Gerber P, Lucas S, Nonoyama M, et al. (1972). Oral excretion of Epstein–Barr virus by healthy subjects and patients with infectious mononucleosis. *Lancet*; 2:988–989.

Gibbonsa MA, Petersb SE, Seatonb RA. (2005) . Severe pneumonitis complicating Epstein-Barr virus infection. *Respiratory Medicine Extra* 1, 104–106.

Glynn FJ, Mackle T, Kinsela J. (2007). Upper airway obstruction in infectious mononucleosis. *Eur J Emerg Med*;14:41–2

Grace JT, Blakeslee J, Jones R. (1969). Induction of infectious mononucleosis in man by the herpes-type virus (HTV) in Burkitt lymphoma cells in tissue culture. *Proc Am Assoc Cancer Res*; 10:31.

Grillo E, da Silva R, Barbato Filho J. (2008) . Epstein-Barr virus acute encephalomyelitis in a 13-year-old boy. *European Journal Of Pediatric Neurology*.12 :417 – 420

Hadinoto V, Shapiro M, Greenough TC, et al.(2008).On the dynamics of acute EBV infection and the pathogenesis of infectious mononucleosis *Blood*. February 1; 111(3): 1420–1427.

Haque T, Iliadou P, Hossain A, et al. (1996). Seroepidemiological Study of Epstein-Barr Virus Infection in Bangladesh *Journal of Medical Virology* 48:17-21 .

Harada S, Kamata Y, Ishii Y, et al.(2004). Maintenance of Serum Immunoglobulin G Antibodies to Epstein-Barr Virus (EBV) Nuclear Antigen 2 in Healthy Individuals from Different Age Groups in a Japanese Population with a High Childhood Incidence of Asymptomatic Primary EBV Infection. *Clinical and Diagnostic Laboratory Immunology*, January, p. 123-130, Vol. 11, No. 1

Hassan R, White LR, Stefanoff CG, et al.,(2006) Epstein-Barr Virus (EBV) detection and typing by PCR: a contribution to diagnostic screening of EBV-positive Burkitt's lymphoma *Diagnostic Pathology* (august), 1:17-19

Henle G , Henle W(1970). Observations on childhood infections with the Epstein-Barr virus. *J. Infect. Dis*; 123: 303-309.

Henle G, Henle W. (1966) Immunofluorescence in cells derived from Burkitt's lymphoma. *J Bacteriol*; 91:1248–1256.

Henry H. Balfour Jr. (2007). Epstein-Barr Virus Vaccine for the Prevention of Infectious Mononucleosis—and What Else?. *The Journal of Infectious Diseases*; 196:1724–6.

Hess RD. (2004). Routine Epstein - Barr virus Diagnostics from the Laboratory Perspective: Still challenging after 35 Years . *J Clin Microbiol*. August; 42(8): 3381–3387

Higgins CD ,Swerdlow A J, Macsween KF et al.(2007).A study of risk

factors for acquisition of Epstein-Barr virus and its subtypes. *J Infect Dis* 195: 474 – 482,.

Hochberg D, Souza T, Catalina M, et al. (2004) .Acute Infection with Epstein-Barr Virus targets and overwhelms the peripheral memory B-Cell compartment with resting, latently infected cells .*J Virol* May; 78(10): 5194–520

Holmes GP, Kaplan JE, Gantz NM, et al. (1988) Chronic fatigue syndrome: a working case definition. *Ann Intern Med*;108:387-389.

Hossain A.(1987). Seroepidemiology of Epstein-Barr Virus Infections in a Developing Country *Journal of Tropical Pediatrics*, Vol. 33 October, pages:257-260

Hurt C ,and Tammaro D, (2007). Diagnostic Evaluation of Mononucleosis-Like Illnesses. *The American Journal of Medicine*. Oct;120(10):911-918.

Iaria C, Arena L, Di Maio G, et al. (2008). Acute acalculous cholecystitis during the course of primary Epstein—Barr virus infection: a new case and a review of the literature. *Int J Infect Dis*;12: 391—5.

Judith A. (2006). Burkitt’s lymphoma: clinicopathologic features and deferential diagnosis. *Oncologist* 11:375–383.

Jarrett RF, Stark GL, White J, et al. (2005). Impact of tumor Epstein-Barr virus status on presenting features and outcome in age-defi ned subgroups of patients with classic Hodgkin lymphoma: a population-based study. *Blood*;106:2444–51.

Jenson HB. (2000). Acute complications of Epstein–Barr virus infectious mononucleosis. *Curr Opin Pediatr* ; 12:263–268.

Jenson HB.(2006). Epstein-Barr virus. In Detrick B, Hamilton RG,Folds JD [editors]: *Manual of Molecular and Clinical Laboratory Immunology*,

7th ed. Washington, DC, American Society for Microbiology, 2006.

Johnsen T, Katholm M, and Stangerup SE, (1984) . Otolaryngological complications in infectious mononucleosis, *J. Laryngol.Otol.* 98 :999—1001.

Jondal M, Klein G. (1973). Surface markers on human B and T lymphocytes II. Presence of Epstein–Barr virus receptors on B-lymphocytes. *J Exp Med*; 138:1365–1378.

Jones J, Shurin S, Abramowsky C, et al. (1988). T-cell lymphomas containing Epstein–Barr viral DNA in patients with Epstein-Barr virus infections. *N Engl J Med*; 318:733–741.

Jung S, Chung YK, Chang SH, et al. (2001). DNA-mediated immunization of glycoprotein 350 of Epstein-Barr virus induces the effective humoral and cellular immune responses against the antigen. *Mol Cells*; 12:41–49.

Kangro HO, Osman HK, Lau YL, et al. (1994). Seroprevalence of antibodies to human herpesviruses in England and Hong Kong. *J Med Virol* 43:91–96.

Kirschner AN, Sorem J, Longnecker R; et al,(2009). Structure of Epstein-Barr Virus glycoprotein 42 suggests a mechanism for triggering receptor-activated virus entry. Elsevier Ltd .17,(223-233).

Klein E, Kis LL, Klein G.(2007). Epstein-Barr virus infection in humans: from harmless to life endangering virus-lymphocyte interactions. *Oncogene.*;26:1297–1305.

Kootr J, vandelingen PwG, eklerk GD. (2002). Acute idiopathic thrombocytopenic purpura in adults following viral infection: report of two cases. *The Netherland Journal of Medicine.* May,vol 60;no. 4 (174-176)

Krabbe S, Hesse J , Uldall P, (1981) primary Epstein-Barr virus infectious. Arch Dis Child ,56: 49-52.

Laichalk LL, Thorley-Lawson DA.(2005) Terminal differentiation into plasma cells initiates the replicative cycle of Epstein-Barr virus. In vivo. J Virol;79:1296-307

Lander PL, Palayew MJ. (1974). Infectious Mononucleosis a review of chest roentgenographic manifestations. J Can Assoc Radiol;25:303–6

Lee S, Lee K, Han J, et al; (2006). Epstein-Barr Virus Antibodies in Kawasaki Disease Yonsei. Med J Vol. 47, No. 4:132-133

Lei P, Lowichik A, Allen W, et al, (2000) .Acute Renal Failure: Unusual Complication of Epstein-Barr Virus Induced Infectious Mononucleosis. Clinical Infectious Diseases;31:1519–24

Lerner AM, Beqaj SH, Deeter RG, et al. (2004)."IgM serum antibodies to Epstein-Barr virus are uniquely present in a subset of patients with the chronic fatigue syndrome". In vivo; 2004 Mar-Apr;18(2):101-6.

Likic R ; Kuzmanic D. (2004) Severe thrombocytopenia as a complication of acute Epstein-Barr virus infection. Wien Klin Wochenschr 116/1–2: 47–50.

Lockitch A , Halstead N, Albersltem T. (2008).Nelson text book,Editors:Kliegman RM, Behrman RE, Letson HB, Stdnton BF. 18 edition, chapter 715, page 2945.

Long S.(2005) .Distinguishing among prolonged, recurrent, and periodic fever syndromes:Approach of a pediatric infectious disease subspecialist. Pediatr Clin North Am;52:811-835.

Longmore,M; Wilkinson I, Turmezei T, et al; (2007). Oxford Handbook of Clinical Medicine, 7th edition. Oxford University Press. pp. 389

Lunemann JD , Munz C .(2007) . Epstein-Barr virus and multiple

- sclerosis. *Current neurology and neuroscience reports*; 7 (3): 253-8.
- Ma C, Wong CK, Chan A, et al. (2009).** Cytokine Responses in a Severe Case of Glandular Fever Treated Successfully with Foscarnet Combined with Prednisolone and Intravenous Immunoglobulin. *Journal of Medical Virology* 81:99–105 .
- Macsween KF, Crawford DH. (2003).** Epstein Barr Virus-recent advances. *lancet Inf. Disease*;3:131-40.
- Maeda E, Akahane M, Kiryu S, et al. (2009).** Spectrum of Epstein-Barr virus-related diseases: a pictorial review. *Jpn J Radiol* 27:4–19
- Mandell GL, Bennett JE, Dolin R, editors. (2000).** Principles and practice of infectious diseases. Philadelphia: Churchill Livingstone;. p. 599– 613.
- McAulay KA, Higgins D, Macsween K, et al. (2007).** HLA class I polymorphisms are associated with development of infectious mononucleosis upon primary EBV infection. *J. Clin. Invest.* 117:3042–3048 .
- Meyohas MC, Marechal V, Desire N, et al. (1996).** Study of Mother-to-Child Epstein-Barr Virus Transmission by Means of Nested PCRs *journal of virology*, Oct., p. 6816–6819
- Moffat LE. (2001)** .Infectious mononucleosis. *Prim Care Update Ob Gyns*; 8:73–77.
- Montoya JG, Liesenfeld O. (2004).** Toxoplasmosis. *Lancet*.;363:1965-a
- Morris M, Edmunds W, Hesketh L, et al. (2002).** Sero-Epidemiological Patterns of Epstein-Barr and Herpes Simplex (HSV-1 and HSV-2) Viruses in England and Wales. *Journal of Medical Virology* 67:522–527 .

Moss DJ, Burrows SR, Khanna R. (2005). Developing vaccines against EBV-associated diseases. In: Robertson ES, ed. Epstein-Barr virus. Norfolk, England: Caister Academic, 2005:651–67.

Moutschen M, Leonard P, Sokal EM, et al. (2007). Phase I/II studies to evaluate safety and immunogenicity of a recombinant gp350 Epstein-Barr virus vaccine in healthy adults. *Vaccine*; 25:4697–705

Ng S, and Khoury JD. (2009). Epstein-Barr Virus in Lymphoproliferative Processes . An Update for the Diagnostic Pathologist. *Adv Anat Pathol* ;16:40–55.

Niederman J, McCollum R, Henle G, et al. (1968). Infectious mononucleosis. Clinical manifestations in relation to EB virus antibodies. *JAMA*;203:139–142.

Niederman J, and Scott R. (1965). Studies on infectious mononucleosis: attempts to transmit the disease to human volunteers. *Yale J Biol Med*; 38:1–10.

Niederman JC and Evans AS. (1997). Epstein-Barr Virus. *Viral Infections of Humans: Epidemiology and Control*. New York: Plenum; 253-283.

Norio P, and Schildkraut CL. (2001) . Visualization of DNA replication on individual Epstein–Barr virus episomes. *Science magazine*; Vol. 294. no. 5550, pp. 2361 - 2364

Nystad TW, Myrmel H. (2007). Prevalence of primary versus reactivated Epstein-Barr virus infection in patients with VCA IgG-, VCA IgM- and EBNA-1-antibodies and suspected infectious mononucleosis. *Journal of Clinical Virology* 38:292–297.

Oakley CM. (2000). Myocarditis, pericarditis and other pericardial diseases. *Heart*.;84(4):449–54.

Old L, Boyse E, Geering G, et al. (1968). Serologic approaches to the study of cancer in animals and in man. *Cancer Res*; 28:1288–1299.

Pagidipati N; Obstein KL; Odze RD ;et al. (2009). Acute Hepatitis Due to Epstein–Barr Virus in an Immunocompetent Patient. *Dig Dis Sci* ,volume 55, number 4;pp 1182-1185.

Papesch M, Watkins R. (2001). Epstein–Barr virus infectious mononucleosis. *Clin Otolaryngol*; 26:3–8.

Paul J, Bunnell W. (1932) .The presence of heterophile antibodies in infectious mononucleosis.*Am J Med Sci*; 183:191–194.

Peter J , Ray CG .(1998). Infectious Mononucleosis. *Pediatr Rev.*;19 :276-9.

Prout C, Dalrymple W. (1966). A double-blind study of eighty-two cases of infectious mononucleosis treated with corticosteroids. *J Am Coll Health Assoc.* 15:62-66.

Purtilo D, Yang J, Cassel C, et al. (1975). X-linked recessive progressive combined variable immunodeficiency (Duncan’s disease). *Lancet*; 1:935–940.

Rea T,Russo J, Katon W, et al. (2001). Prospective Study of the Natural History of Infectious Mononucleosis Caused by Epstein-Barr Virus. *J AmBoard Fam Pract*;14:234–42.

Reedman B, Klein G. (1973). Cellular localization of an Epstein–Barr virus-associated complement-fixing antigen in producer and non-producer lymphoblastoid cell lines. *Int J Cancer*; 11:499–520

Rees RC, McArdle S, Mian S, et al. (2002) Disabled infectious single cycle-herpes simplex virus (DISC-HSV) as a vector for immunogene therapy of cancer. *Curr Opin Mol Ther*; 4:49–53.

Rezk S, Weiss L. (2007). Epstein-Barr virus–associated lymphoproliferative disorders. *Human Pathology* 38, 1293–1304.

Rickinson AB, Kilpatrick ME . (2001). Epstein-Barr virus. In: Fields BN, Knipe DM , Howley PM, Evans AS, editors. *Fields virology* . 4 th edition . Philadelphia :Raven Publishers. P 2397.

Roger W, Byard M. (2008) Tonsillitis and sudden childhood death. *Journal of Forensic and Legal Medicine* 15: 516–518

Ryan KJ, Ray CG (editors) (2004). *Sherris Medical Microbiology* (4th ed.). McGraw Hill. pp. 556; 566–9.

Sener AG, Afsar I, Pinar E; et al. (2009). Evaluation of Epstein–Barr virus antibodies, anti-VCA avidity by immunofluorescence and immunoblot assays for assessment of Epstein–Barr virus immunologic state. *Journal of Virological Methods* .159 :300–302.

Shkalim V, Shoval DS, Amir J . (2007) . Acute sinusitis complicating infectious mononucleosis in an adolescent. *International Journal of Pediatric Otorhinolaryngology Extra* 2, 211—214.

Sprunt T, Evans F. (1920). Mononuclear leukocytosis in reaction to acute infections (“infectious mononucleosis”). *Johns Hopkins Hospital Bull*; 357:410–416.

Tao Q, Young LS, Woodman CB, et al. (2006). Epstein-Barr virus(EBV) and its associated human cancers genetics,epigenetics, pathobiology and novel therapeutics.*Front Biosci*;11:2672 713.

Thijssen SFT, Luderer R, van Gorp JMH, et al. (2005). A possible role for Epstein-Barr virus in the pathogenesis of pleural effusion. *Eur Respir J*; 26: 662–66.

Thomas A., Rodriguez BA, and Duvic M. (2008). Onset of alopecia areata after Epstein-Barr virus infectious mononucleosis. *J. Am Acad Dermatol* , ,59:137-139.

Thomas R, Macsween KF, McAulay K, et al. (2006). Evidence of Shared Epstein-Barr Viral isolates between sexual partners, and low level EBV in Genital Secretions. *Journal of Medical Virology* 78:1204–1209

Thompson SK,; Doerr TD; Hengerer AS. (2005). Infectious Mononucleosis and Corticosteroids Management Practices and Outcomes. *Arch Otolaryngol Head Neck Surg.*;131:900-904.

Thrley-lawson DA. (2005) EBV the prototypical human tumor virus – just how bad is it. *J allergy Clin Immunol*; 116:251-61.

Torre D, Tambini R. (1999). Acyclovir for treatment of infectious mononucleosis: a meta-analysis. *Scand J Infect Dis*; 31:543–547.

Toussirot E, and Roudier J. (2008). Epstein–Barr virus in autoimmune diseases. *Best Practice & Research Clinical Rheumatology*. Vol. 22, No. 5, pp. 883–896.

Tsai M, Hsu C, Yen M; et al. (2005). Epstein-Barr virus-associated infectious mononucleosis and risk factor analysis for complications in hospitalized children *J Microbiol Immunol Infect*;38:255-261.

Vernon SD, T Whistler, Cameron B, et al.(2006) Preliminary evidence of mitochondrial dysfunction associated with post-infective fatigue after acute infection with Epstein Barr Virus. *BMC Infect Dis*. 2006; 6: 15-22.

Visintine AM, Gerber P, Nahmias AJ. (1976). Leukocyte transforming agent (Epstein–Barr virus) in newborn infants and older individuals. *J Pediat*; 89(4):571–575.

Volpi A. (2004). Epstein-Barr virus and human herpesvirus type 8 infections of the central nervous system. *Herpes*; 11(Suppl. 2):120Ae7

- Walter RB, Hong TC, Bachli EB .(2002).** Life-threatening thrombocytopenia associated with acute Epstein-Barr virus infection in an older adult. *Ann Hematol* 81: 672–675.
- Warwick RJ , Wee B, Kirkpatrick D, et al . (2003).**Infectious mononucleosis , rupture spleen and cullins sign .*The Ulster Medical Journal* ,volume 72 ,no 2 ,pp.111-113.
- Wei WI, Sham JS. (2005).** Nasopharyngeal carcinoma. *Lancet*; 365:2041–54.
- Whitelaw F; Brook MG, Kennedy N, et al. (1995).** Haemolytic anaemia complicating Epstein-Barr virus infection. *Br J Clin Pract*;49:212-213
- Williams H , Crawford DH, (2006).** Epstein-Barr virus: the impact of scientific advances on clinical practice .*Blood J*, 107(3): 862-869.
- Wohl DL, Isaacson JE. (1995).** Airway obstruction in children with infectious mononucleosis. *Ear Nose Throat J*; 74:630–638.).
- Wolf D; Friedrichs I; Toma A.(2007).** Lymphocyte–White Blood Cell Count Ratio. *Arch Otolaryngol Head Neck Surg*; 133:61-64.
- Wright J B , Beverley D W . (1998).** Chronic fatigue syndrome . *Arch Dis Child*;79:368-374 .
- Wu Wh, Chyou SC, Huang FY. (1988).** Clinical observation of primary Epestien Barr Virus infection in children .*ACTA Ped Scand*;29 :145-51
- Ziegler JL, Beckstead J, Volberding P, et al. (1984).** Non-Hodgkin’s lymphoma in 90 homosexual men. Relation to generalized lymphadenopathy and the acquired immunodeficiency syndrome. *N Engl J Med*; 31