

---

---

### **References:**

1. **Adirim TA, Cheng TL:** Overview of Injuries in the Young Athlete. *Sports Med* 2003; 33(1): 75–81.
2. **Aparicio G, Abril JC, Calvo E, Alvarez L:** Radiologic study of patellar height in Osgood-Schlatter disease. *J Pediatr Orthop* 1997; 17:63–66.
3. **Balataci G, Ozer H, Tunay VB:** Rehabilitation of avulsion fracture of the tibial tuberosity following Osgood-Schlatter disease. *Knee Surg Sports Traumatol Arthrosc.* 2004; 12: 115–118.
4. **Bates DG, Hresko MT, Jaramillo D:** Patellar sleeve fracture: demonstration with MR imaging. *Radiology* 1994; 193:825–827.
5. **Bellicini C, Khoury JG:** Correction of genu recurvatum secondary to Osgood-Schlatter disease: *Iowa Orthop J.* 2006; 26:130-3.
6. **Beovich R, Fricker PA:** Osgood–Schlatter’s disease a review of the literature and an Australian series. *Aust J Sci Med Sport* 1988; 20:11–13.
7. **Bergami G, Barbuti D, Pezzoli F:** Ultrasonographic findings in Osgood-Schlatter disease. *Radiol Med (Torino)* 1994; 88:368–372.
8. **Beyzadeoglu T, Inan M, Bekler H, Altintas F:** Arthroscopic excision of an ununited ossicle due to Osgood-Schlatter disease : *Arthroscopy.* 2008 Sep; 24(9):1081-3.
9. **Blanks RH, Lester DK, Shaw BA:** Flexion-type Salter II fracture of the proximal tibia. Proposed mechanism of injury and two case studies. *Clinical Orthopedics and Related Research* 1994; vol. 301, pp. 256–259.

10. **Blankstein J, Cohen I, Heim M:** Ultrasonography as a diagnostic modality in Osgood–Schlatter disease: a clinical study and review of the literature. *Arch Orthop Trauma Surg* 2001; 121:536–539.

---

---

## References

11. **Bloom OJ, Mackler L:** Clinical inquiries: What is the best treatment for Osgood–Schlatter disease? *J Fam Pract* 2004; 53:153–156.

12. **Bosworth DM:** Autogenous bone pegging for epiphysitis of the tibial tubercle. *J Bone Joint Surg Br* 1934; 16:829–838.

13. **Burstein AH, Wright TM:** Biomechanics in Surgery of the knee (Ed. Insall J N). Churchill Livingstone Inc., New York 1993; 3: 43-62.

14. **Cole JP:** A study of Osgood–Schlatter disease. *Surg Gynecol Obstet* 1937; 65:55–67.

15. **Deberardino TM, Branstetter JG, Owens BD:** Arthroscopic treatment of unresolved Osgood-Schlatter lesions, *Arthroscopy*: 2007 Oct; 23(10):1127.e1-3.

16. **De Flaviis L, Nessi R, Seaglione P, Balconi G, Albisetti W, Derchi LE:** Ultrasonic diagnosis of Osgood-Schlatter and Sinding-Larsen-Johansson diseases of the knee. *Skeletal Radiol* 1989; 18: 193–197.

17. **Delle Monache C, Dell’Orso E, Manes L, Bonomo L:** Echography compared with conventional radiology in Osgood-Schlatter disease. *Radiol Med (Torino)* 1989; 77: 631–634

18. **Demirag B, Ozturk C, Yazici Z, Sarisozen B:** The pathophysiology of Osgood–Schlatter disease: a magnetic resonance investigation. *J Pediatr Orthop B* 2004; 13:379–382.

19. **Eckhoff DG, Johnson KK:** Three-dimensional computed tomography reconstruction of tibial torsion. *Clin Orthop* 1994; 302: 42-6.

20. **Ehrenborg G:** The Osgood–Schlatter lesion: a clinical study of 170 cases. *Acta Chir Scand* 1962; 124:89–105.

21. **Ehrenborg G, Lagregren C:** Roentgenologic changes in the Osgood–Schlatter lesion, *Acta Chir Scand* 121 1961; pp. 315–327.

22. **Ferciot CF:** Surgical management of anterior tibial epiphysis. *Clin Orthop* 1955; 5:204–206.

---

## References

23. **Flowers MJ, Bhadreshwar DR:** Tibial tuberosity excision for symptomatic Osgood–Schlatter disease. *J Pediatr Orthop* 1995; 15:292–297.
24. **Gerulis V, Kalesinskas R, Prankevicius S, Birgeris P:** Importance of conservative treatment and physical load restriction to the course of Osgood-Schlatter's disease, *Medicina (Kaunas)*. 2004; 40(4):363-9.
25. **Gholve PA, Scher DM, Khakharia S, Widmann RF, Green DW:** Osgood-Schlatter syndrome. *Curr Opin Pediatr* 2007; 19:44-50.
26. **Gigante A, Bevilacqua C, Bonetti MG, Greco F:** Increased external tibial torsion in Osgood–Schlatter disease. *Acta Orthop Scand* 2003; 74:431–436.
27. **Glynn MK, Regan BF:** Surgical treatment of Osgood–Schlatter’s disease. *J Pediatr Orthop* 1983; 3:216–219.
28. **Gottsegen CJ, Eyer BA, White EA, Learch TJ, Forrester D:** Avulsion fractures of the knee: imaging findings and clinical significance : *Radiographics*. 2008 Oct; 28(6):1755-70.
29. **Herring JA (ed.):** Tachdjian's Pediatric Orthopedics, W. B. Saunders, Philadelphia, PA; 3rd ed., 2002.
30. **Hinton RA, Sharma KM:** Acute and recurrent patellar instability in the young athlete. *Orthopedic Clinics of North America* 2003; vol. 34, pp. 385 – 396.
31. **Hirano A, Fukubayashi T, Ishii T, Ochiai N:** Magnetic resonance imaging of Osgood–Schlatter disease: The course of the disease. *Skeletal Radiol* 2002; 31:334–342.
32. **Hoffa A:** *Lehrbruch der Frakturen and Luxationen* (4th ed.), Verlag, Stuttgart 1904; p. 453.

33. **Hussain A, Hagroo GA:** Osgood–Schlatter disease. *Sports Exer Injury* 1996; 2:202–206.

---

## References

34. **Kujala UM, Kvist M, Osterman K:** Knee injuries in athletes: Review of exertion injuries and retrospective study of outpatient sports clinic material. *Sports Med.* 1986; 3:447–460.
35. **Krause BL, Williams JP, Catterall A:** Natural history of Osgood–Schlatter disease. *J Pediatr Orthop* 1990; 10:65–68.
36. **Jacobson JA, Lenchik L, Ruhoy MK, et al.:** MR imaging of the infrapatellar fat pad of Hoffa. *Radiographics* 1997; 17:675–691.
37. **Jacob RP, Von Gumpfenberg S, Engelhard P:** Does Osgood–Schlatter disease influence the position of the patella? *J Bone Joint Surg Br* 1981; 63:579–582.
38. **Jeffreys TE:** Genu recurvatum after Osgood-Schlatter disease: Report of a case. *J Bone Joint Surg.* 1965; 47B:298–299.
39. **Lampert C, Thomann B, Brunner R:** Tibiale torsionsfehler. *Orthopäde* 2000; 29: 802-7.
40. **Lancourt JE, Cristini JA:** Patella alta and Patella infera. *J Bone Joint Surg Am* 1975; 57:1112–1115.
41. **Lanning P, Heikkinen E:** Ultrasonic features of the Osgood-Schlatter lesion. *J Pediatr Orthop.* 1991; 11: 538–540.
42. **Lau LL, Mahadev A, Hui JH :** Common Lower Limb Sport-related Overuse Injuries in Young Athletes. : *Ann Acad Med Singapore.* 2008 Apr; 37(4):315-5.

43. **Lee TQ, Anzel SH, Bennet KA, Pang D, Kim WC:** The influence of fixed rotational deformities of the femur on the patellofemoral contact pressures in human cadaver knees. *Clin Orthop* 1994; 302: 69-74.
44. **Liang-Chin, Chen.; Yi-Sheng, Chan.; Chin-Jen, Wang** ~~Opening wedge osteotomy, allografting with dual buttress plate fixation for severe genu recurvatum caused by partial growth arrest of the proximal tibial physis. *J Orthop Trauma*. 2004; 18:384–387.~~ **References**
45. **Lynch MC, Walsh HP:** Tibial recurvatum as a complication of Osgood-Schlatter's disease. *J Ped Orthop*. 1991; **11:543–544**.
46. **Mahlfeld K, Kayser R, Franke J, Merk H:** Ultrasonography of the Osgood-Schlatter disease : *Ultraschall Med*. 2001 Aug;22(4):182-5.
47. **Marx JA, Hockberger RS, Walls RM, Adams J:** Rosen's emergency medicine: concepts and clinical practice. 5th ed. St Louis, MO: Mosby; 2002.
48. **Mital MA, Matza RA, Cohen J:** The so-called unresolved Osgood–Schlatter lesion: a concept based on fifteen surgically treated lesions. *J Bone Joint Surg Am* 1980; 62A:732–739.
49. **Mohinder A, Mital MA, Matza RA, Cohen J:** The so-called unresolved Osgood-Schlatter lesion. *J Bone Joint Surg [Am]* 1980; 62:732-739.
50. **Ogden JA, McCarthy SM, Jokl P:** The painful bipartite patella. *Journal of Pediatric Orthopedics* 1982; vol. 2, pp. 263–269.
51. **Ogden JA:** Knee in Wickland E, editor. *Skeletal injury in the child*. 2nd Ed. New York: WB Saunders; 1990; p. 770–2.
52. **Ogden JA, Southwick WO:** Osgood–Schlatter's disease and tibial tuberosity development. *Clin Orthop Relat Res* 1975; 116:180–189.
53. **Ogden JA, Tross RB, Murphy MJ:** Fractures of the tibial tuberosity in adolescents. *J Bone Joint Surg*. 1980; 62-A: 205–215.

54. **Orava S, Malinen L, Karpakka J, et al.:** Results of surgical treatment of unresolved Osgood–Schlatter lesion. *Ann Chir Gynaecol* 2000; 89: 298–302.
55. **Osgood RB:** Lesions of the tibial tubercle occurring during adolescence. ~~*Boston Med Surg J.* 1903, 148:114–117.~~ **References**
56. **Pappas AM, Anas P, Toczylowski HM:** Asymmetrical arrest of the proximal tibial physis and genu recurvatum deformity. *J Bone Joint Surg.* 1984; 66-A: 575–581.
57. **Peace KA, Lee JC, Healy J:** Imaging the infrapatellar tendon in the elite athlete. *Clin Radiol* 2006; 61:570–578. This is a good review, discussing the ultrasound and MRI findings in different pathologies affecting the infrapatellar tendon.
58. **Resnick D:** Bone and joint imaging. Elsevier Saunders, Philadelphia, 2005; pp 1098–1110
59. **Robertson K, Kristensen O, Sommer J:** Pseudoarthrosis between a patellar tendon ossicle and the tibial tuberosity in Osgood-Schlatter's disease. *Scand J Med Sci Sports.* 1996; 6:57–59.
60. **Rosenberg Z, Kawelblum M, Cheung YY, Beltran J, Lehman WB, Grant AD:** Osgood–Schlatter lesion: Fracture or tendonitis? Scintigraphic, CT, and MRI imaging features. *Radiology* 1992; 185:853–858.
61. **Ross MD, Villard D:** Disability levels of college-aged men with a history of Osgood–Schlatter disease. *J Strength Cond Res* 2003; 17:659–663.
62. **Sarcević Z:** Limited ankle dorsiflexion: a predisposing factor to Morbus Osgood Schlatter? : *Knee Surg Sports Traumatol Arthrosc.* 2008 Aug;16(8):726-8.
63. **Schlatter C:** Verletzungen des schnabelformigen Fortsatzes der oberen Tibiaepiphyse. *Beitr Klin Chir* 1903; 38:874–887.
64. **Segawa H, Omori G, Koga Y:** Multiple Osteochondroses of bilateral knee joints, *J Orthop Sci* 2001; 6:286–289.

65. **Sen RK, Sharma LR, Thakur SR, Lakhanpal VP:** Patellar angle in Osgood-Schlatter disease. *Acta Orthop Scand* 1989; 60 (1): 26-7.

---

---

## References

66. **Sponseller PD, Stanitski CL:** Fractures and dislocations about the knee. *Rockwood and Wilkins's Fractures in Children*, Beaty JH, Kasser JR, (eds.), Lippincott Williams and Wilkins, Philadelphia, PA; pp. 981–1076, 5th ed., 2001.
67. **Standring S:** *Gray's Anatomy: The Anatomical Basis of Clinical Practice*. Elsevier Churchill Livingstone, Philadelphia, PA; 39th ed., 2005.
68. **Stevens MA, El-Khoury G, Kathol MH, Brandser EA, Chow S:** Imaging features of avulsion injuries. *RadioGraphics* 1999; 19:655–672.
69. **Stirling RI:** Complications of Osgood-Schlatter's disease. *J Bone Joint Surg*. 1952; **34-B**: 149–150.
70. **Takai R, Grant AD, Atar D:** Minor knee trauma as a possible cause of asymmetrical proximal tibial physis closure. *CORR*. 1994; 307:142–145.
71. **Thompson JEM:** Operative treatment of osteochondritis of the tibial tubercle. *J Bone Joint Surg Am* 1956; 38:142–148.
72. **Traverso A, Baldari A, Catalani F:** The coexistence of Osgood-Schlatter's disease with Sinding-Larsen-Johansson's disease. *J Sports Med Phys Fitness* 1990; 30:331–3.
73. **Turner MS:** The association between tibial torsion and knee joint pathology. *Clin Orthop* 1994; 302: 47-51.
74. **Watson-Jones R:** Injuries of the knee (revised by Tricklely EL). In: Wilson JN, editor. *Fractures and joint injuries*. Vol 2, 5th ed. Edinburgh: Churchill Livingstone; 1976; pp. 1047–1050.
75. **Webber A:** Acute soft tissue injuries in the young athlete, *Clin Sports Med*, 1988; 7:611.

76. **Weiss JM, Jordan SS, Andersen JS, Lee BM, Kocher M:** Surgical treatment of unresolved Osgood-Schlatter disease: ossicle resection with tibial tubercleplasty. *J Pediatr Orthop* 2007; 27:844-7.
77. **Willner P:** Osgood-Schlatter's disease: etiology and treatment. *Orthop Clin Orthop Relat Res.* 1969, 62:178-179. References
78. **Wilson SA, Vigorita VA, Scott WN:** Anatomy. In *The Knee*, Scott WN (ed.), Mosby -Year Book Inc., St. Louis, MO.1994; pp. 15-54,.
79. **Woolfrey BF:** Manifestations of Osgood-Schlatter's disease in late teen age and early adulthood. *J Bone Joint Surg Am* 42. 1960; pp. 327-332.
80. **Wysokinska A:** Rehabilitation after arthroscopic treatment of Osgood-Schlatter's disease: *Ortop Traumatol Rehabil.* 2007 Jul-Aug; 9(4):423-8.
81. **Yates CK, Grana WA:** Patellofemoral pain in children, *Clin Orthop.* 1990; 255: 36.
82. **Zionts LE:** Fractures around the knee in children. *Journal of American Academy of Orthopedic Surgeons* 2003; vol. 10, pp. 345-355.
83. **Zimble S, Merkow S:** Genu recurvatum: A possible complication after Osgood-Schlatter disease. *J Bone Joint Surg.* 1984; **66-A:** 1129-1130.