

- Ackroyd N, Gill R, Griffiths K, Kossof G & Reev T (1986):** Duplex scanning of the portal vein and portosystemic shunts. *Surgery*, 99 (5): p.591
- Angelsen, B.A.I & Hatte, L.(1981):** Doppler ultrasound in cardiology: Physical principles and clinical applications. SINTEF Report. The federation of scientific and industrial research, Trondheim, Norwegian Institute of technologie. P 97 - 235.
- Asbert M, Gines A & Gines P (1993):** Circulating levels of endothelium in cirrhosis *Gastroenterology*, 104: 1485.
- Ascher NL, Lako Jr & Emond JC (1993):** Liver transplantation for fulminant hepatic failure. *Arch. Surg*, 128:677
- Bathel PS & Groszmann HJ (1985):** Reduction of the increased portal vascular resistance of the isolated perfused cirrhotic rat liver by vasodilators. *J Hepatol* 1: p.325
- Bellamy E.A., Bassy M.C., & Gosgrove A.O., (1984):** Ultrasound demonstration of changes in the normal portal venous system following a meal. *BJR*; 5+A237: 147-152.
- Bellamy EA, Bossi MC & Cosgrove DO (1984):** Ultrasound demonstration of changes in the normal portal venous system following a meal . *Br J Radiol*, 57: p.147
- Biempica L, Bunn MA & Kamel IA (1983):** Liver collagen-type characterization in human schistosomiasis. *Am. J. trop. Med. Hyg.* ; 32-316.
- Blackwell R (1985):** General scanning. In: *Clinical diagnostic ultrasound*. 1st edition, Barnett E and Martey P (eds). Blackwell scientific publications, Oxford, London, Edinburgh, Boston. Page 3
- Blendis LM, Orrego H & Crossley IR (1982):** Correlation the role of hepatic engorgement in hepatic pressure in cirrhotic and non cirrhotic alcoholic liver disease. *Hepatology*, 2: p.539
- Blendis LM, Orrego H & Crossley IR (1982):** The role of hepatocyte enlargement in hepatic pressure in cirrhotic and non-cirrhotic liver disease. *Hepatology* ; 2:539.
- Blum U, Hossle M, Haag K, Ochs A, Blum HE, Hauensleig KH, Astinet F & Langer M (1985):** Budd Chiari syndrome: technical hemodynamic, and clinical results of treatment with transjugularintrahepatic porto systemic shunt. *Radiology*; 197:805-811.
- Bolonchi L, Gauri S & Mazzotti A (1988):** Morphological and hemodynamic changes in the portal venous system after distal splenorenal shunt: an ultrasound and pulsed Doppler study. *Hepatology*, 8(3):652.

- Bolondi L, Gandolfi L & Arienti V (1982):** Ultrasonography in the diagnosis of portal hypertension: Diminished response of portal vessels to respiration. *Radiology*, 142:p.167
- Bolondi L, Giani S & Mazziotti A (1988):** Morphological and hemodynamic changes in the portal venous system after distal splenorenal shunt: an ultrasound and pulsed Doppler study. *Hepatology*, 8 (3):652.
- Bolondi L, Mazziotti A & Arienti V (1984):** Ultrasonography study of portal venous system in portal hypertension and after porto-systemic shunt operation. *Surgery*, 95:261
- Bolondi L, Galani S, Piscaglia F & Barbara L (1994):** Doppler ultrasound in portal hypertension. *Ultrasound in medicine and Biology*, 20 (1): p.131 (abstract)
- Bookstein JJ, Cho KJ & Davis GB (1988):** Arteriportal communications: Observations and hypotheses concerning trans-sinusoidal and transvasal types. *Radiology*, 142: p.581
- Bosch J, Bordas JM & Rigaud J (1986):** Non-invasive measurement of the pressure of oesophageal varices using an endoscopic gauge: Comparison with measurements by variceal puncture in patients undergoing endoscopic sclerotherapy, 6: p.667
- Burns PN & Jaffe CC (1985):** Quantitative flow measurements with Doppler ultrasound: techniques, accuracy and limitations. *Radiol. Clin North Am*, 23(4):641.
- Burns PN, Taylor K & Blei A (1987):** Doppler flowetry and portal hypertension. *Gastroenterology*, 92:p.824.
- Burns, N (1988):** Hemodynamics: in: Taylor KJW, Burns PN & Wells PNT (eds). *Clinical applications of Doppler ultrasound*. New York, Raven, pp 44 - 75.
- Casadevall M & Panes J, (1993):** Involvement of nitric oxide and Prostaglandins in gastric mucosal hyperemia of portal hypertensive anaesthetized rats. *Hepatology*, 18:628-634
- Censor D (1988):** Acoustical Doppler effect analysis: is it a valid method? *Journ Acoust Soc Am*, 83(4)
- Cho, K.J. & Martol, W. (1978):** Recognition of splenic occlusion. *AJR* 131: 439 - 443.
- Choen J, Edleman RR & Chopra S (1992):** Portal vein thrombosis: a review *Am J Med*, 92: 173

- Cloni G, D'Alimonte P & Cristani A (1992a):** Duplex-Doppler assessment of Cirrhosis in patents with chronic compensated liver disease. *J Gastroenterol Hepatal*, 7(4):382
- Couinaud C.,(1957):** The hepatic pedicle. The intrahepatic portal vein In: Couinaud C. *The liver: anatomic and surgical studies*: Paris: Masson;71-118.
- Dardenne AN, Van Tieghen P, Guisgan M & Puttemans T (1990):** Pulsed Doppler ultrasound in chronic diffuse liver disease and liver transplantation. *Echorevue D'information ultrasonore*. P:56
- Dauzat M, Dubois A & Sainteluce P (1990):** Explanation of hepatoportal circulation by Doppler ultrasonography. *Echorevue: l'information Ultrasonore*: p.56
- De Vries PJ, Hoekstra JB, De Hooge P & Van hattum J(1994):** Portal venous flow and follow up in patients with liver disease and healthy subjects: Assessment with duplex Doppler. *Scand J Gastroenterol*, 29(2):p.172
- DeGaetano AM, Maresca G, Barbara B & Coltraneo AR (1993):**Echo-Doppler in the study of pre and post hepatic portal hypertension. *Radio med Torino*, 85(5 suppl 1):25.
- Ditchfield MR, Gibson RN, Donlan JD & Gibson RR(1992):** Duplex Doppler ultrasound signs of portal hypertension: Reiative diagnostic value of examination of paraumbilical vein, portal vein and spleen. *Australias Radiol*, 36 (2): p.102
- Doehner G., Ruzicka F., Hoffman G. & Rousselot LM., (1955):** The poral verous system: its roentgen anatomy, *Radiology*; 64:675.
- Dunn MA & Kamm R (1981):** Hepatic shistosomiasis. *Hepatology*; 1:553.
- Elias H. & Petty D., 1952:** Gross anatomy of the blood vessels and ducts within the human liver. *Am Janat*; 90: 59-111.
- Fauerholdt L; Schlichting P & Chritensen E (1983):** Conversion of micronodular cirrhosis into macronaular cirrhosis. *Hepatology*. 3:928.
- Fernandez M, Chesta J & Jiron MI (1991):** Liver cirrhosis and portal hypertension: Non-invasive measurement of blood flow in the portal vein with Doppler-duplex. *Rev Med Chil*, 119(5): p.524
- Filly, R.; & Laing, F.C.(1978):** Anatomic variation of portal venous anatomy in the porta hepatis: Ultrasonographic evaluation *J Clin Ultrasound*; 6:83-89.

Finn JP, Kane RA & Edelman RR (1993): Imaging of the portal venous system in patients with cirrhosis: MR angiography vs duplex Doppler sonography. *AJR*, 161: p.989

Franquet, T.; Bescos, J.M. ; & Reparaz, B. (1989): Non invasive methods in the diagnosis of isolated superior mesenteric vein thrombosis: US and CT. *radiology*; 174; 321 -325.

Fraser-Hill MA, Atri M & Bret PM (1990): Intrahepatic portal venous system: variations demonstrated with duplex and color Doppler US. *Radiology*, 177, 523

Fraser-Hill M., Atri M., Bret PM & Aldis AE., (1990): Intrahepatic portal venous system: Variations Demonstrated with Duplex and Color Doppler US. *Radiology*; 177: 523-526.

Fruchte D & Zwiebel W (1992): Anatomy and normal Doppler signatures of abdominal vessels IN: Zwiebel W. (ed), "Introduction to vascular ultrasound", 3rd edition, W.B. Saunders Company, Philadelphia, USA: p.335

Garcia-Tsao G, Groszmann RJ & Fisher RL (1985): Portal pressure, presence of gastroesophageal varices and variceal bleeding. *Hepatology*, 5: p. 419

Genercin P, Polio J & Ferraldi G (1990): Bile acids do not mediate the hyperdynamic circulation in portal hypertensive rat. *Am. J. Physiol.*; 259: G21-25

Giani S, Bolondi L & Bassi SL (1991): Prevalence of hepatofugal portal flow in liver cirrhosis: Clinical and endoscopic correlation in 228 patients. *Gastroenterology*, 100: p.160

Gibson RN, Gibson PR, Donlan JD & Clunie DA (1989): Identification of a patent paraumbilical vein by using Doppler sonography: Importance in diagnosis of portal hypertension. *Am J Roentgenol*, 153: p.513

Gibson RN, Gibson PR, Donlan JD & Padmanabhm R(1993): Modified Doppler flowmetry in the splanchnic circulation. *Gastroenterology*, 105:p. 1029

Gill RW(1979): Pulsed Doppler with B-mode imaging for quantitative blood flow measurement. *Ultrasound Med Biol*, 5 : p.223

Gill RW(1985): Measurement of blood flow by ultrasound: accuracy and sources of error. *Ultrasound Med Biol*, 11:625

Grant EG, Schiller VL & Millener P (1992): Color Doppler imaging of the hepatic vasculature. *Am J Roentgenol*, 159: p.943

Grant EG, Tessier FN & Perrella RR (1988): Clinical Doppler imaging AJR , 152: 707

Groszmann R & De Franchis R (1999): portal hypertension. In: Schiff's Disease of the liver by Schiff, E, Sorrell, M. and Maddrey, W. (eds) Lippincott-Raven Publisher, Philadelphia, pp. 1 387

HassabAlla MS (1993): The use of Octreatide (Sandostatin) in emergency treatment of variceal bleeding. P. 41-60 M. Sc Thesis in tropical medicine. Cairo University .

Hill MC, Dach JL & Shawker TH (1985): Ultrasonography in portal hypertension. Clin Gastroenterol, 14: 83

Huey H, Cooperberg PL & Bogoch A (1984): Diagnosis of giant varix of the coronary vein by the pulsed doppler sonography. Am J Roentgenol, 143 p.77

Igawa, S.; Sakai, K.; Kmoshita, H.; Hirohashi, K.; & Inoue, T. (1986): Comparison of sonography, CT, angiography, and percutaneous transhepatic portography in detection of portal tumour thrombus in hepatoma. World J Surg; 10: 876 - 883.

Iwao T, Toyonaga A & Ikegami M (2001): effects of exercise induced sympatho-adrenergic activation on portal blood flow. Dig Dis Sci, 40 (1):p.48

Juttner H, Jenney JM & Ralls WP (1982): Ultrasound demonstration of portosystemic collaterals in cirrhosis and portal hypertension. Radiology, 142: p.459

Kashitani N, Kimoto S & Tsunoda M(2002): Portal blood flow in the presence or absence of diffuse liver disease: Measurement by phase contrast MR Imaging Abd Imaging, 20 (3): p. 197

Keuzlarin, D.; Petrovic, M.; & Barneir, E.(1984): Sonography of cavernous transformation of th portal vein. AJR; 142:383-390.

Kiel JW, Pitts V & Benoit J (1985): Reduced vascular vascular sensitivity to norepinephrine in portal hypertensive rats. Am J Physiol, 248: p.6192

Kimura K., Ohto M., Matsutani S. & Furuse J., (1990): Relative frequency of porto systemic pathways through the posterior gastric vein. Portographic study in 460 patients. Hepatology; 12: 725 - 728.

Koslin DB & Berland LL (1987): Duplex Doppler examination of the liver and portal venous system. J Clin Ultrasound, 15:p. 675

Koslin DB, Mulligan S & Berland LL (1992): Duplex assessment of the portal venous system and the splanchnic vasculature. In Zwiebel W (ed), "Introduction to vascular ultrasound", 3rd edition. W.B. Saunders Company, Philadelphia, USA, chapter 25, page 367

Kremkau FW (1990): Doppler ultrasound :Principles and Instruments. Edited by Kremkau FW. WB Saunders company, Philadelphia, USA, first edition

Kremkau FW (1992): Doppler principles. Semin in Roentgenology, 27(1):6

Kudo M, Tomita S & Tochlo H (1993): Intra Hepatic portosystemic venous shunt: Diagnosis by color Doppler imaging. Am J Gastroenterol, 88(5): p.723.

Kursi M. & Forsberg L., (1986): Ultrasonographic investigation of Respiratory influence on diameters of portal vessels in normal subjects. Acta Radiologica Diagnosis, 27.

Lafortune M, Marlean D & Breton G (1984): portal venous system measurements in portal hypertension Radiology, 151:27.

Lalonde L, Beers BV & Trigaux JP (1992): Focal nodular hyperplasia in association with spontaneous intrahepatic portosystemic venous shunt. Gastrointest Radiol, 17:154.

Leopold GR., (1975): Grey scale ultrasonic angiography of upper abdomen. Radiology; 117: 655 - 671.

Linberg B (1991): Diagnosis of portal hypertension by duplex sonography, J Ultrasound Med, 10:25 (abstr).

Marks C., 1969: Developmental basis of the portal venous system. The Amer J. of Surgery, 117:671-681.

Marks, W. M.; Filly, R.A.; Callen & P.W. (1979): Ultrasonic anatomy of the liver: A review with new applications. J Clin Ultrasound: 7:137:146.

McMinn RMH, (1990): Last's anatomy, Regional and applied (ed.8), Churchill livingstone, Edinburgh, London, Melbourne and New York, Pg.351.

Medhat A, Iyer FL, Dunne M & Baum R (1988): Ultrasonographic findings with bleeding and non-bleeding esophageal varices. Am J Gastroenterol, 83:58.

- Meire H & Dawson P (1992):** Vascular ultrasound in: Grainer RG and Allison DJ (eds), "Diagnostic Radiology: An Anglo-American Textbook of Imaging". Churchill Livingstone, London, Melbourne and New York, chapter 104:p.2311.
- Mendelson RM & Kelsey PJ (1995):** Ultrasound and liver disease. *Aust. Fam.physician*, 24 (3): p.360.
- Merritt, C.R.B. (1979):** Ultrasonographic demonstration of portal vein thrombosis. *Radiology* 133: 425 - 427.
- Moriyasu F, Ban N & Nishida A (1984):** Quantitative measurement of portal blood flow in patients with chronic liver disease using an ultrasonic duplex system consisting of a pulsed Doppler flowmeter and B-mod electroscanner. *Gastroenterol Jpn*, 19:529.
- Moriyasu F, Nishida A & Ban N (1986):** "Congestion Index" of the portal vein. *Am J Roentgenol*, 146: p.735.
- Moriyasu F, Nishida A & Ban N (1986):** Measurement of portal vascular resistance in patients with portal hypertension. *Gastroenterology*, 90(3): p.710.
- Mostbeck GH, Wittich GR & Herold C (1989):** Haemodynamic significance of the paraumbilical vein in portal hypertension: Assessment with duplexultrasound. *Radiology*, 170: p.339.
- Mowat AP (1984):** Disorders of the portal and hepatic venous systems. In *liver disorders in childhood*. Butterworth-Heinemann Ltd. 3rd ed, 368.
- Nelson RC, Lovett KE & Chezmar JL (1987):** Comparison of pulsed Doppler sonography and angiography in patients with portal hypertension. *AJR*, 149: 77.
- Nelson RC, Sherbawine GM, Spencer HB & Chezmar JL (1983):** Splenic venous flow exceeding portal venous flow at Doppler sonography: relationship to portosystemic varices. *Am J Roentgenol*, 161 (3): p.563.
- Nelson TR., & Pratorius DH. (1988):** The Doppler signal: Where does it come from and what does it mean? *AJR*, 151: 439 - 451.
- Niederau C, Sonnenberg A & Muller JE (1983):** Sonographic measurements of the normal liver, spleen, pancreas and portal vein. *Radiology*, 149: p.537.
- O'Brien M.J. & Gottlieb L.S. (1979):** The liver & Biliary tract. Pg. 1009. In Robbins S.I., Cotran R.S. (eds.) *Pathologic Basis of disease* W.B. Saunders Company, Philadelphia.

Odievre M, Pige G & Alagille D (1997): Congenital abnormalities associated with extrahepatic portal hypertension arch. Dis. Child. 52:383.

Ohnishi K, Saito M & Koen H (1985): Pulsed Doppler flow as a criterion of portal venous velocity: Comparison with cineangiographic measurements. Radiology, 154: 495.

Ohnishi K, Saito M & Nakayama T (1985): Portal venous haemodynamics in chronic liver disease: Effect of posture change and exercise. Radiology, 155: p.757.

Ohnishi K, Saito M & Sato S (1985): Direction of splenic venous assessed by pulsed Doppler flowmetry in patients with a large splenorenal shunt. Relation to spontaneous hepatic encephalopathy. Gastroenterol, 89:180.

Ohnishi K, Saito M & Sato S (1986): Clinical utility of pulsed Doppler flowmetry in patients with portal hypertension. Am J Gastroenterol, 81 (1): p.1.

Ohnishi K, Sato S & Pugliese D (1987): Changes of splanchnic circulation with progress of chronic liver disease studied by echo-Doppler flowmetry. Am J Gastroenterol, 82: 507.

Ohnishi K, Tsuchiya N & Nakayama T (1984): Arterial chemoembolization of hepatocellular carcinoma with mitomycin C microcapsules. Radiology. 152 (1): p.51.

Ohtomo K, Furui S & Saito M (1986): Enormous intrahepatic communication between the portal vein and the hepatic vein. Clin Radiol, 73: p.513.

Ottinger, L.W. & Austen, W.G. (1967): A study of 126 patients with mesenteric infraction. Surg. Gynee Obst 124; 251 - 261.

Ozaki CF, Anderson JC & Lieberman RP (1988): Duplex ultrasonography as a non-invasive technique for assessing portal haemodynamics. Am J Surg, 155: p.70.

Park JH., Cha S.H. & Han J.K. (1990): Intrahepatic porto-systemic shunt. AJR, 155: 527-530.

Park JM & Lee SS (1994): Glucagon in portal hypertension. J. hepatol., 20:825.

Parvey HR, Raval B & Sandier CM (2002): Portal vein thrombosis: Imaging findings. Am J Roentgenol, 162: p.77.

- Patriquin H, Lafortune M, Purns P & Dauzat M (1997):** The duplex Doppler examination in portal hypertension: technique and anatomy. *AJR*, 149: 71.
- Patriquin HP, Perreault G, Grignon A, Boisvert J, Filiatraut D, Garel L & Blanchard (1990):** Normal portal venous diameter. *20*: 451-453.
- Pizcueta P, Pique JM & Fernandez M (1991):** Modulation of the hyperdynamic circulation of cirrhotic rats by Nitric Oxide inhibition. *Gastroenterology*, 103: 1909.
- Quintero E, Pique JM & Bombi JA (1987):** Gastric mucosal vascular ectasias causing bleeding in cirrhosis. *Gastroenterology*, 93: 1054.
- Rae RE. (1989):** Arterial sonography and Doppler examination. In: Hagen-Ansert SA (eds.): *Diagnostic ultrasonography*. USA - Mosby Company.
- Rahim, N.; & Adam, E.J. (1985):** Ultrasound demonstration of variation in normal portal vein diameter with posture *Br J Radiol*; 58: 313 - 318.
- Ralks, P.W. (1990):** Color Doppler sonography of the hepatic artery and portal venous system. *AJR*; 155: 517 - 523.
- Raskin NH, Price JE & Fishman RA (1964):** Portosystemic encephalopathy due to congenital intrahepatic shunts. *N Engl J Med*, 255: 270.
- Reynolds T.B., (1982):** Portal hypertension by Schiff L., *Diseases of the liver* 5th ed. J.B., Lippincot Comp, Ch. 13: Pg. 393.
- Reynolds T.B., (1987):** Portal hypertension, In *diseases of the liver Schiff L., 5th Ed, lippincott, Philadelphia, London, Mexico city.*
- Rice S, Lee KP & Johnson MB (1991):** Portal venous system after portosystemic shunts or endoscopic sclerotherapy: Evaluation with Doppler sonography. *Am J Roentegenol*, 156: p.85.
- Rifaat MA (1981):** Pancreas, spleen and adrenals. In: Rifaat MA (ed). *A manual of surgery*. Third edition. Cairo; the scientific vbook centre: 657-658
- Romenes G.J. (1983):** *Gunningham's text book, anatomy*, London, Oxford University Press, 922.

Rubin JM, Bride RO, Carson PL, Bree RL & Alder RS (1994): Power Doppler US: A potentially useful alternative to mean frequency based color Doppler US. *Radiology*, 190: 853-6.

Rumack CM, Wilson SR & Charboneau JW (1998): The pediatric liver and spleen in: *Diagnostic ultrasound* 2nd ed. Mosby Company, vol. 2, chap. 58: 1645-1679

Sabba C, Buonamico B & Antonica G (1993): Echo-color Doppler in the study of portal hypertension. *Radial Med Torino*, 85 (5 suppl.1): p.56.

Sabba C, Ferraiola G & Buonamico B (1992): Echo-Doppler evaluation of acute flow changes in portal hypertensive patients: flow velocity as a reliable parameter. *J Hepatol*, 15 (3): p.356

Sabba C, Ferraiola G & Sarin SK (1990b): feasibility spectrum for Doppler flowmetry of splanchnic vessels in normal and cirrhotic population. *J Ultrasound Med*, 9: 705

Sabba C, Weitin GG & Cicchetti DV (1990a): Observer variability in echo-Doppler measurements of portal flow in cirrhotic patients and normal volunteers. *Gastroenterol*, 98: p.1603

Saini VD, NADP NC & Maulik D (1993): Basic principles of ultrasound and Doppler effect chapter 1. in: *Doppler echocardiography and Febiger* 5-7

Schabel S, Rittenberg G & Javid L(1980):The bull's eye falciform ligament: A sonographic finding of portal hypertension. *Radiology*, 136:p.157.

Schmassmann A,Zufer M & Livar M (1993) :Recurrent bleeding after variceal haemorrhage: Predictive value portal venous duplex sonography. *Am J Roentgenol*,160: p.41.

Schmassmann, A.; Zuker, M. & Livers, M. (1992): Prognostische Bedeutung der duplex-und FarbDoppler-sonographie des pfortader systems bei leber zirrrose, Seitz, K; and Kubale, R. (1988): Duplex sonographie der abdominalen und retroperitonealen Gefasse. Weinheim: Edition Medizin LVCH,

Schwaighofer B, Fruhwald F & Hay U (1987): Diagnosis of varices in liver cirrhosis: Duplex ultrasound versus gastroscopy. *KOFO*, 146:38.

Scoutt LM,Zawin ML & Taylor KJW(1990): Doppler US:Clinical applications. *Radiology*, 147:p.309.

Seitz, K.; & Kubale, R. (1988): Duplex sonographie der abdominalen und retroperitonealen Gefasse. Weinheim: Edition Medizin LVCH.

Sherlock (1993): Portal venous system and portal hypertension in: Diseases of the liver and biliary system 9th ed.; 132 - 178.

Sherlock S & Dooley J (1997): Diseases of the liver and biliary system. 10th edition. Blackwell Scientific Publications, 9: 119-131

Sherlock S & Dooley J (1997): Hepatic cirrhosis. In : Sherlock S and Dooley J (eds) Diseases of the liver and biliary system. Tenth edition. London Blackwell Scientific publications ; 371 - 384. (4)

Sherlock S & Dooley J (1997): The hepatic artery and hepatic veins. In Sherlock S and Dooley J (eds) : diseases of the liver and biliary system. Tenth edition, London: Blackwell scientific Publications; 181-200. (3)

Sherlock S & Dooley J (1997): the liver in infections. In: Sherlock S and Dooley J (eds). Diseases of the liver and biliary system. Tenth edition, London: Blackwell Scientific publications; 511-513. (5)

Sherlock S. & Dooley J (1997): The portal venous system and portal hypertension. In: Sherlock S. and Dooley J (eds). Diseases of the liver and biliary system. Tenth edition. London: Blackwell Scientific Publications, 155-180. (2)

Sherlock S. & Dooley J.S (1997): Anatomy and function. In Sherlock S and Dooley J (eds). Diseases of the liver and biliary system. Tenth edition London: Blackwell scientific publications, 1-6. (1)

Shiraki S, Tsukada K & Ozaki N (1988): Measurements of portal blood flow by an ultrasonic (duplex) system composed of a pulsed Doppler flowmeter and a linear type real time B mode electroscanner. Gastroenterol J Pn, 23 (1): p.37

Shneider B & Grozmann R (1994): Portal hypertension. In: Liver disease in children by Suchy F. (eds), Mosby-Year Book, Philadelphia, p.250

Silva G, Fluxa F & Hojas R (1991): Portal venous flow in patients with alcoholic liver cirrhosis. Rev Med Chil, 119 (5): p.530

Steven C, Sharlene A & Arnold F, (1992): Veno-occlusive disease of the liver. Prospective study of US evaluation. Radiology, 184: 683-686

Subramanyam BR, Balthazar EJ & Raghavendra N (1983): Sonographic evaluation of patients with portal hypertension. Am J Gastroenterol, 78: 369.

Subramanyam BR, Balthazar EZ & Madamba MR (1983b): Sonography of portosystemic venous collaterals in portal hypertension. Radiology, 146: p.161

Tanaka S, Kitamura T & Fujita M (1992): Intrahepatic venous and portal venous aneurysms examined by color Doppler flow imaging. *J Clin Ultrasound*, 20: p 80

Taylor KJW, Burns PN & Wells PNT (eds) (1995): Clinical applications of Doppler ultrasound. Raven Press, New York

Taylor KJW, Burns PN, Woodcock JP & Wells PNT (1985): Blood flow in deep abdominal and pelvic vessels: ultrasonic pulsed-Doppler analysis. *Radiology*, 154: 487.

Tessler FT, Gehring BJ & Gomes A (1991): Diagnosis of portal vein thrombosis: Value of color Doppler imaging. *Am J Roentgenol*, 157:p.293

Tincani E, Cioni G & Cristani A (1993): Duplex Doppler ultrasonographic comparison of the effects of propranolol and isosorbide-5-mononitrate on portal hemodynamics. *J Ultrasound Med*, 12: 525

Valla D, Flejou J & Lebre C (1989): Portal hypertension and ascites in acute hepatitis: clinical, hemodynamic and histological correlations. *Hepatology*, 10: 482

Van Leeuwen MS (1990): Doppler ultrasound in the evaluation of portal hypertension. *Clin Diagn Ultrasound*, 26: p.53

Vine HS, Segueira JC & Widrich WC (1979): Portal vein aneurysm. *Am J Roentgenol*, 132: p.557

Vogelzang RL, Gore RM, Anschuetz SL & Blei AT (1988): Thrombosis of the splanchnic veins: C.T. Diagnosis. *Am J Roentgenol*, 150: p.93

Wachsberg RH & Obolevich AT (1995): Blood flow characteristics of vessels in the ligamentum teres fissure at color Doppler sonography. Findings in healthy volunteers and in patients with portal hypertension. *Am J Roentgenol*, 164 (6): p.1403

Wachsberg RH & Simmons MZ (1984): Coronary vein diameter and flow direction in patients with portal hypertension: evaluation with duplex sonography and correlation with variceal bleeding. *Am J Roentgenol*, 162: p.637

Warren KS (1984): Shistosmiasis. *Hepatology* ; 4; 979.

Warwick R & Williams J (1989): The hepatic portal system of veins. In: *Gray's anatomy* 35th ed. Warwick. Longman Group Ltd. London, p.710

Weill FS. (1982): Cirrhosis and portal hypertension. In: Weill FS: Ultrasonography of Digestive Diseases 2nd ed.; Pg. 80 - 95.

Weinreb J, Kumari S, Phillips G & Pochaczewsky R (1982): Portal vein measurements by real time sonography. Am J Roentgenol, 139: p.497

Weltin G, Taylor KJW, Carter AR & Taylor CR (1985): Duplex Doppler identification of cavernous transformation of the portal vein. Am J Roentgenol, 144: p.999

Williams PL., Warwick R., Dyson M. & Bannister (1989): Gray's anatomy. (ed. 3) Churchill livingstone, Edinburgh, London Melbourne and New York; Pg. 818 - 820.

Wu Y, Burns C & Sitzmann J (1993): Effects of nitric oxide and cyclooxygenase inhibition on splanchnic hemodynamics in portal hypertension. Hepatology, 18: 1416-1421

Zagzebski J (2000): Physics and instrumentation in Doppler and B-Mode ultrasonography. In: Zwiebel WJ (ed), "introduction to vascular ultrasound", 4th ed. WB Saunders company, Philadelphia, USA, chapter 2: p.14

Zagzebski, J.A. (1992): Physics and instrumentation in Doppler and B-Mode ultrasonography. In: Zwiebel WJ (ed.3): Introduction to vascular ultrasonography. WB Saunders Co., Philadelphia, London, Toronto, pp 19-43.

Zhu Y, Lukacs NW & Botos DL (1994): Cloning of Tho- and TH2-type helper lymphocytes from liver granulomas of schistosoma mansoni-infected mice. Infect. Immun ; 62:994.

Zieler RE & Zierler BK (2000): Duplex sonography of lower extremity arteries. In: introduction to vascular ultrasonography by Zweibel WJ, 3rd ed. , WB Saunders company, Philadelphia, 237-51

Zironi G, Galani S & Fenyves D (1992): Value of measurement of mean portal flow velocity by Doppler flowmetry in the diagnosis of portal hypertension. J Hepatol, 16 (3) 298

Zoli M, Marchesini G & Cordiani MR (1986): Echo-Doppler measurement of splanchnic blood flow in control and cirrhotic subjects. J Clin Ultrasound, 14: 429

Zwiebel WJ (2000): Color duplex sonography capabilities and limitations. In: Zwiebel W (ed), "Introduction to Vascular Ultrasound", 4th ed. WB Saunders company, Philadelphia, USA, chapter 4: p.67

Zwiebel, W.J. (1992): Color-Duplex sonography: Capabilities and limitations. In: Zwiebel WJ (ed.3): Introduction to vascular ultrasonography. WB Saunders Co., Philadelphia, London, Toronto.; pp 67 - 75.

Zwieble, W.J. & Fruechte, D. (1991): Basics of abdominal and pelvic Duplex: Instrumentation, Anatomy and Vascular Doppler signatures. *Semin ultrasound, CT and MRI*; 13(1): 3-21.