

## References

- Abraham SC, Nobukawa B, Giardiello FM, Hamilton SR, Wu TT:* Fundic gland Polyps in familial adenomatous polyposis: Neoplasms with frequent somatic adenomatous polyposis coligene alterations. Am J Pathol 157: 747-2000.
- Abraham SC, Nobukawa B, Giardiello FM, Hamilton SR, Wu TT:* Fundic gland polyps in familial adenomatous polyposis: Neoplasms with frequent somatic adenomatous polyposis coli gene alterations. Am J Pathol. 2001 Jul;159(1):381-2.
- Abraham SC, Singh VK, Yardley JH, Wu TT:* Hyperplastic polyps of the stomach: associations with histologic patterns of gastritis and gastric atrophy. Am J Surg Pathol. 2001 Oct;25(10):1342-4.
- Adachi Y, Yasuda K, Inomata M, Sato K, Shiraishi N, Kitano S:* Pathology and prognosis of gastric carcinoma: well versus poorly differentiated type. Cancer 2000, 89: 1418-1424.
- Ajay K Khanna, Sanjeev K Yadav, Vinod K Dixit, Mohan Kumar:* AgNOR Count and Subjective AgNOR Pattern Assessment (SAPA) Score in Carcinoma Head of Pancreas Including Periampullary Tumor JOP. J Pancreas (Online) 2005; 6(6):575-580.
- Akhter Y, Ahmed I, Devi SM, Ahmed N.* The co-evolved Helicobacter pylori and gastric cancer: trinity of bacterial virulence, host susceptibility and lifestyle. Infect Agent Cancer. 2007 Jan 4;2:2.
- Alberts B., Bray J., Lewis J., Raff M., Roberts K. and Watson J.D:* The cell nucleus in molecular biology of the cell. New York: Gerland, 2000; 424-6.

- Alkarain A, Slingerland J.* Deregulation of p27 by oncogenic signaling and its prognostic significance in breast cancer. *Breast Cancer Res.* 2004;6(1):13-21. Epub 2003 Oct 21.
- Alos L, Lujan B, Castillo M, Nadal A, Carreras M, Caballero M, de Bolos C, Cardesa A:* Expression of membrane-bound mucins (MUC1 and MUC4) and secreted mucins (MUC2, MUC5AC, MUC5B, MUC6 and MUC7) in mucoepidermoid carcinomas of salivary glands. *Am J Surg Pathol.* 2005 Jun;29(6):806-13.
- Ando T, El-Omar EM, Goto Y, Nobata K, Watanabe O, Maeda O, Ishiguro K, Minami M, Hamajima N, Goto H.* Interleukin 1B proinflammatory genotypes protect against gastro-oesophageal reflux disease through induction of corpus atrophy. *Gut.* 2006 Feb;55(2):158-64. Epub 2005 Aug 24.
- Anil K Rustgi and James M Craw Ford.* Cancer of the stomach. In *gastro intestinal cancers.* 3<sup>rd</sup> edition, philadelphia, USA; (29) 909-938, 2003.
- Aoyagi K, Kohfuji K, Yano S, Murakami N, Miyagi M, Takeda J, Shirouzu K:* Evaluation of the epidermal growth factor receptor (EGFR) and c-erbB-2 in superspreading-type and penetrating-type gastric carcinoma. *Kurume Med J.* 2001;48(3):197-200.
- Arhel NJ, Packham G, Townsend PA, Collard TJ, H-Zadeh AM, Sharp A, Cutress RI, Malik K, Hague A, Paraskeva C, Williams AC:* The retinoblastoma protein interacts with Bag-1 in human colonic adenoma and carcinoma derived cell lines. *Int J Cancer.* 2003 Sep 1;106(3):364-71.
- Aurello P, D'Angelof, Rossi S, Bellagamba R, Cicchini C, Nigri G, Ercolani G, De Angelis R, Ramacciato G:* Classification of lymph node metastases from gastric cancer: Comparison

between N-Site and N-number systems. Our experience and review of the literature. *Am Surg.* 2007 Apr; 73 (4): 359-66.

**Bakir T, Can G, Siviloglu C, Erkul S:** Gastric cancer and other organ cancer history in the parents of patients with gastric cancer *Eur J Cancer Prev.* 2003 Jun;12(3):183-9.

**Bando E, Yonemura Y, Taniguchi K, et al:** Outcome of ratio of lymph node metastasis in gastric carcinoma. *Ann Surg Oncol* 2002; 9: 775.

**Belletti B, Nicoloso MS, Schiappacassi M, Chimienti E, Berton S, Lovat F, Colombatti A, and Baldassarre G.:** P<sub>27</sub><sup>kip-1</sup> functional regulation in human cancer: a potential target for therapeutic designs. *Curr Med Chem.* 2005; 12 (14): 1589-605.

**Bernini M, Barbi S, Roviello F, Scarpa A, Moore P, Pedrazzani C, Beghelli S, Marrelli D, de Manzoni G.** Family history of gastric cancer: a correlation between epidemiologic findings and clinical data. *Gastric Cancer.* 2006;9(1):9-13.

**Blain SW, Massagué J.** Breast cancer banishes p27 from nucleus. *Nat Med.* 2002;8:1076–1078.

**Bland DA, Suarez G, Beswick EJ, Sierra JC, Reyes VE.:** H. pylori receptor MHC class II contributes to the dynamic gastric epithelial apoptotic response. *World J Gastroenterol.* 2006 Sep 7;12(33):5306-10.

**Bloom J, Pagano M:** Deregulated degradation of the cdk inhibitor p27 and malignant transformation. *Semin Cancer Biol.* 2003 Feb;13(1):41-7.

**Borch K, Skarsgard J, Franzen L, Mardh S, Rehfeld JF:** Benign gastric polyps: Morphological and functional origin. *Dig Dig Sci* 48: 1292, 2003.

- Bouchard C, Thieke K, Maier A, Saffrich R, Hanley-Hyde J, Ansorge W, Reed S, Sicinski P, Bartek J, Eilers M.* Direct induction of cyclin D2 by Myc contributes to cell cycle progression and sequestration of p27. *EMBO J.* 1999;18:5321–5333.
- Buonadonna A, Lombardi D, De Paoli A, Bidoli E, Frustaci S.* Adenocarcinoma of the stomach: univariate and multivariate analyses of factors associated with survival. *Suppl Tumori.* 2003 Sep-Oct;2(5):S31-4.
- Buskens CJ, Sivula A, van Rees BP, Haglund C, Offerhaus GJ, van Lanschot JJ, Ristimäki A.:* Comparison of cyclooxygenase 2 expression in adenocarcinomas of the gastric cardia and distal oesophagus. *Gut.* 2003 Dec;52(12):1678-83.
- Cabello Rodríguez M, Somoza de Saint-Palais M, Rueda Pérez JM, Montero Vázquez JM, Merino Royo E, Carabot Rodríguez-Rubio A, Barrera Alvarez F, Cabezudo San José R:* Adenosquamous carcinoma of the stomach. *Rev Esp Enferm Dig.* 1994 Oct;86(4):757-60.
- Cardona Barberan A, sorni Hubrecht A, Hostalot Abas A, Rosal Roig J, Merce Gratacos J, Izu el Navarro JA.:* Menetrier's disease of childhood and acute cyomegalus virus infection. *An pediatri (Barc).* 2006 May; 64 (5): 478-80.
- Carneiro F (1997):* The distinction between dysplasia and truly invasive cancer, Classification of gastric carcinomas. *Curr Diagn Path 4:* 51-59.
- Catalano V, Labianca R, Beretta GD, Gatta G, de Braud F, Van Cutsem E.:* Gastric cancer. *Crit Rev Oncol Hematol.* 2005. Jun; 54 (3): 209-
- Chen HC, Chu RY, Hsu PN, Hsu PI, Lu JY, Lai KH, Tseng HH, Chou NH, Huang MS, Tseng CJ, Hsiao M:* Loss of E-cadherin
- 
-

expression correlates with poor differentiation and invasion into adjacent organs in gastric adenocarcinomas. *Cancer Lett.* 2003 Nov 10;201(1):97-106.

*Chen YC, Wang Y, Li JY, Xu WR, Zhang YL.* H pylori stimulates proliferation of gastric cancer cells through activating mitogen-activated protein kinase cascade. *World J Gastroenterol.* 2006 Oct 7;12(37):5972-7.

*Chetty R* *University Health Network, Princess Margaret Hospital, 610 University Avenue, Fourth Floor, Suite 302 Toronto, ON M5G 2M9, Canada.* *runjan.* p27 and cancers of the gastrointestinal tract and liver: an overview. *J Clin Gastroenterol.* 2003 Jul;37(1):23-7.

*Chiaravalli AM, Cornaggia M, Furlan D, Capella C, Fiocca R, Tagliabue G, Klersy C, solcia E.* The role of histological investigation in prognostic evaluation of advanced gastric cancer. Analysis of histological structure and molecular changes compared with invasive pattern and stage. *Vir chows Arch* 2001, 439: 158-169.

*Christopher D.M. Ftetcher:* Tumors of oesophagus and stomach, In *Diagnostic Histopathology Of Tumors.* 2<sup>nd</sup> edition. Boston, Massachusetts, USA; (1) 334: 336, 2000.

*Christopher D.M. Ftetcher:* Tumors of oesophagus and stomach, In *Diagnostic Histopathology Of Tumors.* 3<sup>rd</sup> edition. Boston, Massachusetts, USA; (1) 334: 336, 2007.

*Chuan Zhang, Nobutaka Yamada, Yun-Lin Wu, Min Wen, Takeshi Matsuhisa, Norio Matsukura.:* Comparison of Helicobacter pylori infection and gastric mucosal histological features of gastric ulcer patients with chronic gastritis patients. *World J Gastroenterol* 2005 February 21; 11(7): 976-981.

- Ciarallo S, Subramaniam V, Hung W. Iec JH, Kotchetkov R, Slinger Land JM:** Altered P<sub>27</sub><sup>kip1</sup> phosphorylation, localization, and function in human epithelial cells resistant to transforming growth factor B-mediated G<sub>1</sub> arrest. *Mol Cell Boil* 2002, 22: 2993-3002.
- Connor MK, Kotchetkov R, Cariou S, Resch A, Lupehi R, Beniston RG, Melchiar F, Hengest L, Slinger land JM:** CRM<sub>1</sub>/Ran-mediated nuclear export of P<sub>27</sub><sup>kip1</sup> involves a nuclear export signal and links P<sub>27</sub> export and proteolysis. *Mol Biol Cell*. 2003, 14: 204-213.
- Corella D, Guillén M:** Dietary habits and epidemiology of gastric carcinoma. *Hepatogastroenterology*. 2001 Nov-Dec;48(42):1537-43.
- Cossaro M, Rugge M, Gutierrez O, Leandro G, Graham OY, Genta RM.** Topographic patterns of intestinal metaplasia and gastric cancer. *Am J Gastroenterol* 2000; 95: 143-8.
- Costa ML, de Cassia Brage, Ribeiro K, Machado MA, Costa AC, Montagnini AL:** Prognostic score in gastric cancer: The importance of a conjoint analysis of clinical pathological, and therapeutic factors. *Ann Surg Oncol*. 2006 Jun; 13 (6): 843-50.
- Crew KD, Neugut AI:** Epidemiology of gastric cancer. *World J Gastroenterol*. 2006 Jan 21;12(3):354-62.
- Crocker J and Nar P:** Nucleolar organizer regions in lymphomas J. *Pathol*, 151, pp: 111 – 118, 1987.
- Declich P, Carneiro F, Omazzi B, Tavani E, Grassini R, Ferrara A, Bortoli A, Bellone S, Gozzini C, Prada A:** Immunophenotype of sporadic and familial adenomatous polyposis associated fundic gland polyps: a mucin and MIB1 study. *Pol J Pathol*. 2006;57(3):141-8.

- Del Pizzo JJ, Borkowski A, Jacobs SC, Kyprianou N.* Loss of cell cycle regulators p27(Kip1) and cyclin E in transitional cell carcinoma of the bladder correlates with tumor grade and patient survival. *Am J Pathol.* 1999 Oct;155(4):1129-36.
- Demiray M, Gulden M, Manavoglu O, Evrensel T, Ulukaya E, Yerci O, Kanat O, Kurt E, Arslan M, Gonullu G, Demiray H, Gulden T, Memik F:* Evaluation of the effects of Helicobacter pylori eradication therapy on gastric antral epithelial hyperproliferation: a prospective six-month follow-up study. *Hepatogastroenterology.* 2004 Sep-Oct;51(59):1531-5.
- Derenzini M:* The AgNORs. *Micron.* 2000 Apr;31(2):117-20.
- Di Martino N, Izzo G, Cosenza A, Vincenzo L, Monaco L, Torelli F, Basciotti A, Brillantino A, Marra A.* Total gastrectomy for gastric cancer: can the type of lymphadenectomy condition the long-term results? *Suppl Tumori.* 2005 May-Jun;4(3):S84-5.
- Duraker N, Sisman S, Can G:* The significance of perineural invasion as a prognostic factor in patients with gastric carcinoma. *Surg Today.* 2003; 33 (2): 95-100.
- El Bolkainy M.N, EL Bolkainy C and Nouh A:* Cancer of Gastrointestinal tract). In *Topographic Pathology Of Cancer*, 3<sup>rd</sup> Edition, NCI, Cairo University, P. (29-36) 2005.
- El-Zimaity HM:* Gastric atrophy, diagnosing and staging. *World J Gastroenterol.* 2006 Sep 28;12(36):5757-62.
- Endoh Y, Tamura G, Motoyama T, Ajioka Y, Watanabe H (1999):* Well differentiated adenocarcinoma mimicking complete-type intestinal metaplasia in the stomach. *Hum Pathol* 30: 826-832.
- Espejo Romero H, Navarrete Siancas J:* Classification of stomach adenocarcinomas. *Rev Gastroenterol Peru.* 2003 Jul-Sep;23(3):199-212.

- F. Charles brunicardi, Dana K. Andersen, timothy R. Billiar, David L. Dunn, John G. Hunter, Raphael E. Pollock.* Stomach. In. SCHWARTZ'S PRINCIPLES OF SURGERY, 8<sup>th</sup> edition, New York, Chicago, San Francisco., London, Madrid. (25) 972-979, 2005.
- Faraji EI, Frank BB.* Multifocal atrophic gastritis and gastric carcinoma. Gastroenterol Clin North Am. 2002 Jun;31(2):499-516.
- Feakins RM, Mulcahy HE, Quaglia A, Jawhari A, Zhang Z, Patchett SE:* p27(Kip1) loss does not predict survival in patients with advanced gastric carcinoma. Cancer. 2000 Oct 15;89(8):1684-91.
- Fero ML, Randel E, Gurley KE, Roberts JM, Kemp CJ.* The murine gene p27Kip1 is haplo-insufficient for tumour suppression. Nature. 1998;396:177–180.
- Fiocca R, Luinetti O, Villani L, Mastracci L, Quilici P, Grillo F, Ranzani GN.* Molecular mechanisms involved in the pathogenesis of gastric carcinoma: interactions between genetic alterations, cellular phenotype and cancer histotype. Hepatogastroenterology. 2001 Nov-Dec;48(42):1523-30.
- Fiorentino M, Altimar A, D'Errico A, et al:* Acquired expression of P27 is a favourable prognostic indicator in patients with hepatocellular carcinoma. Clin Cancer Res. 2000; 6 (10): 3966-72.
- Fontana MG, La Pinta M, Moneghini D, Villanacci V, Donato F, Rindi G, Paparini S, Baronchelli C, Bertoli G, Alquati P.* Prognostic value of Goseki histological classification in adenocarcinoma of the cardia. Br J Cancer. 2003 Feb 10;88(3):401-5. 
- Forman D, Goodman KJ.* The epidemiology of stomach cancer: Carrelating the past with the present. Socioeconomic influences

in early life can influence mortality in adult life. *BMJ* 2000; 320 (7251): 1682-3.

**Foster JS, Henley DC, Bukovsky A, Seth P, Wimalasena J:** Multifaceted regulation of cell cycle progression by estrogen: regulation of Cdk inhibitors and Cdc25A independent of cyclin D1-Cdk4 function. *Mol Cell Biol.* 2001 Feb;21(3):794-810.

**Fricke E, Keller G, Becker I, Rosivatz E, Schott C, Plaschke S, Rudelius M, Hermannstädter C, Busch R, Höfler H, Becker KF, Luber B.** Relationship between E-cadherin gene mutation and p53 gene mutation, p53 accumulation, Bcl-2 expression and Ki-67 staining in diffuse-type gastric carcinoma. *Int J Cancer.* 2003 Mar 10;104(1):60-5.

**Fukagawa T, Sasako M, Mann GB, Sano T, Katai H, Maruyama K, Nakanishi Y, Shimoda T:** Immunohistochemically detected micrometastases of the lymph nodes in patients with gastric carcinoma. *Cancer* 2001, 92: 753-760.

**Gamboa-Dominguez A, Seidl S, Reyes-Gutierrez E, Hermannstädter C, Quintanilla-Martinez L, Busch R, Höfler H, Fend F, Luber B.** Prognostic significance of p21WAF1/CIP1, p27Kip1, p53 and E-cadherin expression in gastric cancer. *J Clin Pathol.* 2007 Jul;60(7):756-61.

**Ganoth D, Barnstein G, Ko TK, Larsen B, Tyers M, Pagano M:** The cell-cycle regulatory protein CKS, is required for ScF SKP2-mediated ubiquitinylation of P<sub>27</sub>. *Nat cell boil* 2001, 3: 321-324.

**Gartel AL, Shchors K.** Mechanisms of c-myc-mediated transcriptional repression of growth arrest genes. *Exp Cell Res.* 2003;283:17-21.

- Genta RM:** Gastritis and gastropathy, in Yamada T et al, (eds): Textbook of gastroenterology; 4<sup>th</sup> ed. Philadelphia: Lippin Cott Williams 6 wilkins, 2003, p 1394.
- Giuffrè G, Caruso RA, Barresi G, Tuccari G.** Prognostic significance of standardized AgNOR analysis in early and advanced gastric carcinomas. *Virchows Arch.* 1998 Sep;433(3):261-6.
- Gotoda T, Yanagisawa A, Sasa-Ko M, et al,:** Incidence of lymph node metastasis from early gastric cancer: estimation with a large number of cases at two large centers. *Gastric Cancer* 2000; 3: 219.
- Graziano F, Mandolesi A, Ruzzo A, Bearzi I, Testa E, Arduini F, Silva R, Muretto P, Mari D, Berardi R, Scartozzi M, Lai V, Cascinu S, Magnani M:** Predictive and prognostic role of E-cadherin protein expression in patients with advanced gastric carcinomas treated with palliative chemotherapy. *Tumour Biol.* 2004 May-Jun;25(3):106-10.
- Groves C, Lamlum H, Crabtree M, Williamson J, Taylor C, Bass S, Cuthbert-Heavens D, Hodgson S, Phillips R, Tomlinson I.** Mutation cluster region, association between germline and somatic mutations and genotype-phenotype correlation in upper gastrointestinal familial adenomatous polyposis. *Am J Pathol.* 2002 Jun;160(6):2055-61.
- Gstaiger M, Tordan R, Lim M, Catzavelos C, Mestan J, Slinger Land J:** SKP<sub>2</sub> is oncogenic and over expressed in human cancers. *Proc Natl Acad Sci USA* 2001; 98: 5043-5048.
- Guan T, Kehlenbach RH, Schirmer EC, Kehlenbach A, Fan F, Clurman A, Arnheim N, Geracel:** Nup 50, anucleo plasmically

oriented nuclei with a role in nuclear protein export. *Mol Cell Biol* 2000, 20: 5619-5630.

**Guo RJ, Arai H, Kitayama Y, Igarashi H, Hemmi H, Arai T, Hanai H, Sugimura H.:** Microsatellite instability of papillary subtype of human gastric adenocarcinoma and hMLH1 promoter hypermethylation in the surrounding mucosa. *Pathol Int.* 2001 Apr;51(4):240-7.

**Hahm KB, Lee KM, Kim YB, Hong WS, Lee WH, Han SU, Kim MW, Ahn BO, Oh TY, Lee MH, Green J, Kim SJ:** Conditional loss of TGF-beta signalling leads to increased susceptibility to gastrointestinal carcinogenesis in mice. : *Aliment Pharmacol Ther.* 2002 Apr;16 Suppl 2:115-27.

**Haitel A, Wiener HG, Neudert B, Marberger M, Susani M:** Expression of the cell cycle proteins p21, p27, and pRb in clear cell renal cell carcinoma and their prognostic significance. *Urology.* 2001 Sep;58(3):477-81.

**Hamilton SR, Altonen LA 2000:** Pathology and genetics of tumors of the digestive system. World Health organization classification of tumors. Vol 2. IARC Press, Lyon.

**Hao Y, Zhang J, Yi C, Qian W.:** Abnormal change of p53 gene in gastric and precancerous lesions and APC gene deletion in gastric carcinoma and near tissues. *J Tongji Med Univ.* 1997;17(2):75-8.

**Hatakeyama M.** Helicobacter pylori CagA -- a bacterial intruder conspiring gastric carcinogenesis. *Int J Cancer.* 2006 Sep 15;119(6):1217-23.

**Henson DE, Dittus C, Younes M, Nguyen H, Albores-Saavedra J:** Differential trends in the intestinal and diffuse types of gastric carcinoma in the United States, 1973-2000: increase in the

signet ring cell type. Arch Pathol Lab Med. 2004 Jul;128(7):765-70.

*Hiyama T, Tanaka S, Kitadai Y, Ito M, Sumii M, Yoshihara M, Shimamoto F, Haruma K, Chayama K.* p53 Codon 72 polymorphism in gastric cancer susceptibility in patients with Helicobacter pylori-associated chronic gastritis. Int J Cancer 2002; 100: 304-308

*Huang HL, Wu BY, You WD, Shen MS, Wang WJ.:* Influence of dendritic cell infiltration on prognosis and biologic characteristics of progressing gastric cancer. Zhonghua Zhong Liu Za Zhi. 2003 Sep; 25(5): 468-71.

*Huiping C, Kristjansdottir S, Bergthorsson JT, Jonasson JG, Magnusson J, Egilsson V, Ingvarsson S.:* High frequency of LOH, MSI and abnormal expression of FHIT in gastric cancer. Pathol Res Pract. 2001; 197 (4): 231-6.

*Ichikawa D, Kurioka H, Ueshima Y, Shirono K, Kan K, Shioaki Y, Lee CJ, Hamashima T, Deguchi E, Ikeda E, Mutoh F, Yamagishi H:* Prognostic value of lymph node staging in gastric cancer. Hepatogastroenterology. 2003 Jan-Feb;50(49):301-4.

*Ikeguchi M, Murakami D, Kanaji S, Ohro S, Maeta Y, Yamaguchi K, Tatebe S, Kondo A, Tsujitani S, Kaibara N.* Lymph node metastasis of gastric cancer: comparison of Union International Contra Cancer and Japanese systems. ANZ J Surg. 2004 Oct;74(10):852-4.

*Inoue K, Nakane Y, Liyama H, et al.:* The superiority of ratio-based lymph node staging in gastric carcinoma, Ann Surg Oncol 2002; 9: 27.

*Japanese Gastric Cancer Association.:* Japanese Classification of gastric carcinoma, 2<sup>nd</sup> English ed. Gastric Cancer 1998; 1: 10.

- Jemal A, Trwari RC, Murrary T, et al.:* Cancer Statistics, 2004 CA Cancer J chin, 2004: 54-8.
- Joo YE, Park CS, Kim HS, Choi SK, Rew JS, Kim SJ:* Prognostic significance of E-cadherin/catenin complex expression in gastric cancer. J Korean Med Sci. 2000 Dec;15(6):655-66.
- Juan Shang, AS Peña* Multidisciplinary approach to understand the pathogenesis of gastric cancer ISSN 1007-9327 CN 14-1219/R World J Gastroenterol 2005 July 21; 11 (27): 4131-4139.
- Takeji Y, Korenaga D, Tsujitani S, Haraguchi M, Maehara Y, Sugimachi K.* Predictive value of Ki-67 and argyrophilic nucleolar organizer region staining for lymph node metastasis in gastric cancer. Cancer Res. 1991 Jul 1;51(13):3503-6.
- Takeji Y, Maehara Y, Orita H, Emi Y, Ichiyoshi Y, Korenaga D, Sugimachi K.* Argyrophilic nucleolar organizer region in endoscopically obtained biopsy tissue: a useful predictor of nodal metastasis and prognosis in carcinoma of the stomach. J Am Coll Surg. 1996 Jun;182(6):482-7.
- Kamada T, Hata J, Kusunoki H, Sugi K, Ito M, Tanaka S, Kawamura Y, Chayama K, Haruma K:* Effect of long-term half-dose famotidine therapy on corpus gastritis in peptic ulcer disease. Aliment Pharmacol Ther. 2005 Jun;21 Suppl 2:99-104.
- Kamai T, Takagi K, Asami H, Ito Y, Arai K, Yoshida KI.* Prognostic significance of p27Kip1 and Ki-67 expression in carcinoma of the renal pelvis and ureter. BJU Int. 2000 Jul;86(1):14-9.
- Kamel A, Mokhtar N, Elshakankiry N, Yassin D, Elnahass Y, Zakarya O, Elbasmy A, Elmetenawy W:* The prognostic impact of some cell cycle regulatory proteins in Egyptian breast cancer patients. J Egypt Natl Canc Inst. 2006 Jun;18(2):93-102.

- Kapadia CR:** Gastric atrophy, metaplasia, and dysplasia: A clinical perspective. *J Clin Gastroenterol*, 2003 May-Jun; 36 (5 suppl): S29-36; discussion S61-2.
- Katai H, Yoshimura K, Maruyama K, Sasako M, Sano T:** Evaluation of the New International Union Against Cancer TNM staging for gastric carcinoma. *Cancer*. 2000 Apr 15;88(8):1796-800.
- Keller G.:** Hereditary aspects of gastric cancer. *Pathologica*. 2002 Oct;94(5):229-33.
- Keller R, Dinkel KC, Christl SU, Fischbach W:** Interrelation between ABH blood group 0, Lewis(B) blood group antigen, *Helicobacter pylori* infection, and occurrence of peptic ulcer. *Z Gastroenterol*. 2002 May;40(5):273-6
- Kelly TR, Duggan JM:** Gastric cancer epidemiology and risk factors. *J Clin Epidemiol* 56: 1, 2003.
- Khan AA, Abel PD, Chaudhary KS, Gulzar Z, Stamp GW, Lalani EN.** Inverse correlation between high level expression of cyclin E and proliferation index in transitional cell carcinoma of the bladder. *Mol Pathol*. 2003 Dec;56(6):353-61. 
- Khan FA, Shukla AN.** Pathogenesis and treatment of gastric carcinoma: "an up-date with brief review". *J Cancer Res Ther*. 2006 Oct-Dec;2(4):196-9.
- Kim DH, Lee HI, Nam ES, Shin HS, Sohn JH, Park CH, Yoon DS, Song SY, Park YE.** Reduced expression of the cell-cycle inhibitor p27Kip1 is associated with progression and lymph node metastasis of gastric carcinoma. *Histopathology*. 2000 Mar;36(3):245-51.

- Kim DY, Joo JK, Rya Sy, Park YK, Kim YT, Kim SK:** Clinicopathological characteristics and prognosis of carcinoma of the gastric cardia. *Dig Surg.* 2006; 23 (5-6): 313-8.
- Kim JC Kim HC, Roh SA, Koo KH, Lee DH, Yu CS, Lee JH, Kim TW, Lee HL, Beck NE, Bodmer WF:** hMLH1 and hMSH2 mutations in families with familial clustering of gastric cancer and hereditary non-polyposis colorectal cancer. *Cancer Detect Prev.* 2001;25(6):503-10.
- Kim JY, Park DY, Kim GH, Choi KU, Lee CH, Huh GY, Sol MY, Song GA, Jeon TY, Kim DH, Sim MS:** Smad4 expression in gastric adenoma and adenocarcinoma: frequent loss of expression in diffuse type of gastric adenocarcinoma. *Histol Histopathol.* 2005 Apr;20(2):543-9.
- Kim MH, Yoo HS, Kim MY, Jang HJ, Baek MK, Kim HR, Kim KK, Shin BA, Ahn BW, Jung YD.** Helicobacter pylori stimulates urokinase plasminogen activator receptor expression and cell invasiveness through reactive oxygen species and NF-kappaB signaling in human gastric carcinoma cells. : *Int J Mol Med.* 2007 Apr;19(4):689-97. 
- Kimura M, Tsuda H, Morita D, Ichikura T, Ogata S, Aida S, Yoshizumi Y, Maehara T, Mochizuki H, Matsubara O:** A proposal for diagnostically meaningful criteria to classify increased epidermal growth factor receptor and c-erbB-2 gene copy numbers in gastric carcinoma, based on correlation of fluorescence in situ hybridization and immunohistochemical measurements. *Virchows Arch.* 2004 Sep;445(3):255-62. Epub 2004 Jul 28.

- Kocer B, Soran A, Kiyak G, Erdogan S, Eroglu A, Bozkurt B, Solak C, Cengiz O:* Prognostic significance of mucin expression in gastric carcinoma. *Dig. Dis Sci.* 2004 Jun; 49(6): 954-64.
- Kondo T, Toyoshima H, Tsuzuki Y, Hori Y, Yatsuya H, Tamakoshi K, Tamakoshi A, Ohno Y, Kikuchi S, Sakata K, Hoshiyama Y, Hayakawa N, Tokui N, Mizoue T, Yoshimura T:* Aggregation of stomach cancer history in parents and offspring in comparison with other sites. *Int J Epidemiol.* 2003 Aug;32(4):579-83.
- Konturek PC, Konturek SJ, Brzozowski T.* Gastric cancer and *Helicobacter pylori* infection. *J Physiol Pharmacol.* 2006 Sep;57 Suppl 3:51-65.
- Konturek PC, Konturek SJ, Sulekova Z, Meixner H, Bielanski W, Starzynska T, Karczewska E, Marlicz K, Stachura J, Hahn EG:* Expression of hepatocyte growth factor, transforming growth factor alpha, apoptosis related proteins Bax and Bcl-2, and gastrin in human gastric cancer. *Aliment Pharmacol Ther.* 2001 Jul;15(7):989-99.
- Kravtsov VG, Shakhmurov MG, Sukmanov OV, Zairat'iants OV, Shirin NI.:* Expression of cycline-dependent kinase P<sub>27</sub> in the low differentiated gastric adenocarcioma; *Arkh Patol.* 2006 Sept-Oct; 68(5): 14-6.
- Krstev S, Dosemeci M, Lissowska J, Chow WH, Zatonski W, Ward MH:* Occupation and risk of stomach cancer in Poland. *Occup Environ Med.* 2005 May;62(5):318-24.
- Kudo Y, Kitajima S, Ogawa I, Miyauchi M, Takata T:* Down-regulation of Cdk inhibitor p27 in oral squamous cell carcinoma. *Oral Oncol.* 2005 Feb;41(2):105-16.

- Kumar V, Mitchell RW, Abbas A.* The gastrointestinal tract. In Robbins Pathologic Basis of Disease. 7<sup>th</sup> ed. Philadelphia, London, Toronto, Montreal, WB. Saunders company: 838-845, 2005.
- Kunisaki C, Shimada H, Nomura M, Matsuda G, Otsuka Y, Ono H, Akiyama H.* Comparative evaluation of gastric carcinoma staging: Japanese classification versus new american joint committee on cancer/international union against cancer classification. *Ann Surg Oncol.* 2004 Feb;11(2):203-6.
- Kyu Eun Lee, Hyuk-Joon Lee, Yoon Ho Kim, Hang Jong Yu, Han-Kwang Yang, Woo-Ho Kim, Kuhn Uk Lee, Kuk Jin choe and Jin-Pok Kim:* prognostic Significance of p53, nm 23, PCNA and c-erb B-2 in Gastric Cancer. *Japanese Journal of Clinical Oncology* 33: 173-179, 2003.
- Lan J, Xiong YY, Lin YX, Wang BC, Gong LL, Xu HS, Guo GS:* Helicobacter pylori infection generated gastric cancer through p53-Rb tumor-suppressor system mutation and telomerase reactivation. *World J Gastroenterol.* 2003 Jan;9(1):54-8.
- Lauwers GY, Riddell RH 1999:* Gastric epithelial dysplasia. *Gut* 45: 784-790.
- Lauwers GY:* Defining the pathologic diagnosis of metaplasia, atrophy, dysplasia, and gastric adenocarcinoma. *J Clin Gastroenterol.* 2003 May-Jun;36(5 Suppl):S37-43; discussion S61-2.
- Lebe B, Sarioğlu S, Sökmen S, Ellidokuz H, Füzün M, Küpelioğlu A:* The clinical significance of p53, p21, and p27 expressions in rectal carcinoma. *Appl Immunohistochem Mol Morphol.* 2005 Mar;13(1):38-44.
- Lee HS, Lee HK, Kim HS, Yang HK, Kim YI, WH:* MUC1 MUC2, MUC5AC, and MUC6 expression in gastric carcinomas: their

roles as prognostic indicators. *Cancer*. 2001 Sep 15; 92 (6): 1427-34.

*Lee YC, Chern JH, Li WY, Huang MH, Perng RP*. AgNORs in lung cancer: correlation with DNA ploidy and degree of differentiation. *Anal Quant Cytol Histol*. 1997 Jun;19(3):271-6.

*Leung WK*. Helicobacter pylori and gastric neoplasia. *Contrib Microbiol*. 2006;13:66-80.

 *Li C, Kim S, Lai JF, Hyung WJ, Choi WH, Choi SH, Noh SH*. Advanced gastric carcinoma with signet ring cell histology. *Oncology*. 2007;72(1-2):64-8. Epub 2007 Nov 14.

*Li M, Li JY, Zhao AL, He JS, Zhou LX, Li YA, Gu J*: Survival stratification panel of colorectal carcinoma with combined expression of carcinoembryonic antigen, matrix metalloproteinases-2, and p27 kip1. *Dis Colon Rectum*. 2007 Nov;50(11):1887-98. Epub 2007 Sep 20.

*Li YL, Tian Z, Wu DY, Fu BY, Xin Y*: Loss of heterozygosity on 10q23.3 and mutation of tumor suppressor gene PTEN in gastric cancer and precancerous lesions. *World J Gastroenterol*. 2005 Jan 14;11(2):285-8.

*Lindblad M, Rodríguez LA, Lagergren J*: Body mass, tobacco and alcohol and risk of esophageal, gastric cardia, and gastric non-cardia adenocarcinoma among men and women in a nested case-control study. *Cancer Causes Control*. 2005 Apr;16(3):285-94.

*Ljubicić N, Kujundzić M, Roić G, Banić M, Cupić H, Doko M, Zovak M*: Benign epithelial gastric polyps--frequency, location, and age and sex distribution. *Coll Antropol*. 2002 Jun;26(1):55-60.

- Lowy AM, Feig BW, Jan N, et al.:* A pilot study of preoperative chemochemoradiotherapy for resectable gastric cancer. *Ann Surg Oncol.* 2001; 8: 519-24.
- Luebke T, Baldus SE, Grass G, Bollsh Weiler E, Thiele J, Dienes Hp, Hoelscher AH, Moenig SP:* Histological grading in gastric cancer by Ming classification: correlation with histopathological subtypes, metastases and prognosis. *World J Surg.* 2005 Nov; 29 (11): 1422-27.
- Lynch HT, Grady W, Suriano G and Huntsman D:* New genetic development. *J Surg Oncol.* 2005; 90 (3); 114-133.
- M Derenzini, C Ceccarelli, D Santini, M Taffurelli, and D Treré :* The prognostic value of the AgNOR parameter in human breast cancer depends on the pRb and p53 status *J Clin Pathol.* 2004 July; 57(7): 755–761.
- Mader AM, Patricio FR, Riguerio MP Lourenco LG:* Analysis of clinicopathological, tumor cell proliferation and apoptosis parameters in adenocarcinoma of the gastric cardia. *Arq Gastroenterol.* 2006; (Jul-Sept); 43 (3): 184-90.
- Maeda S, Mentis AF:* Pathogenesis of Helicobacter pylori infection. *Helicobacter.* 2007 Oct;12 Suppl 1:10-4.
- Maeda S, Yoshida H, Mitsuno Y, Hirata Y, Ogura K, Shiratori Y, Omata M:* Analysis of apoptotic and antiapoptotic signalling pathways induced by Helicobacter pylori. *Gut.* 2002 Jun;50(6):771-8.
- Maehara Y, Kakeji Y, Oda S, Baba H, Sugimachi K.* Tumor growth patterns and biological characteristics of early gastric carcinoma. *Oncology.* 2001;61(2):102-12. 
- Maehara Y, Oki E, Abe T, Tokunaga E, shibahara K, Kakeji Y, Sugimachi K:* Over expression of the heat shock protein HSP70

family and p53 protein and prognosis for patients with gastric cancer. *Oncology*. 2000 Feb; 58(2): 144-51.

**Malek NP, Sundberg H, McGrew S, Nakayama, Kyriakidis TR:** A mouse knock-in model exposes. Sequential proteolytic pathway that regulate P<sub>27</sub><sup>kip-1</sup> in G1 and S phases. *Nature* 2001, 431: 323-327.

**Manna ED, Seixas AA, de Araújo RP, Ferro MC:** Primary adenosquamous carcinoma of the stomach. *Rev Assoc Med Bras*. 1998 Apr-Jun;44(2):152-4.

**Manne U, Jhala NC, Jones J, Weiss HL, Chatla C, Meleth S, Suarez-Cuervo C, Grizzle WE.** Prognostic significance of p27(kip-1) expression in colorectal adenocarcinomas is associated with tumor stage. *Clin Cancer Res*. 2004 Mar 1;10(5):1743-52.

**Marchet A, Mocellin S, Ambrosi, A, Morgagni P, Garcea D, Marrelli D, Roviello F, de Manzoni G, Minicozzi A, Natalini G, De Santis F, Baiocchi L, Coniglio A, Nitti D: Italian Research Grop for Gastric Cancer (IRGGC):** Prognostic factor in gastric cancer regardless of the type of lymphadenectomy: results from an italian multicentric study in 1853 patients.

**Masuda TA, Inoue H, Sonoda H, Mine S, Yoshikawa Y, Naka Yama K, Mori M:** Clinical and biological significance of S-phase kinase-associated protein 2 (SKP2) gene expression in gastric carcinoma: Modulation of malignant phenotype by SKP2 over expression, Possibly via P<sub>27</sub> proteolysis. *Cancer Res* 2002, 62: 3819-3825.

**Matsui K, Jin X M, Kitagawa M, et al. 1998:** Clinico pathologic features of neuroendocrine carcinoma of the stomach: appraisal of small cell and large cell variants. *Arch Path Lab Med* 122: 1010-1017.

- Matsumoto M, Natsugoe S, Ishigami S, et al.:* Lymphnode micrometastasis and lymphatic mapping determined by reverse transcriptase-polymerase chain reaction in PNo gastric carcinoma. *Surgery* 2002; 131: 630.
- Mclaren KM, Burnett RA, Good lad J R, et al, 2003:* Observer variability in the Goseki grouping of gastric adenocarcinoma in resection and biopsy specimens. *Histopathology* 42: 472-475.
- Medema RH, Kops GJ, Bos JL, Burgering BM:* AFX-Like forkhead transcription factors mediate cell-cycle regulation by Ras and through P<sub>27</sub><sup>kip-1</sup>. *Nature* 2000, 404: 782-787.
- Meining A, Morgner A, Miehke S, Bayerdörffer E, Stolte M:* Atrophy-metaplasia-dysplasia-carcinoma sequence in the stomach: a reality or merely an hypothesis? *Best Pract Res Clin Gastroenterol.* 2001 Dec;15(6):983-98.
- Mielko J, Polkowski WP, Skomra DG, Stanisławek AJ, Kurylcio AM, Korobowicz EM:* Prognostic value of p27 expression in adenocarcinoma of the pancreatic head region. *HPB (Oxford).* 2006;8(3):216-22.
- Migaldi M, Zunarelli E, Sgambato A, Leocata P, Ventura L, De Gaetani C:* P27Kip1 expression and survival in NO gastric carcinoma. *Pathol Res Pract.* 2001;197(4):231-6.
- Min YH, Cheong JW, Kim JY, Eom JI, Lee ST, Hahn JS, Ko YW, Lee MH.* Cytoplasmic mislocalization of p27Kip1 protein is associated with constitutive phosphorylation of Akt or protein kinase B and poor prognosis in acute myelogenous leukemia. *Cancer Res.* 2004 Aug 1;64(15):5225-31.
- Mingchao , Devereux TR, Stockton P, Sun K, Sills RC, Clayton N, Portier M, Flake G.* Loss of E-cadherin expression in gastric intestinal metaplasia and later stage p53 altered expression in

gastric carcinogenesis. *Exp Toxicol Pathol.* 2001 Sep;53(4):237-46.

**Misdraji J, Lauwers GY.:** Gastric epithelial dysplasia. *Semin Diagn Pathol.* 2002 Feb; 19 (1): 20-30.

**Mönig S, Baldus SE, Collet PH, Zirbes TK, Bollschweiler E, Thiele J, Dienes HP, Hölscher AH.** Histological grading in gastric cancer by Goseki classification: correlation with histopathological subtypes and prognosis. *Anticancer Res.* 2001 Jan-Feb;21(1B):617-20.

**Mori M, Sakaguichi. H, Akazawa K et al, 1995:** Correlation between metastatic site, histological type, and serum tumor markers of gastric carcinoma. *Hum Pathol* 26: 504-508.

**Murakami K, Mitomi H, Yamashita K, Tanabe S, Saigenji K, Okayasu I:** p53, but not c-Ki-ras, mutation and down-regulation of p21WAF1/CIP1 and cyclin D1 are associated with malignant transformation in gastric hyperplastic polyps. *Am J Clin Pathol.* 2001 Feb;115(2):224-34.

**Nadia-Mokhtar, Iman Gouda, Iman Adel. Malignant:** Digestive System Tumors. In *Cancer pathology Registry And Time Trend Analysis.* 1<sup>st</sup> Edition, NCI, Cairo University, P. (59-60), 2007.

**Nakayama K., Nagahama H., Minamishima Y. A., Matsumoto M., Nakamichi I., Kitagawa K., Shirane M., Tsunematsu R., Tsukiyama T., Ishida N., Kitagawa M., Hatakeyama S.** Targeted disruption of Skp2 results in accumulation of cyclin E and p27(Kip1), polyploidy and centrosome overduplication. *EMBO J.*, 19: 2069-2081, 2000.

**Nardone G, Rocco A, Budillon G.** Molecular alteration of gastric carcinoma. *Minerva Gastroenterol Dietol.* 2002 Jun;48(2):189-93.

- Neu B, Rad R, Reindl W, Neuhofer M, Gerhard M, Schepp W, Prinz C:** Expression of tumor necrosis factor- alpha -related apoptosis-inducing ligand and its proapoptotic receptors is down-regulated during gastric infection with virulent cagA+/vacAs1+ Helicobacter pylori strains. J Infect Dis. 2005 Feb 15;191(4):571-8. Epub 2005 Jan 12.
- Nitti D, Belluco C, Mammano E, Marchet A, Ambrosi A, Mencarelli R, Segato P, Lise M:** Low level of P<sub>27</sub><sup>(Kip1)</sup> protein expression in gastric adenocarcinoma is associated with disease progression and poor outcome.; J Surg Oncol. 2002 Dec; 81 (4): 167-75.
- Ohata H, Kitauchi S, Yoshimura N, Mugitani K, Iwane M, Nakamura H, Yoshikawa A, Yanaoka K, Tamai H, Shimizu Y, Takeshita T, Mohara O, Ichinose M:** Progression of chronic atrophic gastritis associated with Helicobacter pylori infection increases risk of gastric cancer. Int J Cancer. 2004 Mar; 109 (1): 138-43.
- Oliveira C, Ferreira P, Nabais S, Campos L, Ferreira A, Cirnes L, Alves CC, Veiga I, Fragoso M, Regateiro F, Dias LM, Moreira H, Suriano G, Machado JC, Lopes C, Castedo S, Carneiro F, Seruca R:** E-Cadherin (CDH1) and p53 rather than SMAD4 and Caspase-10 germline mutations contribute to genetic predisposition in Portuguese gastric cancer patients. Eur J Cancer. 2004 Aug;40(12):1897-903.
- Omejc M, Juvan R, Jelenc F, Repse S.** Lymph node metastases in gastric cancer: correlation between new and old UICC TNM classification. Int Surg. 2001 Jan-Mar;86(1):14-9.
- Ongkai Zhang, Qiu-Min Zhang, Tie-Hua Zhao, Yuan-Yuan Li, Yong-Fen Yi:** Expression of mucins and E-cadherin in gastric carcinoma and their clinical significance; World J Gastroenterol 2004 October 15; 10 (20): 3044-3047.

- Oshima CT, Forones NM.* AgNOR in stomach neoplasm. *Arq Gastroenterol.* 2001 Apr-Jun;38(2):89-93.
- Osoegawa A, Yoshino I, Tanaka S, Sugio K, Kameyama T, Yamaguchi M, Maehara Y:* Regulation of p27 by S-phase kinase-associated protein 2 is associated with aggressiveness in non-small-cell lung cancer. *J Clin Oncol.* 2004 Oct 15;22(20):4165-73.
- Ozercan IH, Bahçecioglu IH, Ozercan MR, Bozlak N, Dogan C, Yekeler H.* Proliferating cell nuclear antigen and nucleolar organizer region for differential diagnosis of dysplasia and adenocarcinoma in gastric biopsies. *Indian J Gastroenterol.* 2000 Apr-Jun;19(2):57-60.
- Palli D, Saieva C, Luzzi I, Masala G, Topa S, Sera F, Gemma S, Zanna I, D'Errico M, Zini E, Guidotti S, Valeri A, Fabbrucci P, Moretti R, Testai E, del Giudice G, Ottini L, Matullo G, Dogliotti E, Gomez-Miguel MJ.* Interleukin-1 gene polymorphisms and gastric cancer risk in a high-risk Italian population. *Am J Gastroenterol.* 2005 Sep;100(9):1941-8.
- Park SY, Kim HS, Hong EK, Kim WH:* Expression of cytokeratins 7 and 20 in primary carcinomas of the stomach and colorectum and their value in the differentiated diagnosis of metastatic carcinomas to the ovary. *Hum Pathol* 2002, 33: 1078-1085.
- Pich A, Chiusa L, Margaria E.* Prognostic relevance of AgNORs in tumor pathology. *Micron.* 2000 Apr;31(2):133-41.
- Pich A, Margaria E, Chiusa L:* Significance of the AgNOR in tumor pathology. *Pathologica.* 2002 Feb;94(1):2-9.
- Pinto-de-sousa J, Silva F, David L, Leitao D, Seixas M, Pimenta A, Cardoso-de-Oliveira M.:* clinicopathological significance and survival influence of p53 protein expression in gastric carcinoma. *Histopathology* 2004 Apr; 44 (4): 323-31.

- Powell SM:** Stomach cancer. In Vogelstein B, Kinzler W (eds): The Genetic Basis of Human Cancer, 2<sup>nd</sup> Edition, New York: McGraw. Hill, 703, 2002.
- Prakash I, Mathur RP, Kar P, Ranga S, Talib VH.** Comparative evaluation of cell proliferative indices and epidermal growth factor receptor expression in gastric carcinoma. Indian J Pathol Microbiol. 1997 Oct;40(4):481-90.
- Rakha EA, Boyce RW, Abd El-Rehim D, Kurien T, Green AR, Paish EC, Robertson JF, Ellis IO.** Expression of mucins (MUC1, MUC2, MUC3, MUC4, MUC5AC and MUC6) and their prognostic significance in human breast cancer. Mod Pathol. 2005 Oct;18(10):1295-304.
- Ramia JM, Sancho E, Lozano O, Santos JM, Dominguez F.:** Menetrier's disease and gastric cancer. Cir Esp. 2007 Mar; 81 (3): 153-4.
- Rindi G, Bordi C, Rappel S, et al. 1996:** Gastric carcinoids and neuroendocrine carcinomas: pathogenesis, pathology, and behavior. World J Surg 20: 168-172.
- Rodier G, Montagnoli A, DiMarcotullio L, coulombe P, Dreatta GF, Meloche S:** P<sub>27</sub> cytoplasmic localization is regulated by phosphorylation on Sero 10 and isn't a prerequisite for its proteolysis. E MBO J 2001; 20: 6672-6682.
- Roessler K, Mönig SP, Schneider PM, Hanisch FG, Landsberg S, Thiele J, Hölscher AH, Dienes HP, Baldus SE.** Co-expression of CDX2 and MUC2 in gastric carcinomas: correlations with clinico-pathological parameters and prognosis. World J Gastroenterol. 2005 Jun 7;11(21):3182-8.
- Rosi J:** The stomach. In Ackerman's surgical pathology. 9<sup>th</sup> ed., The United State of America. (11) 497-499, 2004.

- Roviello F, Rossi S, Marrelli D, Pedrazzanic, Corso G, Vindigni C, Morgagni P, Saragoni L. de Manz, Tomezzoli A:* Number of lymph node metastases and its prognostic significance in early gastric cancer. Multicenter Italian study. *J Surg Oncol* 2006; 94: 275-280.
- Roy P, Piard F, Duserre. Guion L, Martin L, Michiels- Marzais D, Faviert (1998):* Prognostic comparison of the pathological classifications of gastric cancer: a population-based study. *Histopathology* 33: 304-310.
- Rugge M, Cassaro M, Di Mario F et al., 2003:* The long term outcome of gastric non-invasive neplasia. *Gut* 52:111-1116.
- Rugge M, Correa p, Dixon MF, Hahorit, Leandro, G, Lewin K, Riddell RH, sipponen P, Watanabe H.* Gastric dysplasia: The Padova International Classification. *Am J Surg Pathol* 2000, 24:167-176.
- Russo A, Bazan V, Migliavacca M, Tubiolo C, Macaluso M, Zanna I, Corsales, Latteri F, Valerio MR, Pantuso G, Morello V, Dardononi G, Latter; MA, Colucci G, Tamasino RM, Gebbia N:* DNA aneuploidy and high proliferative activitiy but not K-ras-2 mutations as independent predictors of clinical outcome in operable gastric carcinoma: result of a 5-year Gruppo Oncologico dell. Italia Meridonale (GDIM) prosective study. *Cancer.* 2001 Jul 15; 92 (2): 294-302.
- Saito H, Fukumoto Y, Oskai T, Fukuda K, Tatebe S, Tsyjitani S, Ikeguchi M:* Prognostic significance of number of lymph node metastases in patients with gastric cancer. *Ann Surg Oncol* 2007; 14: 1688-92.
- Sanchez-Beato M, Camacho FI, Martinez-Montero JC, Saez AI, Villuendas R, Sanchez-Verde L, Garcia JF, Piris MA.*

Anomalous high p27/KIP1 expression in a subset of aggressive B-cell lymphomas is associated with cyclin D3 overexpression. p27/KIP1-cyclin D3 colocalization in tumor cells. *Blood*. 1999;94:765–772.

**Santoro R, Carboni F, Lepiane P, Ettorre GM, Santoro E:** clinicopathological features and prognosis of gastric cancer in young European adults. *Br J Surg*. 2007 Jun; 94 (6): 737-42.

**Saragoni L, Gaudio M, Morgagni P, Folli S, Vio A, Scarpi E, Saragoni A.** The role of growth patterns, according to Kodama's classification, and lymph node status, as important prognostic factors in early gastric cancer: analysis of 412 cases. *Gastric Cancer*. 2000 Dec 27;3(3):134-140. 

**Sasaki Y, Morimoto I, Kusano M, Hosokawa M, Itoh F, Yanagihara K, Imai K, Tokino T.** Mutational analysis of the beta-catenin gene in gastric carcinomas. *Tumour Biol*. 2001 Mar-Apr;22(2):123-30.

**Schlemper RJ, Kato Y, Stolte M.** Review of histological classifications of gastrointestinal epithelial neoplasia: differences in diagnosis of early carcinomas between Japanese and Western pathologists. *J Gastroenterol*. 2001 Jul;36(7):445-56. 

 **Serafini M, Bellocco R, Wolk A, Ekström AM:** Total antioxidant potential of fruit and vegetables and risk of gastric cancer. *Gastroenterology*. 2002 Oct;123(4):985-91.

**Sgambato A, Migaldi M, Leocata P, Ventura L, Criscuolo M, Di Giacomo C, Capelli G, Cittadini A, De Gaetani C.** Loss of p27Kip1 expression is a strong independent prognostic factor of reduced survival in N0 gastric carcinomas. *Cancer*. 2000 Dec 1;89(11):2247-57.


- Shang J and Pena AS:** Multidisciplinary approach to understand the pathogenesis of gastric cancer. *World J. gastroenterol* 2005; 11 (27): 1431-1439.
- Shibata A, Longacre TA, Puligandla B, Parsonnet J, Habel LA:** Histological classification of gastric adenocarcinoma for epidemiological research: concordance between pathologists. *Cancer Epidemiol Biomarkers Prev.* 2001 Jan;10(1):75-8.
- Shim YH, Kang GH, Ro JY:** Correlation of p16 hypermethylation with p16 protein loss in sporadic gastric carcinomas. *Lab Invest.* 2000 May;80(5):689-95. 
- Shin KH, Shin JH, Kim JH, Park JG.** Mutational analysis of promoters of mismatch repair genes hMSH2 and hMLH1 in hereditary nonpolyposis colorectal cancer and early onset colorectal cancer patients: identification of three novel germ-line mutations in promoter of the hMSH2 gene. *Cancer Res.* 2002 Jan 1;62(1):38-42.
- Shiotani A, Iishi H, Kumamoto M, Nakae Y.** Helicobacter pylori infection and increased nitrite synthesis in the stomach. Inflammation and atrophy connections. *Dig Liver Dis.* 2004 May;36(5):327-32.
- Siavoshi F, Malekzadeh R, Daneshmand M, Ashktorab H .** Helicobacter pylori endemic and gastric disease. *Dig Dis Sci.* 2005 Nov;50(11):2075-80.
- Simsa J, Leffler J, Hoch J, Linke Z, Padr R:** Gastric cancer in young patients is there any hope for them? *Acta Chir Belg.* 2004 Nov-Dec; 104 (6): 673-6.
- Skoropad V, Berdov B, Zagrebin V.:** Clinicopathological features and outcome of surgical treatment of 149 patients with early pT1 gastric cancer. *Onkologie.* 2005 May; 28(5): 243-4.

- Slingerland J, Pagano M.* Regulation of the cdk inhibitor. p27 and its deregulation in cancer. *J Cell Physiol.* 2000;183:10–17.
- Slingerland J, Pagnano M:* Regulation of the CdK inhibitor P<sub>27</sub> and deregulation in cancer. *J Cell Physiol* 2000, 183: 10-17.
- Sobin LH, Wittekind Ch.* (eds) 2002 UICC: TNM classification of malignant tumors. 6<sup>th</sup> edn. John Wiley, New York.
- Stomach, In: Greene F, Page D, Fleming ID, et al, eds:* AJCC cancer staging manual, New York: Springer-Verlag, 2002: 99.
- Su M, Lu SM, Tian DP, Zhao H, Li XY, Li DR, Zheng ZC:* Relationship between ABO blood groups and carcinoma of esophagus and cardia in Chaoshan inhabitants of China. *World J Gastroenterol.* 2001 Oct;7(5):657-61.
- Sugai T, Habano W, Jiao YF, Suzuki M, Takagane A, Nakamura S.* Analysis of genetic alterations associated with DNA diploidy, aneuploidy and multiploidy in gastric cancers. *Oncology.* 2005;68(4-6):548-57. Epub 2005 Jul 20. 
- Suzuki K, Kashimura H, Ohkawa J, Itabashi M, Watanabe T, Sawahata T, Nakahara A, Muto H, Tanaka N.* Expression of human telomerase catalytic subunit gene in cancerous and precancerous gastric conditions. *J Gastroenterol Hepatol.* 2000 Jul;15(7):744-51.
- Tabuko, K, Honma N, Sawabe M, Arai T, Izumiyama-Shimoma N, Kammori M, Sasajima K, Esaki Y:* Oncocytic adenocarcinomas of the stomach: Parietal cell carcinoma: *Am J Surg Path* 2002. 26: 458-465.
- Tahara E:* Genetic pathways of two types of gastric cancer. *IARC Sci Publ.* 2004;(157):327-49.
- Taka-aki Masuda, Hiroshi Inoue, Koujiro Nishida, Hideto Sonoda, Yasuji Yoshikawa, Yoshihiro Kakeji, Tohru Utsunomiya and*

- Masaki Mori.:** Cyclin-Dependent Kinase 1 gene Expression is associated with poor prognosis in Gastric Carcinoma. *Clinical Cancer Research* Vol. 9, 5693-5698, November 15, 2003.
- Takano Y, Kato Y, van Diest PJ, Masuda M, Mitomi H, Okayasu I.** Cyclin D2 overexpression and lack of p27 correlate positively and cyclin E inversely with a poor prognosis in gastric cancer cases. *Am J Pathol.* 2000 Feb;156(2):585-94.
- Terry MB, Gaudet MM, Gammon MD.:** The epidemiology of gastric cancer. *Semin Radiat Oncol* 2002; 12: 111.
- Trerè D:** AgNOR staining and quantification. *Micron.* 2000 Apr;31(2):127-31.
- Tseng HJ, Chan CC, Chan EC:** Sphingomyelinase of *Helicobacter pylori*-induced cytotoxicity in AGS gastric epithelial cells via activation of JNK kinase. *Biochem Biophys Res Commun.* 2004 Feb 6;314(2):513-8
- Unger Z**  **Unger Z, Prónai L, Szaleczky E, Zágoni T, Molnár B, Tulassay Z:** Effect of *Helicobacter pylori* infection and eradication on proliferative kinetics of the gastric mucosa *Orv Hetil.* 2000 Dec 10;141(50):2695-700. 
- Viglietto G, Fusco A:** Understanding P<sub>27</sub> kip-1 deregulation in cancer; down regulation or mislocalization? *Cell Cycle* 2002, 1: 394-400.
- Vincent T. Devita, Jr, Samuel Hellman, Steven A. Rosenberg.** Gastric carcinoma. In *CANCER (Principles & practice Of oncology)*. Philadelphia, Baltimore, New York, London Tokyo, Hong Kong. Sydney. 7<sup>th</sup> edition. (2) 291-329, 2005.
- Volpe CM, Hameer HR, Masett P, et al. 1995:** Squamous cell carcinoma of the stomach. *Am Surg* 61: 1076-1078.

- Vukobrat- Bijedic Z, Radovic S, Husic-Selimovic A, GornJakovic S:** Incomplete intestinal metaplasia as an indicator for early detection of gastric carcinoma in the events of helicobacter pylori positive chronic atrophic gastritis. *Bosn J Basic Med Sci*, 2006 Nov; 6 (4): 48-53.
- Wagner S, Beil W, Westermann J, et al:** Regulation of gastric epithelial cell growth by Helicobacter pylori: evidence for a major role of apoptosis. *Gastroenterology* 1997; 113 (6): 1836-47.
- Wakiguchi H.** Overview of Epstein-Barr virus-associated diseases in Japan. *Crit Rev Oncol Hematol*. 2002 Dec;44(3):193-202.
- Wang RQ, Fang DC.** Alterations of MUC1 and MUC3 expression in gastric carcinoma: relevance to patient clinicopathological features. *J Clin Pathol*. 2003 May;56(5):378-84.
- Watson NF, Durrant LG, Scholefield JH, Madjd Z, Scrimgeour D, Spendlove I, Ellis IO, Patel PM.** Cytoplasmic expression of p27(kip1) is associated with a favourable prognosis in colorectal cancer patients. *World J Gastroenterol*. 2006 Oct 21;12(39):6299-304.
- Wingo PA, et al:** Long-Term Trends in cancer mortality in the United States, 1930-1998, *Cancer* 97: 3133, 2003.
- World Health Organization:** Classification of Tumors of the digestive system. Hamihon S, Aaltouen R, (eds). Lyon, IRAC press, 2000, p. 38.
- Wu JF, Shao JC, Wang DB, Qin R, Zhang H.** Expression and significance of cell cycle regulators in gastric carcinoma] *Ai Zheng*. 2005 Feb;24(2):175-9
- Wu YY, Tsai HF, Lin WC, Chou AH, Chen HT, Yang JC, Hsu PI, Hsu PN:** Helicobacter pylori enhances tumor necrosis factor-related apoptosis-inducing ligand-mediated apoptosis in human gastric

epithelial cells. *World J Gastroenterol.* 2004 Aug 15;10(16):2334-9.

 **Xia HH, Talley NJ:** Apoptosis in gastric epithelium induced by *Helicobacter pylori* infection: implications in gastric carcinogenesis. *Am J Gastroenterol.* 2001 Jan;96(1):16-26.

**Xiangming C, Natsugoe S, Takao S, Hokita S, Tanabe G, Baba M, Kuroshima K, Aikou T:** The cooperative role of P<sub>27</sub> with cyclin E in the prognosis of advanced gastric carcinoma. *Cancer.* 2000 Sep 15; 89(6): 1214-9.

**Xin Y, Grace A, Gallagher MM, Curran BT, Leader MB, Kay EW:** CD44V6 in gastric carcinoma: a marker of tumor progression. *Appl Immunohistochem Mol Morphol.* 2001 Jun;9(2):138-42.

**Xiu-Mei Ma, Ying Liu, Jian-Wen Guo, Jiang-Hui Liu, Lian-Fu Zuo:** Relation of over expression of S phase kinase-associated protein 2 with reduced expression of P27 and PTEN in human gastric carcinoma. *World J Gastroenterol* 2005 November 14; 11 (42): 6716-1721.

**Yamaguchi A, Goi T, Yu J, Hirono Y, Ishida M, Iida A, Kimura T, Takeuchi K, Katayama K, Hirose K:** Expression of CD44v6 in advanced gastric cancer and its relationship to hematogenous metastasis and long-term prognosis. *J Surg Oncol.* 2002 Apr;79(4):230-5.

**Yasa MH, Bektas A, Yukselen V, Akbulut H, Camci C, Ormeci N:** DNA analysis and DNA ploidy in gastric cancer and gastric precancerous lesions. *Int J Clin Pract.* 2005 Sep;59(9):1029-33.

**Yasuda K, Adachi Y, Shiraishi N, Yamaguchi K, Shiromizu A, Kitano S:** Pathology and prognosis of mucinous gastric carcinoma. *J Surg Oncol.* 2001 Apr; 76 (4): 272-7.

- Yasui W, Yokozaki H, Fujimoto J, Naka K, Kuniyasu H, Tahara E.* Genetic and epigenetic alterations in multistep carcinogenesis of the stomach. *J Gastroenterol.* 2000;35 Suppl 12:111-5.
- Yei CJ, Chang JG, Shih MC, Lin SF, Chang CS, Ko FT, Lin KY, Liu TC.* Lewis blood genotypes of peptic ulcer and gastric cancer patients in Taiwan. *World J Gastroenterol.* 2005 Aug 21;11(31):4891-4.
- Yokota T, Ishiyama S, Saito T, Teshima S, Narushima Y, Murata K, Iwamoto K, Yashima R, Yamauchi H, Kikuchi S.:* Lymph node metastasis as a significant prognostic factor in gastric cancer:- a multiple logistic regression analysis. *Scand J Gastroenterol* 2004 Apr; 39 (4): 380-4.
- Yokota T, Ishiyama S, Saito T, Teshima S, Yamada Y, Iwamoto K, Takahashi M, Murata K, Yamauchi H:* Is tumor size a prognostic indication for gastric carcinoma? *Anti cancer Res.* 2002 Nov-Dec; 22 (6B): 3673-77.
- Yokota T, Kunii Y, Teshima S, Yama da Y, Saito Takahashi M, Kikuchi S, Yamauchi H:* Significant prognostic factors in pateints with early gastric cancer. *Int Surg.* 2000 Oct-Dec; 85(4): 286-90.
- Yokota T, Kunii Y, Teshima S, Yamada Y, Saito T, Kikuchi S, Yamauchi H:* Signet ring cell carcinoma of the stomach: a clinicopathological comparison with the other histological types. *Tohoku J Exp Med.* 1998 Oct;186(2):121-30.
- Yokota T, Kunii Y, Teshima S, Yamada Y, Saito T, Takahashi M, Kikuchi S, Yamauchi H.* Significant prognostic factors in patients with early gastric cancer. *Int Surg.* 2000 Oct-Dec;85(4):286-90. 

*Zaridze D, Borisova e, Maximovitch D, et al* : Alcohol consumption, smoking and risk of gastric cancer: case- control study from Moscow, Russia. *Cancer causes control* 2000; 11: 363.

*Zhang J, Ji J, Yuan F, Zhu L, Yan C, Yu YY, Liu BY, Zhu ZG, Lin YZ*: Cyclooxygenase-2 expression is associated with VEGF-C and lymph node metastases in gastric cancer patients. *Biomed Pharmacother.* 2005 Oct;59 Suppl 2:S285-8.

*Zhang ZW, Farthing MJ*: The roles of vitamin C in Helicobacter pylori associated gastric carcinogenesis. *Chin J Dig Dis.* 2005;6(2):53-8.

*Zhao P, Liu W, Lu YL.* Clinicopathological significance of FHIT protein expression in gastric adenocarcinoma patients. *World J Gastroenterol.* 2005 Sep 28;11(36):5735-8.

*Zheng XY, Ding W, Xie LP, Chen ZD.* Correlation of Skp2 and P27kip1 protein expression and clinicopathological features of prostate cancer. *Ai Zheng.* 2004 Feb;23(2):215-8.

*Zhou YN, Xu CP, Han B, Li M, Qiao L, Fang DC, Yang JM.* Expression of E-cadherin and beta-catenin in gastric carcinoma and its correlation with the clinicopathological features and patient survival. *World J Gastroenterol.* 2002 Dec;8(6):987-93.



*Zolota V, Batistatou A, Tsamandas AC, Iliopoulos G, Scopa CD, Bonikos DS*: Immunohistochemical expression of TGF-beta1, p21WAF1, p53, Ki67, and angiogenesis in gastric carcinomas: a clinicopathologic study. *Int J Gastrointest Cancer.* 2002;32(2-3):83-9.

*Zukerberg L*: The molecular basis of dysplasia. *Semin Diagn Pathol* 2002; 19: 48-53.