

Referanslar

References

- **Abbas AK & Litchman AH:** Effector mechanism of humoral immunity. In: Abbas AK, Litchman AH. *Cellular and Molecular Immunology, Updated Edition*. 5th ed. Philadelphia, Pa: Elsevier Saunders: 318–344, 2005.
- **Albrecht EA, Chinnaiyan AM, Varambally S, et al:** C5a-induced gene expression in human umbilical vein endothelial cells. *Am J Pathol* 164: 849–859, 2004.
- **Aldo AR, Dale LG, and John PM.:** Induction of Immunologic Tolerance for Transplantation. *Physiol Rev* 79:99-141, 1999.
- **Allen AR, Thompson EM, Williams G, et al.:** Selective renal transplantation in primary hyperoxaluria type 1. *Am J Kidney Dis* 27:891,1996.
- **Alpers CE, Gordon D, Gown AM:** Immunophenotype of vascular rejection in renal transplants. *Mod Pathol* 3:198, 1990.
- **Andersen CB, Ladefoged SD, Larsen S:** Acute kidney graft rejection : a morphological and immunohistological study on zero-hour and follow up biopsies with special emphasis on cellular infiltrates and adhesion molecules. *APMIS* 102:23, 1994.
- **Baddoura FK, Nasr IW, Wrobel B, et al.:** Lymphoid neogenesis in murine cardiac allografts undergoing chronic rejection. *Am. J. Transplant.* 5:510–16, 2005.
- **Bagai R, Valujskikh A, Canaday DH, et al.:** Mouse endothelial cells cross-present lymphocyte-derived antigen on class I MHC via a TAP1- and proteasome-dependent pathway. *J. Immunol.* 174:7711–15, 2005.

- **Baid S, Pascual M, Williams WW, et al.:** Renal thrombotic microangiopathy associated with anticardiolipin antibodies in hepatitis C-positive renal allograft recipients. *J Am Soc Nephrol.* 10:146-153, 1999.
- **Baltzan MA, Shoker AS, George D:** HLA-identity: long-term renal graft survival, acute vascular, chronic vascular and acute interstitial rejection. *Transplantation* 61:881, 1996.
- **Berger S, Roos A, Daha MR, et al.:** Complement and the kidney: What the nephrologist needs to know in 2006? *Nephrol Dial Transplant* 20: 2613–2619, 2005.
- **Bickstaff A, Pelletier R, Wang JJ, et al.:** An Experimental Model of Acute Humoral Rejection of Renal Allografts Associated with Concomitant Cellular Rejection. *Am Journal of Pathology*, Vol. 173, No 2, 2008.
- **Bishop GA and Hostager BS:** The CD40-CD154 interaction in B cell-T cell liaisons. *Cytokine Growth Factor Rev* 14: 297–309, 2003.
- **Bobadilla NA and Gamba G:** New insights into the pathophysiology of cyclosporine nephrotoxicity: A role of aldosterone. *Am J Physiol Renal Physiol* 293: F2–F9, 2007.
- **Bohmig GA, Exner M, Habicht A, et al.:** Capillary C4d deposition in kidney allografts: a specific marker of alloantibody-dependent graft injury. *J Am Soc Nephrol*; 13:1091–1099, 2002.
- **Bohmig GA, Exner M, Watschinger B.:** Acute humoral renal allograft rejection. *Curr Opin Urol*; 12:95–99, 2002.
- **Bollee G, Anglicheau D, Loupy A, et al.:** High-dosage intravenous immunoglobulin-associated macrovacuoles are associated with chronic tubulointerstitial lesion worsening in renal transplant recipients. *Clin J Am Soc Nephrol* 3: 1461–1468, 2008.

- **Boom H, Mallat MJ, de Fijter JW, et al.:** Delayed graft function influences renal function, but not survival. *Kidney Int* 58: 859–866, 2000.
- **Bragado R, Lauzurica P, Lopez D, et al.:** T cell receptor V β usage in a human alloreactive response. *J Exp Med* 171:1189, 1990.
- **Bren A, Pajek J, Grego K, et al.:** Follow-up of kidney graft recipients with cyclosporine-associated hemolytic-uremic syndrome and thrombotic microangiopathy. *Transplant Proc* 37: 1889–1891, 2005.
- **Cailhier JF, Laplante P, Hebert MJ.:** Endothelial apoptosis and chronic transplant vasculopathy: recent results, novel mechanisms. *Am. J. Transplant.* 6:247–53, 2006.
- **Candinas D, Belliveau S, Koyamada N, et al.:** T cell independence of macrophage and natural killer cell infiltration, cytokine production, and endothelial activation during delayed xenograft rejection. *Transplantation*, 62:1920–1927, 1996.
- **Collins AB, Mauiyyedi S, Crespo M, et al.:** Acute humoral rejection in kidney transplantation, II: morphology, immunopathology, and pathologic classification. *J Am Soc Nephrol.* 13:779–787, 2002.
- **Collins AB, Schneeberger EE, Pascual MA, et al.:** Complement activation in acute humoral renal allograft rejection: Diagnostic significance of C4d deposits in peritubular capillaries. *J Am Soc Nephrol* 10: 2208–2214, 1999.
- **Colvin BL, Wang Z, Nakano H, et al.:** CXCL9 antagonism further extends prolonged cardiac allograft survival in CCL19/CCL21-deficient mice. *Am. J. Transplant.* 5:2104–13, 2005.
- **Colvin RB and Mauiyyedi S:** Humoral rejection in kidney transplantation: New concepts in diagnosis and treatment. *Curr Opin in Nephrol.* 11:609, 2002.

- **Colvin RB, Cohen AH, Saiontz C, et al.:** Evaluation of pathologic criteria for acute renal allograft rejection: reproducibility, sensitivity, and clinical correlation. *J Am Soc Nephrol* 8:1930–1941, 1997.
- **Colvin RB and Nickleit V.:** Renal transplant pathology. In *Heptinstall's Pathology of the Kidney*, ed. JC Jennette, JL Olson, MM Schwartz, FG Silva, pp. 1347–490. Philadelphia: Lippincott-Raven, 2006.
- **Colvin RB and Nickleit V.:** Renal transplant pathology. In: Jennette JC, Olson JL, Schwartz MM, Silva FG. *Heptinstall's Pathology of the Kidney*, 6th ed. Philadelphia, Pa: Lippincott Williams and Wilkins;1353, 2007.
- **Colvin RB and Smith RN.:** Antibody-mediated organ-allograft rejection. *Nat Rev Immunol.* 5:807–817, 2005.
- **Colvin RB.:** Antibody-mediated renal allograft rejection: diagnosis and pathogenesis. *J. Am. Soc. Nephrol.* 18:1046–56, 2007.
- **Cornell LD, Smith RN and Colvin RB.:** Kidney Transplantation: Mechanisms of Rejection and Acceptance. *Annu. Rev. Pathol. Mech. Dis.*3:189-220, 2008.
- **Cornell LD and Colvin RB:** Chronic allograft nephropathy. *Curr Opin Nephrol Hypertens* 14: 229–234, 2005.
- **Cosio FG, Roche Z, Agarwal A, et al.:** Prevalence of hepatitis C in patients with idiopathic glomerulonephritis in native and transplant kidneys. *Am J Kidney Dis* 28:752–758, 1996.
- **Dallman MJ:** Immunology of graft rejection in kidney transplantation, principles and practices, edited by Morris PJ. 5th ed, W.B Saaunders Company, USA, Ch2, P9, 2003.
- **Desvaux D, Le Gouvello S, Pastural M, et al.:** Acute renal allograft rejections with major interstitial oedema and plasma cell-rich infiltrates: high gammainterferon expression and poor clinical outcome. *Nephrol Dial Transplant*; 19:933–939, 2004.

- **Drachenberg CB, Hirsch HH, Ramos E, et al.:** Polyomavirus disease in renal transplantation: Review of pathological findings and diagnostic methods. *Hum Pathol* 36: 1245–1255, 2005.
- **Dragun D and Rudolph B:** Novelties in diagnostics and therapy of antibody mediated rejection. *Nephrol Dial Transplant* 22 [Suppl 8]: viii50–viii53, 2007.
- **Dragun D, Muller DN, Brasen JH, et al.:** Angiotensin II type 1-receptor activating antibodies in renal-allograft rejection. *N Engl J Med* 352: 558–569, 2005 dysfunction. *Yonsei Med J* 45: 859–864, 2004.
- **Dustin ML and Springer TA.:** T-cell receptor cross linking transiently stimulates adhesiveness through LFA-1. *Nature* 341-619, 1989.
- **Dusting GJ and Macdonald PS:** Endogenous nitric oxide in cardiovascular disease and transplantation. *Ann Med* 27:395, 1995.
- **Einecke G, Fairhead T, Hidalgo LG, et al.:** Tubulitis and epithelial cell alterations in mouse kidney transplant rejection are independent of CD103, perforin or granzymes A/B. *Am. J. Transplant.* 6:2109–20, 2006.
- **Eleanor MS, Robert AS and Peter J.:** Grant. Genetic and Environmental Determinants of Fibrin Structure and Function: Relevance to Clinical Disease. *Arterioscler. Thromb. Vasc. Biol.* 24:1558-1566, 2004.
- **Fahim T, Bohmig GA, Exner M, et al.:** The cellular lesion of humoral rejection: predominant recruitment of monocytes to peritubular and glomerular capillaries. *Am. J. Transplant.* 7:385–93, 2007.
- **Feucht HE, Schneeberger H, Hillebrand G, et al.:** Capillary deposition of C4d complement fragment and early renal graft loss. *Kidney Int* 43: 1333–1338, 1993.

- **Fogo AB, Cohen AH, Jennette GC, et al.:** Fundamentals of Renal Pathology. Springer, 21:201-204, 2006.
- **Gorczynski RM, Adams RB, Levy GA, et al.:** Th1 and Th2 in human diseases. Clin Immunol Immunophol 80:225, 1996.
- **Haas M, Rahman MH, Racusen LC, et al.:** C4d and C3d staining in biopsies of ABO- and HLA-incompatible renal allografts: correlation with histologic findings. *Am. J. Transplant.* 6:1829–40, 2006.
- **Hagerty DT.:** Intercellular adhesion molecule-1 is necessary but not sufficient to activate CD4+ T-cells. Discovery of a novel costimulator on kidney tubule cells. J Immunol 156:3652, 1996.
- **Hallgren R, Bohman SO, Fredens K:** Activated eosinophil infiltration and deposits of eosinophils cationic protein in renal allograft rejection. Nephron 59:266, 1991.
- **Halloran PF, Schlaut J, Solez K,:** The significance of the anti-class I antibody response. Clinical and pathologic features of renal transplants with anti-class I-like antibody. Transplantation 53:550-555, 1992.
- **Hamilton:** Kidney transplantation: a history. In: Morris PJ, ed., Kidney transplantation: principles and practice. Philadelphia: WB Saunders, 1994.
- **Heidenreich S, Dercken C, August C, et al.:** High rate of acute rejections in renal allograft recipients with thrombophilic risk factors. J Am Soc Nephrol. 9:1309-1313, 1998.
- **Herman J, Lerut E, Van Damme-Lombaerts R, et al.:** Capillary deposition of complement C4d and C3d in pediatric renal allograft biopsies. *Transplantation*; 79:1435–1440, 2005.
- **Hertig A and Rondeau E:** Role of coagulation/Fibrinolysis system in fibrin associated glomerular injury. J Am Soc Nephrol 15:848, 2004.

- **Hidalgo LG, Urmson J, Halloran PF.:** IFN- γ decreases CTL generation by limiting IL-2 production: a feedback loop controlling effector cell production. *Am. J. Transplant.* 5:651–61, 2005.
- **Hirsch HH and Steiger J:** Polyomavirus BK. *Lancet Infect Dis* 3: 611–623, 2003.
- **Hirsch HH:** BK virus: Opportunity makes a pathogen. *Clin Infect Dis* 41: 354–360, 2005.
- **Howie AJ:** Handbook of Renal Biopsy Pathology, 2nd ed. Springer, 11:278–282, 2008.
- **Humar A, Key N, Ramcharan T, et al.:** Kidney retransplants after initial graft loss to vascular thrombosis. *Clin Transplant.* 15:6–10, 2001.
- **Ivanyi B, Hansen HE, Olsen TS:** Postcapillary venule-like transformation of peritubular capillaries in acute renal allograft rejection: an ultrastructural study. *Arch Pathol Lab Med* 116:1062, 1992.
- **Jabs WJ, Sedlmeyer A, Ramassar V, et al.:** Heterogeneity in the evolution and mechanisms of the lesions of kidney allograft rejection in mice. *Am. J. Transplant.* 3:1501–9, 2003.
- **Jacobelli J, Andres PG, Boisvert J, et al.:** New views of the immunological synapse: Variations in assembly and function. *Curr Opin Immunol* 16: 345–352, 2004.
- **Jennette JC, Olson JL, Schwartz MM, Silva FG,:** eds. Colvin RB, Nickleleit V. Renal transplant pathology. In: *Heptinstall's Pathology of the Kidney*. 6th ed. Philadelphia, Pa: Lippincott Williams and Wilkins;1353, 2007.
- **Jin YP, Singh RP, Du ZY, et al.:** Ligation of HLA class I molecules on endothelial cells induces phosphorylation of Src, paxillin, and focal adhesion kinase in an actin-dependent manner. *J Immunol* 168: 5415–5423, 2002.

- **June CH, Bluestone JA, Nadler AM et al.:** The B7 and CD28 receptor families. *Immunol Today* 15:321, 1994.
- **Kato H, Kojima H, Ishii N, et al.:** Essential role of OX40L on B cells in persistent alloantibody production following repeated alloimmunizations. *J Clin Immunol* 24: 237–248, 2004.
- **Kirk, AD, Harlan DM, Armstrong NN, et al.;** CTLA4-Ig and anti-CD40 ligand prevent renal allograft rejection in primates. *Proc. Natl. Acad. Sci. USA* 94: 8789– 8794, 1997.
- **Kumar V, Abbas AK, Fausto N.:** Robbins and Kotran Pathologic basis of disease, Elsevier Saunders;7th ed, 2006.
- **Lakkis FG.** Where is the alloimmune response initiated? *Am J Transplant*; 3:2:41–242, 2003.
- **Lin CC, King KL, Chao YW, et al.:** Tacrolimus-associated hemolytic uremic syndrome: A case analysis. *J Nephrol* 16: 580–585, 2003.
- **Liptak P, Kemeny E, Morvay Z, et al.:** Peritubular capillary damage in acute humoral rejection: an ultrastructural study on human renal allografts. *Am. J. Transplant.* 5:2870–76, 2005.
- **Lorenz, M.:** Risk factors for capillary C4d deposition in kidney allografts: evaluation of a large study cohort. *Transplantation* 78, 447–452 2004.
- **Loveland BE, Milland J, Kyriakou P, et al.:** Characterization of a CD46 transgenic pig and protection of transgenic kidneys against hyperacute rejection in nonimmunosuppressed baboons. *Xenotransplantation* 11:171–83, 2004.
- **Luis M, Mateu P, Calabuig AS.:** *Nephrol Dial Transplant* 19: iii38–iii42 DOI: 10.1093, 2004.
- **Manser T:** Textbook germinal centers? *J Immunol* 172: 3369–3375, 2004.

- **Mauiyyedi S, Crespo M, Collins AB, et al.:** Acute humoral rejection in kidney transplantation: II. Morphology, immunopathology, and pathologic classification. *J Am Soc Nephrol* 13:779–787, 2002.
- **Mauiyyedi S, Pelle PD, Saidman S, et al.:** Chronic humoral rejection: Identification of antibody-mediated chronic renal allograft rejection by C4d deposits in peritubular capillaries. *J Am Soc Nephrol* 12: 574–582, 2001.
- **McHeyzer-Williams MG, Rosen H, Alfonso C, et al.:** Rapid induction of medullary thymocyte phenotypic maturation and egress inhibition by nanomolar sphingosine 1-phosphate receptor agonist. *PNAS*; 100, 19 10907–10912, 2003.
- **Medley QG, Kedersha N, O’Brien S, et al.:** Characterization of GMP-17, a granular membrane protein that moves to the plasma membrane of natural killer cells following target cell recognition. *Proc Natl Acad Sci (USA)* 93: 685, 1996.
- **Meehan S, McCluskey R, Pascual M, et al.:** Cytotoxicity and apoptosis in human renal allografts: Identification, distribution, and quantitation of cells with TIA-1 (GMP-17) cytotoxic granule protein and fragmented nuclear DNA. *Lab Invest* 76:639, 1997.
- **Mempel TR and von Andrian UH:** Homing and cellular traffic in lymph nodes. *Nat Rev Immunol* 3: 867–878, 2003.
- **Mizutani K, Terasaki P, Rosen A, et al.:** Serial ten-year follow-up of HLA and MICA antibody production prior to kidney graft failure. *Am J Transplant* 5: 2265–2272, 2005.
- **Montgomery RA, Hardy MA, Jordan SC, et al.:** Consensus opinion from the antibody working group on the diagnosis, reporting and risk assessment for antibody-mediated rejection and desensitization protocols. *Transplantation*.78:181–185, 2004.
- **Naesens M, Kambham N, Concepcion W, et al.:** The evolution of non-immune histological injury and its clinical relevance in adult-sized kidney grafts in pediatric recipients. *Am J Transplant* 7: 2504–2514, 2007.

- **Nakashima S, Qian Z, Rahimi S, et al.:** Membrane attack complex contributes to destruction of vascular integrity in acute lung allograft rejection. *J Immunol* 169: 4620–4627, 2002.
- **Nickeleit V and Andreoni K.:** The classification and treatment of antibody-mediated renal allograft injury: where do we stand? *Kidney Int.* 71:7–11, 2007.
- **Nickeleit V and Mihatsch MJ.:** Kidney transplants, antibodies and rejection: is C4d a magic marker? *Nephrol Dial Transplant*; 18: 2232–2239, 2003.
- **Nickeleit V, Zeiler M, Gudat F et al.:** Detection of the complement degradation product C4d in renal allografts: diagnostic and therapeutic implications. *J Am Soc Nephrol* 13: 242-251, 2002.
- **Nickeleit V, Vamvakas EC, Pascual M, et al.:** The prognostic significance of specific arterial lesions in acute renal allograft rejection. *J Am Soc Nephrol.*;9(7):1301-1308, 1998.
- **Nishi S, Imai N, Ito Y, et al.:** Pathological study on the relationship between C4d, CD59 and C5b-9 in acute renal allograft rejection. *Clin Transplant.* 18(suppl 11):18–23, 2004.
- **O’Keefe S, Tamura J, Kincaid RL, et al.:** FK-506- and CsA-sensitive activation of the interleukin-2 promoter by calcineurin. *Nature.* 357:692-697, 1992.
- **Olsen S, Spencer E, Cockfield S, et al.:** Endocapillary glomerulitis in the renal allograft. *Transplantation* 59:1421, 1995.
- **Ota H, Fox-Talbot K, Hu W, et al.:** 3rd: Terminal complement components mediate release of von Willebrand factor and adhesion of platelets in arteries of allografts. *Transplantation* 79: 276– 281, 2005.
- **Pascual M, Saidman S, Tolkoff-Rubin N, et al.:** Plasma exchange and tacrolimus-mycophenolate rescue for acute humoral rejection in kidney transplantation. *Transplantation*;66 (11):1460, 1998.

- **Piazza C, Montani MSG, Moretti S, et al.:** CD4+ T cells kills CD8+ T cells via Fas/Fas ligand-mediated apoptosis. *J Immunol* 158:1503, 1997.
- **Poduval RD, Kadambi PV, Josephson MA, et al:** Implications of immunohistochemical detection of C4d along peritubular capillaries in late acute renal allograft rejection. *Transplantation* 79: 228–235, 2005.
- **Ponticelli C:** De novo thrombotic microangiopathy. An underrated complication of renal transplantation. *Clin Nephrol* 67: 335–340, 2007.
- **Posey JE, Brandt VL, Roth DB:** Paradigm switching in the germinal center. *Nat Immunol* 5: 476–477, 2004.
- **Prasad D.:** Update on Mechanisms of Ischemic Acute Kidney Injury. *J Am Soc Nephrol* 17: 1503–1520, 2006.
- **Prodinger WM, Wurzner R, Stoiber H, et al.:** Complement. In: *Fundamentals in Immunology*, edited by Paul WE, Philadelphia, Lippincott Williams & Wilkins, pp 1077–1103, 2003.
- **Racusen LC, Colvin RB, Solez K.:** Antibody-mediated rejection criteria—an addition to the Banff 97 classification of renal allograft rejection. *Am J Transplant.* 3:708–714, 2003.
- **Racusen LC, Solez K, Colvin RB, et al.:** The Banff 97 working classification of renal allograft pathology. *Kidney Int* 55: 713–723, 1999.
- **Ramos EL, Solez K, Cohen AH.:** International standardization of nomenclature and criteria for the histologic diagnosis of renal allograft rejection: The Banff working classification of kidney transplant pathology. *Kidney Int* 44:411-422, 1993.
- **Randhawa PS and Demetris AJ:** Nephropathy due to polyomavirus BK. *N Engl J Med* 342: 1361–1363, 2000.

- **Ranjan P, Nada R, Jha V, et al.:** The role of C4d immunostaining in the evaluation of the causes of renal allograft dysfunction. *Nephrol Dial Transplant* 23: 1735–1741, 2008.
- **Regele H, Bohmig GA, Habicht A, et al.:** Capillary deposition of complement split product C4d in renal allografts is associated with basement membrane injury in peritubular and glomerular capillaries: a contribution of humoral immunity to chronic allograft rejection. *J Am Soc Nephrol* 13:2371–2380, 2002.
- **Russell PS, Chase CM, Colvin RB.:** Contributions of cellular and humoral immunity to arteriopathic lesions in transplanted mouse hearts. *Transplant Proc* 29:2527–2528, 1997.
- **Salmela KT, von Willebrand EO, Kyllonen LE, et al.:** Acute vascular rejection in renal transplantation: diagnosis and outcome. *Transplantation* 54:858, 1992.
- **Sartori M, Patrassi GM, Rigotti P, et al.:** Improved fibrinolytic capacity after withdrawal of steroid in renal transplant recipients. *Transplantation*. 69:2116-2121, 2000.
- **Schmouder RL, Streiter RM, Walz A, et al.:** Epithelial derived neutrophil activating factor-78 production in human renal tubule epithelial cells and in renal allograft rejection. *Transplantation* 59:118, 1995.
- **Sedmak DD, Cosio FG, Henry ML, et al.:** The high prevalence of severe early post transplant renal allograft pathology in hepatitis C positive recipients. *Transplantation* 62:1054, 1996.
- **Seemayer CA, Gaspert A, Nickeleit V, et al.:** C4d staining of renal allograft biopsies: a comparative analysis of different staining techniques. *Nephrol Dial Transplant*.22:568–576, 2007.
- **Serinsoz E, Bock O, Gwinner W, et al.:** Local complement C3 expression is upregulated in humoral and cellular rejection of renal allografts. *Am J Transplant*. 5:1490–1494, 2005.

- **Servais H, Ortiz A, Devuyst O, et al.:** Renal cell apoptosis induced by nephrotoxic drugs: Cellular and molecular mechanisms and potential approaches to modulation. *Apoptosis* 13: 11–32, 2008.
- **Sharpe AH and Freeman GJ:** The B7-CD28 superfamily. *Nat Rev Immunol* 2: 116–126, 2002.
- **Sieders E, Peeters PM, TenVergert EM, et al.:** Early vascular complications after pediatric liver transplantation. *Liver Transplant.* 6:326–332, 2000.
- **Silva FG, Schwartz MM, Olson JL, et al.:** Renal transplant pathology, Heptinstall's Pathology of the kidney, 5th ed, Williams and Wilkins, 1347–1470; 1999.
- **Solez K, Axelsen RA, Benediktsson H, et al.:** International standardization of criteria for the histologic diagnosis of renal allograft rejection: the Banff working classification of kidney transplant pathology. *Kidney Int* 44:411–422, 1993.
- **Solez K, Colvin RB, Racusen LC, et al.:** Banff 07 classification of renal allograft pathology: Updates and future directions. *Am J Transplant* 8: 753–760, 2008.
- **Strieter RM, Schmouder RL, Kunkel SL, et al.:** Interferon- γ regulation of human cortical epithelial cell-derived monocyte chemotactic peptide-1. *Kidney Int* 44:43, 1993.
- **Sun Q, Liu ZH, Cheng Z, et al.:** Treatment of early mixed cellular and humoral renal allograft rejection with tacrolimus and mycophenolate mofetil. *Kidney Int.* 71:24–30, 2007.
- **Takemoto SK, Zeevi A, Feng S, et al.:** National conference to assess antibody-mediated rejection in solid organ transplantation. *Am J Transplant.* 4: 1033–1041, 2004.

- **Thaunat O, Field AC, Dai J, et al.:** Lymphoid neogenesis in chronic rejection: evidence for a local humoral alloimmune response. *Proc Natl Acad Sci U S A.* 102:14723–14728, 2005.
- **Tinckam KJ, Djurdjev O, Magil AB.:** Glomerular monocytes predict worse outcomes after acute renal allograft rejection independent of C4d status. *Kidney Int.* 68:1866–74, 2005.
- **Troxell ML, Weintraub LA, Higgins JP, et al.:** Comparison of C4d Immunostaining Methods in Renal Allograft Biopsies. *Clin J Am Soc Nephrol* 1: 583–591, 2006.
- **Trpkov K, Campbell T, Pazderka F, et al.:** Pathologic features of acute renal allograft rejection associated with donor-specific antibody. *Transplantation;* 61(11): 1586, 1996.
- **Truong LD, Barrios R, Adroque HE, et al.:** Acute Antibody-Mediated Rejection of Renal Transplant Pathogenetic and Diagnostic Considerations. *Arch Pathol Lab Med.* 131:1200–1208, 2007.
- **van den Elsen JM, Martin A, Wong V, et al.:** X-ray crystal structure of the C4d fragment of human complement component C4. *J Mol Biol* 322: 1103–1115, 2002.
- **Vivier E, Munroe M, Ariniello P, et al.:** Identification of tissue infiltrating lymphocytes expressing PEN5, a mucin like glycoprotein selectively expressed on natural killer cells. *Am J Pathol* 146:409, 1995.
- **Wahrmann M, Exner M, Schillinger M, et al.:** Pivotal role of complement-fixing HLA alloantibodies in presensitized kidney allograft recipients. *Am. J. Transplant.* 6:1033–41, 2006.
- **Xu H, Dhanireddy KK, Kirk AD.:** Human monocytes as intermediaries between allogeneic endothelial cells and allospecific T cells: a role for direct scavenger receptormediated endothelial membrane uptake in the initiation of alloimmunity. *J. Immunol.* 176:750–61, 2006.

- **Yango A, Morrissey P, Monaco A, et al:** Successful treatment of tacrolimus-associated thrombotic microangiopathy with sirolimus conversion and plasma exchange. *Clin Nephrol* 58: 77–78, 2002.
- **Yuan FF, Watson N, Sullivan JS, et al.:** Association of Fc γ receptor IIA polymorphisms with acute renal-allograft rejection. *Transplantation* 78:766–69, 2004.
- **Zwinger J, Felber E, Herzog V et al.:** classical pathway of complement activation in normal and diseased human glomeruli. *Kidney int*, 36: 1069-1077, 1989.