

References

- ❖ **Alam I, Lewis K, Stephens JW, Baxter JN** ,(2007): Obesity, metabolic syndrome and sleep apnoea: all pro-inflammatory states. *Obesity Reviews*; 8(2): 119–27.
- ❖ **Arias MA, García-Río F, Alonso-Fernández A, Hernanz A, Hidalgo R, Martínez-Mateo V, Bartolomé S, Rodríguez-Padial L** ,(2008): CPAP decreases plasma levels of soluble tumour necrosis factor-alpha receptor 1 in obstructive sleep apnoea. *Eur Respir J.*; 32(4):1009-15.
- ❖ **Arsenault BJ, Cartier A, Cote M** ,(2009) : Body composition, cardiorespiratory fitness and low-grade inflammation in middle-aged men and women. *Am J Cardiol* ; 104(2): 240–6.
- ❖ **Almeida FR, Lowe AA, Sung JO, Tsuiki S, Otsuka R.** (2006) : Long-term sequellae of oral appliance therapy in obstructive sleep apnea patients: Part 1. Cephalometric analysis. *Am J Orthod Dentofacial Orthop.* Feb 2006;129(2):195-204.
- ❖ **American Academy of Sleep Medicine.** (2005) :The international classification of sleep disorders: diagnostic and coding manual 2nd ed. American Academy of Sleep Medicine. West Chester, IL:
- ❖ **American sleep association September,** (2007): Sleep apnea review http://www.sleepassociation.org/index.php?p=sleep_apnea_public.
- ❖ **American sleep disorder association** (1990) The international classification of sleep diorder Rochseter MN.
- ❖ **Arzt, M., Wensel, R., Montalvan, S., Schichtl, T., Schroll, S., Budweiser, S., Blumberg, F. C., Riegger, G. A. J., Pfeifer, M.** (2008): Effects of Dynamic Bilevel Positive Airway Pressure Support on Central Sleep Apnea in Men With Heart Failure. *Chest* 134: 61-66 v
- ❖ **Aserinsky, E., and Kleitman, N.** *Federation Proc.*, 12, 6 (1953).
- ❖ **V. Zvyagin, E. D. J. Smith, and D. D. Sampson,** (2003) :Delay and dispersion characteristics of a frequency-domain optical delay

line for scanning interferometry,” J. Opt. Soc. Am. A, vol. 20, pp. 333-334.

- ❖ **Bachour A, Hurmerinta K, Maasilta P.**, (2004): Mouth closing device (chinstrap) reduces mouth leak during nasal CPAP, Sleep Med May: 5(3) : 261-7.

- ❖ **Burioka N, Miyata M, Fukuoka Y, Endo M, Shimizu E**, (2008): Day-night variations of serum interleukin-6 in patients with severe obstructive sleep apnea syndrome before and after continuous positive airway pressure (CPAP). Chronobiol Int ;25(5):827-34.

- ❖ **Burioka N, Koyanagi S, Fukuoka Y, Okazaki F, Fujioka T, Kusunose N, Endo M, Suyama H, Chikumi H, Ohdo S, Shimizu E**: Influence of intermittent hypoxia on the signal transduction pathways to inflammatory response and circadian clock regulation. Life Sci. 2009; 85(9-10):372-8.

- ❖ **Geiger and R. Kikinis.** (1994) :Simulation of Endoscopy. In AAAI Spring Symposium Series: Applications of Computer Vision in Medical Images Processing, Stanford University, pages 138-140.

- ❖ **Bachour A, Hurmerinta K, Maasilta P.**, (2004) Mouth closing device (chinstrap) reduces mouth leak during nasal CPAP, Sleep Med May: 5(3) : 261-7.

- ❖ **BARKDULL GC, KOHL CA, PATEL M, DAVIDSON TM.** (2008) Computed tomography imaging of patients with obstructive sleep apnea. Laryngoscope;118(8):1486-92.

- ❖ **Banks S, Dinger DF.**(August 2007)Behavioral and Physiological Consequences of Sleep Restriction. Journal of Clinical Sleep Medicine. 3(5):519-528.

- ❖ **Bixler et al.** (2009);Sleep Disordered Breathing in Children in a General Population Sample: prevalence and Risk Factors. *SLEEP*, 32 (06): 731-736.

- ❖ **Boccio CM, Chinski A., (2001):** Obstructive sleep apnea syndrome in children In: Manual of Pediatric Otorhinolaryngology, IAPO/IFOS - Liz Gráfica Editora; p.37.
- ❖ **Boudewyns AN, De Backer WA, Van de Heyning PH., (2001)** :Pattern of upper airway obstruction during sleep before and after uvulopalatopharyngioplasty in patients with obstructive sleep apnea. Sleep Med. 2.309-15.
- ❖ **Boudewyns AN, Van de Heyning PH, De Backer WA., (1997)** :Site of upper airway obstruction in obstructive sleep apnea and influence of sleep stage. Eur Respir J: 10, 2566-72.
- ❖ **Bowden MT, Kezirian EJ, Utley D, Goode RL., (2005)** :Outcomes of hyoid suspension for the treatment of obstructive sleep apnea. Arch Otolaryngol Head Neck Surg.; 131:440-445.
- ❖ **Bradley TD, Brown IG, Grosdsman RF, Zamal N, Martinez D, Philopson EA, and Hoffstein V., (1986):** Pharyngeal size in snorers. Nonsnorers and patiengs with obstructive sleep apnea. N Engl J Med: 315: 1327-31.
- ❖ **Burke, A J (AJ); Vining, D J (DJ); McGuirt, W F (WF); Postma, G (G); Browne, J D (JD); (2000)** :Evaluation of airway obstruction using virtual endoscopy. 2000-Jan; vol 110 (issue 1) : pp 23-9 Journal: The Laryngoscope (Laryngoscope).
- ❖ **Constantinidis J, Ereliadis S, Angouridakis N, Konstantinidis I, Vital V, Angouridaki C (2008):** Cytokine changes after surgical treatment of obstructive sleep apnoea syndrome. Eur Arch Otorhinolaryngol. 2008;265(10):1275-9.
- ❖ **Cakmak O and others, (2003)** :Value of acoustic rhinometry for measuring nasal valve area, Laryngoscope 113:295,
- ❖ **Carlson JT, Hedner JA, Ejnell H, Peterson LE., (1994)** : High prevalence of hypertension in sleep apnea patients independent of obesity. Am J Respir Crit care Med; 150: 72-7.
- ❖ **Chaban R, Co9le P, Hoffstein V., (1988)** : Site of upper airway obstruction in patients with idiopathic obstructive sleep apnea. Laryngoscopy. 98. 64. 641-47.

- ❖ **Channing DS. *Lumina, Voxels, and Bits.*, (1997):** update on virtual reality imaging. *Appl Radiol: (suppl):* 51-4.
- ❖ **Charles BC and Michael BP., (1997) :** Snoring and sleep apnea. Charles BC (eds) sixth edition Scott-brown,; 4: 4/19/22/4/19/1.
- ❖ **Chen H, Lowe AA, de Almeida FR, Fleetham JA, Wang B.,(2008):** Three-dimensional computer-assisted study model analysis of long-term oral-appliance wear. Part 2. Side effects of oral appliances in obstructive sleep apnea patients.*Am J Orthod Dentofacial Orthop.* Sep;134(3):408-17.
- ❖ **Cherniack, NS, Longobardo, GS., (2006) :**Mathematical models of periodic breathing and their usefulness in understanding cardiovascular and respiratory disorders. *Exp Physiol*;91,295-305.
- ❖ **Ciesielski V, Innes A, Mamutil J., (2003) :** Genetic programming for landmark detection in cephalometric radiology images. *Int J Knowl Base Intell Eng Syst.*; 7:164–171.
- ❖ **Chung, KF, (2005) :**Insomnia subtypes and their relationships to daytime sleepiness in patients with obstructive sleep apnea. *Respiration*;72,460-465.
- ❖ **Comondore et al.,(2009) :**Value of acoustic rhinometry for measuring nasal valve area, *Laryngoscope* 113:295.
- ❖ **D’Ambrosio et al.,(1999) :** update on virtual reality imaging. *Appl Radiol: (suppl):* 51-4.
- ❖ **Dorkova Z, Petrasova D, Molcanyiova A, Popovnakova M, Tkacova R:** Effects of continuous positive airway pressure on cardiovascular risk profile in patients with severe obstructive sleep apnea and metabolic syndrome. *Chest.* 2008; 134(4):686-92.
- ❖ **Dyugovskaya L, Lavie P, Lavie L:** Lymphocyte activation as a possible measure of atherosclerotic risk in patients with sleep apnea. *Ann N Y Acad Sci.* 2005; 1051:340-50.

- ❖ **Dernaika, T., Tawk, M., Nazir, S., Younis, W., Kinasewitz, G. T.** (2007). The Significance and Outcome of Continuous Positive Airway Pressure-Related Central Sleep Apnea During Split-Night Sleep Studies. *Chest* 132: 81-87 .
- ❖ **Donnelly LF.,** (2005): Obstructive sleep apnea in pediatric patients: evaluation with cine MR sleep studies. Department of Radiology, Cincinnati Children's Hospital Medical Center, 3333 Burnet Ave, MLC 5031, Cincinnati, OH, 45229 3039, USA .
- ❖ **Donnelly LF, Shott SR, LaRose CR, Chini BA, Amin RS.** (2004) Causes of persistent obstructive sleep apnea despite previous tonsillectomy and adenoidectomy in children with down syndrome as depicted on static and dynamic cine MRI. *AJR Am J Roentgenol.* 2004 Jul;183(1):175-81.
- ❖ **Dort LC, Hussein J.** (2006): Snoring and obstructive sleep apnea: compliance with oral appliance therapy. *J Otolaryngol.* Jun 2004; 33(3) :172-6.
- ❖ **Eckert, DJ, Jordan, AS, Merchia, P, et al .,** (2007) :Central sleep apnea: pathophysiology and treatment. *Chest*;131,595-607.
- ❖ **Edmonds LC, Daniels BK, Stanson AW, et al.,** (1992): The effect of transcutaneous electrical stimulation during wakefulness and sleep in patients with obstructive sleep apnea. *Am Rev Respir Dis*; 146E: 1030.
- ❖ **El-Feghi I, Sid-Ahmed MA, Ahmadi M.,** (2003): Automatic localization of craniofacial landmarks for assisted cephalometry. *Proc Int Symp Circuits and Systems.*; 3:630–633.
- ❖ **Espana, Rodrigo A, Scammell, Thomas E.,** (2004): Sleep Neurobiology for the Clinician. *Sleep.* ; 27:811-820.
- ❖ **Eastwood PR, Szollosi I, Platt PR, Hillman DR.,** (2002) :Collapsibility of the upper airway during anesthesia with isoflurane. *Anesthesiology,* 97: 786-93.
- ❖ **Erdamar B, Soughlu Y, Cuhadaroglu C, et al.,** (2001) Evaluation of clinical parameters in patients with obstructive sleep apnea and

possible correlation with the severity of the disease. *Eur Arch Otorhinolaryngol* Nov; 258(9): 492.

- ❖ **Fantuzzi G, Mazzone T:** Adipose tissue and atherosclerosis: exploring the connection. *Arteriosclerosis, Thrombosis, and Vascular Biology*, 2007; 27(5): 996–1003.
- ❖ **Furukawa S, Fujita T, Shimabukuro M, Iwaki M, Yamada Y, Nakajima Y, Nakayama O, Makishima M, Matsuda M, Shimomura I.** Increased oxidative stress in obesity and its impact on metabolic syndrome. *J Clin Invest*. 2004;114(12):1752-61.
- ❖ **Ferguson KA, Cartwright R, Rogers R, Schmidt-Nowara W.** (2006) Oral appliances for snoring and obstructive sleep apnea: a review. *Sleep*. Feb 1 2006;29(2):244-62.
- ❖ **Faber Ce and Grymer L.** (2003) Available techniques for objective assessment of upper airway narrowing in snoring and sleep apnea. *Sleep Breath* 7: 77–86.
- ❖ **Fairbanks DF.,** Non surgical treatment of snoring. In snoring and obstructive sleep apnea.
- ❖ **Fajdiga I.,** (2005): Snoring imaging. *Chest* ; 128: 896-901.
- ❖ **Fernandez, DN.,** (2005): Snoring and Obstructive sleep Apnea. Upper airway evaluation. *Otolaryngol Head Neck Surg*. 108: 17.
- ❖ **Fernandez DN.,** (2005): Snoring and Obstructive sleep Apnea. Upper Airway Evaluation. *Medicine specialists otolaryngology and facial plastic surgery maxillofacial surgery*. December 1: 1-9.
- ❖ **Floras, J S** (2009). Should sleep apnoea be a specific target of therapy in chronic heart failure?. *Heart* 95: 1041-1046 .
- ❖ **Franklin, K. A.,** (2007). Sleep apnoea screening in heart failure? Not until benefit is proven!. *Eur Respir J* 29: 1073-1074 .

- ❖ **Friedman M, Schalch P, Lin HC, Kakodkar KA, Joseph NJ, Mazloom N.** (2008) Palatal implants for the treatment of snoring and obstructive sleep apnea/hypopnea syndrome. *Otolaryngol Head Neck Surg.* Feb 2008;138(2):209-16.
- ❖ **Gami AS, Caples SM, Somers VK.,** (2003) Obesity and obstructive sleep apnea. *Endocrinol Metab Clin North Am;* 32: 869-894.
- ❖ **Gold, AR, Dipalo, F, Gold, MS, et al** (2003)The symptoms and signs of upper airway resistance syndrome: a link to the functional somatic syndromes. *Chest;*123,87-95.
- ❖ **Goldberg A N; Schwab R J** (1998) Identifying the patient with sleep apnea: upper airway assessment and physical examination. *Otolary -ngologic clinics of North America ;*31(6):919-30.
- ❖ **Gold, AR, Dipalo, F, Gold, MS, et al** (2004)Inspiratory airflow dynamics during sleep in women with fibromyalgia. *Sleep;*27,459-466.
- ❖ **Grymer LF, Hilberg O, Pedersen OF, Rasmussen TR.** (1991): Acoustic rhinometry: values from adults with subjective normal nasal patency. *Rhinology* 29:35-47.
- ❖ **Harsch IA, Koebnick C, Wallaschofski H, Schahin SP, Hahn EG, Ficker JH, Lohmann T, Konturek PC:** Resistin levels in patients with obstructive sleep apnoea syndrome--the link to subclinical inflammation? *Med Sci Monit.* 2004; 10(9):CR510-5.
- ❖ **Hilberg O, Pedersen OF.**(2000) :Acoustic rhinometry: recommendations for technical specifications and standard operating procedures. *Rhinol Suppl* 16:3-17.
- ❖ **Hoffstein V. Snoring In: Kryger MH, Rothg T, Dement WC.,** (2000) :Principles and practice of Sleep Medicine. 3rd ed. Philadelphia, Pa: WB Saunders Co; 813-826.
- ❖ **Horner RL.,** (1996): Motor control of the pharyngeal musculature and implications for the pathogenesis of obstructive sleep apnea. *Sleep* 19: 827-81.

- ❖ **Houser SM and others** (2002): Acoustic rhinometry finding in patients with mild sleep apnea, *Otolaryngol Head Neck Surg* 126:475.
- ❖ **Huang J, Itai N, Hoshiba T, Fukunaga, T, Yamanouchi K, Toga H, Takahashi K, and Ohya N** (2000) : A new nasal acoustic reflection technique to estimate pharyngeal cross-sectional area during sleep. *J Appl Physiol* 88: 1457-66.
- ❖ **Hudgel, DW.,** (1986) :The role of upper airway anatomy and physiology in obstructive sleep apnea. *Clin Chest Med* 13:383.
- ❖ **Hudgel, DW.,** (1986): Variable site of airway narrowing among obstructive sleep apnea patients *J Appl Physiol*: 61: 1403-9.
- ❖ **Ikeda, K, Ogura, M, Oshima, T, et al** .(2001): Quantitative assessment of the pharyngeal airway by dynamic magnetic resonance imaging in obstructive sleep apnea syndrome. *Ann Otol Rhinol Laryngol* 2001;110,183-189.
- ❖ **Inge Elly Kiemle Trindade; Adriana de Oliveira Camargo Gomes; Ana Claudia Martins Sampaio-Teixeira; Sergio Henrique Kiemle Trindade** ,(2007) :Adult nasal volumes assessed by acoustic rhinometry *Rev. Bras. Otorrinolaringol.* vol.73 no.1 So Paulo Jan. /Feb. 2007.
- ❖ **Iber C, Ancoli-Israel S, Chesson AL, Quan SF.** (2007)The AASM Manual for the Scoring of Sleep and Associated Events: Rules, Terminology and Technical Specifications. Westchester, IL: American Academy of Sleep Medicine; 2007.
- ❖ **Isono I, shimada , A, Tanaka A, et al.,** (2003) Effects of uvulo9palatopharyngoplasty on collapsibility of the retropalatal airway in patients with obstructive sleep apnea. *Laryngoscope*; 113:362-7
- ❖ **Isono S, Remmers JE, Tanaka A, et al.,** (1997) Anatomy of pharynx in patients with obstructive sleep apnea and in normal subjects. *J Appl Physiol*: 82. 1319-26.
- ❖ **Issa FG, Sullivan CE.,** (1982) Alcohol, snoring and sleep apnea. *J Neurol Neurosur Psychiatry*; 35: 353-9.

- ❖ *Issa FG, Sullivan CE., (1982)* The immediate effects of nasal continuous positive airway pressure treatment on sleep pattern in patients with obstructive sleep apnea syndrome. *Electroencephalogr Clin neurophysiol*; 63: 10-17.

- ❖ *Johns MW., (1991)* ::A new method for measuring daytime sleepiness: the Epworth sleepiness scale. *Sleep*; 14: 540-5.

- ❖ *J. H. Walsh, M. S. Leigh, A. Paduch, K. J. Maddison, D. L. Philippe, J. J. Armstrong, D. D. Sampson, D. R. Hillman, and P. R. Eastwood, (2008)*: “Evaluation of pharyngeal shape and size using anatomical optical coherence tomography in individuals with and without obstructive sleep apnoea,” *J. Sleep Res.* **17**, 230-238

- ❖ *J. Huang, N. Itai, T. Hoshiya, T. Fukunaga, K. Yamanouchi, H. Toga, K. Takahashi, and N. Ohya (2000)* :A new nasal acoustic reflection technique to estimate pharyngeal cross-sectional area during sleep **Journal of applied physiology** Vol. 88, Issue 4, 1457-1466, April 2000

- ❖ *J. Armstrong, M. S. Leigh, I. D. Walton, A. V. Zvyagin, S. A. Alexandrov, S. Schwer, D. D. Sampson, D. R. Hillman, P.R. Eastwood, (2003)* :“In vivo size and shape measurement of large hollow organs using endoscopic long-range optical coherence tomography,” *Opt. Express*, 11(15), pp. 1817-1826.

- ❖ *JJ Armstronga, S Beckera, RA McLaughlina, MS Leigha, J Williamsonb, JH Walshb, DR Hillmanb, PR Eastwoodb,c, DD Sampsona (2008)*: Anatomical optical coherence tomography – a safe and effective tool for quantitative long-term monitoring of airway size and shape *Photonic Therapeutics and Diagnostics IV*, Vol. 6842, 68421N.

- ❖ *J.P. Williamson, ARMSTRONG, J; BECKER, S ; SAMPSON, D ; KIRKNESS, J ; WALSH, J; PHILLIPS, M ; HILLMAN, D; EASTWOOD,(2008)*: P Anatomical optical coherence tomography provides accurate calibre measurements in phantom airways: tp 133. *Respirology* . 13 Suppl. 2:A58.

- ❖ *J.P. Williamson , J.J. Armstrong , R.A. McLaughlin , P.B. Noble , A.R. West , S. Becker , A. Curatolo , W.J. Noffsinger , H.W.*

Mitchell , M.J. Phillips , D.D. Sampson , D.R. Hillman , P.R. Eastwood (2009) : Measuring airway dimensions during bronchoscopy using anatomical optical coherence tomography Eur Respir Jdoi:10.1183/09031936.00041809.

- ❖ **Khosla T and Lowe CR.** Indices of obesity derived from body weight and height. Br J Prev Soc Med., 21: 121-8, 1967.
- ❖ **Kohler M, Ayers L, Pepperell JC, Packwood KL, Ferry B, Crosthwaite N, Craig S, Siccoli MM, Davies RJ, Stradling JR:** Effects of continuous positive airway pressure on systemic inflammation in patients with moderate to severe obstructive sleep apnoea: a randomised controlled trial. Thorax. 2009; 64(1):67-73.
- ❖ **Kamal I.,** (2001) :Normal standart curve for acoustic pharyngometry. Otolaryngol Head Neck Surg 2001;124(3):323-30.
- ❖ **Kao YH, Shnayder Y, lee Kc.,** (2003): The efficacy of anatomically based multilevel surgery for obstructive sleep apnea. Otolaryngol Head Neck Surg.; 129-327-335.
- ❖ **Knutson, Kristen L.; Spiegel, Karine; Penev, Plamen; Van Cauter, Eve** (2007): The Metabolic Consequences of Sleep Deprivation. Sleep Medicine Review. ;11:163-178.
- ❖ **Kochar R.** (2002): Anatomy, physiology and pulmonary function testing. In: Kutty K, Kochar MS,Schapira R, Van Ruiswyk J. Kochar's Concise Textbooks of Medicine, 4th Ed. Baltimore,MD, Lippincott, Williams and Wilkins, , p. 481.
- ❖ **Koopmann CF and Moran WB.,** (1990) :Asleep Apnea – An Historical Perspective Otolaryngol CL N Am 23: 571-5.
- ❖ **Koopmann CF and Moran WB.,** (1998): Upper airway assessment and physical examination. Otolaryngol CL N Am: 31: 919-30.
- ❖ **Karkoulis et al.,**(2010) : The efficacy of anatomically based multilevel surgery for obstructive sleep apnea. Otolaryngol Head Neck Surg.; 129-327-335.

- ❖ **Krakow, B, Melendrez, D, Lee, SA, et al.**, (2004) :Refractory insomnia and sleep-disordered breathing: a pilot study. *Sleep Breath*;8,15-29.

- ❖ **Kryger MH, Roth T, Dement WC, eds.** (2005) :Principals and Practice of Sleep Medicine. Philadelphia, Pa: Saunders.

- ❖ **Kushida, CA, Littner, MR, Morgenthaler, T, et al** (2005) :Practice parameters for the indications for polysomnography and related procedures: an update for 2005. *Sleep*;28,499-521.

- ❖ **Lee LA, Huang CG, Chen NH, Wang CL, Fang TJ, Li HY:** Severity of obstructive sleep apnea syndrome and high-sensitivity C-reactive protein reduced after relocation pharyngoplasty. *Otolaryngol Head Neck Surg.* 2011; 144(4):632-8.

- ❖ **Li Y, Chongsuvivatwong V, Geater A, Liu A:** Are biomarker levels a good follow-up tool for evaluating obstructive sleep apnea syndrome treatments? *Respiration.* 2008;76(3):317-23.

- ❖ **Li Y, Chongsuvivatwong V, Geater A, Liu A:** Exhaled breath condensate cytokine level as a diagnostic tool for obstructive sleep apnea syndrome. *Sleep Med.* 2009; 10(1):95-103.

- ❖ **Lang C and others:** (2003) : Investigating the nasal cycle using endoscopy, rhinorestometry, and acoustic rhinometry, *Laryngoscope* 113:284.

- ❖ **Larsson H, Carlson-Nordlander, Svanborg E.**, (2001): Long-time follow up after UPPP for obstructive sleep apnea syndrome. *Acta Otolaryngol (Stockh)*; 111: 592-590.

- ❖ **Larsson L, Carlsson-Nordlander B, Svanborg E.**, (1994) Four year follow-up after uvulopalatopharyngoplasty in 50 unselected patients with obstructive sleep apnea syndrome. *Laryngoscope*: 1362-8.

- ❖ **Lavie, P.** (2007): Mortality in sleep apnoea syndrome: a review of the evidence. *ERR* 16: 203-210 .

- ❖ **LEE CH, MO JH, KIM BJ, KONG IG, YOON IY, CHUNG S, KIM JH, KIM JW.** (2009): Evaluation of soft palate changes using sleep videofluoroscopy in patients with obstructive sleep apnea. *Arch Otolaryngol Head Neck Surg*;135(2):168-72.
- ❖ **Leonardi R, Giordano D, Maiorana F, Spampinato C.** (2008) Automatic cephalometric analysis. *Angle Orthod.*; 78:145–151.
- ❖ **Li K, Powell N, Riley RW, et al.,** (2004): Obstructive sleep apnea surgery: patient perspective and polysomnographic results. *Otolaryngol Head Neck Surg* 2000; 123: 572-5.
- ❖ **Lim J, Lasserson TJ, Fleetham J, Wright J.** (2006) Oral appliances for obstructive sleep apnoea. *Cochrane Database Syst Rev.* Jan 25 2006;CD004435.
- ❖ **Luo, Y. M., Wu, H. D., Tang, J., Jolley, C., Steier, J., Moxham, J., Zhong, N. S., Polkey, M. I.** (2008): Neural respiratory drive during apnoeic events in obstructive sleep apnoea. *Eur Respir J* 31: 650-657.
- ❖ **Malhotra et al.,**(2000) : Investigating the nasal cycle using endoscopy, rhinoresistometry, and acoustic rhinometry, *Laryngoscope* 113:284.
- ❖ **Marin et al.,**(2005 Automatic cephalometric analysis. *Angle Orthod.*; 78:145–151.
- ❖ **Mortensen RF.** C-reactive protein, inflammation, and innate immunity. *Immunol Res* 2001; 24: 163–176.
- ❖ **M. S. Leigh, J. J. Armstrong, A. Paduch, J. H. Walsh, D. R. Hillman, P. R. Eastwood, and D. D. Sampson,** (2008).“Anatomical optical coherence tomography for long-term, portable, quantitative endoscopy,” *IEEE Trans.Biomed. Eng.* **55**, 1438-46
- ❖ **Matthew S. Leigh, Julian J. Armstrong, Alexandre Paduch, Jennifer H. Walsh, David R. Hillman, Peter R. Eastwood, and David D. Sampson**(2008): Anatomical Optical Coherence Tomography for Long-Term, Portable.Quantitative Endoscopy *iee transactions on biomedical engineering*, vol. 55, no. 4.

- ❖ **Matteo Gelardi, Alessandro Maselli del Giudice, Francesco Cariti, Michele Cassano, Aline Castelante Farras, Maria Luisa Fiorella , Pasquale Cassano,(2007):** Acoustic pharyngometry: clinical and instrumental correlations in sleep disorders.
- ❖ **McCaffrey TV, Kern EB (2001)** Clinical evaluation of nasal obstruction, *Arch Otolaryngol* 105:542,
- ❖ **Mediano O, Barcelo A, de la Pena M, et al. (2007) :** Daytime sleepiness and polysomnographic variables in sleep apnoea patients. *Eur Respir J* .
- ❖ **Metes A, Hoffstein V, Mateica S, et al., (1991) :**Site of airway obstruction in patients with OSA before and after uvulo palato - pharyngoplasty. *Laryngoscope*; 101: 1102-8.
- ❖ **Milleron et al.,(2004) :** Nocturnal Noninvasive Ventilation. *Chest* 133: 1275-1286.
- ❖ **Moinuddin R and others: (2001) :** Detection of the nasal cycle, *Am J Rhinol* 15:35.
- ❖ **Moran WB., (1987):** Obstructive sleep apnea: Diagnosis by history, physical examination and special studies in snoring and obstructive sleep apnea.
- ❖ **Muramatsu et al.,(2009) :** Influence of cardiac resynchronisation therapy on different types of sleep disordered breathing. *Eur J Heart Fail* 9: 820-826
- ❖ **Nieto, FJ, Young, TB, Lind, BK, et al (2001) :**Association of sleep-disordered breathing, sleep apnea, and hypertension in a large community-based study: sleep Heart Health Study. *JAMA*;283,1829-1836.
- ❖ **Nordgard S, Stene BK, Skjostad KW. (2006) :** Soft palate implants for the treatment of mild to moderate obstructive sleep apnea. *Otolaryngol Head Neck Surg. Apr 2006*;134(4):565-70.
- ❖ **O'Connor, C, Thornley, KS, Hanly, PJ (2000) :** Gender differences in the polysomnographic features of obstructive sleep apnea. *Am J Respir Crit Care Med*;161,1465-1472.

- ❖ **Oldenburg, O., Faber, L., Vogt, J., Dorszewski, A., Szabados, F., Horstkotte, D., Lamp, B.** (2007): Influence of cardiac resynchronisation therapy on different types of sleep disordered breathing. *Eur J Heart Fail* 9: 820-826 .
- ❖ **Oldenburg, O., Lamp, B., Faber, L., Teschler, H., Horstkotte, D., Topfer, V.** (2007): Sleep-disordered breathing in patients with symptomatic heart failure A contemporary study of prevalence in and characteristics of 700 patients. *Eur J Heart Fail* 9: 251-257.
- ❖ **Oldenburg, O., Lamp, B., Freudenberg, G., Horstkotte, D.** (2007): Screening for sleep-disordered breathing is recommended in patients with chronic heart failure. *Eur Respir J* 30: 1023-1023 .
- ❖ **Ozsancak, A., D'Ambrosio, C., Hill, N. S.** (2008): Nocturnal Noninvasive Ventilation. *Chest* 133: 1275-1286.
- ❖ **Parish & Somers** (2009): Soft palate implants for the treatment of mild to moderate obstructive sleep apnea. *Otolaryngol Head Neck Surg.* Apr 2006;134(4):565-70.
- ❖ **Patel et al.,**(2003) : The association between daytime sleepiness and sleep-disordered breathing in NREM and REM sleep. *Sleep*;25,307-314.
- ❖ **peled et al.,**(1998) : Sleep apnea: epidemiology, pathophysiology, and relation to cardiovascular risk. *Am. J. Physiol. Regul. Integr. Comp. Physiol.* 293: R1671-R1683.
- ❖ **Peker et al.,**(2002) : Nocturnal Noninvasive Ventilation. *Chest* 133: 1275-1286.
- ❖ **Phillips CL, Yang Q, Williams A, Roth M, Yee BJ, Hedner JA, Berend N, Grunstein RR:** The effect of short-term withdrawal from continuous positive airway pressure therapy on sympathetic activity and markers of vascular inflammation in subjects with obstructive sleep apnoea. *J Sleep Res.* 2007; 16(2):217-25.
- ❖ **Popko K, Gorska E, Potapinska O, Wasik M, Stoklosa A, Plywaczewski R, Winiarska M, Gorecka D, Sliwinski P, Popko M, Szwed T, Demkow U:** (2008) :Frequency of distribution of inflammatory cytokines IL-1, IL-6 and TNF-alpha gene

polymorphism in patients with obstructive sleep apnea. *J Physiol Pharmacol.* 59 Suppl 6:607-14.

- ❖ **Punjabi NM., (2008):** The epidemiology of adult obstructive sleep apnea. *Proc Am Thorac Soc*; 5: 136-143.
- ❖ **Parati, G., Lombardi, C., Narkiewicz, K. (2007) :** Sleep apnea: epidemiology, pathophysiology, and relation to cardiovascular risk. *Am. J. Physiol. Regul. Integr. Comp. Physiol.* 293: R1671-R1683
- ❖ **Pépin JL, Ferretti G, Veale D, et al. (1992):** Somnofluoroscopy, computed tomography, and cephalometry in the assessment of the airway in obstructive sleep apnoea. *Thorax*; 47: 150–156
- ❖ **Polo-Kantola P, Rauhala e, Helenius H, et al., (2003) :** Breathing during sleep in menopause: a randomized, controlled, cross-over trial with estrogen therapy. *Obstet Gynecol* .
- ❖ **Punjabi, NM, Bandeen-Roche, K, Marx, JJ, et al (2002) :** The association between daytime sleepiness and sleep-disordered breathing in NREM and REM sleep. *Sleep*;25,307-314.
- ❖ **Ryan S, Taylor CT, McNicholas WT:** Predictors of elevated nuclear factor-kappaB-dependent genes in obstructive sleep apnea syndrome. *Am J Respir Crit Care Med.* 2006; 174(7):824-30.
- ❖ **Ryan S, Taylor CT, McNicholas WT:** Systemic inflammation: a key factor in the pathogenesis of cardiovascular complications in obstructive sleep apnoea syndrome? *Postgrad Med J.* 2009; 85(1010):693-8.
- ❖ **Raanan Arens, Joseph M McDonough, Aaron M Corbin, Nathania K Rubin, Mary E Carroll, Allan I Pack, Jianguo Liu, and Jayaram K Udupa (2003) :** Upper Airway Size Analysis using MRI in Children with Obstructive Sleep Apnea Syndrome *Am. J. Respir. Crit. Care Med.*, Volume 167, Number 1, January 2003, 65-70.
- ❖ **Rechtschaffen A., Kales A. (EDS.) (1968):** A manual of standardized terminology, techniques and scoring system for sleep stages of human subjects. Los Angeles: University of California.

- ❖ **Rama AN, Tekwani SH, Kushida CA.,** (2002): Sites of obstruction In obstructive sleep apnea. *Chest*: 122: 1139-47.
- ❖ **Reichmuth, KJ, Austin, D, Skatrud, JB, et al** (2005) :Association of sleep apnea and type II diabetes: a population-based study. *Am J Respir Crit Care Med*;172,1590-1595.
- ❖ **Remmers JE, Launois S, Feroah T, et al.,** (1990): Mechanics of the pharynx in patients with obstructive sleep apnea. *Prog Clin Biol Res*: 345, 261-8.
- ❖ **Reynolds HY.,** (2004) : Respiratory structure and function .In : Goldman L,Ausillo D,eds.cecil Text book of medicine ,22nd ed. W.B . saunders,Philadelphia,pp.485-501.
- ❖ **Ridely MB.,** (1992) : Aesthetic facial proportions in Papple ID, Nachlis NE (eds) facial plastic and reconstructive surgery St. Louis Mobsy-yearbook; inc. P 106.
- ❖ **Rinaldi R, Vignatelli L, Bassein L, et al.,** (2001) : Validation of symptoms related to excessive daytime sleepiness. *Neuro pepid - emiology* ; 20: 248-56.
- ❖ **Ritter CT, Trudo FJ, Goldberg AN, et al.,** (1998) : Quantitative evaluation of upper airway changes in normals and apneics during Muller maneuver. *Am J Respir Crit Care Med*: 157: A54.
❖ 141.
- ❖ **Riovlin J, Hoffstein V, Kalbfleisch J.,** (1984) : Upper airway morphology in patients wih idiopathic obstructive sleep apnea. *Am Rev Respir. Dis*: 129: 335-60.
- ❖ **Robert A. McLaughlin, Julian J. Armstrong, Sven Becker, Jennifer H. Walsh, Arpit Jain, David R. Hillman, Peter R. Eastwood, and David D. Sampson** (2009): Respiratory gating of anatomical optical coherence tomography images of the human airway *Optics Express*, Vol. 17, Issue 8, pp. 6568-6577 .
- ❖ **Robb RA.** (2000) : Virtual endoscopy development and evaluation using the Visible Human datasets. *Comput Med Imaging Graph* 2000; 24: 133–51.
- ❖ **Robinson S, Lewis R, Norton A, et al.,** (2003): Ultrasound guided

radiofrequency submucosal tongue-base excision for sleep apnea: a preliminary report. *Clin Otolaryngol* . 28: 341-345.

- ❖ **Rollheim J, Tvinnereim M, Sitek J, et al.,** (2001): Repeatability of sites of sleep-induced airway pressure and flow *Eur Arch otorhinolaryngol* 258, 259-64.
- ❖ **Romanow JH, Catalano PJ. Initial U.S. pilot study:** (2006) : upper airway obstruction: a 2-night study based on recordings of palatal implants for the treatment of snoring. *Otolaryngol Head Neck Surg* ;134(4):551-7.
- ❖ **Rudman DT, Elmaraghy CA, Shiels WE, Wiet GJ.** (2003) :The role of airway fluoroscopy in the evaluation of stridor in children. *Arch Otolaryngol Head Neck Surg*.;129(3):305-309.
- ❖ **Spiegel K, Knutson K, Leproult R, Tasali E, Van Cauter E.** (2008) : Sleep loss: a novel risk factor for insulin resistance and Type 2 diabetes. *J Appl Physiol*. 2005;99(5):2008-19.
- ❖ **Steiropoulos P, Kotsianidis I, Nena E, Tsara V, Gounari E, Hatzizisi O, Kyriazis G, Christaki P, Froudarakis M, Bouros D,** (2009):Long-term effect of continuous positive airway pressure therapy on inflammation markers of patients with obstructive sleep apnea syndrome. *Sleep*; 32(4):537-43.
- ❖ **Steiropoulos P, Papanas N, Nena E, Antoniadou M, Serasli E, Papoti S, Hatzizisi O, Kyriazis G, Tzouveleakis A, Maltezos E, Tsara V, Bouros D:** (2010): Inflammatory markers in middle-aged obese subjects: does obstructive sleep apnea syndrome play a role? *Mediators Inflamm*; 2010:675320.
- ❖ **Svensson M, Venge P, Janson C, Lindberg E** (2011): Relationship between sleep-disordered breathing and markers of systemic inflammation in women from the general population. *J Sleep Res*. 2011 Sep 6; Epub ahead of print.
- ❖ **Saad AA, El-Bialy A, Kandil AH, Sayed AA,** (2006): Automatic cephalometric analysis using active appearance model and esimulated an aling. *ICGST Int J on Graphics, Vision and Image*

- Processing, Special Issue on Image Retrieval and Representation; 6:51–67.
- ❖ **Saaresranta T, Polo O.** (2002): Hormones and breathing. *Chest*; 122:2165-2182.
 - ❖ **Sack RL, Auckley D, Auger R, Carskadon MA, Wright KP, Vitello MV, et al.** (2007) : Circadian Rhythm Disorders: Part 1, Basic Principles, Shift Work and Jet Lag Disorders. *Sleep*. ;30(11):1460-83.
 - ❖ **Senior B, Rosenthal L, Lumley A, et al.,** (2000): Efficacy of uvulopalatopharyngoplasty in unselected patients with mild obstructive sleep apnea. *Otolaryngol head Neck Surg*; 123: 179-82.
 - ❖ **Shahar, E, Whitney, CW, Redline, S, et al** (2001) :Sleep-disordered breathing and cardiovascular disease: cross-sectional results of the Sleep Heart Health Study. *Am J Respir Crit Care Med*;163,19-25.
 - ❖ **Shepard JW and Thawley SE.,**(1990) : Evaluation of the upper airway by computerized tomography in patients undergoing uvulopalatopharyngoplasty for obstructive sleep apnea. *Am Rev Respir Dis*; 140: 711-715.
 - ❖ **Shepard JW, Olsen KD.,** (1990): Uvulopalatopharyngoplasty for the treatment of obstructive sleep apnea. *Am Rev Respir Dis*; 65; 1260-1267.
 - ❖ **Shepard JW, Thawley SE.,** (1990) : Localization of upper airway collapse during sleep in patients with obstructive sleep apnea. *Am Rev Respir Dis*; 141: 1350-5.
 - ❖ **Sheperdycky, MR, Banno, K, Kryger, MH** (2005) : Differences between men and women in the clinical presentation of patients diagnosed with obstructive sleep apnea syndrome. *Sleep*;28,309-314.
 - ❖ **Sherif Gaber, Ragai Gemaie, Khaled Harhash, Ehab Abu-zeid, Ahmed Morsi, and Akram Hanna.,** (2004): Assessment of the pharynx by acoustic pharyngometry in normal subjects and obstructive sleep apnea patients. *Medical journal of Cairo University*: 72: No 1.

- ❖ **Simantirakis, E. N., Schiza, S. E., Siafakas, N. S., Vardas, P. E.** (2008) : Sleep-disordered breathing in heart failure and the effect of cardiac resynchronization therapy. *Europace* 10: 1029-1033 .
- ❖ **Siegal JM, Moore R, Thannickal T, et al.** (2001) :A Brief History of Hypocretin/Orexin and Narcolepsy. *Neuropsychopharmacology* ; 25:S14-S20.
- ❖ **Skatvedt O.,** (1993): Localization of site of obstruction in snorers and patients with obstructive sleep apnea syndrome: a comparison of fiberoptic nasopharyngoscopy and pressure measurements. *Acta otolaryngol* 3: 206-9.
- ❖ **Smith I, Lasserson T, Wright J.,** (2002) : Drug treatments for obstructive sleep apnea (Cochrane Review). In. The Cochrane Library Issue 2. Oxford: Update Software.
- ❖ **Somers, V. K., White, D. P., Amin, R., Abraham, W. T., Costa, F., Culebras, A., Daniels, S., Floras, J. S., Hunt, C. E., Olson, L. J., Pickering, T. G., Russell, R., Woo, M., Young, T.** (2008) : Sleep Apnea and Cardiovascular Disease: An American Heart Association/American College of Cardiology Foundation Scientific Statement From the American Heart Association Council for High Blood Pressure Research Professional Education Committee, Council on Clinical Cardiology, Stroke Council, and Council on Cardiovascular Nursing In Collaboration With the National Heart, Lung, and Blood Institute National Center on Sleep Disorders Research (National Institutes of Health). *J Am Coll Cardiol* 52: 686-717 .
- ❖ **Somers, V. K., White, D. P., Amin, R., Abraham, W. T., Costa, F., Culebras, A., Daniels, S., Floras, J. S., Hunt, C. E., Olson, L. J., Pickering, T. G., Russell, R., Woo, M., Young, T.** (2008): Sleep Apnea and Cardiovascular Disease: An American Heart Association/American College of Cardiology Foundation Scientific Statement From the American Heart Association Council for High Blood Pressure Research Professional Education Committee, Council on Clinical Cardiology, Stroke Council, and Council on Cardiovascular Nursing In Collaboration With the National Heart, Lung, and Blood Institute National Center on Sleep Disorders Research (National Institutes of Health). *Circulation* 118: 1080-1111 .

- ❖ **Steward DL, Huntley TC, Woodson BT, Surdulescu V.** (2008) Palate implants for obstructive sleep apnea: multi-institution, randomized, placebo-controlled study. *Otolaryngol Head Neck Surg.* Oct 2008;139(4):506-10.

- ❖ **Strauss AM.,** (1994) : Oral devices for the management of snoring and obstructive sleep apnea. In snoring and obstructive sleep apnea. Second edition. Fairbanks DF and Fujita S. Raven Press; New York.

- ❖ **Suto Y, Inous Y.,** (1996) : Examination of pharyngeal obstruction with high-speed MR and polysomnography *Acta Radiol*, 37, 315-20.

- ❖ **Suto Y, Matsuda E, Inous Y, Suzuki T, and Ohta Y.,** (1996) Sleep apnea syndrome: Comparison of MR imaging of the oropharynx with physiologic indexes *Radiology* 201: 393- 98.

- ❖ **Terris DJ, Kunda LD, Gonella MC.,** (2002) Minimally invasive tongue base surgery for obstructive sleep apnea. *J Laryngol Otol.* ; 116: 716-721.

- ❖ **Thawely SE and Shepard JW.,** (1993) Understanding of sleep apnea syndrome: causes and treatment *VA practitioner* ; P. 60.

- ❖ **Thickett EM, Hirani S, Williams A, Hodgkins J. A** (2009) :prospective evaluation assessing the effectiveness of the 'Dynamax' mandibular appliance in the management of obstructive sleep apnoea. *Surgeon.* Feb 2009;7(1):14-7.

- ❖ **Thomas M, Sing H, Belenky G.** (2003) :Neural basis of alertness and cognitive performance impairments during sleepiness. II. Effects of 48-72 hours of sleep deprivation on waking human regional brain activity. *Thalamus Relat Syst.* ;2:199-229.

- ❖ **Tosini G, Pozdeyev N, Sakamoto K, et al** (Jul 2008). The circadian clock system in the mammalian retina. *Bioessays.* ;30(7):624-33

- ❖ **Tucker woodson, Sam R, Hyun J.,** (2005) :Transpalatal advancement pharyngoplasty outcomes compared with uvuloplastopharyngoplasty. *Otolaryngol head Neck Surg.* ; 133, 211-7.
- ❖ **Vgontzas AN, Zoumakis E, Bixler EO, Lin HM, Follett H, Kales A, Chrousos GP.** (2004): Adverse effects of modest sleep restriction on sleepiness, performance, and inflammatory cytokines. *J Clin Endocrinol Metab*89:2119–2126.
- ❖ **Victor LD.** (2004) : Treatment of obstructive sleep apnea in primary care. *Am Fam Physician.* Feb 1 2004;69(3):561-8.

- ❖ **Wenzel M, Schonhofer B, Siemon K, Kohler D.** [Nasal strips without effect on obstructive sleep apnea and WHO expert consultation. Appropriate Body-mass index for Asian populations and its implications for policy and intervention strategies. *Lancet,* 2004; 157-63.

- ❖ **Watanabe T, Idsono S, Tanaka A, et al.,** (2002) : Contribution of body habits and craniofacial characteristics to segmental closing pressures of the passive pharynx in patients with sleep disordered breathing. *Am J Crit Care Med;* 165: 260-265.

- ❖ **Wellman, A, Jordan, AS, Malhotra, A, et al** (2004) :Ventilatory control and airway anatomy in obstructive sleep apnea. *Am J Respir Crit Care Med;*170,1225-1232.

- ❖ **White, DP** (2005) : Pathogenesis of obstructive and central sleep apnea. *Am J Respir Crit Care Med;*172,1363-1370.

- ❖ **Witting R.** (1992): Clinical evaluation of excessive daytime sleepiness. In: Victor LD, ed *Clinical pulmonary medicine.* Boston: little, Brown; 439-60.
- ❖ **Woodson ET, Wooten MR.** (1992) :A multisensor solid-state pressure manometer to identify the level of collapse in obstructive sleep apnea. *Otolaryngol Head Neck Surg* 1992; 107:651–656.
- ❖ **Yoshida, K, Fukatsu, H, Ando, Y, et al.,** (1999) : Evaluation of sleep apnea syndrome with low-field magnetic resonance fluoroscopy. *Eur Radiol;*9,1197-1202.
- ❖ **Young T, Palta M, Dempsey J, et al.,** (2002) :The occurrence of sleep disordered breathing among middle aged adults. *N engl J Med;* 328: 1230-1235.

- ❖ **Yue W, Yin D, Wang G, Xu T.** (2006) :Automated 2-D cephalometric analysis on X-ray images by a model-based approach. *IEEE Trans Biomedical Eng*; 53:1615–1623.
- ❖ **Yumino, D., Bradley, T. D.** (2008): Central Sleep Apnea and Cheyne-Stokes Respiration. *Proc Am Thorac Soc* 5: 226-236 .
- ❖ **Zamarron et al.,** (2008): The circadian clock system in the mammalian retina. *Bioessays.* ;30(7):624-33.
- ❖ **Zhang X, Liu RY, Lei Z, Zhu Y, Huang JA, Jiang X, Liu Z, Liu X, Peng X, Hu H, Zhang HT:** Genetic variants in interleukin-6 modified risk of obstructive sleep apnea syndrome. *Int J Mol Med.* 2009; 23(4):485-93.
- ❖ **ZHA D, QIAO L, GE Y, DENG Z, XUE T, LIU Y, QIU J.** (2008) :The MRI study of upper airway on obstructive sleep apnea hyponea syndrome *Lin Chung Er Bi Yan Hou Tou Jing Wai Ke Za Zhi*; 22(13): 593-6.