

References

- **Aboulghar M, Mansour R, Serour G, Abdrazek A, Amin Y, Rhodes C. (2001):** Controlled ovarian hyperstimulation and intrauterine insemination for treatment of unexplained infertility should be limited to a maximum of three trials. *Fertil Steril.*; 75(1):88–91.
- **Aboulghar MA, Mourad LM, Al-Inany HG, Aboulghar MM, Mansour RT, Serour GA(2010):** Prospective randomized study for hydrotubation versus no hydrotubation before intrauterine insemination in unexplained infertility. *Reproductive BioMedicin*; 20, 543-546
- **Abou-Setta AM, Mansour RT, Al-Inany HG, Aboulghar MA, Kamal AS, Aboulghar MA and Gamal S. (2006):** Intrauterine insemination catheters for assisted reproduction: a systematic review and meta-analysis. *Human Reproduction*; 21(8):1961–67.
- **Abu-Heija AT, Fleming R, Yates RW, Coutts JR. (1995):** Pregnancy outcome following exposure to gonadotrophin-releasing hormone analogue during early pregnancy: comparisons in patients with normal or elevated luteinizing hormone. *Hum Reprod.*;10:3317–3319.
- **Acton C, Davitt J, Ryan E. (1988):** Hysterosalpingography in infertility - an experience of 3631 examinations. *Australian and New Zealand Journal of Obstetrics and Gynaecology*;28:127–33.
- **Adesiyun AG, Cole B, Ogwuche P. (2009):** Hydrotubation in the management of female infertility: outcome in low resource settings. *East Afr Med J.*;86(1):31-6.
- **Agarwal S, Mittal S. (2004):** A randomised prospective trial of intrauterine insemination versus timed intercourse in superovulated cycles with clomiphene. *Indian J Med Res*;120:519–522.
- **Agic A, Xu H, Finas D, Banz C, Diedrich K, Hornung D. (2006):** Is endometriosis associated with systemic subclinical inflammation? *Gynecol Obstet Invest*;62:139

References

- **Aitken RJ, Clarkson JS. (1988):** Significance of reactive oxygen species and antioxidants in defining the efficacy of sperm preparation techniques. *J Androl*; 9:367.
- **Albano C, Grimbizis G, Smitz J, Riethmuller-Winzen H, Reissman T, Van Steirteghem A, Devroey P. (1998):** The luteal phase of nonsupplemental cycles after ovarian superovulation with human menopausal gonadotropin and the gonadotropin-releasing hormone antagonist Cetrorelix. *Fertil Steril*; 70:357–359.
- **Alborzi S, Motazedian S, Parsanezhad ME, Jannati S. (2003):** Comparison of the effectiveness of single intrauterine insemination (IUI) versus double IUI per cycle in infertile patients. *Fertil Steril.*; 80(3):595–9.
- **Al-Fadhli R, Sylvestre C, Buckett W, Tulandi T. (2006):** A randomized study of laparoscopic chromopertubation with lipiodol versus saline in infertile woman. *Fertility and Sterility*;85(2):505–7.
- **Alper MM, Garner PR, Spence JEH, Quarrington AM. (1986):** Pregnancy rates after hysterosalpingography with oil- and water-soluble contrast media. *Obstetrics & Gynecology*;68:6–9.
- **Al-Ramahi M, Leader A, Leveille MC. (1998):** An allergic reaction following intrauterine insemination. *Hum Reprod.*; 13(12): 3368–70.
- **Andersen AG, Als-Nielsen B, Hornnes PJ, Franch Andersen L. (1995):** Time interval from human chorionic gonadotrophin (HCG) injection to follicular rupture. *Human Reproduction*; 10(12): 3202–5.
- **Andersen AN, Goossens V, Ferraretti AP, Bhattacharya S, Felberbaum R, de Mouzon J, Nygren KG (2008):** The European IVF-monitoring (EIM) Consortium, for the European Society of Human Reproduction Embryology (ESHRE). Assisted reproductive technology in Europe, 2004: results generated from European registers by ESHRE. *Hum Reprod*;23:756–771.
- **Andrés Orós P, Lamarca Ballesteros M, García Aguirre S, Ballesteros Moffa ME, Conte Martín P, Navarro Martín R, Duque Gallo JA. (2008):** Triggering ovulation in intrauterine insemination cycles with gonadotropin releasing hormone agonist (GnRHa) versus human chorionic gonadotrophin (hCG) [Inducción de la ovulación en ciclos de inseminación intrauterina con análogos de la GnRH (a-GnRH) versus hormona

References

- coriogonadotrópica humana (hCG)]. *Revista Iberoamericana de Fertilidad*; 25(4):223–8.
- **Arcaini L, Bianchi S, Baglioni A, Marchini M, Tozzi L, Fedele L. (1996):** Superovulation and intrauterine insemination vs. superovulation alone in the treatment of unexplained infertility. A randomized study. *J Reprod Med.*;41(8):614–18.
 - **Arici A, Byrd W, Bradshaw K, Kutteh WH, Marshburn P, Carr BR. (1994):** Evaluation of clomiphene citrate and human chorionic gonadotropin treatment: a prospective, randomized, crossover study during intrauterine insemination cycles. *Fertil Steril*;61:314–318.
 - **ASRM (2004):** A Practice Committee Report; A Committee Opinion: endometriosis infertility. *Fertil Steril* 81,1441–1446.
 - **Ayida G, Harris P, Kennedy S, Seif M, Barlow D, Chamberlain P. (1996):** Hysterosalpingo-contrast sonography (HyCoSy) using echovist-200 in the outpatient investigation of infertility patients. *Br J Radiol*; 69:910–913.
 - **Bahyah MK, Murad ZA, Ghazali I, Roszaman R, Noraziana AW, Mokhtar A, Omar MH. (2010):** The outcome of the seminal fluid parameters collected via coitus interruptus versus masturbation. *Med J Malaysia.*; 65(1):23-6.
 - **Baird DT. (2000):** Mode of action of medical methods of abortion. *J Am Med Womens Assoc.*;55(Suppl. 3):121–126.
 - **Balasz J. (2004):** Gonadotrophin ovarian stimulation and intrauterine insemination for unexplained infertility. *Reprod BioMed Online*; 9:664–672.
 - **Barbieri RL. (2001):** The initial fertility consultation: recommendations concerning cigarette smoking, body mass index, and alcohol and caffeine consumption. *Am J Obstet Gynecol.*;185:1168-1173.
 - **Barratt CL, Cooke S, Chauhan M, Cooke ID. (1989):** A prospective randomized controlled trial comparing urinary luteinizing hormone dipsticks and basal body temperature charts with time donor insemination. *Fertility and Sterility* 1989;52(3):394–7.
 - **Barwin N. (1971):** Hysterosalpingography in infertility. *Ulster Medical Journal*;41:61–5.

References

- **Baselt R (2008):** Disposition of Toxic Drugs and Chemicals in Man, 8th edition, Biomedical Publications, Foster City, CA, pp. 840-844.
- **Bateman BG, Nunley WC, Kitchin JD, Kaizer DL. (1987):** Utility of the 24-hour delay hysterosalpingogram. *Fertility and Sterility*;47: 613–7.
- **Batista MC, Cartledge TP, Zellmer AW, Nieman LK, Loriaux DL, Merriam GR. (1994):** The antiprogestin RU486 delays the midcycle gonadotropin surge and ovulation in gonadotropin-releasing hormone-induced cycles. *Fertil Steril*; 62:28–34.
- **Baysoy A, Serdaroglu H, Jamal H, Karatekeli E, Ozornek H, Attar E. (2006):** Letrozole versus human menopausal gonadotrophin in women undergoing intrauterine insemination. *Reprod Biomed Online*.;13(2):208–12.
- **Beckens NGM, Macklon NS, Eijkemans MJC and Fauser BCJM (2002):** Women with regular menstrual cycles and a poor response to ovarian aging. *Fertil Steril*; 78,291–297.
- **Beckers NGM, Macklon NS, Eijkemans MJ, Ludwig M, Felderbaum RE, Diedrich K, Bustin S, Loumaye E, Fauser BCJM. (2003):** Non supplemented luteal phase characteristics after the administration of recombinant human chorionic gonadotropin, recombinant luteinizing hormone, or gonadotropin-releasing hormone (GnRH) agonist to induce final oocyte maturation in in vitro fertilization patients after ovarian stimulation with recombinant follicle-stimulating hormone and GnRH antagonist cotreatment. *J Clin Endocrinol Metab*; 88:4186–4192.
- **Bensdorp AJ, Cohlen BJ, Heineman MJ, Vandekerckhove P. (2007):** Intra Uterine Insemination for male subfertility. *Cochrane Database Syst Rev*.
- **Besselink DH, Farquhar C, Kremer JAM, Marjoribanks J, O'Brien P. (2008):** Cervical insemination versus intra-uterine insemination of donor sperm for subfertility (Review). *Cochrane Database Syst Rev*.
- **Bhattacharya S, Harrild K, Mollison J, Wordsworth S, Tay C, Harrold A, McQueen D, Lyall H, Johnston L, Burrage J et al. (2008):** Clomifene citrate or unstimulated intrauterine insemination compared with expectant management for unexplained infertility: pragmatic randomized controlled trial. *BMJ*;337:716–723.

References

- **Birsa LM, Verity PG, Lee RF (2010):** "Evaluation of the effects of various chemicals on discharge of and pain caused by jellyfish nematocysts". *Comparative Biochemistry and Physiology, Part C* 151 (4): 426–430.
- **Bongso A. (1999):** Handbook on Blastocyst Culture. Department of Obstetrics and Gynaecology, National University of Singapore, 1999:26.
- **Bonner J,Thompson W (1984):** Embryo Transfer and Early Pregnancy. In *In Vitro Fertilization*. Lancaster: MTP Press Ltd, 1984:117.
- **Boomsma CM, Heineman MJ, Cohlen BJ, Farquhar C. (2004):** Semen preparation techniques for intrauterine insemination. *Cochrane Database Syst Rev*.
- **Boomsma CM, Heineman MJ, Cohlen BJ, Farquhar C. (2007):** Semen preparation techniques for intrauterine insemination. *Cochrane Database of Syst Rev*.
- **Bossert N L. and De Jonge (2007):** Sperm preparation for IVF and ICSI. In *In Vitro Fertilization, A Practical Approach*. By David K. Gardner. Chapter 9. Edited by Informa Healthcare USA, Inc.270 Madison Avenue, New York, NY 10016. Chapter 9, 147-160.
- **Brandes M, Hamilton CJ, van der Steen JO, de Bruin JP, Bots RS, Nelen WL, Kremer JA. (2011):** Unexplained infertility: overall ongoing pregnancy rate and mode of conception. *Hum Reprod.*;26(2):360-8.
- **Brown SE, Toner JP, Schnorr JA, Williams SC, Gibbons WE, de Ziegler D, Oehninger S. (2001):** Vaginal misoprostol enhances intrauterine insemination. *Hum Reprod.*;16:96–101.
- **Brzechffa PR, Buyalos RP. (1997):** Female and male partner age and menotrophin requirements influence pregnancy rates with human menopausal gonadotrophin therapy in combination with intrauterine insemination. *Hum Reprod.*;12(1):29–33.
- **Burr RW, Siegberg R, Flaherty SP, Wang XJ, Matthews CD. (1996):** The influence of sperm morphology and the number of motile sperm inseminated on the outcome of intrauterine insemination combined with mild ovarian stimulation. *Fertil Steril.* ;65(1): 127–32.
- **Campana A, Sakkas D, Stalberg A, Bianchi PG, Comte I, Pache T, Walker D.(1996):** Intrauterine insemination: evaluation of the results

References

- according to the woman's age, sperm quality, total sperm count per insemination and life table analysis. *Hum Reprod.*;11(4): 732–6.
- **Cantineau AE, Cohlen BJ, Al-Inany H, Heineman MJ. (2004):** Intrauterine insemination versus fallopian tube sperm perfusion for non tubal infertility. *Cochrane Database Syst Rev.*
 - **Cantineau AE, Cohlen BJ, Heineman MJ. (2007):** Ovarian stimulation protocols (anti-oestrogens, gonadotrophins with and without GnRH agonists/antagonists) for intrauterine insemination (IUI) in women with sub fertility (Review). *Cochrane Database Syst Rev.*
 - **Cantineau AE, Cohlen BJ, Heineman MJ.(2009):** Intra-uterine insemination versus fallopian tube sperm perfusion for non-tubal infertility. *Cochrane Database Syst Rev.*
 - **Cantineau AE, Heineman MJ, Cohlen BJ. (2003):** Single versus double intrauterine insemination (IUI) in stimulated cycles for subfertile couples. *Cochrane Database Syst Rev.*
 - **Cantineau AEP, JanssenMJ, Cohlen BJ. (2010):** Synchronised approach for intrauterine insemination in subfertile couples. *Cochrane Database of Syst Rev.*
 - **Carroll N, Palmer JR. (2001):** A comparison of intrauterine versus intracervical insemination in fertile single women. *Fertil Steril.*;75(4):656–60.
 - **Casadei L, Zamaro V, Calcagni M, Ticconi C, Dorrucchi M, Piccione E. (2006):** Homologous intrauterine insemination in controlled ovarian hyperstimulation cycles: a comparison among three different regimens. *Eur J Obstet Gynecol Reprod Biol.*; 129(2):155–61.
 - **Casper RF, Mitwally MF. (2006):** Review: aromatase inhibitors for ovulation induction. *J Clin Endocrinol Metab.*;91(3):760–71.
 - **Catterall WA (2002):** Molecular mechanisms of gating and drug block of sodium channels. *Novartis Found Symp* 241: 206–32.
 - **Centers for Disease Control and Prevention (2006):** 2003 Assisted Reproductive Technology (ART) Report. USA.
 - **Cepeda MS, Tzortzopoulou A, Thackrey M, Hudcova J, Arora Gandhi P, Schumann R (2010):** "Adjusting the pH of lidocaine for reducing pain on injection". *Cochrane Database Syst Rev.*

References

- **Chang MY, Chiang CH, Hsieh TT, Soong YK, Hsu KH. (1998):** Use of the antral follicle count to predict the outcome of assisted reproductive technologies. *Fertil Steril.*;69(3):505–10.
- **Checa MA, Prat M, Robles A, Carreras R. (2006):** Use of gonadotropin releasing hormone antagonists to overcome the drawbacks of intrauterine insemination on weekends. *Fertil Steril.*; 85(3):573–7.
- **Claman P, Wilkie V, Collins D. (2004):** Timing intrauterine insemination either 33 or 39 hours after administration of human chorionic gonadotropin yields the same pregnancy rates as after superovulation therapy. *Fertility and Sterility*; 82(1):13–6.
- **Cohen MR. (1962):** Intrauterine insemination. *Int J Fertil*;7:235–240.
- **Cohlen BJ, Hughes E, te Velde ER. (2004):** Intra-uterine insemination for unexplained infertility (Protocol for a Cochrane Review). In: *The Cochrane Library*, Issue 3, 2004. Chichester, UK: John Wiley & Sons, Ltd.
- **Cohlen BJ, Vandekerckhove P, te Velde ER, Habbema JD. (2000):** Timed intercourse versus intra-uterine insemination with or without ovarian hyperstimulation for subfertility in men. *Cochrane Database Syst Rev*.
- **Collins J (1998):** An overview of medical care issues in unexplained infertility. In *Treatment of Infertility: The New Frontiers*. By Filicori M, Flamigni C. New Jersey: Communications Media for Education, 15–27.
- **Collins J. (2003):** Stimulated intra-uterine insemination is not a natural choice for the treatment of unexplained subfertility. Current best evidence for the advanced treatment of unexplained subfertility. *Hum Reprod*; 18:907–912.
- **Collins J. (2007):** Global epidemiology of multiple birth. *Reprod Biomed Online*; 15 Suppl 3:45.
- **Collins JA (2004):** Evidence-based infertility: evaluation of the female partner. In *Advances in Fertility and Reproductive Medicine*. By Daya S, Harrison RF, Kempers RD. Amsterdam, The Netherlands: Elsevier, 57–62.
- **Collins JA, Burrows EA, Willan AR (1995):** The prognosis for live birth among untreated infertile couples. *Fertil Steril*; 64:22–28.
- **Collins JA, Crosignani PG (1992):** Unexplained infertility: a review of diagnosis, prognosis, treatment efficacy and management. *Int J Gynecol Obstet*; 39:267–275.

References

- **Collins JA, So Y, Wilson EH, et al. (1984):** The postcoital test as a predictor of pregnancy among 355 infertile couples. *Fertil Steril.* 1984;41:703-708.
- **Collins JA, Wrixon W, Janes LB, Wilson EH (1983):** Treatment-independent pregnancy among infertile couples. *N Engl J Med*; 309:1201–1206.
- **Cook AS and Rock JA (1995):** The role of laparoscopy in the treatment of endometriosis. *Fertil Steril* 55,663–680.
- **Costello MF. (2004):** Systematic review of the treatment of ovulatory infertility with clomiphene citrate and intrauterine insemination. *Aust NZ J Obstet Gynecol*; 44:93–102.
- **Coutifaris C, Myers ER, Guzick DS, et al. (2004):** Histological dating of timed endometrial biopsy tissue is not related to fertility status. *Fertil Steril.*;82:1264-1272.
- **Crosignani PG, Collins J, Cooke ID, Diczfalusy E, Rubin B. (1993):** Unexplained infertility. *Hum Reprod*; 8:977–980.
- **Crosignani PG, Somigliana E. (2007):** Intrauterine Insemination Study Group. Effect of GnRH antagonists in FSH mildly stimulated intrauterine insemination cycles: a multicentre randomized trial. *Hum Reprod.*;22(2):500–5.
- **Crosignani PG, Walters DE, Soliani A. (1991):** The ESHRE multicentre trial on the treatment of unexplained infertility: a preliminary report. *European Society of Human Reproduction and Embryology. Hum Reprod.*;6:953-958.
- **Csapo AI, Pulkkinen M. (1978):** Indispensability of the human corpus luteum in the maintenance of early pregnancy. Luteectomy evidence. *Obstet Gynecol Surv*; 33:69–81.
- **Curole DN, Dickey RP, Taylor SN, Rye PH, Olar TT. (1989):** Pregnancies in canceled gamete intrafallopian transfer cycles. *Fertil Steril*; 51:363–364.
- **Custers IM, Steures P, Hompes P, Flierman P, van Kasteren Y, van Dop PA, van der Veen F, Mol BW. (2008):** Intrauterine insemination: how many cycles should we perform? *Hum Reprod*;23:885–888.

References

- **Dankert T, Kremer JA, Cohlen BJ, Hamilton CJ, Pasker-de Jong PC, Straatman H, van Dop PA. (2007):** A randomized clinical trial of clomiphene citrate versus low dose recombinant FSH for ovarian hyperstimulation in intrauterine insemination cycles for unexplained and male subfertility. *Hum Reprod.*;22(3):792–7.
- **De Boer AD, Vemer HM, Willemsen WNP, Saunders FBM. Oil or aqueous contrast media for hysterosalpingography (1998):** a prospective, randomized, clinical study. *European Journal of Obstetrics, Gynecology and Reproductive Biology*;28:65–8.
- **de Koning CH, McDonnell J, Themmen AP, de Jong FH, Homburg R, Lambalk CB. (2008):** The endocrine and follicular growth dynamics throughout the menstrual cycle in women with consistently or variably elevated early follicular phase FSH compared with controls. *Hum Reprod*;23:1416–1423.
- **de Koning J, Lambalk CB, Helmerhorst FM, Helder MN. (2001):** Is GnRH self-priming an obligatory feature of the reproductive cycle? *Hum Reprod*; 16:209–214.
- **Deaton JL, Gibson M, Blackmer KM, Nakajima ST, Badger GJ, Brumsted JR. (1990):** A randomized, controlled trial of clomiphene citrate and intrauterine insemination in couples with unexplained infertility or surgically corrected endometriosis. *Fertil Steril*;54:1083–1088.
- **DeCherney AH, Kort H, Barney JB, DeVore GR. (1980):** Increased pregnancy rate with oil-soluble hysterosalpingography dye. *Fertility and Sterility*;33:407–10.
- **DeCherney AH, Kort H, Barney JB, DeVore GR. (1980):** Increased pregnancy rate with oil-soluble hysterosalpingography dye. *Fertility and Sterility*; 33:407–10.
- **Demirrol A, Gurgan T. (2007):** Comparison of different gonadotrophin preparations in intrauterine insemination cycles for the treatment of unexplained infertility: a prospective, randomized study. *Hum Reprod.*;22(1):97–100.
- **Dhaliwal LK, Sialy RK, Gopalan S, Majumdar S. (2000):** Minimal stimulation protocol for use with intrauterine insemination in the treatment of infertility. *Int J Fertil Womens Med.*;45(3): 232–5.

References

- **Diaz I, Guillen A, Pacheco A, Requena A, Simon C, García Velasco J. (2003):** Final oocyte maturation with GnRH agonist versus hCG in intrauterine insemination. *Human Reproduction*;18 Suppl 1: 134–5.
- **Dickey RP, Taylor SN, Lu PY, Sartor BM, Rye PH, Pyrzak R. (2001):** Relationship of follicle numbers and estradiol levels to multiple implantation in 3,608 intrauterine insemination cycles. *Fertil Steril.*; 75(1):69–78.
- **Dickey RP, Taylor SN, Lu PY, Sartor BM, Rye PH, Pyrzak R. (2002):** Effect of diagnosis, age, sperm quality, and number of preovulatory follicles on the outcome of multiple cycles of clomiphene citrate-intrauterine insemination. *Fertil Steril.*;78(5):1088–95.
- **Dickey RP, Taylor SN, Lu PY, Sartor BM, Rye PH, Pyrzak R. (2005):** Risk factors for higher order multiple pregnancy and multiple birth after controlled ovarian hyperstimulation; results of 4,062 IUI cycles. *Fertil Steril*; 83:671–683.
- **Dickinson RL.(1921):** Artificial impregnation: essays in tubal insemination. *Am J Obstet Gynecol.*;1:252–61.
- **DiLuigi AJ, Nulsen JC. (2007):** Effects of gonadotropin-releasing hormone agonists and antagonists on luteal function. *Curr Opin Obstet Gynecol*; 19:258–265.
- **Dodson WC, Moessner J, Miller J, Legro RS, Gnatuk CL. (1998):** A randomized comparison of the methods of sperm preparation for intrauterine insemination. *Fertility and Sterility*;70(3):574–5.
- **Drobnis EZ, Zhong CQ, Overstreet JW. (1991):** Separation of cryopreserved human semen using Sephadex columns, washing or Percoll gradients. *J Androl*; 12:201.
- **Dubourdieu S, Charbonnel B, D’Acromont MF, Carreau S, Spitz IM, Bouchard P.(1994):** Effect of administration of a gonadotropin-releasing hormone (GnRH) antagonist (Nal-Glu) during the periovulatory period: the luteinizing hormone surge requires secretion of GnRH. *J Clin Endocrinol Metab.*;78:343–347.
- **Duran HE, Morshedi M, Kruger T, Oehninger S. (2002):** Intrauterine insemination: a systematic review on determinants of success. *Hum Reprod Update*;8(4):373–84.

References

- **Edelstam GA, Andersson E, Radestad A, Flam F, Gottlieb C. (1998):** The effect of lignocaine on sperm phagocytosis in the peritoneal fluid from women with or without endometriosis. *Hum Reprod*;13:1353–1345.
- **Edelstam GA, Sjösten A, Bjuresten K, Ek I, Wanggren K, Spira J (2008):** A new rapid and effective method for treatment of unexplained infertility. *Hum Reprod*; 23, 852–56.
- **Edelstam GAB, Sjösten ACE, Wernekink . (2001):** Pertubation with lignocaine—a possible new treatment for women with endometriosis and impaired fertility. *Ups. J Med Sci*;106:51–57.
- **Egbase P, Grudzinskas J, Al Sharhan M, Ashkenani L. (2002):** HCG or GnRH agonist to trigger ovulation in GnRH antagonist-treated intrauterine insemination cycles: a prospective randomized study. *Human Reproduction*;17(Abstract book 1):2.
- **Eijkemans MJ, Lintsen AM, Hunault CC, et al. (2008):** Pregnancy chances on an IVF/ICSI waiting list: a national prospective cohort study. *Hum Reprod.*;23:1627-1632.
- **Ensieh Sh, Tehrani nejad, Zhila Abediasl, Batool H, Elham Azimi nekoo, Mamak Shariat, Elham Amirchaghmaghi (2008):** Comparison of the efficacy of the aromatase inhibitor letrozole and clomiphene citrate gonadotropins in controlled ovarian hyperstimulation: a prospective, simply randomized, clinical trial. *J Assist Reprod Genet.*; 25:187–190.
- **Erdem A, Erdem M, Atmaca S, Guler I. (2009):** Impact of luteal phase support on pregnancy rates in intrauterine insemination cycles: a prospective randomized study. *Fertil Steril.*;91(6):2508-13.
- **Erel CE, Senturk LM, Irez T, et al. (2000):** Sperm-preparation techniques for men with normal and abnormal semen analysis. *J Reprod Med*; 45:917.
- **Evers JLH (2002):** Female subfertility. *Lancet*; 360:151–159.
- **Exacoustos C, Zupi E, Carusotti C, et al. (2003):** Hysterosalpingo-contrast sonography compared with hysterosalpingography and laparoscopic dye pertubation to evaluate tubal patency. *J Am Assoc Gynecol Laparosc.*;10:367-372.
- **Faddy MJ (2000):** Follicle dynamics during ovarian aging. *Mol Cell Endocrinol* 163,43–48.

References

- **Fauser BCJM, Devroey P, Macklon NS. (2005):** Multiple birth resulting from ovarian stimulation for subfertility treatment. *Lancet*; 365:1807–1816.
- **Fisch, P, Casper, RF, Brown, SE, et al. (1989):** Unexplained infertility: evaluation of treatment with clomiphene citrate and human chorionic gonadotropin. *Fertil Steril* ; 51:828.
- **Flierman PA, Hogerzeil HV, Hemrika DJ. (1997):** A prospective, randomized, cross-over comparison of two methods of artificial insemination by donor on the incidence of conception: intracervical insemination by straw versus cervical cap. *Hum Reprod.*;12(9):1945–8.
- **Flomenbaum NE, Howland MA, Goldfrank, LR, et al., ed (2006):** Goldfrank's Toxicologic Emergencies, 8th ed.. McGraw-Hill.
- **Fountain S, Rizk B, Palmer C, Wada I, Macnamee M, BlayneyM, Brinsden P, Smith SK. (1993):** A prospective randomized controlled trial of pentoxifylline in severe male factor infertility and previous failure of in vitro fertilization. The 49th Annual Meeting of the AFS, Montreal, Canada, October 1993. *Fertil Steril, Program Supplement*, S17–18.
- **Gabriel LK, Vawda AI. (1993):** Preparation of human sperm for assisted conception: a comparative study. *Arch Androl*; 30:1.
- **Ghanem ME, Bakre NI, Emam MA, Al Boghdady LA, Helal AS, Elmetwally AG, Hassan M, Albahlol IA, Elzayat MM. (2011):** The effects of timing of intrauterine insemination in relation to ovulation and the number of inseminations on cycle pregnancy rate in common infertility etiologies. *Hum Reprod.*;26(3):576-83. Epub 2010 Dec 21.
- **Ghesquiere SL, Castelain EG, Spiessens C, Meuleman CL, D’Hooghe TM. (2007):** Relationship between follicle number and (multiple) live birth rate after controlled ovarian hyperstimulation and intrauterine insemination. *Am J Obstet Gynecol*;197:589.e1–5.
- **Gillespie H. (1965):** The therapeutic aspect of hysterosalpingography. *British Journal of Radiology*;38:301–2.
- **Glatstein IZ, Best CL, Palumbo A, et al. (1995):** The reproducibility of the postcoital test: a prospective study. *Obstet Gynecol.*;85:396-400.
- **Glatstein IZ, Sleeper LA, Lavy Y, Simon A, Adoni A, palti Z, Hurwitz A and Laufer N (1997):** Observer variability in the diagnosis and management of the hysterosalpingogram. *Fertil Steril* 67,233–237.

References

- **Gleicher N (1999):** Reproductive failure prior to the onset of clinical autoimmune disease (Editorial). *Rheumatology* 38,485–487.
- **Gleicher N (2005):** Ovarian aging: Is there a norm? *Contemp Ob/Gyn* 50, 65–75.
- **Gleicher N, Barad D.(2006):** Unexplained infertility: does it really exist?. *Hum Reprod*; 21:1951–1955.
- **Gleicher N, Karande V. (2001):** Forget about ovulation induction! Proceed directly to IVF. In *Proceedings of the 2nd World Congress on Controversies in Obstetrics and Gynecology*. By Ben- Rafael Z, Shoham Z, Frydman R. Monduzzi Editore, Bologna: 2001:211–215.
- **Gleicher N, Oleske DM, Tur-Kaspa I, Vidali A, Karande V. (2000):** Reducing the risk of higher order multiple pregnancy after ovarian stimulation with gonadotropins. *N Engl J Med*;343:2–7.
- **Goldberg JM, Mascha E, Falcone T, Attaran M. (1999):** Comparison of intrauterine and intracervical insemination with frozen donor sperm: a meta-analysis. *Fertil Steril.*;72(5):792–5.
- **Goodman S, Rein M, Hill J. (1993):** Hysterosalpingography contrast media and chromotubation dye inhibit peritoneal lymphocyte and macrophage function in vitro: a potential mechanism for fertility enhancement. *Fertil Steril*; 59:1022 7
- **Goverde AJ, Lambalk CB, McDonnell J, Schats R, Homburg R, Vermeiden JPW. (2005):** Further consideration on natural or mild hyperstimulation cycles for intrauterine insemination treatment: effects on pregnancy and multiple pregnancy rates. *Hum Reprod*; 20:3141–3146.
- **Goverde AJ, McDonnell J, Vermeiden JP, Schats R, Rutten FF, Schoemaker J. (2000):** Intrauterine insemination or in-vitro fertilisation in idiopathic subfertility and male subfertility: a randomised trial and cost-effectiveness analysis. *Lancet* ;355:13–18.
- **Grahame R; Grahame R; Norris P; Hopper C (2005):** "Local anaesthetic failure in joint hypermobility syndrome". *Journal of the Royal Society of Medicine* 98 (2): 84–85.
- **Grant A. (1971):** Infertility surgery of the oviduct. *Fertility and Sterility*; 22:495–503.

References

- **Gregoriou O, Vitoratos N, Papadias C, Konidaris S, Gargaropoulos A, Louridas C. (1995):** Controlled ovarian hyperstimulation with or without intrauterine insemination for the treatment of unexplained infertility. *Int J Gynaecol Obstet*;48:55–59.
- **Grigoriou O, Makrakis E, Konidaris S, Hassiakos D, Papadias K, Baka S, Creatsas G.(2005):** Effect of sperm treatment with exogenous platelet-activating factor on the outcome of intrauterine insemination. *Fertil Steril.*;83(3):618–21.
- **Grigoriou O, Pantos K, Makrakis E, Hassiakos D, Konidaris S, Creatsas G. (2005):** Impact of isolated teratozoospermia on the outcome of intrauterine insemination. *Fertil Steril.*;83(3):773–5.
- **Guidice LC and Kao LC (2004):** Endometriosis. *Lancet* 364,1789–1799.
- **Gulumser C, Narvekar N, Conway G, Saridogan E, Davies M. (2008):** Limiting multiple pregnancies in 4242 cycles of IUI: increase in follicle numbers increases multiple pregnancy but not clinical pregnancy rate!. *Hum Reprod*; 23(Suppl. 1):i63.
- **Guzick DS, Carson SA, Coutifaris C, Overstreet JW, Factor-Litvak P, Steinkampf MP, Hill JA, Mastroianni L, Buster JE, Nakajima ST et al.(1999):** Efficacy of superovulation and intrauterine insemination in the treatment of infertility. *N Engl J Med*;340:177–183.
- **Guzick DS, Grefenstette I, Baffone K et al. (1994a):** Infertility evaluation in infertile women: a model for answering the efficacy of infertility testing. *Hum Reprod* 9,2306–2310.
- **Guzick DS, Overstreet JW, Factor-Litvak P, et al. (2001):** Sperm morphology, motility, and concentration in fertile and infertile men. *N Engl J Med.*;345:1388-1393.
- **Guzick DS, Sullivan MW, Adamson GD, et al. (1998):** Efficacy of treatment for unexplained infertility. *Fertil Steril.*;70:207-213.
- **Guzick DS, Yao YAS, Berga SL, Krastnow JS, Stovall DW, Kubic CJ and Zeleznik AJ (1994b):** Endometriosis impairs the efficacy of gamete intrafallopian transfer: results of a case-control study. *Fertil Steril* 62,1186–1191.
- **Hammadeh ME, Ku`hnen A, Amer AS, Rosenbaum P, Schmidt W. (2001):** Comparison of sperm preparation methods: effect on chromatin and

References

- morphology recovery rates and their consequences on the clinical outcome after in vitro fertilization embryo transfer. *Int J Androl*; 24:360.
- **Hard AD (1909):** Artificial impregnation. *Med World* 27: 253.
 - **Harris ID, Missmer SA, Hornstein MD. (2010):** Poor success of gonadotropin-induced controlled ovarian hyperstimulation and intrauterine insemination for older women. *Fertil Steril.*;94(1):144-8.
 - **Heng S, Hannan NJ, Rombauts LJ, Salamonsen LA, Nie G. (2011):** PC6 levels in uterine lavage are closely associated with uterine receptivity and significantly lower in a subgroup of women with unexplained infertility. *Hum Reprod.* ;26(4):840-6.
 - **Henkel R, Ichikawa T, Sanchez R, Miska W, Ohmori H, Schill W-B. (1997):** Differentiation of ejaculates showing reactive oxygen species production by spermatozoa or leukocytes. *Andrologia*; 29:295.
 - **Henkel RR, Schill WB. (2003):** Sperm preparation for ART. *Reprod Biol Endocrinol*; 1:108.
 - **Homburg R. (2003):** The case for initial treatment with intrauterine insemination as opposed to in vitro fertilization for idiopathic infertility. *Hum Fertil (Cambridge)*; 6:122–124.
 - **Howell, Kimberly. (2009):** Take a big-picture approach when dealing with corneal sensation" (http://www.eyoplastics.org/topics/thyroid/thyroid_news/corneal_sensation.htm). . Retrieved 2009-04-23. "Lidocaine is more potent, with rapid diffusion and penetration."
 - **Huang FJ, Chang SY, Chang JC, Kung FT, Wu JF, Tsai MY. (1998):** Timed intercourse after intrauterine insemination for treatment of infertility. *Eur J Obstet Gynecol Reprod Biol.*; 80(2): 257–61.
 - **Hughes E, Collins J, Vandekerckhove P. (2001):** Clomiphene citrate for unexplained subfertility in women. *Cochrane Database Syst Rev*.
 - **Hughes E, Collins, J, Vandekerckhove, P. (2000):** Bromocriptine for unexplained subfertility in women. *Cochrane Database Syst Rev*.
 - **Hughes E, Collins, J, Vandekerckhove, P. (2000):** Clomiphene citrate for unexplained subfertility in women. *Cochrane Database Syst Rev*.
 - **Hughes E, Tiffin, G, Vandekerckhove, P.(2000):** Danazol for unexplained infertility. *Cochrane Database Syst Rev*.

References

- **Hull MGR (1992):** Infertility treatment: relative effectiveness of conventional and assisted conception methods. *Hum Reprod*;7:785–796.
- **Ibe´rico G, Vioque J, Ariza N, Lozano JM, Roca M, Lla´cer J, Bernabeu R. (2004):** Analysis of factors influencing pregnancy rates in homologous intrauterine insemination. *Fertil Steril*;81:1308–1313.
- **Inge M. Custers^{1,7}, Pieterneel Steures¹, Peter Hompes², Paul Flierman³, Yvonne van Kasteren⁴, Peter A. van Dop⁵, Fulco van der Veen¹ and Ben W.J. (2008):** Intrauterine insemination: how many cycles should we perform?. *Human Reproduction*; 23(4): 885–88.
- **Isaksson R, Tiitinen A. (2004):** Present concept of unexplained infertility. *Gynecol Endocrinol*;18:278–290.
- **Jackson D, Chen AH, Bennett CR (1994):** "Identifying true lidocaine allergy" (<http://www.ncbi.nlm.nih.gov/pubmed/7844301>). *J Am Dent Assoc* 125 (10): 1362–1366. PMID 7844301.
- **Jacobson TZ, Barlow DH, Koninckx PR, et al. (2002):** Laparoscopic surgery for subfertility associated with endometriosis. *Cochrane Database Syst Rev*.
- **Järvelä IY, Tapanainen JS, Martikainen H. (2010):** Improved pregnancy rate with administration of hCG after intrauterine insemination: a pilot study. *Reprod Biol Endocrinol*.;8:18.
- **Jeulin C, Serres C, Jouannet P. (1982):** The effects of centrifugation, various synthetic media and temperature on the motility and vitality of human spermatozoa. *Reprod Nutr Dev*; 22:81.
- **Jeyendran RS, Van der Ven HH, Perez-Peleaz M, Al-Hasani S, Diedrich K. (1987):** Separation of viable spermatozoa by standardized glass wool column. In *In Vitro Fertilization*. By Ratnam SS, Teoh E-S, Ng S-C. Carnforth, UK: Parthenon Publishing, 1987:49.
- **Johnson J, Montoya I, Olive D. (1992):** Ethiodol oil contrast medium inhibits macrophage phagocytosis and adherence by altering membrane electronegativity and microviscosity. *Fertil Steril*; 58: 511-7.
- **Johnson N, Vanderkerchove P, Lilford R, Harada T, Hughes E, Luttjeboer F, Mol BWJ, Torossian LG (2010):** Tubal flushing for subfertility. *Cochrane Database of Syst Rev*.

References

- **Johnson N, Vanderkerckhove P, Watson A, Lilford R, Harada T, Hughes E. (2005):** Tubal flushing for subfertility. *Cochrane Database of Syst Rev*.
- **Johnson NP, Farquhar CM, Hadden WE, et al. (2004):** The FLUSH trial: flushing with lipiodol for unexplained (and endometriosis-related) subfertility by hystero- salpingography: a randomised trial. *Hum Reprod*; 19: 2043-51
- **Johnson NP, Taylor K, Nadgir AA, Chinn DJ, Taylor PJ. (2000):** Can diagnostic laparoscopy be avoided in routine investigation for infertility?. *British Journal of Obstetrics and Gynaecology*;107: 174–8.
- **Kahn JA, Sunde A, Koskemies A, von Düring V, Sordal T, Christensen F, Molne K. (1993):** Fallopian tube sperm perfusion (FSP) versus intra-uterine insemination (IUI) in the treatment of unexplained infertility: a prospective randomized study. *Hum Reprod.*;8(6):890–4.
- **Kahn JA, von Düring V, Sunde A, Molne K. (1992b):** Fallopian tube sperm perfusion used in a donor insemination programme. *Hum Reprod* 1992b; 7:806–812.
- **Kao LC, Germeyer A, Tulac S, et al. (2003):** Expression profiling of endometrium from women with endometriosis reveals candidate genes for disease-based implantation failure and infertility. *Endocrinology*; 144: 2870-81.
- **Kaplan PF, Katz SL, Thompson AK, Freund RD. (2002):** Cycle fecundity in controlled ovarian hyperstimulation and intrauterine insemination. Influence of the number of mature follicles at hCG administration. *J Reprod Med.*;47(7):535–9.
- **Kaplan PF, Patel M, Austin DJ, Freund R. (2002):** Assessing the risk of multiple gestation in gonadotropin intrauterine insemination cycles. *Am J Obstet Gynecol*; 186:1244.
- **Karande V, Pratt D, Rabin DS and Gleicher N (1995a):** The limited value of hysterosalpingography in answering tubal status and fertility potential. *Fertil Steril* 63,1167–1171.
- **Karande V, Pratt D, Rao R, Balin M and Gleicher N (1995b):** Elevated tubal perfusion pressures during selective salpingography are highly suggestive of tubal endometriosis. *Fertil Steril* 1070–1073.

References

- **Karlstrom PO, Bergh T, Lundkvist O. (1993):** A prospective randomized trial of artificial insemination versus intercourse in cycles stimulated with human menopausal gonadotropin or clomiphene citrate. *Fertil Steril*;59:554–559.
- **Kerin J, Surrey E, Williams D, Daykhovsky L, Grundfest W. (1991):** Falloposcopic observations of endotubal isthmic plugs as a cause of reversible obstruction and their histologic characterisation. *Journal of Laparoendoscopic Surgery*; 1:103–10.
- **Kerin JF, Kirby C, Peek J, Jeffrey R, Warnes GM, Matthews CD et al (1984):** Improved conception rate after intrauterine insemination of washed spermatozoa from men with poor quality semen. *Lancet* 1(8376): 533-535.
- **Keulers MJ, Hamilton CJ, Franx A, Evers JLH, Bots RSGM. (2007):** The length of the fertile window is associated with the chance of spontaneously conceiving an ongoing pregnancy in subfertile couples. *Hum Reprod*;22:1652–1656.
- **Khalil MR, Rasmussen PE, Erb K, Laursen SB, Rex S, Westergaard LG. (2001a):** Intrauterine insemination with donor semen. An evaluation of prognostic factors based on a review of 1131 cycles. *Acta Obstet Gynecol Scand*;80:342–348.
- **Khalil MR, Rasmussen PE, Erb K, Laursen SB, Rex S, Westergaard LG.(2001b):** Homologous intrauterine insemination. An evaluation of prognostic factors based on a review of 2473 cycles. *Acta Obstet Gynecol Scand*;80:74–81.
- **Khaliq W, Alam S, Puri N (2007):** "Topical lidocaine for the treatment of postherpetic neuralgia". *Cochrane Database Syst Rev*.
- **Kim A, Han JE, Yoon TK, Lyu SW, Seok HH, Won HJ.(2010):** Relationship between endometrial and subendometrial blood flow measured by three-dimensional power Doppler ultrasound and pregnancy after intrauterine insemination. *Fertil Steril*.;94(2):747-52.
- **Kirby CA, Flaherty SP, Godfrey BM, et al. (1991):** A prospective trial of intrauterine insemination of motile spermatozoa versus timed intercourse. *Fertil Steril*. ;56:102-107.

References

- **Klein NA, Harper AJ, Houmard BS, Sluss PM, Soules MR. (2002):** Is the short follicular phase in older women secondary to advanced or accelerated dominant follicle development? *J Clin Endocrinol Metab.*; 87:5746–5750.
- **Knobil E. (1992):** Discovery of the hypothalamic gonadotropin-releasing hormone pulse generator and of its physiologic significance. *Endocrinology*; 131:1005–1006.
- **Kolettis PN (2003):** Evaluation of the subfertile man. *Am Fam Physician* ;67:2165-2172.
- **Kolibianakis EM, Bourgain C, Platteau P, Albano C, Van Steirteghem AC, Devroey P. (2003):** Abnormal endometrial development occurs during the luteal phase of nonsupplemental donor cycles treated with recombinant follicle-stimulating hormone and gonadotropin-releasing hormone antagonists. *Fertil Steril*;80:464–466.
- **Kosmas IP, Tatsioni A, Fatemi HM, Kolibianakis EM, Tournaye H, Devroey P. (2007):** Human chorionic gonadotropin administration vs. luteinizing monitoring for intrauterine insemination timing, after administration of clomiphene citrate: a meta-analysis. *Fertil Steril.*;87(3):607–12.
- **Kruger TF, Oehninger SC (2008):** The basic semen analysis: interpretation and clinical application. In *Textbook in Infertility and assisted reproduction*. By Rizk B, Garcia J, Sallam H, Makrigi A. Cambridge University Press .Ch 18:157-160.
- **Küçük T, Sozen E, Buluc B. (2008):** Intrauterine insemination with double ejaculate compared with single ejaculate in male factor infertility: a pilot study. *J Androl.*; 29(4):404-7.
- **Kucuk T. (2008):** Intrauterine insemination: is the timing correct?. *J Assist Reprod Genet.*;25(8):427-30. Epub 2008 Sep 2.
- **Kyrou D, Fatemi HM, Tournaye H, Devroey P (2010):** Luteal phase support in normo-ovulatory women stimulated with clomiphene citrate for intrauterine insemination: need or habit?. *Hum Reprod.*;25(10):2501-6.
- **Kyung Eui Park, Seung-Yup Ku, Hoon Kim, Byung Chul Jee, Chang Suk Suh, Seok Hyun Kim, Young Min Choi, Jung Gu Kim and Shin Yong Moon (2010):** The Use of Tenaculum During Intrauterine

References

- Insemination May Not Affect the Pregnancy Outcome. *Yonsei Med J.*; 51(6): 949–953.
- **Laboratory manual of the WHO for the examination of human semen and sperm-cervical mucus interaction (2001):** *Ann Ist Super Sanita.*;37:I-XII, 1-123.
 - **Lambalk CB, Leader A, Olivennes F, Fluker MR, Andersen AN, Ingerslev J, Khalaf Y, Avril C, Belaisch-Allart J, Roulier R et al. (2006):** Treatment with the GnRH antagonist ganirelix prevents premature LH rises and luteinization in stimulated intrauterine insemination: results of a double-blind, placebo-controlled, multicentre trial. *Hum Reprod*; 21:632–639.
 - **Letterie GS, Rose GS. (1990):** Pregnancy rates after the use of oil-based and water-based contrast media to evaluate tubal patency. *Southern Medical Journal* ;83:1402–3.
 - **Lewis V, Queenan J, Hoeger K, Stevens J, Guzick GS. (2006):** Clomiphene citrate monitoring for intrauterine insemination timing: a randomized trial. *Fertility and Sterility*; 85(2):401–6.
 - **Lindborg L, Thorburn J, Bergh C, Strandell A. (2009):** Influence of HyCoSy on spontaneous pregnancy: a randomized controlled trial. *Human Reproduction* ;24(5):1075–79.
 - **Lindequist S, Justesen P, Larsen C, Rasmussen F. (1991):** Diagnostic quality and complications of hysterosalpingography: oil- versus watersoluble contrast media - a randomized prospective study. *Radiology*;179:69–74.
 - **Liu W, Gong F, Luo K, Lu G. (2006):** Comparing the pregnancy rates of one versus two intrauterine inseminations (IUIs) in male factor and idiopathic infertility. *J Assist Reprod Genet.*;23(2):75–9.
 - **Lopes S, Jurisicova A, Sun J-G, Casper RF.(1998):** Reactive oxygen species: potential cause for DNA fragmentation in human spermatozoa. *Hum Reprod*; 13:896.
 - **Lorusso F, Palmisano M, Serrati G, Bassi E, Lamanna G, Vacca M, Depalo R. (2008):** Intrauterine insemination with recombinant or urinary human chorionic gonadotropin: A prospective randomized trial. *Gynecological Endocrinology*; 24(11):644–8.
 - **Ludwig AK, Diedrich K, Ludwig M. (2005):** The process of decision making in reproductive medicine. *Sem Reprod Med*; 23:348–353.

References

- **Lunenfeld B. (2004):** Historical perspectives in gonadotrophin therapy. *Hum Reprod Update*; 10:453–467.
- **Mackey RA, Glass RH, Olson LE, Vaidya R. (1971):** Pregnancy following hysterosalpingography with oil and water soluble dye. *Fertility and Sterility*; 22:504–7.
- **Macklon NS, Fauser BC. (2000):** Impact of ovarian hyperstimulation on the luteal phase. *J Reprod Fertil*; 55(Suppl. 1):101–108.
- **Maganto PE (2003a):** [Henry IV of Castilla (1454-1474). An exceptional urologic patient. An endocrinopathy causing the uro-andrological problems of the Monarch. Artificial insemination attempts (IV)]. *Arch Esp Urol* 56(3): 245-254
- **Maganto PE (2003b):** [Henry IV of Castilla (1454-1474). An exceptional urologic patient. An endocrinopathy causing the uro-andrological problems of the Monarch. Impotence and penile malformation (III)]. *Arch Esp Urol* 56(3): 233-241
- **Maganto PE (2003c):** [Henry IV of Castilla (1454-1474). An exceptional urologic patient. Morphological and personality portrait of Henry IV “The impotent” in contemporary chronicles and manuscripts (I)]. *Arch Esp Urol* 56(3): 211-220
- **Mahadevan M, Baker G.(1984):** Assessment and preparation of semen for in vitro fertilization. In *Clinical In Vitro Fertilization*. By Wood C, Trounson A. Berlin: Springer, 1984:83.
- **Maheshwari A, Hamilton M, Bhattacharya S (2008):** Effect of female age on the diagnostic categories of infertility. *Hum Reprod.*; 23(3):538-42.
- **Malcolm CE, Cumming DC (2003):** Does anovulation exist in eumenorrheic women? *Obstet Gynecol.*;102:317-318.
- **Mamas L. (2006):** Comparison of fallopian tube sperm perfusion and intrauterine tuboperitoneal insemination: a prospective randomized study. *Fertil Steril.* ;85(3):735–40.
- **Marcoux S, Maheux R, Berube S. (1997):** Laparoscopic surgery in infertile women with minimal or mild endometriosis. Canadian Collaborative Group on Endometriosis. *N Engl J Med.*;337:217-222.

References

- **Marcus SF. (2005):** Intrauterine insemination. In Textbook of invitro fertilization and assisted reproduction. By Brinsden PR.. 3rd edition. Taylor and Francis Group; 259-69.
- **Martinez AR, Bernardus RE, Voorhorst FJ, Vermeiden JP, Schoemaker J. (1991):** Pregnancy rates after timed intercourse or intrauterine insemination after human menopausal gonadotropin stimulation of normal ovulatory cycles: a controlled study. *Fertility and Sterility*; 55(2):258–65.
- **Martinez AR, Bernardus RE, Voorhorst FJ, Vermeiden JP, Schoemaker J. (1991):** A controlled study of human chorionic gonadotrophin induced ovulation versus urinary luteinizing hormone surge for timing of intrauterine insemination. *Human Reproduction*; 6(9):1247–51.
- **Martinez AR, Bernardus RE, Voorhorst FJ, Vermeiden JPW, Schoemaker J. (1990):** Intrauterine insemination does and clomiphene citrate does not improve fecundity in couples with infertility due to male or idiopathic factors: a prospective, randomized, controlled study. *Fertil Steril*; 53:847–853.
- **Mastenbroek S, Twisk M, van Echten-Arends J, Sikkema-Raddatz B, Korevaar JC, Verhoeve HR, Vogel NE, Arts EG, de Vries JW, Bossuyt PM et al. (2007):** In vitro fertilization with preimplantation genetic screening. *N Engl J Med*;357:9–17.
- **Matorras R, Ramon O, Exposito A, Corcostegui B, Ocerin I, Gonzalez-Lopera S, Rodriguez-Escudero FJ. (2006):** Gn-RH antagonists in intrauterine insemination: the weekend-free protocol. *J Assist Reprod Genet.*;23(2):51–4.
- **Mercan R, Sertac A, Urman B. (2001):** Role of assisted reproductive technologies in the treatment of unexplained infertility. *Reprod Technol*;10:288–294.
- **Merrill Dow Pharmaceuticals. (1972):** Product information bulletin. Cincinnati Ohio.
- **Mikulska D, Kurzawa R, Rozewicka L. (1994):** Morphology of in vitro sperm phagocytosis by rat peritoneal macrophages under influence of oily contrast medium (Lipiodol). *Acta Eur Fertil*; 25:203–206.

References

- **Miller DC, Hollenbeck BK, Smith GD, Randolph JF, Christman GM, Smith YR, Lebovic DI, Ohl DA. (2002):** Processed total motile sperm count correlates with pregnancy outcome after intrauterine insemination. *Urology*;60(3):497–501.
- **Miyamoto Y, Tsujimoto T, Iwai K, Ishida K, Uchimoto R, Miyazawa T, Azuma H. (1995):** Safety and pharmacokinetics of iotrolan in hysterosalpingography. Retention and irritability compared with lipiodol. *Invest Radiol.* 30:538-43.
- **Moen HM (1995):** Is mild endometriosis a disease? Why do women develop endometriosis and why is it diagnosed? *Hum Reprod* 10,8–11.
- **Montville CP, Khabbaz M, Aubuchon M, Williams DB, Thomas MA (2010):** Luteal support with intravaginal progesterone increases clinical pregnancy rates in women with polycystic ovary syndrome using letrozole for ovulation induction. *Fertil Steril.*; 94(2):678-83. Epub 2009 Jun 9.
- **Moomjy M, Sills ES, Rosenwaks Z, Palermo GD. (1998):** Implications of complete fertilization failure after intracytoplasmic sperm injection for subsequent fertilization and reproductive outcome. *Hum Reprod*; 13:2212–2216.
- **Morrell JM, Moffatt O, Sakkas D, et al. (2004):** Reduced senescence and retained nuclear DNA integrity in human spermatozoa prepared by density gradient centrifugation. *J Assist Reprod Genet*; 21:217.
- **Mortimer D, Mortimer ST. (1992):** Methods of sperm preparation for assisted reproduction. *Ann Acad Med*; 21:517.
- **Mortimer D. (2000):** Sperm preparation methods. *J Androl*; 21:357.
- **Naissa Prévêde Bernardo, Maria Elisa Pereira Bastos Siqueira, Maria José Nunes de Paiva, Patrícia Penido Maia (2003):** Caffeine and other adulterants in seizures of street cocaine in Brazil. *International Journal of Drug Policy* 14 (4): 331–334. doi:10.1016/S0955-3959(03)00083-5. .
- **National Institute of Clinical Excellence. (2004):** Fertility: assessment and treatment of people with fertility problems. http://www.nice.org.uk/pdf/CG011_fullguideline.pdf. Clinical guidelines No11. London: Abba Litho Ltd. UK, 2004.

References

- **Ng EH, Makkar G, Yeung WS, Ho PC. (2003):** A randomized comparison of three insemination methods in an artificial insemination program using husbands' semen. *J Reprod Med.*; 48(7): 542–6.
- **Nicholson CM, Abramsson LA, Holm SE, Bjurulf E. (2000):** Bacterial contamination and sperm recovery after semen preparation by density gradient centrifugation using silane-coated silica particles at different g forces. *Hum Reprod*; 15:662.
- **Nikolaou D and Templeton A (2003):** Early ovarian aging: a hypothesis. Detection and clinical relevance. *Hum Reprod* 18,1137–1139.
- **Nikolaou D and Templeton A (2004):** Early ovarian aging. *Eur J Obstet Gynecol* 113,126–133.
- **Nils Löfgren (1948):** Xylocaine: a new synthetic drug. www.wikipedia.com/lidocaine.
- **Noci I, Dabizzi S, Evangelisti P, Cozzi C, Cameron Smith M, Criscuoli L, Fuzzi B, Branconi F. (2007):** Evaluation of clinical efficacy of three different insemination techniques in couple infertility. A randomized study. *Minerva Ginecol.*;59(1):11–18.
- **Norman FA, Moustafa HF, Botros RM, George NG, Rizk CB, Huff CA, Kennedy R, Holland S, Hazelton J, Garcia JA, Sallam HN (2008):** Intrauterine Insemination. In *Textbook of Infertility and Assisted Reproduction*. By Rizk B, Sallam H, Garcia J, Markigi A. Cambridge University Press. Ch 46;416-427;
- **Novotný Z, Krízan J, Síma R, Síma P, Uher P, Zech N, Hütelová R, Baborová P, Ulcová-Gallová Z, Subrt I, Ulmanová E, Houdek Z, Rokyta Z, Babuska V, Králícková M. (2009):** Leukaemia inhibitory factor (LIF) gene mutations in women diagnosed with unexplained infertility and endometriosis have a negative impact on the IVF outcome. A pilot study. *Folia Biol (Praha).*; 55(3):92-7.
- **Nugent D, Watson A, Killick S, Balen A, Rutherford A. (2002):** A randomized controlled trial of tubal flushing with lipiodol for unexplained infertility. *Fertil Steril* 2002; 77:173-75.
- **Nulsen J, Wheeler C, Ausmanas M, Blasco L. (1987):** Cervical mucus changes in relationship to urinary luteinizing hormone. *Fertil Steril*; 48:783–786.

References

- **Nulsen JC, Walsh S, Dumez S, Metzger DA. (1993):** A randomized and longitudinal study of human menopausal gonadotropin with intrauterine insemination in the treatment of infertility. *Obstet Gynecol.*;82(5):780–6.
- **Nunley W, Bateman B, Kithchin J, Pope T. (1987):** Intravasation during hysterosalpingography using oil-base contrast medium - a second look. *Obstetrics and Gynecology*;70:309–12.
- **Nuojua-Huttunen S, Gissler M, Martikainen H, Tuomivaara L. (1999):** Obstetric and perinatal outcome of pregnancies after intrauterine insemination. *Hum Reprod.*; 14(8):2110–15.
- **Nuojua-Huttunen S, Tomas C, Bloigu R, Tuomivaara L, Martikainen H. (1999):** Intrauterine insemination treatment in subfertility: an analysis of factors affecting outcome. *Hum Reprod.*; 14(3):698–703.
- **Oak M, Chantler EN, Vaughan Williams CA, Elstein M. (1985):** Sperm survival studies in peritoneal fluid from infertile women with endometriosis and unexplained infertility. *Clin Reprod Fertil*;3:297–303.
- **Odem RR, Durso NM, Long CA, Pineda JA, Strickler RC, Gast MJ. (1991):** Therapeutic donor insemination: a prospective randomized study of scheduling methods. *Fertility and Sterility*;55(5): 976–82.
- **Oehninger S, Acosta R, Morshedi M, Philput C, Swanson RJ, Acosta AA. (1990):** Relationship between morphology and motion characteristics of human spermatozoa in semen and in the swim-up sperm fractions. *J Androl*; 11:446.
- **Olga Ramo, Roberto Matorras, Beatriz Corco´stegui, Arantza Meabel, Jorge Burgos¹, Antonia Expo´sito¹, and Lorena Crisol (2009):** Ultrasound-guided artificial insemination: a randomized controlled trial *Human Reproduction*; 24(5): 1080–84.
- **Olufowobi O, Sharif K, Papaioannou S, Mohamed H, Neelakantan D, Afnan M. (2005):** Role of rescue IVF-ET treatment in the management of high response in stimulated IUI cycles. *J Obstet Gynaecol.*;25(2):166–8.
- **Ombelet W. (2003):** Semen quality and intrauterine insemination. *Reprod BioMed Online*; 7:485–492.
- **Omland AK, Abyholm T, Fedorcsak P, Ertzeid G, Oldereid N, Bjercke S, Tanbo T (2005):** Pregnancy outcome after IVF and ICSI in unexplained,

References

- endometriosis-associated and tubal factor infertility. *Human Reprod.*; 20(3): 722–27
- **Pandian Z, Bhattacharya S, Templeton A (2001):** Review of unexplained infertility and obstetric outcome: a 10 year review. *Human Reprod.*; 16(12): 2593-97.
 - **Pandian Z, Bhattacharya S, Vale L, Templeton A. (2005):** In vitro fertilization for unexplained subfertility. *Cochrane Database of Syst Rev.*
 - **Papaioannou S, Afnan M, Girling AJ, Coarasamy A, McHugo JM and Sharif K (2003):** The potential value of tubal perfusion pressure measured during selective salpingography in predicting fertility. *Hum Reprod* 18,358–363.
 - **Parazzini F.(1999):** Ablation of lesions or no treatment in minimal-mild endometriosis in infertile women: a randomized trial. Gruppo Italiano per lo Studio dell'Endometriosi. *Hum Reprod.*; 14:1332-1334.
 - **Park JJ, Kang M, Shin S, Choi E, Kwon S, Wee H, Nam B, Kaptchuk TJ. (2010):** Unexplained infertility treated with acupuncture and herbal medicine in Korea. *J Altern Complement Med.*;16(2):193-8.
 - **Pasqualotto EB, Daitch JA, Hendin BN, Falcone T, Thomas AJ Jr., Nelson DR, Agarwal A. (1999):** Relationship of total motile sperm count and percentage motile sperm to successful pregnancy rates following intrauterine insemination. *J Assist Reprod Genet.*;16(9):476–82.
 - **Paulson JD, Polakoski KL. (1977):** A glass wool column procedure for removing extraneous material from the human ejaculate. *Fertil Steril*; 28:178.
 - **Paz G, Yavetz H, Margalit M, Hevlin-Schwartz T, Amit A. (2008):** The involvement of the zona pellucida in unexplained infertile women. *Harefuah.*;147(1):77-80, 93, 92.
 - **Pickard J (2009):** Guidelines and the adoption of 'lipid rescue' therapy for local anaesthetic toxicity. *Anaesthesia*;64:122-5.
 - **Pierson R, Olatunbosun F, Baerwald A, de Moustier B, Saunders H, Loumaye E. (2002):** Recombinant human luteinizing hormone for triggering follicular rupture: a dose finding study in ovulation induction. *Fertility and Sterility*;78 Suppl 1(3).

References

- **Pinto AB, Hovsepien DM, Wattanakumtornkul S, et al. (2003):** Pregnancy outcomes after fallopian tube recanalization: oil-based versus water-soluble contrast agents. *J Vasc Interv Radiol*; 14: 69-74
- **Politch JA, Xu C, Tucker L, Anderson DJ. (2004):** Separation of human immunodeficiency virus type 1 from motile sperm by the double tube gradient method versus other methods. *Fertil Steril*; 81:440.
- **Polyzos NP, Tzioras S, Mauri D, Tsappi M, Cortinovis I, Tsali L, Casazza G. (2008):** Treatment of unexplained infertility with aromatase inhibitors or clomiphene citrate: a systematic review and meta-analysis. *Obstet Gynecol Surv.*;63(7):472-9.
- **Posada MN, Azuero AM, Arango AM, Raigosa GC, Cano JF, Perez AL. (2005):** Sperm washing with swim-up versus gradients in intra uterine insemination (IUI): results of a prospective randomized study comparing pregnancy rates and costs. *Fertility & Sterility Abstract book 61st ASRM meeting*; Vol. 84 Suppl 1:361.
- **Quaas A, Dokras A (2008):** Diagnosis and Treatment of Unexplained Infertility. *Rev Obstet Gynecol.*;1(2):69-76.
- **Ragni G, Maggioni P, Guermandi E, Testa A, Baroni E, Colombo M, Crosignani PG. (1991):** Efficacy of double intrauterine insemination in controlled ovarian hyperstimulation cycles. *Fertil Steril.*;72(4):619–22.
- **Ragni G, Vegetti W, Baroni E, Colombo M, Arnoldi M, Lombroso G, Crosignani PG. (2001):** Comparison of luteal phase profile in gonadotrophin stimulated cycles with or without a gonadotrophin-releasing hormone antagonist. *Hum Reprod* ; 16:2258–2262.
- **Ramazzotto LJ, Curro FA, Paterson JA, Tanner P, Coleman M. (1985):** Toxicological assessment of lidocaine in the pregnant rat. *J Dent Res.* 64:1214-18.
- **Rasmussen F, Lindequist S, Larsen C, Justesen P. (1991):** Therapeutic effect of hysterosalpingography: oil- versus water-soluble contrast media - a randomized prospective study. *Radiology*;179:75–9.
- **Reilly TJ (1999):** The Preparation of Lidocaine. *J. Chem. Ed.* 76 (11): 1557 .
- **Reindollar RH, Regan MM, Neumann PJ, et al. (2007):** A randomized controlled trial of 503 couples assigned to conventional infertility treatment

References

- or an accelerated track to IVF: preliminary results of the Fast Track and Standard Treatment (FASTT) Trial. *Fertil Steril.*;88(suppl 1):S41.
- **Reindollar RH, Regan MM, Neumann PJ, Thornton KL, Alper MM, Goldman MB. (2007):** A randomized controlled trial of 503 couples assigned to conventional infertility treatment or an accelerated track to IVF: preliminary results of the fast track and standard treatment (FASTT) trial. *Fertil Steril.*;86:S841.
 - **Ren SS, Sun GH, Ku CH, Chen DC, Wu GJ. (2004):** Comparison of four methods for sperm preparation for IUI. *Arch Androl*; 50:139.
 - **Rhemrev J, Jeyendran RS, Vermeiden JPW, Zaneveld LJD. (1989):** Human sperm selection by glass wool filtration and two-layer, discontinuous Percoll gradient centrifugation. *Fertil Steril*; 51:685.
 - **Ricci G, Nucera G, Pozzobon C, Boscolo R, Giolo E, Guaschino S. (2001):** A simple method for fallopian tube sperm perfusion using a blocking device in the treatment of unexplained infertility. *Fertil Steril.*;76(6):1242–8.
 - **Rizk B, Dickey RP. (2009):** Intrauterine insemination. By Dickey RP, Brinsden PR, Pryzak R Cambridge: United Kingdom, Cambridge University Press.
 - **Rizk B. (2006):** Epidemiology of ovarian hyperstimulation syndrome: iatrogenic and spontaneous. In *Ovarian Hyperstimulation Syndrome*. By Rizk B. Cambridge, New York: Cambridge University Press. Ch 2, 10–42.
 - **Roma Dalfó A, Ubeda B, Ubeda A, et al. (2004):** Diagnostic value of hysterosalpingography in the detection of intrauterine abnormalities: a comparison with hysteroscopy. *AJR Am J Roentgenol.*;183:1405-1409.
 - **Rossi S (2006):** Australian Medicines Handbook. Adelaide. ISBN 0-9757919-2-3
 - **Roudebush WE, Toledo AA, Kort HI, Mitchell-Leef D, Elsner CW, Massey JB. (2004):** Platelet-activating factor significantly enhances intrauterine insemination pregnancy rates in non-male factor infertility. *Fertil Steril.* 2004;82(1):52–6. Erratum in: *Fertil Steril.*;82(3):768.
 - **Sakhel K, Khedr M, Schwark S, Ashraf M, Fakh MH, Abuzeid M. (2007):** Comparison of urinary and recombinant hCG during ovulation

References

- induction in IUI cycles: a prospective randomized clinical trial. *Fertility and Sterility*; 87(6):1357–62.
- **Sanchez R, Stalf T, Khanaga O, Turley H, Gips H, Schill W-B. (1996):** Sperm selection methods for intracytoplasmic sperm injection (ICSI) in andrological patients. *J Assist Reprod Genet*; 13:228.
 - **Sauer R, Roussev R, Jeyendran RS, Coulam CB. (2010):** Prevalence of antiphospholipid antibodies among women experiencing unexplained infertility and recurrent implantation failure. *Fertil Steril.*;93(7):2441-3.
 - **Sawatari Y, Hori T, Hoshiai H.(1993):** Oily contrast medium as a therapeutic agent for infertility because of mild endometriosis. *Fertility and Sterility*;59:907–11.
 - **Schellen AM (1957):** Artificial insemination in the Human. Elsevier,Amsterdam.
 - **Schellen AMCM (1960):** Artificial Insemination in the Human. The social aspects of society. Utrecht, Antwerpen, Het Spectrum.
 - **Scott RT Jr (2000):** Déjà vu all over again. *Fertil Steril* 74,639–640.
 - **Scott RT, Bailey SA, Kost ER, Neal GS, Hofmann GE, Illions EH. (1994):** Comparison of leuprolide acetate and human chorionic gonadotropin for the induction of ovulation in clomiphene citratestimulated cycles. *Fertility and Sterility*; 61(5):872–9.
 - **Serhal PF, Katz M, Little V, Woronowski H. (1988):** Unexplained infertility--the value of Pergonal superovulation combined with intrauterine insemination. *Fertil Steril*; 49:602.
 - **Shalev E, Geslevich Y, Matilsky M, Ben-Ami M. (1995):** Induction of preovulatory gonadotrophin surge with gonadotrophin-releasing hormone agonist compared to pre-ovulatory injection of human chorionic gonadotrophins for ovulation induction in intrauterine insemination treatment cycles. *Human Reproduction*; 10(9):2244–7.
 - **Shibahara H, Obara H, Ayustawati Hirano Y, Suzuki T, Ohno A,Takamizawa S, SuzukiM. (2004):** Prediction of pregnancy by intrauterine insemination using CASA estimates and strict criteria in patients with male factor infertility. *Int J Androl.*;27(2):63–8.
 - **Shulman A, Hauser R, Lipitz S, Frenkel Y, Dor J, Bider D, Mashiach S, Yogev L, Yavetz H. (1998):** Sperm motility is a major determinant of

References

- pregnancy outcome following intrauterine insemination. *J Assist Reprod Genet.*;15(6):381–5.
- **Sicman AJ and Black C (1998):** Increased incidence of spontaneous abortion and infertility in women with scleroderma before disease onset: a controlled study. *Ann Rheum Dis* 47,441–44.
 - **Sikandar R, Virk S, Lakhani S, Sahab H, Rizvi J. (2005):** Intrauterine insemination with controlled ovarian hyperstimulation in the treatment of subfertility. *J Coll Physicians Surg Pak.*;15(12):782–5.
 - **Sills ES, Palermo GD.(2002):** Intrauterine pregnancy following low-dose gonadotropin ovulation induction and direct intraperitoneal insemination for severe cervical stenosis. *BMC Pregnancy Childbirth.*; Nov. 26;2(1):9.
 - **Smith S, Pfiefer SM and Collins J (2003):** Diagnosis and management of female infertility. *JAMA* 290,17.
 - **Snick HK, Collins JA, Evers JLH. (2008):** What is the most valid comparison treatment in trials of intrauterine insemination, timed or uninfluenced intercourse? A systematic review and meta-analysis of indirect evidence. *Hum Reprod*;23:2239–2245.
 - **Soliman S, Goyal A. (2005):** RCT comparing two different sperm preparations for intrauterine insemination. *Fertility Sterility, Abstract book 61st ASRM meeting; Vol. 84 Suppl 1:s156.*
 - **Sonal Panchal and C. B. Nagori (2009):** Pre-hCG 3D and 3D power Doppler assessment of the follicle for improving pregnancy rates in intrauterine insemination cycles. *J Hum Reprod Sci.*; 2(2): 62–67
 - **Soules MR, Spadoni LR. (1982):** Oil versus aqueous media for hysterosalpingography: a continuing debate based on many opinions and few facts. *Fertility and Sterility*;28:1–11.
 - **Soules MR, Spadoni LR. (1982):** Oil versus aqueous media for hysterosalpingography: a continuing debate based on many opinions and few facts. *Fertility and Sterility*;28:1–11.
 - **Southam AL (1960):** What to do with the “normal” infertile couple?.*Fertil Steril*; 11:543–49.
 - **Spiessens C, Vanderschueren D, Meuleman C, DHooghe T. (2003):** Isolated teratozoospermia and intrauterine insemination. *Fertil Steril.*;80(5):1185–9.

References

- **Spring DB, Barkan HE, Pruyn SC. (2000):** Potential therapeutic effects of contrast materials in hysterosalpingography: a prospective randomized clinical trial. *Radiology*;214:53–7.
- **Steures P, van der Steeg JW, Hompes PG, Bossuyt PM, Habbema JD, Eijkemans MJ, Schols WA, Burggraaff JM, van der Veen F, Mol BW.(2007):** Effectiveness of intrauterine insemination in subfertile couples with an isolated cervical factor: a randomized clinical trial. *Fertil Steril*; 88:1692–96.
- **Steures P, van der Steeg JW, Hompes PG, Habbema JD, Eijkemans MJ, Broekmans FJ, Verhoeve HR, Bossuyt PM, van der Veen F, Mol BW. (2006):** Intrauterine insemination with controlled ovarian hyperstimulation versus expectant management for couples with unexplained subfertility and an intermediate prognosis: a randomised clinical trial. *Lancet*;368:216–221.
- **Steures P, van der Steeg JW, Mol BW, Eijkemans MJ, van der Veen F, Habbema JD, Hompes PG, Bossuyt PM, Verhoeve HR, van Kasteren YM, van Dop PA (2004):** CECERM (Collaborative Effort in Clinical Evaluation in Reproductive Medicine). Prediction of an ongoing pregnancy after intrauterine insemination. *Fertil Steril.* ;82(1):45–51.
- **Stewart JA. (2003):** Stimulated intra-uterine insemination is not a natural choice for the treatment of unexplained subfertility. Should the guidelines be changed? *Hum Reprod*; 18:903–907.
- **Stone BA, Vargyas JM, Ringler GE, Stein AL, Marrs RP. (1999):** Determinants of the outcome of intrauterine insemination: analysis of outcomes of 9963 consecutive cycles. *Am J Obstet Gynecol.*;180(6 Pt. 1):1522–34.
- **Strandell A, Bergh C, Soöderlund B, Lundin K, Nilsson L. (2003):** Fallopian tube sperm perfusion: the impact of sperm count and morphology on pregnancy rates. *Acta Obstet Gynecol Scand*;82:1023–1029.
- **Strandell A, Bourne T, Bergh C, Granberg S, Asztely M, Thorburn J. (1999):** The assessment of endometrial pathology and tubal patency: a comparison between the use of ultrasonography and x-ray hysterosalpingography for the investigation of infertility patients. *Ultrasound Obstet Gynecol*;14:200–204.

References

- **Sulak PJ, Letterie GS, Coddington CC, Hayslip CC, Woodward JE, Klein TA. (1987):** Histology of proximal tubal occlusion. *Fertility and Sterility*;48:437–40.
- **Swain JE, Pool TB. (2008):** ART failure: oocyte contributions to unsuccessful fertilization. *Hum Reprod Update*;14:431–446.
- **Tanahatoc SJ, Homes PGA and Lamback CB (2003):** Accuracy of diagnostic laparoscopy in the infertility wash-ups before intrauterine insemination. *Fertil Steril* 79,361–366.
- **Tanahatoc SJ, McDonnell J, Goverde AJ, Hompes PG, Lambalk CB.(2009):** Total fertilization failure and idiopathic subfertility. *Reprod Biol Endocrinol*;7:3.
- **Tapia A, Gangi LM, Zegers-Hochschild F, Balmaceda J, Pommer R, Trejo L, Pacheco IM, Salvatierra AM, Henriquez S, Quezada M et al. (2008):** Differences in the endometrial transcript profile during the receptive period between women who were refractory to implantation and those who achieved pregnancy. *Hum Reprod*;23:340–351.
- **Tarlatzis BC, Fauser BC, Kolibianakis EM, Diedrich K, Rombauts L, Devroey P. (2006):** GnRH antagonists in ovarian stimulation for IVF. *Hum Reprod Update*; 12:333–240.
- **te Velde ER, Scheffer GJ, Douland M, Broekmans FJ and Fauser BCJM (1998):** Development of endocrine aspects of normal ovarian aging. *Mol Cell Endocrinol* 145,67–73.
- **Tea NT, Jondet M, Scholler R. (1984):** A migration-gravity sedimentation method for collecting motile spermatozoa from human semen. In: *Manual Of Assisted Reproduction*. By Harrison RF, 1984:33
- **The ESHRE Capri Workshop Group (2000):** Optimal use of infertility diagnostic tests and treatments. *Hum Reprod*; 15:723–732.
- **The ESHRE Capri Workshop Group (2004):** Diagnosis and management of the infertile couple: missing information. *Hum Reprod Update*; 10:295–307.
- **The ESHRE Capri Workshop Group (2005):** Fertility and ageing. *Hum Reprod Update*; 11:261–276.
- **The ESHRE Capri Workshop Group (2009):** Intrauterine insemination. *Human Reproduction Update*, Vol.15, No.3 pp. 265–277.

References

- **The Practice Committee of the American Society for Reproductive Medicine (2004):** Optimal evaluation of the infertile female. *Fertil Steril*; 82 (Suppl. 1):S169–S172.
- **The Practice Committee of the American Society for Reproductive Medicine (2006a):** Effectiveness and treatment for unexplained infertility. *Fertil Steril.*;86(suppl. 5):S111-S114.b
- **The Practice Committee of the American Society for Reproductive Medicine (2006b):** Optimal evaluation of the infertile female. *Fertil Steril*; 86(Suppl. 4):S264–S267.
- **Thomson PD, Melmon KL, Richardson JA, et al. (1973):** Lidocaine pharmacokinetics in advanced heart failure, liver disease, and renal failure in humans. *Ann. Intern. Med.* 78 (4): 499–508. PMID 4694036.
- **Thurmond A, Rosch J. (1990):** Nonsurgical fallopian tube recanalization for treatment of infertility. *Radiology*;174:371–4.
- **Tiemessen CH, Bots RS, Peeters MF, Evers JL. (1997):** Direct intraperitoneal insemination compared to intrauterine insemination in superovulated cycles: a randomized cross-over study. *Gynecol Obstet Invest.* 1997;44(3):149–52.
- **Trout SW, Kemmann E. (1999):** Fallopian sperm perfusion versus intrauterine insemination: a randomized controlled trial and meta-analysis of the literature. *Fertil Steril.*;71(5):881–5.
- **Tur R, Barri PN, Coroleu B, Buxaderas R, Martí'nez F, Balasch J. (2001):** Risk factors for high-order multiple implantation after ovarian stimulation with gonadotrophins: evidence from a large series of 1878 consecutive pregnancies in a single centre. *Hum Reprod*;16:2124–2129.
- **Uranchimeg D, Akira K, Yuya Y, Tomko T, Yuri Y et al. (2011):** Effect of semen characteristics on pregnancy rate following intrauterine insemination. *J. Med. Invest.* 58: 127-133.
- **Uzun O, Findik S, Danaci M, Katar D, Ekran L. (2004):** Pulmonary and cerebral oil embolism after hysterosalpingography with oil-soluble contrast medium. *Respirology.* 9:134-36.
- **Valbuena D, Simon C, Romero JL, Remohi J, Pellicer A. (1996):** Factors responsible for multiple pregnancies after ovarian stimulation and

References

- intrauterine insemination with gonadotropins. *J Assist Reprod Genet.*;13(8):663–8
- **van der Poel N, Farquhar C, Abou-Setta AM, Benschop L, Heineman MJ. (2010):** Soft versus firm catheters for intrauterine insemination. *Cochrane Database Syst Rev.*
 - **van der Westerlaken LA, Naaktgeboren N, Helmerhorst FM. (1998):** Evaluation of pregnancy rates after intrauterine insemination according to indication, age, and sperm parameters. *J Assist Reprod Genet.*;15(6):359–64.
 - **van Noord PA, Dubas JS, Douland M, Broekmans FJ and te Velde E (1997):** Age at natural menopause in a population-based screening cohort: the role of menarche. *Fertil Steril* 68, 95–102.
 - **van Rumste MME, Custers IM, van der Veen F, van Wely M, Evers JLH, Mol BWJ. (2008):** The influence of the number of follicles on pregnancy rates in intrauterine insemination with ovarian hyperstimulation: a meta-analysis. *Hum Reprod Update*;14:563–570.
 - **van Rumste MME, den Hartog JE, Dumoulin JCM, Evers JLH, Land JA. (2006):** Is controlled ovarian stimulation in intrauterine insemination an acceptable therapy in couples with unexplained non-conception in the perspective of multiple pregnancies? *Hum Reprod*;21:701–704.
 - **Van Voorhis BJ, Barnett M, Sparks AE, Syrop CH, Rosenthal G, Dawson J. (2001):** Effect of the total motile sperm count on the efficacy and cost-effectiveness of intrauterine insemination and in vitro fertilization. *Fertil Steril.*;75(4):661–8.
 - **van Weert JM, Repping S, Van Voorhis BJ, van der Veen F, Bossuyt PM, Mol BW. (2004):** Performance of the postwash total motile sperm count as a predictor of pregnancy at the time of intrauterine insemination: a meta-analysis. *Fertil Steril.*;82(3):612–20.
 - **Verhulst SM, Cohlen BJ, Hughes E, et al. (2006):** Intrauterine insemination for unexplained subfertility. *Cochrane Database Syst Rev.*
 - **Vermesh M, Kletzky OA, Davajan V, Israel R. (1987):** Monitoring techniques to predict and detect ovulation. *Fertil Steril.*; 47(2): 259–64.
 - **Wang JX, Norman RJ, Kristiansson P. (2002):** The effect of various infertility treatments on the risk of preterm birth. *Hum Reprod.*; 17(4):945–9.

References

- **Wathén KA, Unkila-Kallio L, Isaksson R, Tiitinen A, Stenman UH, Vuorela P. (2008):** Is serum-soluble vascular endothelial growth factor receptor-1 of importance in unexplained infertility?. *Acta Obstet Gynecol Scand.*; 87(7):738-44.
- **Watson A, Vandekerckhove P, Lilford R, Vail A, Brosens I, Hughes E. (1994):** A meta-analysis of the therapeutic role of oil soluble contrast media at hysterosalpingography: a surprising result?. *Fertility and Sterility*;61:470–7.
- **Weir WC, Weir DR. (1951):** Therapeutic value of salpingograms in infertility. *Fertility and Sterility*;2:514–22.
- **Werbrouck E, Spiessens C, Meuleman C, DHooghe T. (2006):** No difference in cycle pregnancy rate and in cumulative live-birth rate between women with surgically treated minimal to mild endometriosis and women with unexplained infertility after controlled ovarian hyperstimulation and intrauterine insemination. *Fertil Steril.*;86(3):566–71.
- **Wilcox AJ, Baird DD, Dunson DB, McConaughey DR, Kesner JS, Weinberg CR. (2004):** On the frequency of intercourse around ovulation: evidence for biological influences. *Hum Reprod*;19:1539–1543.
- **Wilcox AJ, Weinberg CR, Baird DB. (1995):** Timing of intercourse in relation to ovulation: effects on the probability of conception, survival of the pregnancy and sex of the baby. *N Engl J Med*;333:1517–1521.
- **Woolcott R, Fisher S, Thomas J and Kabce W (1999):** A randomized, prospective, controlled study of laparoscopic dye studies and selective salpingography on diagnostic tests of fallopian tube patency. *Fertil Steril* 72,879–884.
- **Wordsworth S, Buchanan J, Mollison J, Harrild K, Robertson L, Tay C, Harrold A, McQueen D, Lyall H, Johnston L, Burrage J, Grossett S, Walton H, Lynch J, Johnstone A, Kini S, Raja A, Templeton A, Bhattacharya S. (2011):** Clomifene citrate and intrauterine insemination as first-line treatments for unexplained infertility: are they cost-effective?. *Hum Reprod.*;26(2):369-75.
- **World Health Organization. (1980):** Temporal relationships between ovulation and defined changes in the concentration of plasma estradiol-17

References

- beta, luteinizing hormone, follicle-stimulating hormone, and progesterone. *American Journal of Obstetrics and Gynecology*;138(4):383–90.
- **Xu L, Lu RK, Chen L, Zheng YL. (2000):** Comparative study on efficacy of three sperm-separation techniques. *Asian Journal of Andrology*;2:131–4.
 - **Yaegashi N, Kuramoto M, Nakayama C, Nakano M. (1987):** Pregnancy rates after hysterosalpingography - comparing water soluble contrast medium with oily contrast medium. *Acta Obstetrica et Gynaecologica Japonica*;39:1812–4.
 - **Yalti S, Gurbuz B, Sezer H, Celik S. (2004):** Effects of semen characteristics on IUI combined with mild ovarian stimulation. *Arch Androl.*;50(4):239–46.
 - **Yang KN, Yeh NG, Pan SB. (1989):** The therapeutic effects of oil-soluble hysterosalpingography contrast medium following water-soluble hysterosalpingography contrast medium. *Chinese Medical Journal*; 44:293–7.
 - **Yousefi B, Azargon A. (2011):** Predictive factors of intrauterine insemination success of women with infertility over 10 years. *J Pak Med Assoc.*;61(2):165-8.
 - **Zegers-Hochschild F, Nygren KG, Adamson GD, de Mouzon J, Lancaster P, Mansour R, Sullivan E (2006a):** on behalf of The International Committee Monitoring Assisted Reproductive Technologies. The ICMART glossary on ART terminology. *Hum Reprod*;21:1968–1970.
 - **Zegers-Hochschild F, Nygren KG, Adamson GD, de Mouzon J, Lancaster P, Mansour R, Sullivan E. (2006b):** The International Committee Monitoring Assisted Reproductive Technologies (ICMART) glossary on ART terminology. *Fertil Steril*;86:16–19.
 - **Zeyneloglu HB, Arici A, Olive DL, Duleba AJ. (1998):** Comparison of intrauterine insemination with timed intercourse in superovulated cycles with gonadotropins: a meta-analysis. *Fertil Steril.*;69(3):486–91.
 - **Zikopoulos K, West CP, Thong PW, Kacser EM, Morrison J, Wu FCW. (1993):** Homologous intra-uterine insemination has no advantage over timed natural intercourse when used in combination with ovulation induction for the treatment of unexplained infertility. *Hum Reprod*;8:563–567.

References

- **Zimmerman ER, Robertson KR, Kim H, Drobnis EZ, Nakajima ST. (1994):** Semen preparation with the sperm select system versus a washing technique. *Fertil Steril.*;61(2):269–75.
- **Zreik TG, García Velasco JA, Habboosh MS, Olive DL, Arici A. (1999):** Prospective, randomized crossover study to evaluate the benefit of human chorionic gonadotropin-timed versus urinary luteinizing hormone-timed intrauterine insemination in clomiphene citrate stimulated treatment cycles. *Fertility and Sterility*; 71(6):1070–4.