
References

A

- Abou-Rebych H, Hoepffner N, Rosch T, ... et al (2005).** Long-term failure of endoscopic suturing in treatment of gastroesophageal reflux: A prospective follow-up study. *Endoscopy*; 37:213-216.
- Altorki NK, Yankelevitz D and Skinner DB (1998).** Massive hiatal hernias: the anatomic basis of repair. *J Thorac Cardiovasc Surg*; 115(4):828–35.
- Anvari M and Allen C (2001).** Postprandial bloating after laparoscopic Nissen fundoplication. *Can J Surg*; 44(6): 440-44.

B

- Basu KK, Bale R, West KP and de Caestecker JS (2002).** Persistent acid reflux and symptoms in patients with Barrett's oesophagus on proton pump inhibitor therapy. *Eur J Gastroenterol Hepatol*; 14: 1187-92.
- Beaumont H, Bennink R, Jong J and Boeckxstaens G (2010).** The position of the acid pocket as a major risk factor for acidic reflux in healthy subjects and patients with GERD. *Gut*; 59: 441-51.
- Biertho L, Sebjang H and Anvari M (2006).** Effects of laparoscopic Nissen fundoplication on esophageal motility. *Surg Endosc*; 20:619-623.
- Bohn D (2002).** Congenital diaphragmatic hernia. *Am J Respir Crit Care Med* 166: 911-15.
- Borley NR (2008).** Gastrointestinal tract-Stomach and Abdominal Esophagus. In: Susan Standering (Editor-in-Chief) *Gray's Anatomy 39th Edition*, Chapter 71; 1141-1152. Elsevier

References

Ltd. (Churchil Livingstone).

Boyce HW (2008). The normal anatomy around the oesophagogastric junction: an endoscopic view. *Best Pract Res Clin Gastroenterol*; 22(4):553-67.

Burkitt DP (1981). Hiatus hernia: is it preventable?. *Am. J. Clin. Nutr.* 34(3): 428–31.

C

Canter R (2004). Images in clinical medicine. Paraoesophageal hernia. *N Engl J Med*; 350(23):2398-2402.

Carlsson R, Dent J, Bolling-Sternvald E, et al (1998). The usefulness of a structured questionnaire in the assessment of symptomatic gastroesophageal reflux disease. *Scand J Gastroenterol*; 33: 1023-9.

Castell DO, Kahrilas PJ, Richter JE, et al (2002). Esomeprazole (40 mg) compared with lansoprazole (30 mg) in the treatment of erosive esophagitis. *Am J Gastroenterol*; 97: 575-83.

Catarci M, Gentileschi P, Papi C , Et al Evidence-based appraisal of antireflux fundoplication. *Ann Surg*; 239(3): 325-37.

Celli B (1998). The diaphragm and respiratory muscles. *Chest Surg Clin N Am* 8: 207-24.

Champion JK and Rock D (2003). Laparoscopic mesh cruroplasty for large paraesophageal hernias. *Surg Endosc*; 17(4):551-3.

Chrysos E, Athanasakis E, Pechlivanides G, et al (2004). The effect of total and anterior partial fundoplication on

References

antireflux mechanisms of the gastroesophageal junction. *Am J Surg*; 188 (1):39-44.

Corley DA, Katz P, Wo JM, et al (2003). Improvement of gastroesophageal reflux symptoms after radiofrequency energy: A randomized, sham-controlled trial. *Gastroenterology*; 125:668-676.

Cram M and de Caestecker J (2010). Hiatus hernia and gastro-oesophageal reflux disease. *Medicine*; 39(3): 132-136.

D

Dallemagne B, Weerts J, Markiewicz S,.... et al (2006) Clinical results of laparoscopic fundoplication at ten years after surgery. *Surg Endosc*; 20:159-165.

Dallemagne B, Weerts J, Markiewicz S, ... et al (2006). Clinical results of laparoscopic fundoplication at ten years after surgery. *Surg Endosc*; 20:159-165.

De Giorgi F, Palmiero M, Esposito I, ... et al (2006). Pathophysiology of gastro-oesophageal reflux disease. *Acta Otorhinolaryngol Ital*; 26(5):241-6.

De Troyer A and Estenne M (1988). Functional anatomy of the respiratory muscles. *Clin Chest Med* 9: 175-93.

Delaney B and McColl K (2005). Helicobacter pylori and gastro-oesophageal reflux disease. *Aliment Pharmacol Ther*; 22(suppl 1): 32-40.

Dent J (1992). Long-term aims of treatment of reflux disease, and the role of non-drug measures. *Digestion*; 51(Suppl 1): 30-34.

Dent J, El-Serag HB, Wallander M-A and Johansson S (2005).

References

Epidemiology of gastro-oesophageal reflux: a systematic review. *Gut*; 54: 710-7.

Dent J, Holloway R, Toouli J and Dodds WJ (1988). Mechanisms of lower oesophageal sphincter incompetence in patients with symptomatic gastro-oesophageal reflux. *Gut*; 29: 1020-8.

Draaisma WA, Buskens E, Bais JE, et al(2006b). Randomized clinical trial and follow-up study of cost-effectiveness of laparoscopic versus conventional Nissen fundoplication. *Br J Surg*; 93(6): 690-97.

Draaisma WA, Gooszen HG, Tournoij E and Broeders IA (2005). Controversies in paraesophageal hernia repair: a review of literature. *Surg Endosc*; 19(10):1300-8.

Draaisma WA, Rijnhart-de Jong HG, Broeders IA, ...et al(2006a). Five-year subjective and objective results of laparoscopic and conventional Nissen fundoplication: a randomized trial. *Ann Surg*; 244(1): 34-41.

Dutta S (2007). Prosthetic esophageal erosion after mesh hiatoplasty in a child, removed by transabdominal endogastric surgery. *J Pediatr Surg*; 42(1):252-6.

E

Edye M, Salky B, Posner A and Fierer A (1998). Sac excision is essential to adequate laparoscopic repair of paraesophageal hernia. *Surg Endosc*; 12(10):1259-63.

Emerenziani S, Habib FI, Ribolsi M, Caviglia R, Guarino MP and Petitti T (2006). Effect of hiatal hernia on proximal oesophageal acid clearance in gastro-oesophageal reflux disease patients. *Aliment Pharmacol Ther*; 23(6):751-7.

F

- Fackler WK, Ours TM, Vaezi MF and Richter JE (2002).** Long-term effect of H2RA therapy on nocturnal gastric acid breakthrough. *Gastroenterology*; 122: 625-32.
- Fernando HC, Luketich JD, Christie NA, et al (2002).** Outcomes of laparoscopic Toupet compared to laparoscopic Nissen fundoplication. *Surg Endosc*; 16:905-908.
- Ferri LE, Feldman LS, Stanbridge D,.... et al(2005)** Should laparoscopic paraesophageal hernia repair be abandoned in favor of the open approach? *Surg Endosc*; 19(1):4–8.
- Franzen T, Boström J, Tibbling Grahn L and Johansson K (1999).** Prospective study of symptoms and gastro-oesophageal reflux 10 years after posterior partial fundoplication. *Br J Surg*; 86(7): 956-60.
- Freston JW (1997).** Long-term acid control and proton pump inhibitors: Interactions and safety issues in perspective. *Am J Gastroenterol*; 92:51S-57S.
- Fullard M, Kang JY, Neild A, Poullis A and Maxwell JD (2006).** Systematic review: does gastro-oesophageal reflux disease progress? *Aliment Pharmacol Ther*; 24: 33-45.

G

- Galmiche JP and Bruley des Varennes S (2003).** Endoluminal therapies for gastrooesophageal reflux disease. *Lancet*; 361: 1119-21.
- Goyal RK (2008).** Diseases of the Esophagus. In: Fauci AS, Kasper DL, Longo DL, Braunwald E, Hauser SL, Jameson JL and Loscalzo J (Editors); *Harrison's Principles of*

References

Internal Medicine (17th Edition); Chapter 286. McGraw-Hill Companies, Inc.

Granderath FA, Schweiger UM and Pointner R (2007). Laparoscopic antireflux surgery: tailoring the hiatal closure to the size of hiatal surface area. *Surg Endosc*; 21(4):542-8.

Granderath FA, Schweiger UM, Kamolz T,.... et al (2005) Laparoscopic Nissen fundoplication with prosthetic hiatal closure reduces postoperative intrathoracic wrap herniation: Preliminary results of a prospective randomized functional and clinical study. *Arch Surg*; 140:40-48.

Griffith PS, Valenti V, Qurashi K and Martinez-Isla A (2008). Rejection of goretex mesh used in prosthetic cruroplasty: a case series. *Int J Surg*; 6(2):106–9.

Gurgun C (2002). Images in cardiology. Paraoesophageal hiatal hernia as a rare cause of dyspnoea. *Heart*; 87(3):275.

H

Hagedorn C, Jonson C, Lonroth H, et al (2003). Efficacy of an anterior as compared with a posterior laparoscopic fundoplication: results of a randomized, controlled clinical trial. *Ann Surg*; 238:189-196.

Harvey RF, Hadley N, Gill TR, ... et al (1987). Effects of sleeping with the bedhead raised and of ranitidine in patients with severe peptic oesophagitis. *Lancet*; ii: 1200-3.

Hashemi M, Peters JH, DeMeester TR, ...et al (2000). Laparoscopic repair of large type III hiatal hernia: Objective follow-up reveals high recurrence rate. *J Am Coll Surg*; 190:554-561.

References

Hashemi M, Sillin LF and Peters JH (1999). Current concepts in the management of paraesophageal hiatal hernia. *J Clin Gastroenterol*; 29(1):8-13.

Hayden JD and Jamieson GG (2005). Effect on iron deficiency anemia of laparoscopic repair of large paraesophageal hernias. *Dis Esophagus*; 18:329-331.

Horgan S, Eubanks TR, Jacobsen G, ...et al (1999). Repair of paraesophageal hernias. *Am J Surg*; 177(5):354-8.

Hunter JG, Swanstrom L and Waring JP (1996). Dysphagia after laparoscopic antireflux surgery. The impact of operative technique. *Ann Surg*; 224(1): 51-57.

I

Islam S, Geiger JD, Coran AG and Teitelbaum DH (2004). Use of radiofrequency ablation of the lower esophageal sphincter to treat recurrent gastroesophageal reflux disease. *J Pediatr Surg*; 39:282-286.

J

Jansen M, Otto J, Jansen PL, et al (2007). Mesh migration into the esophageal wall after mesh hiato-plasty: comparison of two alloplastic materials. *Surg Endosc*; 21(12):2298–303.

Japanese Research Society for Gastric Cancer (JRS GC) (1998). Japanese Classification of Gastric Carcinoma. Tokyo: Kanehara & Co Ltd and Gastric Cancer 1: 10-24, 25-30.

Jenkinson AD, Kadiramanathan SS, Scott SM, ...et al (2004). Relationship between symptom response and

References

oesophageal acid exposure after medical and surgical treatment for gastro-oesophageal reflux disease. *Br J Surg*; 91(11): 1460-5.

Jobe BA, Wallace J, Hansen PD, et al (1997). Evaluation of laparoscopic Toupet fundoplication as a primary repair for all patients with medically resistant gastroesophageal reflux. *Surg Endosc*; 11:1080-1083.

K

Kahrilas PJ (2001). Supra-esophageal complications of reflux disease and hiatal hernia. *Am J Med* 111(suppl 8A): 51-5.

Kahrilas PJ, Kim HC and Pandolfino JE (2008). Approaches to the Diagnosis and Grading of Hiatal Hernia. *Best Pract Res Clin Gastroenterol*; 22(4): 601–616.

Karmali S, McFadden S, Mitchell P, ... et al (2008). Primary laparoscopic and open repair of paraesophageal hernias: a comparison of short-term outcomes. *Dis Esophagus*; 21(1):63-8.

Kelly JJ, Watson DI, Chin KF, ... et al (2007). Laparoscopic Nissen fundoplication: clinical outcomes at 10 years. *J Am Coll Surg*; 205(4): 570-75.

Kercher KW, Matthews BD, Ponsky JL, et al (2001). Minimally invasive management of paraesophageal herniation in the high-risk surgical patient. *Am J Surg*; 182(5):510-4.

Khanna A and Finch G (2011). Paraesophageal herniation: A review. *the surgeon* 9; 104-111.

Klauser AG, Schindlbeck NE and Muller-Lissner SA (1990). Symptoms in gastroesophageal reflux disease. *Lancet*;

References

335: 205-8.

Klinkenberg-Knol EC, Nelis F, Dent J, et al (2000). Long-term omeprazole treatment in resistant gastroesophageal reflux disease: efficacy, safety, and influence on gastric mucosa. *Gastroenterology*; 118(4): 661-9.

Krysztopik RJ, Jamieson GG, Devitt PG, et al (2002). A further modification of fundoplication: 90 degrees anterior fundoplication. *Surg Endosc*; 16:1446-1451.

Kuipers EJ, Lundell L, Klinkenberg-Knol EC, ... et al (1996). Atrophic gastritis and *Helicobacter pylori* infection in patients with reflux esophagitis treated with omeprazole of fundoplication. *N Engl J Med*; 334: 1018-22.

Kuo B and Castell DO (1996). Optimal dosing of omeprazole 40 mg daily: effects on gastric acid and esophageal pH and serum gastrin in healthy controls. *Am J Gastroenterol*; 91: 1532-8.

L

Lafullarde T, Watson DI, Jamieson GG, Myers JC, Game PA and Devitt PG (2001). Laparoscopic fundoplication: five-year results and beyond. *Arch Surg* 2001; 136: 180-4.

Lagergren J, Bergstrom R, Lindgren A, Nyren O (1999). Symptomatic gastroesophageal reflux as a risk factor for esophageal adenocarcinoma. *N Engl J Med*; 340: 825-31.

Lal D (2005). Laparoscopic repair of paraoesophageal hernia. *Surg Clin North Am*; 85:105-18.

Landreneau RJ, Del Pino M and Santos R (2005). Management of paraesophageal hernias. *Surg Clin North Am*; 85(3):411-32.

Lange CMTD (Current Medical Diagnosis and Treatment) (2006).

Larusson HJ, Zingg U, Hahnloser D, ... et al (2009). Predictive factors for morbidity and mortality in patients undergoing laparoscopic paraesophageal hernia repair: age, ASA score and operation type influence morbidity. *World J Surg*; 33(5):980-5.

Lindbloom MA, Ringers J, Straathof JW, et al (2003). Effect of laparoscopic partial fundoplication on reflux mechanisms. *Am J Gastroenterol*; 98:29-34.

Linke GR, Borovicka J, Schneider P, et al (2008). Is a barium swallow complementary to endoscopy essential in the preoperative assessment of laparoscopic antireflux and hiatal hernia surgery? *Surg Endosc*; 22(1):96-100.

Loren CSF and Soper NJ (2009). Laparoscopic Nissen Fundoplication. In: Soper NJ, Swanstrom LL and Eubanks WS (Editors); *Mastery of Endoscopic and Laparoscopic Surgery: Indications and Techniques*, 3rd Edition. Section III; A; Chapter 10; Page 91-101. Lippincott Williams & Wilkins.

Lowdermilk GA and Naunheim KS (2000). Thoracoscopic evaluation and treatment of thoracic trauma. *Surg Clin North Am* 80: 1535-42.

Ludeman R, Watson DI, Jamieson GG, et al (2005). Five-year follow-up of a randomized clinical trial of laparoscopic total vs. anterior 180 degree fundoplication. *Br J Surg*; 92(2):240-243.

Luketich JD, Raja S, Fernando HC, et al (2000). Laparoscopic repair of giant paraesophageal hernia: 100 consecutive cases. *Ann Surg*; 232(4):608-18.

References

Lundell L, Attwood S, Ell C, et al (2008). Comparing laparoscopic antireflux surgery with esomeprazole in the management of patients with chronic gastro-oesophageal reflux disease: a 3-year interim analysis of the LOTUS trial. *Gut*; 57: 1207-13.

Luostarinen M (1993). Nissen fundoplication for reflux esophagitis. Long-term clinical and endoscopic results in 109 of 127 consecutive patients. *Ann Surg*; 217(4): 329-37.

M

McDougall NI, Johnston BT, Kee F, et al (1992). Natural history of reflux oesophagitis: a 10 year follow up of its effect on patient symptomatology and quality of life. *Gut*; 38: 481-6.

Mehta S, Bennett J, Mahon D and Rhodes M (2006). Prospective trial of laparoscopic Nissen fundoplication versus proton pump inhibitor therapy for gastroesophageal reflux disease: seven-year follow-up. *J Gastrointest Surg*; 10:1312-1317.

Mittal RK and Balaban DH (1997). The esophagogastric junction. *N Engl J Med*; 336: 924-32.

N

NICE (National Institute of Health and Clinical Experience) (2011). Managing dyspepsia in adults in primary care. <http://www.nice.org.uk/page.asp?o¼CG017&c¼gi> (Accessed 8/5/2011).

Nilsson G, Wenner J, Larsson S and Johnsson F (2004). Randomized clinical trial of laparoscopic versus open fundoplication for gastroesophageal reflux. *Br J Surg*;

References

91(5): 552-59.

O

Oelschlager BK and Pellegrini CA (2001). Paraesophageal hernias: open, laparoscopic, or thoracic repair? *Chest Surg Clin N Am*; 11(3):589-603.

Oelschlager BK, Barreca M, Chang L, ... et al (2003a). Clinical and pathologic response of Barrett's esophagus to laparoscopic antireflux surgery. *Ann Surg*; 238:458-466.

Oelschlager BK, Barreca M, Chang L and Pellegrini CA (2003b). The use of small intestine submucosa in the repair of paraesophageal hernias: Initial observations of a new technique. *Am J Surg*; 186:4-8.

Oelschlager BK, Eubanks TR and Pellegrini CA (2008). Hiatal Hernia and Gastroesophageal Reflux Disease. In: Townsend CM Jr (Editor); *Sabiston Textbook of Surgery (18th Edition)*; Chapter 42. Saunders; an imprint of Elsevier Inc; 173: 450-460.

P

Pandolfino JE, Shi G, Trueworthy B and Kahrilas PJ (2003). Esophagogastric junction opening during relaxation distinguishes non-hernia reflux patients, hernia patients and normals. *Gastroenterology*; 125:1018–1024.

Patel HJ, Tan BB, Yee J, Orringer MB and Iannettoni MD (2004). A 25-year experience with open primary transthoracic repair of paraesophageal hiatal hernia. *J Thorac Cardiovasc Surg*; 127(3):843-9.

Paterson WG (2001). The normal antireflux mechanism. *Chest*

References

Surg Clin N Am 11: 473-83.

Peter M and William W (2001). Oxford textbook of surgery; 2nd Edition. Oxford University Press.

Pleskow D, Rothstein R, Lo S, et al (2005). Endoscopic full-thickness plication for the treatment of GERD: 12-month follow-up for the North American open-label trial. *Gastrointest Endosc*; 61:643-649.

Pomar AP, Zamora EP, Segui AO and Rosello ML (2009). Laparoscopic surgery into mixed hiatal hernia. Results pre-operative and post-operative. *Rev Esp Enferm Dig*; 101: 623-630.

Poncet G, Robert M, Roman S and Boulez JC (2010). Laparoscopic Repair of Large Hiatal Hernia Without Prosthetic Reinforcement: Late Results and Relevance of Anterior Gastropexy. *J Gastrointest Surg*; 14:1910–1916.

Ponsky J, Rosen M, Fanning A and Malm J (2003). Anterior gastropexy may reduce the recurrence rate after laparoscopic paraesophageal hernia repair. *Surg Endosc*; 17(7):1036–41.

R

Rantanen TK, Halme TV, Luostarinen ME, ... et al (1999). The long term results of open antireflux surgery in a community-based health care center. *Am J Gastroenterol*; 94(7): 1777-81.

Rice S, Watson DI, Lally CJ, ...et al (2006). Laparoscopic anterior 180° partial fundoplication: Five-year results and beyond. *Arch Surg*; 141:271-275.

S

Salminen PT (2009). The laparoscopic Nissen fundoplication-a better operation? *Surgeon*; 1: 224-27.

Salminen PT, Hiekkanen HI, Rantala AP and Ovaska JT (2007). Comparison of long-term outcome of laparoscopic and conventional nissen fundoplication: a prospective randomized study with an 11-year follow-up. *Ann Surg*; 246(2): 201-6.

Salminen PT, Laine SO and Ovaska JT (2006). Late subjective results and symptomatic outcome after laparoscopic fundoplication. *Surg Laparosc Endosc Percutan Tech*; 16(4): 203-7.

Scheidler MG, Keenan RJ, Maley RH, et al (2002). "True" paraesophageal hernia: a rare entity radiologic presentation and clinical management. *Ann Thorac Surg*; 73(Edye M et al., 1998):416-9.

Schenk BE, Kuipers EJ, Klinkenberg-Knol EC, et al (1997). Omeprazole as a diagnostic tool in gastroesophageal reflux disease. *Am J Gastroenterol*; 92:1997-2000.

Sciefeke I, Zabel-Langhennig A, Neumann S, et al (2005). Long-term failure of endoscopic gastroplication (EndoCinch). *Gut*; 54: 752-8.

Shah P (2008). Lungs and Diaphragm - Diaphragm and Phrenic Nerve. In: Susan Standerling (Editor-in-Chief) *Gray's Anatomy 39th Edition*, Chapter 64; 1080-1086. Elsevier Ltd. (Churchil Livingstone).

Shanmuganathan K, Killeen K, Mirvis SE and White CS

References

- (2000). Imaging of diaphragmatic injuries. *J Thorac Imaging* 15: 104-11.
- Shih WJ and Milan PP (2005).** Gastric-emptying scintigraphy of type III hiatal hernia: a case report. *J Nucl Med Technol*; 33(2):83-5.
- Silbernagl S and Despopoulos A (2009).** Nutrition and digestion. In: Silbernagl S and Despopoulos A (Editors); *Color Atlas of Physiology* 6th Edition, Chapter 10; 228-267. Georg Thieme Verlag KG, Thieme New York, 333 Seventh Avenue.
- Silverstein FE and Tytgat GNJ (1991).** *Atlas of Gastrointestinal Endoscopy*. 2nd edition. New York: Gower Medical Publishing.
- Skinner DB (1985).** Hernias (hiatal, traumatic, and congenital). In: Berk JE (Editor), *Gastroenterology* 4, Chapter 53; 705-716. W.B. Saunders, Philadelphia.
- Skoutakis VA, Joe RH and Hara DS (1995).** Comparative role of omeprazole in the treatment of gastroesophageal reflux disease. *Ann Pharmacother*; 29:1252-1262.
- Sontag S (1999).** Defining GERD. *Yale J Biol Med* 72 (2-3): 69–80.
- Spechler SJ, Lee E, Ahnen D, et al (2001).** Long-term outcome of medical and surgical therapies for gastroesophageal reflux disease: follow-up of a randomised controlled trial. *JAMA*; 285: 2331-8.
- Stadlhuber RJ, Sherif AE, Mittal SK et al (2009).** Mesh complications after prosthetic reinforcement of hiatal closure: a 28-case series. *Surg Endosc*; 23(6):1219–26.

References

Stylopoulos N, Gazelle GS and Rattner DW (2002). Paraesophageal hernias: Operation or observation? *Ann Surg*; 236:492-501.

Swanstrom LL (2009). Laparoscopic Partial Fundoplication. In: Soper NJ, Swanstrom LL and Eubanks WS (Editors); *Mastery of Endoscopic and Laparoscopic Surgery: Indications and Techniques*, 3rd Edition. Section III; A; Chapter 11; Page 102-111. Lippincott Williams & Wilkins; 20: 230-234.

T

Torquati A, Houston HL, Kaiser J, et al (2004). Long-term follow-up study of the Stretta procedure for the treatment of gastroesophageal reflux disease. *Surg Endosc*; 18:1475-1479.

V

Vakil N, van Zanten SV, Kahrilas P, Dent J and Jones R (2006). Global Consensus Group. The Montreal definition and classification of gastroesophageal reflux disease: a global evidence-based consensus. *Am J Gastroenterol*; 101: 1900-20.

Van der Leest K (2009). Paraesophageal hiatal hernia-induced dyspnea. *Respiration*; 78(1):105.

Van Herwaarden MA, Samsom M and Smout AJPM (2000). Excess gastro-esophageal reflux in patients with hiatus hernia is caused by mechanisms other than transient LES relaxations. *Gastroenterology*; 199: 1439-46.

W