
Reference

Abdel Mohsen, M.A., Hassan, A.A., El-Sewedy, S.M., Aboul-Azm, T., Magagnotti, C., Fanelli, R., and Airoidi, L. (1999). Biomonitoring of n-nitroso compounds, nitrite and nitrate in the urine of Egyptian bladder cancer patients with or without *Schistosoma haematobium* infection. *Int J Cancer* 82, 789-794.

Amling, C.L. (2001). Diagnosis and management of superficial bladder cancer. *Curr Probl Cancer* 25, 219-278.

Arslan, H., Ceylan, K., Harman, M., Yilmaz, Y., Temizoz, O., and Can, S. (2006). Virtual computed tomography cystoscopy in bladder pathologies. *Int Braz J Urol* 32, 147-154; discussion 154.

Barentsz, J.O., Jager, G.J., Witjes, J.A., and Ruijs, J.H. (1996). Primary staging of urinary bladder carcinoma: the role of MRI and a comparison with CT. *Eur Radiol* 6, 129-133.

Biyani, C.S., Sharma, N., Nicol, A., and Heal, M.R. (1996). Postoperative spindle cell nodule of the bladder: a diagnostic problem. *Urol Int* 56, 119-121.

Blute, M.L., Engen, D.E., Travis, W.D., and Kvols, L.K. (1989). Primary signet ring cell adenocarcinoma of the bladder. *J Urol* 141, 17-21.

Bradley, C.S., Smith, K.E., and Kreder, K.J. (2008). Urodynamic evaluation of the bladder and pelvic floor. *Gastroenterol Clin North Am* 37, 539-552, vii.

Broussard, J.N., Tan, P.H., and Epstein, J.I. (2004). Atypia in inverted urothelial papillomas: pathology and prognostic significance. *Hum Pathol* 35, 1499-1504.

Calhoun, P.S., Kuszyk, B.S., Heath, D.G., Carley, J.C., and Fishman, E.K. (1999). Three-dimensional volume rendering of spiral CT data: theory and method. *Radiographics* 19, 745-764.

Caoili, E.M., Cohan, R.H., Korobkin, M., Platt, J.F., Francis, I.R., Faerber, G.J., Montie, J.E., and Ellis, J.H. (2002). Urinary tract abnormalities: initial experience with multi-detector row CT urography. *Radiology* 222, 353-360.

Caoili, E.M., Inampudi, P., Cohan, R.H., and Ellis, J.H. (2005). Optimization of multi-detector row CT urography: effect of compression, saline administration, and prolongation of acquisition delay. *Radiology* 235, 116-123.

Cheng, L., Montironi, R., Davidson, D.D., and Lopez-Beltran, A. (2009). Staging and reporting of urothelial carcinoma of the urinary bladder. *Mod Pathol* 22 Suppl 2, S70-95.

Chung, H., Ahn, H.S., Kim, Y.S., Lee, E.J., Ryu, H.S., Chang, K.H., and Kim, S.J. (2001). The value of cystoscopy and intravenous urography after magnetic resonance imaging or computed tomography in the staging of cervical carcinoma. *Yonsei Med J* 42, 527-531.

Cohan, R.H., Caoili, E.M., Cowan, N.C., Weizer, A.Z., and Ellis, J.H. (2009). MDCT Urography: Exploring a new paradigm for imaging of bladder cancer. *AJR Am J Roentgenol* 192, 1501-1508.

Cowan, N.C., and Crew, J.P. (2010). Imaging bladder cancer. *Curr Opin Urol* 20, 409-413.

Dalrymple, N.C., Prasad, S.R., Freckleton, M.W., and Chintapalli, K.N. (2005). Informatics in radiology (infoRAD): introduction to the language of three-dimensional imaging with multidetector CT. *Radiographics* 25, 1409-1428.

Deklerk, D.P., Catalona, W.J., Nime, F.A., and Freeman, C. (1988). Malignant pheochromocytoma of the bladder: the late development of renal cell carcinoma. *J Urol* 113, 864-868.

Dorschner, W., Stolzenburg, J.U., and Dieterich, F. (1994). A new theory of micturition and urinary continence based on histomorphological studies. 2. The musculus sphincter vesicae: continence or sexual function? *Urol Int* 52, 154-158.

Evans, C.P. (2007). Editorial comment on: Long-term intravesical adjuvant chemotherapy further reduces recurrence rate compared with short-term intravesical chemotherapy and short-term therapy with Bacillus Calmette-Guerin (BCG) in patients with non-muscle-invasive bladder cancer. *Eur Urol* 52, 1129-1130.

Fernandes, E.T., Manivel, J.C., Reddy, P.K., and Ercole, C.J. (1996). Cyclophosphamide associated bladder cancer--a highly aggressive disease: analysis of 12 cases. *J Urol* 156, 1931-1933.

Fielding, J.R., Hoyte, L.X., Okon, S.A., Schreyer, A., Lee, J., Zou, K.H., Warfield, S., Richie, J.P., Loughlin, K.R., O'Leary, M.P., et al. (2002). Tumor detection by virtual cystoscopy with color mapping of bladder wall thickness. *J Urol* 167, 559-562.

Fiter, L., Gimeno, F., Martin, L., and Gomez Tejeda, L. (1993). Signet-ring cell adenocarcinoma of bladder. *Urology* 41, 30-33.

Friedell, G.H., Soloway, M.S., Hilgar, A.G., and Farrow, G.M. (1986). Summary of workshop on carcinoma in situ of the bladder. *J Urol* 136, 1047-1048.

Gamal El-Deen, H.S. (2007). Initial results of retrospective study: preoperative transurethral excision plus chemotherapy and radiation therapy and trial of bladder preservation. *J Egypt Natl Canc Inst* 19, 133-146.

Garvey, C.J., and Hanlon, R. (2002). Computed tomography in clinical practice. *BMJ* 324, 1077-1080.

George, L., Bladou, F., Bardou, V.J., Gravis, G., Tallet, A., Alzieu, C., Serment, G., and Salem, N. (2004). Clinical outcome in patients with locally advanced bladder carcinoma treated with conservative multimodality therapy. *Urology* 64, 488-493.

Goluboff, E.T., O'Toole, K., and Sawczuk, I.S. (1994). Leiomyoma of bladder: report of case and review of literature. *Urology* 43, 238-241.

Goossens-Laan, C.A., Visser, O., Hulshof, M.C., Wouters, M.W., Bosch, J.L., Coebergh, J.W., and Kil, P.J. (2011). Survival after treatment for carcinoma invading bladder muscle: a Dutch population-based study on the impact of hospital volume. *BJU Int*.

Gopalan, A., Sharp, D.S., Fine, S.W., Tickoo, S.K., Herr, H.W., Reuter, V.E., and Olgac, S. (2009). Urachal carcinoma: a clinicopathologic analysis of 24 cases with outcome correlation. *Am J Surg Pathol* 33, 659-668.

Gray, M. (2011). Traces: making sense of urodynamics testing--Part 5: evaluation of bladder filling/storage functions. *Urol Nurs* 31, 149-153.

Gray, M., and Krissovich, M. (2004). Characteristics of North American urodynamic centers: measuring lower urinary tract filling and storage function. *Urol Nurs* 24, 30-38.

Jensen, T.K., Holt, P., Gerke, O., Riehmman, M., Svolgaard, B., Marcussen, N., and Bouchelouche, K. (2011). Preoperative lymph-node staging of invasive urothelial bladder cancer with 18F-fluorodeoxyglucose positron emission tomography/computed axial tomography and magnetic resonance imaging: correlation with histopathology. *Scand J Urol Nephrol* 45, 122-128.

Kagadis, G.C., Siablis, D., Liatsikos, E.N., Petsas, T., and Nikiforidis, G.C. (2006). Virtual endoscopy of the urinary tract. *Asian J Androl* 8, 31-38.

Kamper-Jorgensen, M., Benn, C.S., and Wohlfahrt, J. (2011). Childcare and health: a review of using linked national registers. *Scand J Public Health* 39, 126-130.

Kantor, A.F., Hartge, P., Hoover, R.N., and Fraumeni, J.F., Jr. (1988). Epidemiological characteristics of squamous cell carcinoma and adenocarcinoma of the bladder. *Cancer Res* 48, 3853-3855.

Kim, B., Semelka, R.C., Ascher, S.M., Chalpin, D.B., Carroll, P.R., and Hricak, H. (1994). Bladder tumor staging: comparison of contrast-enhanced CT, T1- and T2-weighted MR imaging, dynamic gadolinium-enhanced imaging, and late gadolinium-enhanced imaging. *Radiology* 193, 239-245.

Kivrak, A.S., Kiresi, D., Emlik, D., Odev, K., and Kilinc, M. (2009). Comparison of CT virtual cystoscopy of the contrast material-filled bladder with conventional cystoscopy in the diagnosis of bladder tumours. *Clin Radiol* 64, 30-37.

Koplay, M., Kantarci, M., Guven, F., Aksoy, Y., Taser, F., Ziypak, T., Eren, S., Levent, A., and Atamanalp, S.S. (2010). Diagnostic efficiency of multidetector computed tomography with multiplanar reformatted imaging and virtual cystoscopy in the assessment of bladder tumors after transurethral resection. *J Comput Assist Tomogr* 34, 121-126.

Larsson, P., Wijkstrom, H., Thorstenson, A., Adolfsson, J., Norming, U., Wiklund, P., Onelov, E., and Steineck, G. (2003). A population-based study of 538 patients with newly detected urinary bladder neoplasms followed during 5 years. *Scand J Urol Nephrol* 37, 195-201.

Lopez-Beltran, A., Pacelli, A., Rothenberg, H.J., Wollan, P.C., Zincke, H., Blute, M.L., and Bostwick, D.G. (1998). Carcinosarcoma and

sarcomatoid carcinoma of the bladder: clinicopathological study of 41 cases. *J Urol* 159, 1497-1503.

Masumori, N., and Tsukamoto, T. (1999). Pelvic lipomatosis associated with proliferative cystitis: case report and review of the Japanese literature. *Int J Urol* 6, 44-49.

Mostafa, M.H., Sheweita, S.A., and O'Connor, P.J. (1999). Relationship between schistosomiasis and bladder cancer. *Clin Microbiol Rev* 12, 97-111.

O'Connor, O.J., McSweeney, S.E., and Maher, M.M. (2008). Imaging of hematuria. *Radiol Clin North Am* 46, 113-132, vii.

Oliva, E., Amin, M.B., Jimenez, R., and Young, R.H. (2002). Clear cell carcinoma of the urinary bladder: a report and comparison of four tumors of mullerian origin and nine of probable urothelial origin with discussion of histogenesis and diagnostic problems. *Am J Surg Pathol* 26, 190-197.

Outwater, E.K. (1999). Ultrafast MR imaging of the pelvis. *Eur J Radiol* 29, 233-244.

Oyama, N., Tanase, K., Akino, H., Mori, H., Kanamaru, H., and Okada, K. (1998). Nephrogenic adenoma in a patient with transitional cell carcinoma of the bladder receiving intravesical bacillus Calmette-Guerin. *Int J Urol* 5, 185-187.

Panebianco, V., Osimani, M., Lisi, D., Santucci, E., Ciccariello, M., Iori, S., Catalano, C., and Passariello, R. (2009). 64-detector row CT cystography with virtual cystoscopy in the detection of bladder carcinoma: preliminary experience in selected patients. *Radiol Med* 114, 52-69.

Pashos, C.L., Botteman, M.F., Laskin, B.L., and Redaelli, A. (2002). Bladder cancer: epidemiology, diagnosis, and management. *Cancer Pract* 10, 311-322.

Piper, J.M., Matanoski, G.M., and Tonascia, J. (1986). Bladder cancer in young women. *Am J Epidemiol* 123, 1033-1042.

Robb, R.A. (2000). Virtual endoscopy: development and evaluation using the Visible Human datasets. *Comput Med Imaging Graph* 24, 133-151.

Rosi, P., Selli, C., Carini, M., and Rosi, M.F. (1983). Myxoid liposarcoma of the bladder. *J Urol* 130, 560-561.

Sakkas, G., Kastriotis, I., Karagiannis, A., Kosmaoglou, E., Demonakou, M., and Tamvakis, M. (1995). Carcinosarcoma of the bladder. *Int Urol Nephrol* 27, 57-60.

Samanic, C., Kogevinas, M., Dosemeci, M., Malats, N., Real, F.X., Garcia-Closas, M., Serra, C., Carrato, A., Garcia-Closas, R., Sala, M., et al. (2006). Smoking and bladder cancer in Spain: effects of tobacco type, timing, environmental tobacco smoke, and gender. *Cancer Epidemiol Biomarkers Prev* 15, 1348-1354.

Scheithauer, B.W., Santi, M., Richter, E.R., Belman, B., and Rushing, E.J. (2008). Diffuse ganglioneuromatosis and plexiform neurofibroma of the urinary bladder: report of a pediatric example and literature review. *Hum Pathol* 39, 1708-1712.

Scosyrev, E., Yao, J., and Messing, E. (2010). Microscopic invasion of perivesical fat by urothelial carcinoma: implications for prognosis and pathology practice. *Urology* 76, 908-913; discussion 914.

Shirodkar, S.P., Kishore, T.A., and Soloway, M.S. (2009). The risk and prophylactic management of bladder cancer after various forms of radiotherapy. *Curr Opin Urol* 19, 500-503.

Silverberg, E., Boring, C.C., and Squires, T.S. (1990). Cancer statistics, 1990. *CA Cancer J Clin* 40, 9-26.

Silverman, D.T., Levin, L.I., and Hoover, R.N. (1989). Occupational risks of bladder cancer in the United States: II Nonwhite men. *J Natl Cancer Inst* 81, 1480-1483.

Thali-Schwab, C.M., Woodward, P.J., and Wagner, B.J. (2005). Computed tomographic appearance of urachal adenocarcinomas: review of 25 cases. *Eur Radiol* 15, 79-84.

Theodorescu, D. (2003). Molecular pathogenesis of urothelial bladder cancer. *Histol Histopathol* 18, 259-274.

Tsampoulas, C., Tsili, A.C., Giannakis, D., Alamanos, Y., Sofikitis, N., and Efremidis, S.C. (2008). 16-MDCT cystoscopy in the evaluation of neoplasms of the urinary bladder. *AJR Am J Roentgenol* 190, 729-735.

Tsili, A., Tsampoulas, C., Chatziparaskevas, N., Silakos, A., Kalef-Ezra, J., Sofikitis, N., and Efremidis, S.C. (2004). Computed tomographic virtual cystoscopy for the detection of urinary bladder neoplasms. *Eur Urol* 46, 579-585.

Vining, D.J. (1996). Virtual endoscopy: is it reality? *Radiology* 200, 30-31.

Wong-You-Cheong, J.J., Woodward, P.J., Manning, M.A., and Davis, C.J. (2006). From the archives of the AFIP: Inflammatory and nonneoplastic bladder masses: radiologic-pathologic correlation. *Radiographics* 26, 1847-1868.

Xiaoxu, L., Jianhong, L., Jinfeng, W., and Klotz, L.H. (2001). Bladder adenocarcinoma: 31 reported cases. *Can J Urol* 8, 1380-1383.

Yazgan, C., Fitoz, S., Atasoy, C., Turkolmez, K., Yagci, C., and Akyar, S. (2004). Virtual cystoscopy in the evaluation of bladder tumors. *Clin Imaging* 28, 138-142.