

REFERENCES

al-Azzawi F, Wahab M. Estrogen and colon cancer: current issues. *Climacteric* 2002;5:3–14.

Alkhatib AA, Craig R, Tuteja AK, Emerson LL. Progression of solitary rectal ulcer syndrome over a 2-year period. *Gastrointest Endosc.* 2010 Oct;72(4):853-4.

Amaechi I, Papagrigoriadis S, Hizbullah S, Ryan SM. Solitary rectal ulcer syndrome mimicking rectal neoplasm on MRI. *Br J Radiol.* 2010 Nov;83(995):e221-4.

Ball CG, Dupre MP, Falck V, Hui S, Kirkpatrick AW, Gao ZH. Sessile serrated polyp mimicry in patients with solitary rectal ulcer syndrome: is there evidence of preneoplastic change? *Arch Pathol Lab Med.* 2005 Aug;129(8):1037-40.

Bariol C, Hawkins NJ, Turner JJ, et al. Histopathological and clinical evaluation of serrated adenomas of the colon and rectum. *Mod Pathol.* 2003;16:417–423.

Battaglia C, Regnani G, Artini PG, et al. Uterine and cerebral vascularization in postmenopausal women treated with hormone-replacement therapy. *Gynecol Endocrinol* 1999;13:223–9.

Beck DE. Surgical therapy for colitis cystica profunda and solitary rectal ulcer syndrome. *Curr Treat Options Gastroenterol* 2002;5:231-7.

Binnie NR, Papachrysostomou M, Clare N, et al. Solitary rectal ulcer: the place of biofeedback and surgery in the treatment of the syndrome. *World J Surg* 1992;16:836-40.

Bishop PR, Nowicki MJ, Subramony C, et al. Solitary rectal ulcer: a rare cause of gastrointestinal bleeding in an adolescent with hemophilia A. *J Clin Gastroenterol* 2001;33:72-6.

Blanco F, Frasson M, Flor-Lorente B, Minguez M, Esclapez P, García-Granero E. Solitary rectal ulcer: ultrasonographic and magnetic resonance imaging patterns

mimicking rectal cancer. *Eur J Gastroenterol Hepatol.* 2011 Nov;23(12):1262-6.

Burke AP, Sobin LH. Eroded polypoid hyperplasia of the rectosigmoid. *Am J Gastroenterol* 1990;85:975-80.

Chong VH, Jalihal A. Solitary rectal ulcer syndrome: characteristics, outcomes and predictive profiles for persistent bleeding per rectum. *Singapore Med J* 2006;47(12):1063–8.

Contractor TQ, Contractor QQ. Traumatic solitary rectal ulcer in Saudi Arabia. A distinct entity? *J Clin Gastroenterol* 1995;21(4):298–300.

Crespo Pérez L, Moreira Vicente V, Redondo Verge C, López San Román A, Milicua Salamero JM. ["The three-lies disease": solitary rectal ulcer syndrome]. *Rev Esp Enferm Dig.* 2007 Nov;99(11):663-6.

Cruveilhier J. *Ulcere chronique du rectum. Anatomie pathologique du corps humain.* Paris: JB Bailliere; 1830.

da Fonseca LM, Souza Fde L, Arantes V, da Silva RG. Giant refractory solitary rectal ulcer syndrome treated with topical sucralfate. *Int J Colorectal Dis.* 2010 Aug;25(8):1025-6.

Deanna DG, Dean PJ. Reversible ischemic colitis in young women. Association with oral contraceptive use. *Am J Surg Pathol* 1995;19:454–62.

Edden Y, Shih SS, Wexner SD. Solitary rectal ulcer syndrome and stercoral ulcers. *Gastroenterol Clin North Am.* 2009 Sep;38(3):541-5.

Ederle A, Bulighin G, Orlandi PG, et al. Endoscopic application of human fibrin sealant in the treatment of solitary rectal ulcer syndrome. *Endoscopy* 1992;24:736-7.

El-Khayat HA, El-Hodhod MA, Abd El-Basset FZ, Tomoum HY, El-Safory HA, Hamdy AM. Rectal bleeding in Egyptian children. *Ann Trop Paediatr.* 2006 Dec;26(4):337-44.

Emmanuel AV, Kamm MA. Response to a behavioural treatment, biofeedback, in constipated patients is associated with improved gut transit and autonomic innervation. *Gut* 2001;49:214-9.

Felt-Bersma RJ, Stella MT, Cuesta MA. Rectal prolapse, rectal intussusception, rectocele, solitary rectal ulcer syndrome, and enterocele. *Gastroenterol Clin North Am* 2008;37(3):645–68.

Goei R, Baeten C, Arends JW. Solitary rectal ulcer syndrome: findings at barium enema study and defecography. *Radiology* 1988;168: 303-6.

Goei R, Baeten C, Janevski B, et al. The solitary rectal ulcer syndrome: diagnosis with defecography. *AJR Am J Roentgenol* 1987;149:933-6.

Gruden E, Ragot E, Arienzo R, Revaux A, Magri M, Grossin M, Leroy C, Msika S, Kianmanesh R. Massive rectal bleeding distant from a blunt car trauma. *Gastroenterol Clin Biol.* 2010 Sep;34(8-9):499-501.

Halligan S, Nicholls RJ, Bartram CI. Evacuation proctography in patients with solitary rectal ulcer syndrome: anatomic abnormalities and frequency of impaired emptying and prolapse. *AJR Am J Roentgenol* 1995;164:91-5.

Haray PN, Morris-Stiff GJ, Foster ME. Solitary rectal ulcer syndrome: an underdiagnosed condition. *Int J Colorectal Dis* 1997;12:313-5.

Hawkins NJ, Bariol C, Ward RL. The serrated neoplasia pathway. *Gastroenterol Pathol.* 2002;34:548–555.

Higuchi T, Jass JR. My approach to serrated polyps of the colorectum. *J Clin Pathol.* 2004;57:682–686.

Huang CC, Wang IF, Chiu HH. Lower gastrointestinal bleeding caused by stercoral ulcer. *CMAJ.* 2011 Feb 8;183(2):E134.

Iino H, Jass JR, Simms LA, et al. DNA microsatellite instability in hyperplastic polyps, serrated adenomas, and

mixed polyps: a mild mutator pathway for colorectal cancer?

J Clin Pathol. 1999;52:5–9.

Inan N, Arslan AS, Akansel G, Anik Y, Gurbuz Y, Tugay

M. Colitis cystica profunda: Mri appearance. Abdom

Imaging 2007; 32:239–242.

Jarrett ME, Emmanuel AV, Vaizey CJ, et al. Behavioural

therapy (biofeedback) for solitary rectal ulcer syndrome

improves symptoms and mucosal blood flow. Gut

2004;53:368-70.

Jass JR, Young J, Leggett BA. Hyperplastic polyps and

DNA microsatellite unstable cancers of the colorectum.

Histopathology. 2000;37:295–301.

Jass JR, Young J, Leggett BA. Hyperplastic polyps and

DNA microsatellite unstable cancers of the colorectum.

Histopathology. 2000;37:295–301.

Jass JR. Hyperplastic polyps and colorectal cancer: is there

a link? Clin Gastroenterol Hepatol. 2004;2:1–8.

Ji Y, Murphy A, Traub R. Estrogen modulates the visceromotor reflex and response of spinal dorsal horn neurons to colorectal stimulation in the rat. *J Neurosci* 2003;23:3908–15.

Kang YS, Kamm MA, Nicholls RJ. Solitary rectal ulcer and complete rectal prolapse: one condition or two? *Int J Colorectal Dis* 1995;10: 87-90.

Kang YS, Kamm MA, Nicholls RJ. Solitary rectal ulcer and complete rectal prolapse: one condition or two? *Int J Colorectal Dis* 1995;10:87–90.

Kishikawa H, Nishida J, Hirano E, Nakano M, Arakawa K, Morishita T, Kawashima J, Koide O , Tanaka Y, Ishii H. Chronic ischemic proctitis: case report and review. *Gastrointest Endosc.* 2004 Aug;60(2):304-8.

Kumar M, Puri AS, Srivastava R, et al. Solitary rectal ulcer in a child treated with local sulfasalazine. *Indian Pediatr* 1994;31:1553-5.

Leconte M, Chapron C, Dousset B. [Surgical treatment of rectal endometriosis]. *J Chir (Paris)*. 2007 Jan-Feb;144(1):5-10

Madigan MR, Morson BC. Solitary ulcer of the rectum. *Gut* 1969;10: 871-81.

Malik AK, Bhaskar KV, Kochhar R, et al. Solitary ulcer syndrome of the rectum: a histopathologic characterisation of 33 biopsies. *Indian J Pathol Microbiol* 1990;33:216-20.

Malouf AJ, Vaizey CJ, Kamm MA. Results of behavioral treatment (biofeedback) for solitary rectal ulcer syndrome. *Dis Colon Rectum* 2001;44:72-6.

Marchal F, Bresler L, Brunaud L, et al. Solitary rectal ulcer syndrome: a series of 13 patients operated with a mean follow-up of 4.5 years. *Int J Colorectal Dis* 2001;16:228-33.

Marshall M, Halligan S, Fotheringham T, et al. Predictive value of internal anal sphincter thickness for diagnosis of

rectal intussusception in patients with solitary rectal ulcer syndrome. *Br J Surg* 2002;89: 1281-5.

Martin CJ, Parks TG, Biggart JD. Solitary rectal ulcer syndrome in Northern Ireland. 1971-1980. *Br J Surg* 1981;68:744-7.

Martin CJ, Parks TG, Biggart JD. Solitary rectal ulcer syndrome in Northern Ireland. 1971-1980. *Br J Surg* 1981;68:744-7.

Martín de Carpi J, Vilar P, Varea V. Solitary rectal ulcer syndrome in childhood: a rare, benign, and probably misdiagnosed cause of rectal bleeding. Report of three cases. *Dis Colon Rectum*. 2007 Apr;50(4):534-9.

Monkemuller KE. Solitary rectal ulcer syndrome and rectal cancer [letter]. *Am J Gastroenterol* 1999;94:1417.

Montgomery E. Serrated colorectal polyps: emerging evidence suggests the need for a reappraisal. *Anat Pathol*. 2004;11:143–149.

Morio O, Meurette G, Desfourneaux V, D'Halluin PN, Bretagne JF, Siproudhis L. Anorectal physiology in solitary ulcer syndrome: a case-matched series. *Dis Colon Rectum*. 2005 Oct;48(10):1917-22.

Morio O, Meurette G, Desfourneaux V, et al. Anorectal physiology in solitary ulcer syndrome: a case-matched series. *Dis Colon Rectum* 2005;48(10):1917–22.

Nagar AB. Isolated colonic ulcers: diagnosis and management. *Curr Gastroenterol Rep* 2007;9(5):422–8.

Norton C, Chelvanayagam S (2004) *Bowel Continence Nursing*. Beaconsfield Publishers Ltd, Beaconsfield, pp. 45–62.

Parks AG, Porter NH, Hardcastle J. The syndrome of the descending perineum. *Proc R Soc Med* 1966;59:477-82.

Pfeifer J, Reissman P, Wexner SD. Ergotamine induced complex rectovaginal fistula: report of a case. *Dis Colon Rectum* 1995;38:1224–6.

Pinsk I, Saloojee N, Friedlich M. Lymphogranuloma venereum as a cause of rectal stricture. *Can J Surg.* 2007 Dec;50(6):E31-2.

Privitera A, Smyrk TC, Dozois EJ. Three-quadrant mucosal excision for solitary rectal ulcer syndrome. *Tech Coloproctol.* 2010 Jun;14(2):187-8.

Rao SS, Ozturk R, De Ocampo S, Stessman M. Pathophysiology and role of biofeedback therapy in solitary rectal ulcer syndrome. *Am J Gastroenterol.* 2006 Mar;101(3):613-8.

Rutter KR, Riddell RH. The solitary ulcer syndrome of the rectum. *Clin Gastroenterol* 1975;3:505-30.

Ryan JP, Bhojwani A. Colon transit in rats: effect of ovariectomy, sex steroid hormones and pregnancy. *Am J Physiol* 1986;251:G46–50.

Sawady J, Friedman MI, Katzin WE, et al. Role of the transitional mucosa of the colon in differentiating primary

adenocarcinoma from carcinomas metastatic to the colon: an immunohistochemical study. *Am J Surg Pathol.* 1991;15:136–144.

Sitzler PJ, Kamm MA, Nicholls RJ, et al. Long-term clinical outcome of surgery for solitary rectal ulcer syndrome. *Br J Surg* 1998;85:1246-50.

Sitzler PJ, Kamm MA, Nicholls RJ, et al. Long-term clinical outcome of surgery for solitary rectal ulcer syndrome. *Br J Surg* 1998;85(9):1246–50.

Somani SK, Ghosh A, Avasthi G, Goyal R, Gupta P. Healing of solitary rectal ulcers with multiple sessions of argon plasma coagulation. *Dig Endosc.* 2010 Apr;22(2):107-11.

Sood SK, Garner JP, Amin SN. Spontaneous resolution of solitary rectal ulcer syndrome during pregnancy: report of a case. *Dis Colon Rectum.* 2008 Jul;51(7):1149-52.

Stein E (2003) *Anorectal and Colon Diseases: Textbook and Color Atlas of Proctology*. Springer-Verlag Berlin Heidelberg, Germany, PP: 278-290.

Suresh N, Ganesh R, Sathiyasekaran M. Solitary rectal ulcer syndrome: a case series. *Indian Pediatr.* 2010 Dec;47(12):1059-61.

Swatton A. Solitary rectal ulcer syndrome: physiology and treatment options. *Br J Nurs.* 2009 Nov 26-Dec 9;18(21):1312-5.

Tandon RK, Atmakuri SP, Mehra NK, et al. Is solitary rectal ulcer a manifestation of a systemic disease? *J Clin Gastroenterol* 1990;12:286-90.

Tjandra JJ, Fazio VW, Church JM, et al. Clinical conundrum of solitary rectal ulcer. *Dis Colon Rectum* 1992;35:227-34.

Tjandra JJ, Fazio VW, Petras RE, et al. Clinical and pathologic factors associated with delayed diagnosis in

solitary rectal ulcer syndrome. *Dis Colon Rectum* 1993;36:146-53.

Torlakovic E, Skovlund E, Snover DC, et al. Morphologic reappraisal of serrated colorectal polyps. *Am J Surg Pathol.* 2003;27:65–81.

Torres C, Khaikin M, Bracho J, Luo CH, Weiss EG, Sands DR, Cera S, Nogueras JJ, Wexner SD. Solitary rectal ulcer syndrome: clinical findings, surgical treatment, and outcomes. *Int J Colorectal Dis.* 2007 Nov;22(11):1389-93.

Tortora GJ, Grabowski RS (1999) *Principles of Anatomy And Physiology.* 9th edn. John Wiley & Sons, New York

Toyota M, Ahuja N, Ohe-Toyota M, et al. CpG island methylator phenotype in colorectal cancer. *Proc Natl Acad Sci U S A.* 1999;96:8681–6.

Uza N, Nakase H, Nishimura K, et al. Solitary rectal ulcer syndrome associated with ulcerative colitis. *Gastrointest Endosc.* 2006; 63:355–356.

Vaizey CJ, Roy AJ, Kamm MA. Prospective evaluation of the treatment of solitary rectal ulcer syndrome with biofeedback. *Gut* 1997;41: 817-20.

Vaizey CJ, Roy AJ, Kamm MA. Prospective evaluation of the treatment of solitary rectal ulcer syndrome with biofeedback. *Gut* 1997;41(6):817–20.

Vaizey CJ, Van Den Bogaerde JB, Emmanuel AV, et al. Solitary rectal ulcer syndrome. *Br J Surg.* 1998;85:1617–1624.

van den Brandt-Gradel V, Huibregtse K, Tytgat GN. Treatment of solitary rectal ulcer syndrome with high-fiber diet and abstention of straining at defecation. *Dig Dis Sci* 1984;29:1005-8.

Van Wynsberghe D, Noback CR, Carola R (1995) Human Anatomy and Physiology. 3rd edn. McGraw-Hill Education, Boston, pp: 394-401.

Velasco FJ, Lopez R, Pujol J, et al. The use of anorectal manometry and dynamic proctography in patients for diagnosis of solitary rectal ulcer syndrome [in Spanish with English abstract]. *Rev Esp Enferm Dig* 1998;90:454-8.

Williams CN. Role of rectal formulations: suppositories. *Scand J Gastroenterol Suppl*; 1990172:60-2.

Wynter CVA, Higuchi T, Leggett BA, et al. Methylation patterns define two types of hyperplastic polyp associated with colorectal cancer. *Gut*. 2004;53:573–580.

Yagnik VD. Massive rectal bleeding: rare presentation of circumferential solitary rectal ulcer syndrome. *Saudi J Gastroenterol*. 2011 Jul-Aug;17(4):298.

Yagnik VD. Massive rectal bleeding: rare presentation of circumferential solitary rectal ulcer syndrome. Saudi J Gastroenterol. 2011 Jul-Aug;17(4):298.

Yamagiwa H. Protruded variants in solitary ulcer syndrome of the rectum. Acta Pathol Jpn 1988;38:471-8.

Zargar SA, Khuroo MS, Mahajan R. Sucralfate retention enemas in solitary rectal ulcer. Dis Colon Rectum 1991;34:455-7.