

References

Abramson DJ. (1978) The valves of Houston in adults. *Am J Surg*; 136:334–336.

Andrea Bischoff , Marc A. Levitt and Alberto Pena.(2010) Colostomy closure: how to avoid complications? *Pediatr Surg Int* 26:1087–1092

Ansari. M.J. (2006) History of Invention & Role of Muscle Stimulator in Pediatric Surgery. *Am J Surg.* May; 180(5):370-6

Aslanabadi S, Djalilian H, Zarrintan S, et al. (2009) Supernumerary nostril together with esophageal atresia, imperforate anus and patent ductus arteriosus: a case report and review of the literature. *Pediatr Surg Int.* May ;25(5):433-6.

Ayoub SF (1978). Arterial supply of the human rectum. *Acta Anat*; 100:317–327.

Ayoub SF (1979). Anatomy of the external anal sphincter in man. *Acta Anat*;105:25–36.

Bach S. P. and Droullé P. (2008). Fetal digestive tract imaging *Gynecol Obstet Fertil.* Oct;36(10):950-68.

Bampton PA, Dinning PG, Kennedy ML, et al.(2001) Prolonged multi-point recording of colonic manometry in the unprepared human colon: providing insight into potentially relevant pressure wave parameters. *Am J Gastroenterology*; 96:1838–1846.

Bannister JJ, Gibbons C and Read NW (1987). Preservation of fecal continence during rises in intra-abdominal pressure: Is there a role for the flap valve? *Gut*; 28:1242–1245.

Bao Quan Qi, Spencer W, Beasley, et al. (2006) Abnormalities of the vertebral column and ribs associated with anorectal malformations. *Pediatr Surg Int* 20: 529–533

Bauer JJ, Gelernt IM, Salky B, et al. (1983) Sexual dysfunction following proctectomy for benign disease of the colon and rectum. *Ann Surg*; 197:363–367

Bernstein WC (1983). What are hemorrhoids and what is their relationship to the portal venous system? *Dis Colon Rectum*; 26:829–834.

Bhat N.A., Grover V.P. and Bhatnagar V. (2007) Manometric evaluation of postoperative patients with anorectal anomalies. *Indian Journal of Gastroenterology* Vol 23 November - December 2007

Block IR and Enquist IF. (1961) Lymphatic studies pertaining to local spread of carcinoma of the rectum in females. *Surg Gynecol Obstet*; 112:41–46.

Bollard RC, Gardiner A and Lindows S (2002). Normal female anal sphincter. Difficulties in interpretation explained. *Dis Colon Rectum*; 45:171–175

Brantberg A., Blaas H. G., Haugen S. E., et al. (2006): Imperforate anus: A relatively common anomaly rarely diagnosed prenatally. *Ultrasound Obstet. Gynecol.* 28(7): 904–910.

Burleigh DE and D’Mello A (1985). Physiology and pharmacology of the internal anal sphincter. Henry MM, Swash M, eds. *Coloproctology and the Pelvic Floor.* London: Butterworths.

Calda P, Haslík L, Zizka Z, et al. (2009) Prenatal diagnosis and neonatal management of anorectal malformation. *Prague Med Rep.*;110(3):255-60

Clemente, C. D. (1997). *Anatomy.* Williams & Wilkins, New York.

Crapp AR and Cuthbertson AM. (1974) William Waldeyer and the rectosacral fascia. *Surg Gynecol Obstet*; 138:252–256.

DeVries PA and Pena A. (2005) Posterior sagittal anorectoplasty. *J Pediatr Surg.* Oct ;17(5):638-43

Devroede G, Arhan P and Schang JC (1985). Orderly and disorderly fecal continence. Kodner I, Fry RD, Roc JP, eds. *Colon, Rectal and Anal surgery.* St. Louis: CV Mosby,:40–62.

Dick EA, Patel K, Owens CM, et al. (2002) Spinal Ultrasound in Infants. *Br J Radiol.* April;75:384-392

Dinning PG, Bampton PA, Andre J, et al. (2004) Abnormal predefecatory colonic motor patterns define constipation in obstructed defecation. *Gastroenterology*; 127:49–56.

Duthie HL (1975). Dynamics of the rectum and anus. *Clin Gastroenterol*; 4:467–477.

Duthie HL (1978). Anal continence. *Gut*; 12:844–852.

Duthie HL and Gairns FN (1980). Sensory nerve endings and sensation in the anal region of man. *Br J Surg*; 47:585–595.

Elbarbary M.M., Ahmed Elham Fares and Hesham El Saket. (2008) Laparoscopically Assisted Anorectoplasty: A New Definitive Repair of High Imperforate Anus. *Annals of Pediatric Surgery*, Vol 4, No 1,2, January-April, PP 1-7

Felt-Bersma RJJ, Gort G and Meuwissen SGM (1991). Normal values in anal manometry and rectal sensation: A problem of range. *Hepatogastroenterology*; 38:444–449.

Figueroa M, Bailez M, and Solana J. (2007) Colostomy morbidity in children with anorectal malformations. *Cir Pediatr*. Apr;20(2):79-82

Garavoglia M, Borghi F and Levi AC (1993). Arrangement of the anal striated musculature. *Dis Colon Rectum*; 36:10–15.

Gardikis S, Antypas S, Mamoulakis C, et al. (2004) Colostomy type in anorectal malformations: 10-years experience. *Minerva Pediatr.* Aug;56(4):425-9.

Georgeson KE . (2007) Laparoscopic-assisted anorectal pull-through. *Semin Pediatr Surg.* Nov;16(4):266-9.

Gladman MA, Scott SM, Williams NS, et al. (2005) Clinical and physiologic findings and possible aetiological factors of rectal hyposensitivity. *Br J Surg;* 90:860–866.

Goligher JC. (1980) Surgery of the anus, rectum, and colon. 4th ed. London: Bailliere Tindall,14–15.

Goligher JC, Leacock AG and Brossy JJ (1998). The surgical anatomy of the anal canal. *Br J Surg;* 43:51–61.

Golonka NR, Haga LJ, Keating RP, et al. (2002) Routine MRI evaluation of low imperforate anus reveals unexpected high incidence of tethered spinal cord. *J Pediatr Surg.* July;37:966-9609

Gross GW, Wolfson PJ and Pena A (1999) Augmented-pressure colostogram in imperforate anus with fistula. *Pediatr Radiol* 21:560-562

Grapin-Dagorno C and Fayad F. (2008) Surgical treatment of high-type imperforate anus: role of laparoscopy *Bull Acad Natl Med.* May;192(5):913-8; discussion 918-9

Gupta AK and Guglani B. (2007) Imaging of congenital anomalies of the gastrointestinal tract. *Indian J Pediatr.* 2007 May;72(5):403-14

Gutierrez JG and Shak AN (1975). Autonomic control of the internal anal sphincter in man. van Trappen G, ed. *Fifth International Symposium on Gastrointestinal Motility.* Herentals, Belgium: Typoff Press, :363–373.

Hardy Hendren (1998). Cloaca, The Most Severe Degree of Imperforate Anus-Experience With 195 Cases. *Annals of surgery* Vol. 228, No. 3, 331-346

Havenga K, De Ruiter MC, Enker WE, et al. (1996). Anatomical basis of autonomic nerve-preserving total mesorectal excision for rectal cancer. *Br J Surg*; 83:384–388.

Holschneider A, Hutson J, Pena A, et al. (2005) Preliminary report on the International Conference for the Development of Standards for the Treatment of Anorectal Malformations. *J Pediatr Surg*;40:1521–6.

Horsirimanont S, Sangkhathat S, Utamakul P, et al. (2004) An appraisal of invertograms and distal colostograms in the management of anorectal malformations. *J Med Assoc Thai.* May;87(5):497-502.

Julià V, Tarrado X, Prat J, et al. (2010) Fifteen years of experience in the treatment of anorectal malformations. *Pediatr Surg Int.* Feb;26(2):145-9.

Kamm MA, van der Sijp JR and Lennard-Jones JE (1992). Colorectal and anal motility during defecation. *Lancet*; 339:820.

Kelly TJ, Brading AF and Mortensen NJ McC (1993). Nerve mediated relaxation of the human internal anal sphincter. *Gut*; 34:689–693.

Kifayat Khan (2008). Anorectal Malformations : Functional outcome of PSARP. *JPMI* vol.22 No. 04:304-308

Kumar D, Waldron D, Williams NS, et al.(1990) Prolonged anorectal manometry and external sphincter electromyography in ambulant human subjects. *Dig Dis Sci*; 35:641–648.

Larsen W. J. (1997). *Human Embryology*, 2nd Ed. Churchill Livingstone, New York.

Lee SC, Chun YS, Jung SE, et al. (1997) Currarino triad: anorectal malformation, sacral bony abnormality, and presacral mass--a review of 11 cases. *J Pediatr Surg*. Jan ;32(1):58-61.

Lepor H, Gregerman M, Crosby R, et al.(1985). Precise localization of the autonomic nerves from the pelvic plexus to the corpora cavernosa: a detailed anatomical study of the adult male pelvis. *J Urol*; 133:207–212.

Lestar B, Penninckx F and Kerremans R. (1989). The composition of anal basal pressure. An in-vivo and in-vitro study in man. *Int J Colorectal Dis*; 4:118–122.

Levitt MA and Pena A (2007) Anorectal malformations. *Orphanet J Rare Dis* 2:1–13

Levitt MA and Pena A (2010) Cloacal malformations: lessons learned from 490 cases. *Semin Pediatr Surg.* May;19(2):128-38.

Lierse W, Holschneider AM and Steinfield J. (1993) The relative proportions of Type I and Type II muscle fibers in the external sphincter ani muscle of different ages and stages of development—Observations on the development of continence. *Eur J Pediatr Surg*; 3:28–32.

Lindsey I, Guy RJ, Warren BF, et al. (2005) Anatomy of Denonvilliers' fascia and pelvic nerves, impotena, and implications for the colorectal surgeon. *Br J Surg*; 87:1288–1299

Liu G, Yuan J, Geng J, et al. (2004) The treatment of high and intermediate anorectal malformations: one stage or three procedures? *J Pediatr Surg.* Oct;39(10):1466-71

Lubowski DZ, Meagher AP, Smart RC, et al.(1995) Scintigraphic assesment of colonic function during defecation. *Int J Colo rectal Dis*; 10:91–93.

Lubowski DZ, Nicholls RJ, Swash M, et al.(1987). Neural control of internal anal sphincter function. *Br J Surg*; 74:668–670.

Lunnis PJ and Phillips RKS (1992). Anatomy and function of the anal longitudinal muscle. *Br J Surg*; 79:882–884.

Lynn PA, Olsson C, Zagorodnyuk V, et al. (2003) Rectal intraganglionic laminar endings are transduction sites of extrinsic mechanoreceptors in the guinea pig rectum. *Gastroenterology*; 125:786–794.

Matzel KE, Schmidt RA and Tonaglo EA (1990). Neuroanatomy of the striated muscular anal continence mechanism. Implications for the use of neurostimulation. *Dis Colon Rectum*; 33:666–673.

Meunier P and Mollard P. (1977) Control of the internal anal sphincter (manometric study with human subjects). *Pflügers Arch*; 370:233–239.

Mikko P, Pakarinen , Risto J. et al. (2010) Management and outcome of low anorectal malformations *Pediatr Surg Int* 26:1057–1063.

Miller R, Bartolo DCC, Cervero F, et al. (1987) Anorectal temperature sensation: A comparison of normal and incontinent patients. *Br J Surg* 1987; 74:511–515.

Milligan ETC and Morgan CN. (1999) Surgical anatomy of the anal canal: with special reference to anorectal fistulae. *Lancet*; 2:1150–1156.

Mirheydar H, Evason K, Coakley F, et al. (2009) 46 XY female with cloacal exstrophy and masculinization at puberty. *J Pediatr Urol. Oct* ;5(5):408-11

Miscusi G, Masoni L and Dell’Anna A (1987). Normal lymphatic drainage of the rectum and the anal canal revealed by lymphoscintigraphy. *Coloproctology*; 9:171–174.

Moore K. L. and Persaud T. V. N. (1998). *The Developing Human*, 6th Ed., Saunders, Philadelphia.

Morson BC and Dawson IMP. (1972) Gastrointestinal pathology. Oxford: Blackwell Scientific Publications,:603–606.

Murphy F, Puri P, De Bruyn R, et al .(2006) Incidence and Frequency of Different Types, and Classification of Anorectal Malformations in Children. Eds: Holschneider AM, Huston JM. Springer-Verlag, Berlin,: 163-84.

Najarian MM, Belzer GE, Cogbill TH, et al. (2004) Determination of the peritoneal reflection using intraoperative proctoscopy. *Dis Colon Rectum*; 47:2060–2085.

Nano M, Dalcorsio HM, and Lanfranco G, (2000). Contribution to the surgical anatomy of the ligaments of the rectum. *Dis Colon Rectum*; 43:1592–1598.

Niedzielski JK (2005) Invertography versus ultrasonography and distal colostography for the determination of bowel-skin distance in children with anorectal malformations. *Eur J Pediatr Surg. Aug*;15(4):262-7.

Nielson MB, Pedersen JF and Hauge C (1991). Normal endosonographic appearance of the anal sphincter: longitudinal and transverse imaging. *Am J Radiol*; 157:1199–11202.

Nivatvongs S, Stern HS and Fryd DS (1998). The length of the anal canal. *Dis Colon Rectum*; 24:600–601.

Paidas CN, Levitt MA and Peña A. (2005) Rectum and Anus. Chapter 89. In Oldham KT, et al. Principles and Practice of Pediatric Surgery Volume 2. Lippincott Williams & Wilkins. Philadelphia.

Pakarinen MP, Baillie C, Koivusalo A, et al. (2006) Transanal endoscopic-assisted proctoplasty—a novel surgical approach for individual management of patients with imperforate anus without fistula. *J Pediatr Surg* 41:314–317

Pakarinen MP, Koivusalo A, Lindahl H, et al. (2007) Prospective controlled long-term follow-up for functional outcome after anoplasty in boys with perineal fistula. *J Pediatr Gastroenterol Nutr* 44:436–439

Parks AG (1961). Pathogenesis and treatment of fistula-in-ano. *Br Med J*; 1:463–469.

Parks AG, Porter NH and Hardcastle J (1966). The syndrome of the descending perineum. *Proc R Soc Med*; 59:477–482.

Paskins JR, Clayden GS and Lawson JON (1982). Some pharmacological responses of isolated internal anal sphincter strips from chronically constipated children. *Scand J Gastroenterol*; 17:155–156.

Pena A. (1995) Anorectal malformations. *Semin Pediatr Surg*;4:35–47.

Peña A. (1999) La Medicina en el Nuevo Milenio. pp 1-45.

Peña A and Hong A. (2005) Advances in the Management of Anorectal Malformations *Amer J of Surg.* 180:370-376.

Pena A, Migotto-Krieger M and Levitt MA. (2006) Colostomy in anorectal malformations: a procedure with serious but preventable complications. *J Pediatr Surg.* Apr;41(4):748-56; discussion 748-56.

Pena A and Levitt MA. (2008) Anorectal malformations. In: Grosfeld JL, O'Neill JA, Fonkalsrud EW, Coran AG, eds. *Pediatric Surgery*. 6th ed. Philadelphia: Mosby Elsevier; :1566-89.

Percy JP, Swash M, Neill ME, et al. (1981). Electrophysiological study of motor nerve supply of pelvic floor. *Lancet*; 1:16–17.

Rasmussen O (1994). Anorectal function. *Dis Colon Rectum*; 37:386–403

Read MG and Read NW (1982). The role of ano-rectal sensation in preserving continence. *Gut*; 23:345–347.

Rintala RJ and Pakarinen MP. (2008) Imperforate anus: long- and short-term outcome. *Semin Pediatr Surg.* May ;17(2):79-89

Rutegard J, Sandzen B, Stenling R, et al. (1997) Lateral rectal ligaments contain important nerves. *Br J Surg*; 84:1544–1545.

Sauerland E. K. (1999). Grant's Dissector, 12th Ed. Lippincott Williams & Wilkins, New York.

Schlegel PN and Walsh PC. (1987) Neuroanatomical approach to radical cystoprostatectomy with preservation of sexual function. *J Urol*; 138:1402–1406.

Schuster MM (1975). The riddle of the sphincters. *Gastroenterology*; 69:249–262.

Schuster T. , Joppich I. and Schneider K. (2000) A computerised vector manometry study of the so-called ectopic anus. *Pediatr Surg Int* 16: 8-14

Shafik A.(1975) A new concept of the anatomy of the anal sphincter mechanism and the physiology of defecation. The external anal sphincter: a triple-loop system. *Invest Urol*; 12:412–419.

Shao-Tao Tang, Yong Wang, Yong-Zhong Mao, et al. (2006) MRI of anorectal malformations and relationship of the developmental state of the spincter muscle complex with fecal continence. *World J Pediatr*; 3:223-230

Shaul DB and Harrison EA. (1997) Classification of anorectal malformations--initial approach, diagnostic tests, and colostomy. *Semin Pediatr Surg.* Nov ;6(4):187-95.

Sonneland J, Anson BJ and Beaton LE (1958). Surgical anatomy of the arterial supply to the colon from the superior mesenteric artery based upon a study of 600 specimens. *Surg Gynecol Obstet*; 106:385–398.

Stephens FD and Smith ED. (1971) Anorectal malformations in children. Chicago: Year Book Medical Publishers,;p.28.

Stelzner F. (1976) The morphological principles of anorectal continence. Rickham PP, Hecker WCh, Pre ´vot J, eds. Anorectal Malformations and Associated Diseases. Progress in Pediatric Surgery Series. Munich: Urban und Schwarzenberg; (9):1–6.

Sun WM, Read NW, Prior A, et al. (1990) Sensory and motor responses to rectal distension vary according to rate and pattern of balloon inflation. *Gastroenterology*; 99:1008–1015.

Thambidorai CR, Qureshi MA, Shukri J, et al. (2008) Anorectal anomalies in adult females corrected by posterior sagittal anorectoplasty. *Med J Malaysia*. Jun;60(2):226-8

Vaishali S., A.K. Ray, R. Patra, K. et al. (2005) Urogenital anomalies associated with anorectal malformation. *IAPS*; 10: 44-47.

Varma KK and Stephens D. (1972) Neuromuscular reflexes of rectal continence. *Aust N Z J Surg*; 41:263–272.

Wang C, Lin J and Lim K. (1999) The use of augmented-pressure colostography in imperforate anus. *Pediatr Surg Int*. Jul ;12(5-6):383-5.

Young-Hun Choi, Jung-Eun Cheon, Woo Sun Kim, et al.(2009) Imperforate Anus: Determination of Type Using Transperineal Ultrasonography. *Korean J Radiol*;10:355-360

Yuan Z, Bai Y, Zhang Z, et al.(2000) Neural electrophysiology studies in the external anal sphincter in children with anorectal malformation. *J Pediatr Surg*;35:1052-7.