

REFERENCES

REFERENCES

- Abbas, H.K.; C.J. Miroch; T. Kmmedahl; P.M. Burnes; R.A. Meronuch and R. Gunter (1988):** Toxigenicity of *Fusarium proliferatus* and other *Fusarium* species isolates from corn ears in Minnesota. *Phytopathology*, 89(9): 1258-1260.
- Abdel-Rehem, K.S. and A.T. Tewfic (1999):** Influence of some plant extracts, preservatives and fungicides on *Aspergillus flavus* corn grains deterioration. *Adv. Agric. Res.*, 4(1): 623-637.
- Abdel-Wahab, H.A. (1997):** Environmental factors affecting mycotoxins on stored yellow corn and sorghum seeds, and methods of detoxification. M. Sc. Thesis, Ain-Shams Univ.
- Abramson, D. and R.M. Clear (1996):** A convenient method for assessing mycotoxin production in cultures of *Aspergilli* and *Penicillia*. *J. of Food Protection*, 59(6): 642-644.
- Abramson, D.; W. Richter; J. Rintelen; R.N. Sinha and A. Schuster (1992):** Ochratoxin A. production in Bavarian cereal grains stored at 15 and 19 percent moisture content. *Archives of Environmental Contamination and Toxicology*, 23(2): 259-265.
- Ahmed, S.M.F. (1971):** Deterioration of corn grains in storage by fungi. Ph. D. Thesis, Fac. of Agric., Ain-Shams Univ.
- Ali, F.M. (1998):** Principles of Biophysics. Book 2nd Edt., Fac. of Science, Cairo Univ. 167 pp.
- Alp, M.; Kocabagli, N.; Kahraman, R. and Yetim, M. (1997):** Evaluation of fungal and mycotoxin contamination in corn feed produced in Turkey. *Pendik, Veteriner, Mikrobiyoloji Dergisi*, 28(2): 163-169.
- Aly, H.Y. (1992):** Control of storage molds of moist corn grains during storage. *Bull. Fac. Agric., Cairo Univ.*, 43(1): 353-374.

- Al-Yahya, S.A. (1995):** Losses of corn in the storage. Arab-Gulf J. Scientific Research, 13(1): 199-212.
- Anon., (1962):** Approved Methods of American Association of Cereal Chemists, 7th ed. The American Association, St. Paul Minn. (c.f. Egypt. J. Food Sci., 10(1-2): 3, 1982).
- AOAC (1990):** Official methods of Official analysis, 15th ed, Kenneth Helrich edit, published by the Association of Official Analytical Chemists, Inc., Virginia, USA.
- Ashour, W.E.; A.R. Sirry; H.A. Mohamed and S.M. Fathi (1970):** Grain storage studies in the United Arab Republic, effect of moisture content and short storage period on the viability of white corn. Ain-Shams Univ., Agric. Res. Bull., 398, 8pp.
- Badawy, A.M. and S.T. Barakat (1992):** Influence of substrate (corn, wheat, and rice) on zearalenone. Egypt. J. Food. Sci., 20(3): 423-426.
- Balzer, I.; C. Bogdanic and S. Muzic (1977):** Natural contamination of corn (*Zea mays*) with mycotoxins in Yugoslavia. Ann. Nutr. Aliment, 31(4-6): 425-430.
- Bamo, Y.O. and J. Tuite (1989):** The effects of heat treatment and inoculum concentration on growth and sporulation of *Penicillium* spp. on corn genotypes in storage. Phytopathology, 79(10): 1101-1104.
- Bangkok, B. (1986):** Aflatoxin in Thailand. Aflatoxin in maize. Approcedings of the workshop. El-Batan, DF Mexico, April, 7-11, pp.373-376.
- Bojarczukowa, M.; J. Bojarczuk and Z. Krollkowski (1970):** Investigation on the influence of some spp. of fungi on the germination of maize seeds and growth of seedlings under cold test conditions. Acta Mycol. Warszawa, 6(1): 29-42. (Rev. Plant Path., 50: 24).
- Botast, R.J.; R.A. Anderson; K. Warner and W.F. Kwolek (1981):** Effect of moisture and temperature on microbiological and

sensory properties of wheat flour and corn meal during storage. *Cereal chem.*, 58: 309-311.

- Briggs, E.D. (1978):** Barley 8. The reception and storage of whole plants and grain. Chapman and Hall, A. Halsted Press Book, John Willey and Sons, New York, 417 pp. (c.f. Ph. D. Thesis, Fac. Agric., Cairo Univ.)
- Calderon, M.; G.V. Barbosa-Canovas and B.G. Swanson (1999):** Inactivation of *Listeria innocua* in skin milk by pulsed electric field and nisin. *Int. J. Food Microbiol.*, 51(1): 31-38.
- Cardone, T.D.; A. Noomhorn; S.G. Ilangantileke and J.D. Guzaman (1992):** Asmal scale chemical applicator to prevent aflatoxin contamination in maize cobs. *Postharvest Biology and Technology*, 1(4): 327-342.
- Carrillo, E.; S. Serna and O. Rouzand (1989):** Effect of storage conditions and packaging materials on the physicochemical microbiological and sensory properties of corn dry mass flour. *J. Food Process Preserv.*, 13(5): 335-354.
- Chelkowski, J.; P. Golinski; B. Godlewska; W. Radomyska; K. Szebiotko and W. Wiewiorowska, (1981):** Mycotoxins in cereal grain. Part. IV. Inactivation of ochratoxin A and other mycotoxin during ammoniation. *Nahrung*, 25(7): 631-637.
- Choudhary, A.K. and K.K. Sinha (1992):** Incidence of *Aspergillus flavus* and aflatoxin contamination in maize in relation to other fungi. *J. Trop. Plant Dis.*, 10(1): 91-94.
- Chow, K.C. and W.L. Tung (1999):** Magnetic field exposure enhances DNA repair through the induction of Dnak/J synthesis. *J. Mol. Microbiol., Biotechnol.*, 1(1): 79-86.
- Chow, K.C. and W.L. Tung (2000):** Magnetic field exposure stimulates transposition through the induction of Dnak/J synthesis. *Bioelectromagnetics*, 21(4): 302.
- Christensen, C.M. (1957):** Deterioration of stored grains by fungi. *Botan. Rev.*, 23: 108-134.

- Christensen, C.M. and H.H. Kaufman, (1969):** Grain storage, the role of fungi in quality loss. Minneapolis Univ. of Minnesota Press, 153pp. (c.f. Seed Pathology, 1: 282-297, 1977).
- Christensen, C.M. and R.A. Meronuck (1990):** Moisture content, invasion by *Aspergillus glaucus*, and germ discoloration in blends of corn of different initial moisture content. Plant Disease, 74(12): 985-988.
- Cook, H.A. (1962):** Barley and Malt. I-Biology, Biochemistry and Technology. Academic Press, New York and London, 465pp.
- David, B.S. (1991):** Stored grain molds and mycotoxins. USDA, ARS, US. Grain Marketing Research Laboratory, 1515, College Avenue Manhattan, KSU-IGP SHort Course, September, 27.
- Davis, N.D.; U.L. Diener and D.W. Eldridge, (1966):** Production of aflatoxins B₁ and G₁ by *Aspergillus flavus* in a semisynthetic medium. Applied Microbiology, 14(3): 379-381.
- Desjardins, A.E.; Gyanu, M.; Plattner, R.D.; Maragos, C.M. and Shroth, K. (2000):** Occurrence of Fusarium species and mycotoxins in Nepales maize and wheat and the effect of traditional processing methods on mycotoxin levels. J. of Agircultural and Food Chemistry, 48: 1377-1383.
- Diener, U.L. and N.D. Davis, (1966):** Aflatoxin production by isolates of *Aspergillus flavus*. Phytopathology, 56(12): 1390-1393.
- Diener, U.L. and N.D. Davis, (1986):** Biology of *Aspergillus flavus* and *A. parasiticus*. Aflatoxin in maize. A proceeding of workshop, Mexico, April, 7-11, page 33-44.
- Dubois, M.; Gilles, K.A.; Hamilton, J.K.; Repers, B.A. and Smith, F. (1956):** Colorimetric method for determination of sugar related substances. Analytical Chemistry, 28(3):350-356.
- Dunn, J. (1996):** Pulsed light and pulsed electric field for food eggs. Antimicrob Agents Chemother., 40(9): 2012.

- Eisa, Nawal A.; S.K. Abdel-Reheem; A.E. Badr and M.F. Abol-Ela, (1996a):** Pathological studies on deterioration of yellow corn during storage and its control. I- Associated fungi, percentage of infection and its control. Al-Azhar, J. Agric. Res., 24(12): 65-81.
- Eisa, Nawal A.; S.K. Abdel-Reheem; A.E. Badr and M.F. Abol-Ela, (1996b):** Pathological studies on deterioration of yellow corn during storage and its control. II- Aflatoxin production and chemical composition of grains. Al-Azhar, J. Agric. Res., 24(12): 65-81.
- El-Sayed, M.F. (1996):** Mycotoxin pollution in stored corn grains. Ph. D. Thesis, Ain-Shams University.
- Evrendilek, G.A.; Q.H. Zhang and E.R. Richter (1999):** Inactivation of *Escherichia coli* in apple juice by pulsed electric fields. J. Clin. Microbiol., 37(9): 2858-2862.
- FGIS (1994):** Federal Grains Inspection Service, United States Department of Agriculture, Kansas, Missouri, USA.
- Gao, H.P.; Ali, N.; Trikarunasawat, C.; Tanboon, E.X. and Yoshizawa, T. (1997):** Fumanisins and aflatoxins in feed corn from Thailand. Tech. Bull. of the Faculty of Agric. Kagawa University, 49(2):189-197.
- Garcia, R.P. (1984):** Identification and screening of *Penicillium* isolates from shelled corn for production of mycotoxins (USA). ASEAN technical seminar on grain harvest technology, Kuala Lumpur (Malaysia), 21-24.
- Garcia, R.P.; Pantua, M.V.; Sidik, M. and Rejesus, B.M. (1997):** Control of *Fusarium graminearum* growth and zearalenone production in corn using ammonium hydroxide. Proceedings of the symposium on pest management for stored food and feed. Indonesia, 5-7 September 1995. BIOTROP-Special Publication No. 59, 249-260.
- Grahi, I.T. and I.H. Mark (1996):** Killing of microorganisms by pulsed electric fields. Biochemistry, 35(10): 3328-3359.

- Gula, T.J.; C.A. Martinson and L.H. Tiffany, (1979):** Ear-rotting fungi associated with opaque-2 maize. *Plant Dis. Rep.*, 63(5): 370-373.
- Hale, O.M.; D.M. Wilsom and E.G. Jay, (1978):** Acceptability and digestibility of swine diets containing corn stored under different conditions. *J. Anim. Sci.*, 47: 46-50.
- Hassan, M.N. and S.A. Selim, (1982):** Some toxinogenic fungi associated with stored corn in Egypt. *Journal of the Egyptian Veterinary Medical Association*, 42(4): 5-12.
- Heimbecher, S.K.; K.V. Jorgensen and R.L. Price, (1988):** Interactive effects of duration of storage and addition of formaldehyde on aflatoxin M₁ levels in milk. *J. Assoc. of Anal. Chem.*, 71: 285-287.
- Henry, M.S.; F.R. Paul and O. Wilford, (1981):** Some mycotoxin levels in farm-stored corn. *J. Agric. Food Chem.*, 29, 207.
- Hesseltine, C.W. (1965):** A millennium of fungi food, and fermentation. *Mycologia*, 57: 149-197.
- Hesseltine, C.W. (1983):** Conditions leading to contamination by aflatoxins. *Proc. Int. Symp. Mycotoxins*, pp. 47-49.
- Hesseltine, C.W.; E.E. Vandegrift; D.L. Fennell and O.L. Shotwel (1972):** *Mycologia*, 64: 539 (c.f. *Mycotoxins* edit by I.F.H. Purchase, 1974: 347).
- Hill, R.A.; D.M. Wilson; W.W. McMillian; N.W. Widstrom and P.D. Blankenship, (1985):** Ecology of the *Aspergillus flavus* group and aflatoxin formation in maize and groundnut. *Trichothenes and other mycotoxin*, Edited by J. Lacey, John Wiley and Sons Ltd., Chapter, 8.
- Hooshmand, H. and C.F. Klopfenstein (1995):** Effects of gamma irradiation on mycotoxin disappearance and amino acid contents of corn, wheat, and soybean with different moisture content. *Plant Food for Human Nutrition*, 47(3): 227-238.

- Ilangatntilek, S.; P. Surapurk and F. Escalant (1987):** Farm-level chemical treatment to control aflatoxin development in cribstored maize cobs. Edited by Mesa, B.M.D., 1-5.
- Jeantet, R.; F. Baron; F. Nan; M. Roignant and G. Brule (1999):** High intensity pulsed electric field applied to egg white: Effect on *Salmonella enteritidis* inactivation and protein denaturation. FEBS, Lett 1999, 462(3): 447-452.
- Jens, C.F.; V. Thrane and S.B. Mathur (1991):** An illustrated Manual on identification of some seed-borne Aspergilli, Fusaria, Penicillia and their Mycotoxins. Danish Government Institute of Seed Pathology for Developing Countries. Ryvans Alle 78, DK, 2900 Hellerue, Denmark.
- Jeyamkondan, S.; D.S. Jayas and Holley (1999):** Pulsed electric field processing of foods. Infect control Hosp. Epidemiol., 20(9): 598-603.
- Johansson, A.S.; Whitaker, T.B.; Hagler, W.M.; Giesbrech, F.G. and Young, J.H. (1998):** Estimation of variance components associated with testing shelled corn for aflatoxin. ASAE Annual International Meeting, Orlando, Florida, USA, 12-16 July, 12pp.
- Jones, F.T.; M.J. Wineland; J.T. Parsons and W.M. Hagler, (1996):** Degradation of aflatoxin by poultry litter. Poult. Sci. Jan., 75(1): 52-58.
- Jones, R.K. and H.E. Duncan, (1981):** Effect of nitrogen fertilizer, planting data, harvest data on aflatoxin production in corn inoculated with *Aspergillus flavus*. Plant Disease, 65(9): 741-744.
- Kekez, M.M.; P. Savic and B.F. Johnson (1996):** Contribution to the biophysics of the lethal effects of electric field on microorganisms. J. Bacteriol., 178(4): 1113-1119.
- Keller, P.N.; A.E. Butchko; S. Sarr and D.T. Phillips (1994):** A visual pattern of mycotoxin production in maize kernels by

- Aspergillus* spp. postharvest. Pathology and Mycotoxins, 84: 483-488.
- Kenji, G.M.; Mvula, A.M.; Koaze, H. and Baba, N. (2000):** Aflatoxin contamination of Kenyan maize flour and malted Kenyan and Malawian grains. Scientific Reports of the Faculty of Agric. Okayama University, No.89, 5-7.
- Koskin, G. and A. Ugur, (1991):** Fungal isolation, identification and quantification and mycotoxin detection in poultry feeds and raw materials. Pendik Hayvan Hstaliklari Merkez Arastirma Enstituse Dergisi, 22(1-2): 138-147.
- Lai, M. and Semeniuk, (1968):** University of South Dakota, unpublished information. (c.f. Proceedings of the International Symposium on Mycotoxins Sept., 6-8, 1984, Cairo, Egypt).
- Liang, J.Y. and J.K. Bai, (1988):** Studies on fungi causing sorghum grain-decaying. Journal of Shenyang Agricultural University, 19: 27-34.
- Lillehoj, E.B. (1983):** Epidemiology of aflatoxin formation by *Aspergillus flavus* : Effect of environmental and cultural factors on aflatoxin contamination of developing corn kernels. pp. 27-34. In U.L. Diener *et al.*, (ed.). Aflatoxin and *Aspergillus flavus* in corn. South Gop. Ser. Bull., 279.
- Lillehoj, E.B. (1987):** The aflatoxin in maize problem: the historical perspective. US Universities, CIMMYT Maize Aflatoxin Workshop. El-Batan, Mexico, 7-11 April, 1986.
- Logrieco, A. and A. Moretti (1995):** Occurrence and toxigenicity of *Fusarium proliferatum* from preharvest maize ear rot, and associated mycotoxins, in Italy. Plant Disease, 79(7): 727-730.
- Lopez, L.C. and C.M. Christensen, (1967):** Effect of moisture content and temperature on invasion of stored corn by *Aspergillus flavus*. Phytopathology, 57: 588-590. (c.f.

- Aflatoxin in Maize, A Proceedings of the Workshop, El-Batan, Mexico, April, 7-11, 1986, 17-31).
- Luis, M.; M.Cardelle; P. Manuel and R. Ricardo, (1990):** Occurrence of corn mycotoxins in Galicia (Northwest Spin). J. Agric. Food Chem., 38: 1004-1006.
- Macdonald, M.V. and R. Chapman (1997):** The incidence of *Fusarium moniliforme* on maize from central America, Africa and Asia during 1992-1995. Plant Pathology, 46: 112-125.
- Machacek, J.E. and H.A. Wallace (1952):** Can. J. Bot., 30: 164-169. (c.f. Proc. of the Int. Symp. Mycotoxins, Sept., 6-8, 1984 pp.47-69).
- Marks, B.P. and R.L. Stroshine (1995):** Effects of previous storage history, hybrid and drying method on the storability of maize grain (corn). Journal of Stored Products Research, 31(4): 343-354.
- Mazhara, V.N. (1974):** Features of the pathogenesis of stem and root rots of maize on irradiation of seeds. Byul. VNII Kukuruzu No., 1/2: 126-128 (Rev. Plant Pathol., 54: 523).
- McCann, J.; F. Dietrich and C. Rafferty (1998):** The genotoxic potential of electric and magnetic fields: an update. J. Biomol. NMR, 11(4): 445-450.
- McMillian, W.W.; N.W. Widstrom and D.M. Wilson, (1985):** Insect damage and aflatoxin contamination in preharvest corn: Influence of genotype and ear wetting J. Entomol. Sci., 20: 66-68.
- Michial, S.H.; S.B. Mathur and P. Neergaard (1977):** Seed health testing for *Rhizoctonia solani* on blotters. Seed Science and Technology, 5(3): 603-611. (Rev. Plant Pathol., 57: 195).
- Mohamed, H.A.; W.E. Ashour; A.R. Sirry and S.M. Fathi (1967):** Fungi carried by corn seed their importance causing corn disease in the United Arab Republic. Plant Disease Reporter, 51(1): 53-56.

- Moreno, R.M.; R.C. Carmen; F.E. Rodriguez and F.G. Suarez, (1986):** Minimal moisture for growth and aflatoxin production by *Aspergillus parasiticus* in mixed feeds. Mycopathologia, Sep., 95(3): 145-148.
- Mukendi, N.; B. Rollmann and C. Meester, (1991):** Detoxification of aflatoxin B₁ by different chemical methods and evaluation of the effectiveness of the treatments applied. J. Pharm. Belg., May-June, 46(3): 182-188.
- Munoz, L.; M. Cardelle; M. Pereiro and R. Riguera (1990):** Occurrence of corn mycotoxins in Galicia (Northwest Spain). Journal of Agricultural and Food Chemistry, 38(4): 1004-1006.
- Muriuki, G.K. and G.M. Siboe (1995):** Maize flour contaminated with toxigenic fungi and mycotoxins in Kenya. African Journal of Health Sciences, 2(1): 236-241.
- Naguib, K.; A.F. Sahab; M. Metwally and A.A. El-Sayed (1989):** Fungal flora associated with corn grains with special reference to vomitoxin production. Plant Pathology, 72(10): 773.
- Nepote, M.C.; Piontelli, L.E. and Saubois, A. (1997):** Occurrence of *Aspergillus flavus* strains and aflatoxins in corn from Santa Fe, Argentina. Latinoamericanos de Nutricion, 47(3): 262-264.
- Northolt, M.D. and R. Bullerman, (1982):** Prevention of mold growth and toxin production through control of environmental conditions. Journal of Food Production, 45: 519-526. (c.f. Aflatoxin in Maize, A Proceedings of the Workshop, El-Batan, Mexico, April, 7-11, 1986 pp. 18).
- Osman, A.R. (1982):** Studies on fungi associated on the sorghum grains during storage. Ph. D. Thesis, Fac. of Agric., Cairo Univ.
- Osman, A.R.; M.S. Mikhail; H.Y. Aly and N.K. Soleman (1988):** Sorghum grain-borne fungi and their effect on grain viability

under different storage conditions. Egypt. J. of Phytopathol., 20(1): 47-61.

Ozay, G. and D. Heperkan (1989): Mould and mycotoxin contamination of stored corn in Turkey. Mycotoxin Research, 5(2): 81-89.

Paeker, M.O.; C.J. Bern; L.A. Johnson and A.B. Glatz (1992): Preservation of high moisture maize by various propionate treatments. Cereal Chemistry, 69(1): 66-69.

Palmgren, M.S.; L.S. Lee; A.J. Delucca and A. Ciegler, (1983): Preliminary study of mycoflora and mycotoxins in grain dust from New Orleans grain elevators. American Industrial Hygiene Association Journal, 44(7): 485-488.

Park, D.L. (1993): Perspectives on mycotoxin decontamination procedures. Food Addit. Contam., Jan.-Feb., 10(1): 49-60.

Park, K.Y. and R. Bullerman, (1981): Increased aflatoxin production by *Aspergillus parasiticus* under conditions of cycling temperature. J. of Food Science, 46: 1147-1151.

Paster, N.; L. Bartov and M. Menasherov, (1991): Efficacy of gamma irradiation in preventing moldiness and preserving the nutritional value of corn grain for broiler chicks. Poultry Science Association Apr., 70(4): 823-829.

Patel, U.D.; P. Govindarajan and P.J. Dave, (1989): Inactivation of aflatoxin B₁ by using the synergistic effect of hydrogen peroxide and gamma radiation. Appl. Environ. Microbial., Feb., 55(2): 465-467.

Paul, M.C. and R.R. Mishra (1992): Studies on seed mycoflora of maize. I- Seasonal variation in mycoflora. Crop Research (Hisar), 5: 225-232. (c.f. Plant Path., 1993, 72(9): 684).

Paulsen, M.R. and L.O. Hill, (1977): Corn breakage in overseas shipments-two case studies. Trans. ASAE, 20: 550.

Payne, G.A.; W.M. Hagler and C.R. Adkins (1988): Aflatoxin accumulation in inoculated ears of field grown maize. Plant Disease, 72: 422-424.

- Perez, G.R. and J.F. Tuite, (1985):** Screening of *Penicillium* isolates from shelled corn for production of mycotoxins. *Philippine Agriculturist*, 68(4): 453-459.
- Perez, G.R.; J.F. Tuite and K. Baker (1982):** Effect of moisture, temperature and storage time on subsequent storability of shelled corn. *American Association of Cereal Chemists*, 59(3): 205-209.
- Popov, A. (1971):** Fusarioses of maize. *Rastitenlnz Zash Chita*, 22(6): 37-40. (c.f. *Review of Plant Pathology*, 54(8): 614: 1975).
- Pozzi, C.R.; B. Correa; W. Gambale; C.R. Paula; N.O. Rech and M.C. Meireles (1995):** Postharvest and stored corn in Brazil: mycoflora interaction, a biotic factors and mycotoxin occurrence. *Food Additives and Contaminants*, 12(3): 313-319.
- Priyadarshini, E. and Tupule, P.G. (1980):** Effect of free fatty acids on aflatoxin production in a synthetic medium. *Toxicol.*, 18: 367-369.
- Rambo, G.W.; J. Tuite; and P. Crane, (1974):** *Phytopathology*, 64: 797-800. (c.f. *Proc. of the Int. Symp. Mycotoxins. Sept., 6-8, 1984*, pp. 47-69).
- Ramsted, S.; C.M. Futsaether and A. Johansson (2000):** Effects of 50 Hz electric currents and magnetic fields on the prokaryote *Propionibacterium acnes*. *Int. J. Syst. Evol. Microbiol.*, 50(1): 417-427.
- Reddy, V.K. and S.M. Reddy (1989):** Seed mycoflora of maize. *Indian Seed Pathology and Microbiology*, 1991(2):30.
- Reina, L.D.; Z.T. Jin; Q.H. Zhang and A.E. Yousef (1998):** Inactivation of *Listeria monocytogenes* in milk by pulsed electric field. *Res. Microbiol.*, 149(5): 361-372.
- Riker, A.J. and R.S. Riker (1936):** Introduction to research on plant disease. John, S. Swipt, Co., Inc. Sta. Lovis, Chicago, New York, 117pp. (c.f. Osman, Y.A., *Studies on fungi association*

sorghum grains during storage. Ph. D. Thesis, Fac. of Agric., Cairo Univ., 1982.

Robert, A.H.; M.W. David; R.B. William and L.S. Odette, (1984): Viable fungi in corn dust. Applied and Environmental Microbiology, 47(1): 84-87.

S'etamou, K.F.; F.S. Cardwell and K. Hell, (1997): *Aspergillus flavus* infection and aflatoxin contamination of pre-harvest maize in Benin. Plant Disease, 81(11): 1323-1327.

Salgado, J.M. and R. Carvalho (1980): Toxigenic fungi associated with grains. Survey of microflora associated with corn, wheat, and rice. Revista de Microbiologia, 11(2): 60-63 (c.f. Rev. Pl. Path., 60(8): 485-1981).

Sandor, G.S. (1986): Deterioration of feed stuffs by mycotoxins in Hungary. Biodeterioration 6 papers presented at the 6th International Biodeterioration Symposium, Washington, DC. August. Farnham Royal, Slough, UK.; CAB International, 262-268.

Saubios, A.; T. Tanaka; M.C. Nepote; M.L. Wagner and Y. Ueno (1998): Aflatoxins, Type B trichothecenes and toxigenic fungi in Indian corn from a region of Argentina. Microbiologia, Alimentos Nutrition, 16(1):61-69.

Sauer, B.D. and J. Tuite, (1986): Condition that affect growth of *Aspergillus flavus* and production of aflatoxin in stored maize. Aflatoxin in maize. A proceedings of Workshop, El-Batan, DF. Mexico, April, 7-11: pp.41-50.

Sauer, B.D.; R.A. Meronuch and C.M. Christensen, (1992): Storage of cereal grains and their products. 7 Microflora. Am. Ass. Cereal Chem. Inc. St. Paul, MN, USA, 813 pp. (c.f. Ph. D. Thesis, Fac. of Agric., Cairo Univ., 1995).

Sayer, S.T. (1991): *Fusarium* infection in some waikato maize. New Zealand Journal of Crop and Horticultural Science, 19(2): 149-156.

- Schindler, A.F. (1977):** A research note, temperature limits for production of aflatoxin by twenty-five isolates *Aspergillus flavus* and *A. parasiticus*. J. Food Production, 40: 39.
- Schmitt, S.G. and C.R. Hurburgh, (1989):** Distribution and measurement of aflatoxin in 1983 Iowa corn. The American Association of Cereal Chemist. Inc., 66(3): 165-168.
- Schroeder, H.W. and H.J. Hein, (1968):** Effect of diurnal temperature cycling on the production of aflatoxin B1 and G1 by *Aspergillus parasiticus*. Environ. Microbiol., 40: 333.
- Sejiny, M.J.; A.K. Tawfik and K.M. El-Shaieb, (1984):** Mycoflora of cereal grains in the Southern west region of Saudi Arabia. I- Fungi associated with some cereal grains at post-harvest and during storage. Ann. Agric. Sci., Moshtohor, 22(1): 281-297.
- Sellyey, G. (1978):** Toxins of the *Aspergillus* and *Penicillium* species. *Aspergillus* es *Penicillium*. Fajok Toxinijai, Magy. Allatay, Lapja, 33(8/9): 569-575.
- Shotwell, O.L.; M.L. Gouldern; C.W. Hesseltine; J.W. Dickens and W.F. Kwolek, (1980):** Cereal Chem., 57(3): 206-208.
- Sinha, K.K. and A.K. Sinha, (1991):** Monitoring and identification of aflatoxins in wheat, gram and maize flours in Bihar State (India). Food Additives and Contaminants, 8(4): 453-457.
- Siriacha, P.; K. Kawashima; M. Saito; E.K. Tonboon and D. Buangsuwon, (1989):** Prevention of Thai maize from the infection by *Aspergillus flavus* and aflatoxin contamination in various packages. Proceedings of the Japanese Association of Mycotoxicology, 32: 41-46.
- Snedecor, G.W. and Cochran, W.G. (1980):** Statistical methods. The Iowa State Univ. Press, Ames, USA, 7th Ed. pp.77.
- Sohaili, A.L.; R. Mushel; M. Tahie and F. Farage (1984):** Mycotoxins and fungal contents of corn stored under different storing conditions. Iraqi Journal of Science, 25(1-2): 1-6.

- Solovey, M.M.S.; C. Somoza; G. Cano; A. Pacin and S. Resnik (1999):** A survey of fumonisins, deoxynivalenol, zearalenone and aflatoxins contamination in corn based food products in Argentina. *Food, Additives and Contaminants*, 16(18):325-329.
- Southern, L.L. and A.J. Clawson, (1980):** Ammoniation of corn contaminated with aflatoxin and its effects on growing rats. *J. Anim. Sci.*, Mar., 50(3): 459-466.
- Spicher, G. (1989):** Fungi on cereals and their effect on quality with special consideration of brewing barley. *Brauwissenschaft*, 42(2): 68-77.
- Stenwing, H. and Liven, E. (1988):** Mycological examination of improperly stored grains. *Acta Agriculture, Scandinavia*, 38:199-205.
- Stroshine, R.L. and X. Yang, (1990):** Effects of hybrid and grain damage on estimated dry matter loss for high-moisture shelled corn. *American Society of Agricultural Engineers*. 33(4):1291-1298.
- Sutabhaha, S.; M. Suttajit and P. Niyomca, (1992):** Studies of aflatoxins in Chiang Mai, Thailand. *Kitasto Arch Exp. Med.* Apr., 65(1): 45-52.
- Sydenham, E.W.; P.G. Thiel; W.F. Marasas; G.S. Shephard; D.J. Schalkwyk and K.R. Koch (1990):** Natural occurrence of some *Fusarium* mycotoxins in corn from low and high esophageal cancer prevalence areas of the Transkei, Southern Africa. *Journal of Agricultural and Food Chemistry*, 38(10): 1900-1903.
- Tanboon, K.P. (1989):** Control of aflatoxin in maize. *Tropical Agriculture Research, Series*, (22): 49-55.
- Tang, S.; Tekrony, D.; Egli, D.; Cornelius, P. and Tang, D. (1999):** Survival characteristics of corn seed during storage. II- Rate of seed deterioration. *Crop Science*, 39(5):1400-1406.

- Temcharoen, P. and W.G. Thilly (1982):** Removal of aflatoxin B1 toxicity but not mutagenicity by 1 M.rad. gamma-radiation on peanut or peanut meal. *J. Food Safety*, 4: 199-205.
- Thompson, C. and S.E. Henke (2000):** Effect of climate and type of storage container on aflatoxin production in corn and associated risks to wildlife species. *J. of Wildlife Diseases*, 36(1): 172-179.
- Tuite, J. and G.H. Foster (1979):** Control of storage diseases of grains. *Annu. Rev. Phytopathology*, 17:343-366.
- Udagawa, S. (1988):** Mycotoxicoses: the present problems and prevention of mycotoxins. *ASIAN. MED. J.*, 31(11): 599-604.
- Van der Zijden, A.S.; W.A. Koelensmid; J. Boldsingh; C.B. Barret; W.O. Ord and J. Philip (1962):** Isolation in crystalline form of toxin responsible for Turkey X disease. *Nature*, 195: 1060-1062.
- Warren, H.L. (1977):** Survival of *Colletotrichum graminicola* in corn kernels. *Phytopathology*, 67(2): 160-162.
- Wellancher, M. (1991):** *Fusarium* species on cereals and maize from Austria. *Pflanzenschutzbericht*, 52(1): 48-50. (c.f. *Seed Path. and Micro.*, 1992(3): 36).
- Welty, R.E.; E.A. Gasem and C.M. Christensen (1963):** Tests of corn stored four years in a commercial bin. *Cereal Chem.*, 40: 277-282.
- White, D.G. and S.T. Coates (1998):** Effect of postharvest application of P-7 grain preservative on storage fungi of corn during ambient air drying and storage. *Applied Engineering in Agriculture*, 14(1):63-68.
- Widstrom, N.W.; W.W. McMillian; R.W. Beaver and D.M. Wilson, (1990):** Weather-associated changes in aflatoxin contamination of preharvest maize. *J. of Production Agriculture*, 3(2): 196-199.

- Wieman, D.M.; D.G. White; J.L. Taraba; I.J. Ross; C.L. Hicks and B.E. Langlois, (1986):** Production of aflatoxin on damaged corn under controlled environmental conditions. American Society of Agricultural Engineers, 29(4): 1150-1155.
- Wilson, D.M. and D. Abramson, (1992):** Mycotoxins. pp.341-391. In D.B. Sauer. ed. Storage of cereal grains and their products. AACC Inc. St. Paul, Minn.
- Windham, G.L. and W.P. Williams (1999):** Aflatoxin accumulation in commercial corn hybrids in 1998. Research Report-Mississippi Agricultural and Forestry Experiment Station, 22(8):1-4.
- Wouters, P.C.; N. Dutrux; J.P. Smelt and H.L. Lelieveld (1999):** Effects of pulsed electric fields on inactivation kinetics of *Listeria innocua*. J. Food Prot., 62(12): 1381-1386.
- Yasin, M.; M.A. Hanna and L.B. Bullerman, (1992):** Potassium sorbat inhibition of mold in high moisture corn. American Society of Agriculture Engineers, 35(4): 1229-1233.
- Zohri, A.A.; M.A. Abdel-Sater and M.A. Ismail (1995):** Incidence of aflatoxins and mould flora in corn snacks. J. of Food Sci. and Technology, Mysore, 32(4):289-294.
- Zummo, N. and G.E. Scott, (1992):** Interaction of *Fusarium moniliforme* and *Aspergillus flavus* on kernel infection and aflatoxin contamination in maize ears. Plant Disease, 76(8): 771-773.