


## REFERENCES



## 6. REFERENCES

- Abd El-Aal, R.S.; Abbas, H.H. and Rabie, M.H. (1991). Accumulation of micronutrients and heavy metals in sandy soils irrigated with sewage water. Annals of Agric. Sci., Moshtohor, Zagazig Univ., 29: 1811-1923.
- Abd El-Aziz, I.M.; Alaa El-Din, M.N.; Mahmoud, M.H. and El-Shimi, S.A. (1982). Fertilizer value of biogas manure. Micronutrients for maize. The first OAU/STRC. Inter-African conference on bio-fertilizer Cairo (Egypt), 22-26 March (1982).
- **Abd El-Aziz, M.H. (1999).** Chelating biofertilizer production from crop residues and its utilization in African Marginal soils. M.Sc. Thesis, Fac. of Agric. African studies, Egypt.
- **Abd El-Aziz, W.H.** (1992). Study on soil pollution in El-Saff region. M.Sc. Thesis, Fac. of Agric., Ain Shams Univ., Egypt.
- **Abd El-Hakem, G. (1995).** Microbiological and chemical studies on biogas manure. M.Sci. Thesis, Fac. of Agric., Al-Azhar Univ., Egypt.
- Abd Ellah, H.A. (1995). Chemical studies on the effect of irrigation by polluted water on some Egyptian soils. Ph.
  D. Thesis, Fac. of Agric., Moshtohor, Zagazig Univ. (Benha branch), Egypt.

References

- Abdel-Naim, M.; El-Houseni, M.; Kandil, N. and Abd El-Ghai, M.(1997). Effect of sewage sludge utilization on corn productivity in sandy soil of Egypt. This work is a part of "Safety use of sewage sludge in agriculture project" funded by the Egyptian Academy of Scientific Research and Technology.
- Abdel-Naim, M.; El-Mowelhi, N. and El-Houseini, M. (1998).

  Risk assessment of sewage sludge application on agricultural land in Egypt. This work is a part of "Safety use of sewage sludge on soil improvement project" funded by the Egyptian Academy of Scientific Research and Technology and General Organization of Sanitary Drainage for the Greater Cairo.
- Abdel-Naim, E.M.; Ibrahim, A.E. and El-Shall, M.E. (1982).

  A preliminary study on the effect of using sewage water in sandy soil. Research Bull. No. 1965: 1-11, Fac. of Agric., Ain Shams Univ., Egypt.
- **Abou El-Naga, S.A.; Panlkov, N.S. and Zvyagtntsev, D.G.** (1982). Kinetical analysis CO<sub>2</sub> evaluation from glucose-amended soils. Vestnik Moscow Univ. Ser. Potc/Rvoved, 17, 4, 40 (c.f. Abou El-Naga et al. (1996). Egypt. J. Soil Sci. 36 (3): 33-45.
- **Aboulroos, S.A.; Holah, S.H. and Badawy, S.H. (1996).**Background levels of some heavy metals in soils and corn in Egypt. Egypt. J. Soil Sci., 36, (1): 83 97.
- **Abou-Seeda, M. (1987).** Chemical and environment aspects of sewage sludge application on Egyptian soils. Ph.D. Thesis, State Univ., Gent, Belgium.

- Abou-Shehad, M.N. and Sallal, A.K.J. (1996). Preliminary studies on the bacterial and parasitic microflora and microfauna of domestic sewage in northern Jordan. Inter. J. of Environ. Health Research. 6(1): 31-38.
- Achtnich, W. (1980). Trace element contamination of different vegetable of pollution. Trace elements in human health and disease. Second Nordic Symposium. Odense Univ., Odense, Denmark. Bewasserugslandbou. Eugen Ulmer. Gmb. H., Stuttgart (c.f. Baghdady, N.H. and Rabie, A.A. (1987).
- Alaa-El-Din, M.N.; Abdel-Aziz, I.M.; Mahmoud, M.H. and El-Shimi, S.A. (1984). Biogas manure as a complete fertilizers, feasibility for Egyptian farmers. Int. Conf., State of the Art on biogas technology, transfer and diffusion, Cairo, 17-24 No. 5
- American British Consultants (1989). Cairo sludge management study. Milestome 1. Report No.145 N 132 Egypt. (c.f. Amer, A.A. (1997), Egypt. J. Soil Sci., 37(3): 343-354.
- Anderson, A.J. and Nilson, K.O. (1973). Environment of trace elements from sewage sludge fertilizer in soils and plants. Ambio. 1: 176-179. (c.f. Williams et al., 1980).
- Anderson, A.J. and Nilson, K.O. (1976). Influence on the levels of heavy metals in soil and plant from sewage sludge used as fertilizer. Swedish J. Agric. Res. 6: 151-159.

- Antoun, G.G. and Armanios, R.R. (1990). Changes in nitrogenase activity mineralization of some organic materials in a clayey-loam soil. Agric. Res. Rev. 68(2): 367-371.
- Antoun, G.G. and Jensen, V. (1979): A study of the rate of carbon dioxide output during mineralization of some organic materials in soil. Zb1.Bakt.11 Abt. 134: 373 380.
- **Awad, S.S.M.** (1991). Influence of sewage sludge on some soil characteristics and plant growth. Ph. D. Thesis, Fac. of Agric., El-Fayoum-Cairo Univ., Egypt.
- Badawi, M.A.; Blanc, F.C.; Wise, D.L.; El-Shinssawi, M.M. and El-Shimi, S.A. (1993). Anaerobic composting with methane recovery from agricultural and village wastes. Resources Conservation and Recycling 7: 15-33.
- Badawy, E.H.M. (1987). Effect of irrigation with sewage effluent on heavy metal contents in soils and plants grown thereon. M.Sci. Thesis, Fac. of Agric., Cairo Univ., Egypt.
- Balzer, W. and Ahrens, E. (1990). The effects of long term sewage applications and resulting accumulations of heavy metals on the microbial activity in three different soils. Verband deutscher landwirtschaftlicher untessuchung und forschungsanstalten reihe kongressberichte 32: 615-620.
- Berrow, M.C. and Webber, J. (1972). Trace elements in sewage sludge. J. Sci. Food Agric., 23: 93-100.

- Black, C. A. (1965): Methods of soil analysis. Part 1. Amer. Soc. of Agron. Inc. Madison. Wisconsin. USA.
- **Boswell, F.C. (1975).** Municipal sewage sludge and selected element application to soil. Effect on soil and fescue. J. Environ. Qual. 4: 267-272.
- Brady, T.A.; Kover, J.L. and Feagley, S.E. (1990). Effect of primary paremill sludge application on the availability of P, K and S. Agronomy Dept. La. Agric. Exp. Sta. LSU Agric. Center.
- Bron, K.W.; Thomas, J.C. and Slowey, J.F. (1983). The movement of metals applied to soils in sewage sludge effluent. Water, Air and Pollution. 19: 43-54.
- Buren, A.V. (1979). A chinese biogas manual, popularizing technology in countryside intermediate technology publications. Ltd, London W.C. 2E 8HN.
- Catalde, D.A. and Wilding, R.E. (1978). Soil and plant factors influencing the accumulation of heavy metals by plants. En. Health. Pers. 27: 149-159.
- C.E.C. (1986). Connect directive on the protection of the soil when sewage sludge is used in apiculture. Official Journal of the European Communities pp. 10 L. 81. Annexta.
- Chander, K. and Brookes, P.C. (1991). Microbial biomass dynamics during the decomposition of glucose and maize in metal contaminated and non-contaminated soils. Soil-Biology and Biochemistry. 23, (10): 917-925.

- Chang, A.C. and Diaz, J.L. (1994). Rational use of sewage sludge and other city waste material in agriculture. 15<sup>th</sup> world congress of soil science. Acapulco, Mixeco, July 10-16, 1994 Vol. 4a, Commt. 11.
- Chang, A.C.; Page, A.L.; Faster, K.W. and Jones, T.E. (1982). A comparison of Cu and Zn accumulation by four cultivars of barlet grown in sludge-amended soils. J. Environ. Qual. 11: 409-412.
- Chapman, H.D. (1968). The mineral nutrition of citrus. In "The citrus industry" Vol. 11. W. Reuther, L.D. Batchelor and H.J.Webber (Eds) Univ. of California. Div. Of Agric. Sci. USA.
- Chapman, H.D. and Pratt, P.F. (1961). Methods of analysis for soils, plants and water. Agric. Publ. Univ. of California, Reverside.
- Coppola, S.; Davis, R.D.(ed); Haeni, H.(ed) and Hermite, P.(ed) (1986). Summary of investigation in Italy into effects of sewage sludge on soil microorganisms. Factors influencing sludge. Utilization practices in Europe. pp: 72-79.
- Craig, C.F. and Faust, E.C. (1977). Chinical parasitology. Philadelphia: Lea and Febiger.
- Cripps, R.W.; Winfree, S.K. and Reagan, J.L. (1992). Effects of sewage sludge application method on corn production. School of Agric. Tennessee Technological University, Cookeville, TN. 38505, USA.

- Cupta, I.C. (1979). A new classification and evaluation of quality of irrigation waters for arid and semi arid zones of India Trans. Isdt. and Ucds, 4: 6-12 (c.f. Matter, M.E., 1999).
- Dart, P.J.; Day, J.M. and Harris, D. (1972). Assay of nitrogenase activity by acetylene reduction. In: Use of isotopes for study of fertilizer utilization by legume crops. Intern. Atomic Energy Agency Technical report No. 149: 85 100.
- Day, A.D.; Thompson, R.K. and Swingle, R.S. (1987). Effects of sewage sludge on yield and quality of wheat grains and straw in an arid environment. Desert plants 8: 3, 104-105, 142-143.
- **Delwiche, C.C. (1970).** The nitrogen cycle. Sci. Am. 223: 137 146.
- **Diez, J.A.; Polo, A. and Guerrero, F. (1992).** Effect of sewage sludge on nitrogen availability in peat. Biology and Fertility of Soils. 13: 4, 248-251.
- Difco Manual of Dehydrated Culture. Media and Reagents (1977). 8 <sup>th</sup> ed. Difco Laboratories, Deteriot, Michigan.
- Ebid, M.N. (1986). Effect of superabsorbent materials on soil properties and crop performance in sandy and calcareous soils of Egypt. M. Sc. Thises, Fac. Agric., Minia Univ., Egypt.
- Eid, M.A.F. (1984). Studies on some heavy metals in soil and water. M.Sc. Thesis, Fac. of Agric., Ain Shams Univ., Egypt.

- El-Gamal, I.M. (1980). Evaluation of Cairo liquid sewage sludge applied to soil with special consideration to its heavy metal contents. M.Sc. Thesis, Fac. of Agric., Ain Shams Univ., Egypt.
- El-Halawany, K.S.A. (1978). Studies on certain micronutrients in some Egyptian soils under reclamation. M.Sc. Thesis, Fac. of Agric., Ain Shams Univ., Egypt.
- El-Keiy, O.M. (1983). Effect of sewage sludge on soil properties and plant growth. Ph. D. Thesis, Fac. of Agric., Alex. Univ., Egypt.
- Ellis, B.G. and Knezek, B.D. (1972). Adsorption reactions of micronutrients in soils. pp. 59-78. In J.J. Martvedt, P.M. Giordans and W.L. Lindsay (eds), Micronutrients in agriculture. Soil Sci. Soc. Amer. Madison. Wisconsin, USA.
- El-Nashar, M.B. (1985). Effect of sewage water on soil properties of the Egyptian soil. Ph.D. Thesis, Fac. of Agric., Menofia Univ., Egypt.
- El-Nennah, M.; El-Kobbia, T.; Shehata, A. and El-Gamal, I. (1982). Effect of irrigation loamy sand soil by sewage effluents on its content of some nutrients and heavy metals. Plant and Soil, 65: 289-292.
- El-Saady, S.A.M. (1991). Study on pollutant in Egyptian soils. Effects of some heavy metals on plant and soil. M.Sc. Thesis, Fac. of Agric., Tanta Univ., Egypt.

- El-Sebaay, M.M. (1995). Studies on chemical pollution of different water sources with some heavy metals in Fayoum governorate. M.Sc. Thesis, Fac. of Agric., Moshtohor, Zagazig Univ. (Benha branch).
- El-Shimi, S.A.; Badawi, M.A. and Hatem, H.M. (1993).

  Anaerobic digestion of cattle manure in household biogas plant. International Conference on Technological Techniques for Handling Agriculture products April (1993), Cairo, Egypt.
- El-Sokkary, I.H.; Baghdady, N.H. and El-Keiy, O.M. (1988). Yield and elemental composition of plant crops grown on sewage sludge-amended calcareous soil. VDLUFA-Schriftenreihe 28, Kongressband, THE. H.
- El-Sokkary, I.H. and El-Keiy, O.M.Z. (1983). Environment of heavy metals in soils and plants by sewage and chemical fertilizer application. Proc. Int. Conf. Env. Haz. Agrochem. 2: 859-872. Nov. 812, 198, Alexandria, Egypt.
- El-Sokkary, I.H. and Lag, J. (1978). Distribution of different fraction of Cd, Pb, Zn, and Cu in industrially polluted and non-polluted soils of Odda region, Norway. Acta Agriculture Scandinavica. 28, 262 268.
- El-Sokkary, I.H. and Lag, J. (1980). Status of some trace elements in Egyptian soils and in wheat grains. Beitrage trop. Londwirtsch. Veteriarmed, 18: 35-47.
- Fahmy, F.M. (1995). Effect of organic wastes on availability of some micronutrients in calcareous soils. M.Sc. Thesis, Fac. of Agric., Moshtohor, Zagazig Univ., Egypt.

- Fahmy-Soheir, S.; Abdel-sabour, M.F. and El-Housseini, M. (1997). Evaluation of some organic fertilizers in respect to their maturity and suitability as soil amendment. Proceedings of the 9<sup>th</sup> Conference of Microbiology, Cairo, Egypt. 64-77.
- Fawaz, K.M.; El-Ghonemy, A.; Abdel-Ghaffar, A.S. and Gomsh, A.M. (1976). Studies on the spatial and temporal variations in soil microflora in two ecological systems of Mareans (Egypt). Alex. J. of Agric. Res. 24, 167.
- Fresquez, P.R.; Fraucis, R.E. and Dennis, G.L. (1990). Soil and vegetation responses to sewage sludge on a degraded semiarid broon snakeweed blue grama plant community.

  J. of Range-Management. 43 (4): 325-331[c.f. CAB Abstracts (1990)].
- Gangawane, L.V.; Leela, K. and Kvlkarni, L. (1985). Rhizosphere mycoflora of grown dnut grown in sewage sludge treated soils. Indian-Phytopathollgy. 1985, Publ. 1986, 38:4, 756-757.
- Garcia, C.; Hernandez, T. and Costa, F. (1991). The influence of composting on the fertilizing value of an aerobic sewage sludge. Plant and Soil, 136, (2): 269-272.
- Garcia, C.; Hernandez, T. and Hirsch, P.R. (1989). Absence of nitrogen fixation in clover grown on soil subject to long term contamination with heavy metals is due to survival of only ineffective rhizobium. Soil Biology and Biochemistry 21:841-848.

- Gaynor, J.D. and Halstead, R.L. (1976). Chemical and plant extractability of metals and plant growth on soils amended with sludge. Can. J. Soil Sci. 56: 1-8.
- Giller, K. E. and McGrath, S.P. (1989). Muck metals and microbes. New Scientist 124: 31-32.
- Giller, K.E.; Witter, E.T. and McGrath. S.P. (1998). Toxicity of heavy metals to microorganisms and microbial processes in agricultural soils. Soil Biology and Biochemistry. 30:10-11 and 1389-1414.
- Greenland, D.J. (1979). The physics and chemistry of the soil-root interface, some comments. 83-98. In Harley, J. Land Scotrussel, R (eds.). The soil-root interface.
- Hattori, H. (1992). Influence of heavy metals on soil microbial activities. Soil Sci. and Plant Nutrition 38(1): 93-100.
- Hegazy, M.N.A.; Sakr, A.A. and Rizk, S.A.M. (1989). Effect of poudratte and town refuse on availability of Fe, Mn, Zn and Cu in sandy soil. Fayoum J. Agric. Res. & Development. Vol. 3, (2):257-271.
- Hemkes, D.J.; Kemp, A. and VanBroekkoven, L.W. (1980).

  Accumulation of heavy metals in the soil due to annual dressing with sludge Netherlands. J. Agric. Sci., 28: 228-237.
- Hinesly, T.D.; Jones, R.L. and Ziegler, E.L. (1972). Effect on corn by application of heated anaerobically digested sludge. Compost Sci., 13:2630

- Hinesly, T.D.; Jones, R.L.; Ziegler, E.L. and Tyler, J.H. (1977). Effect of annual and accumulative applications of sewage sludge on assimilation of Zn and Cd by corn (Zeamays). Environ. Sci. Technol., 11:182-188.
- Hinesly, T.D.; Ziegler, E.L. and Barrett, G.L. (1979). Residual effects of irrigation corn with digested sewage sludge. J. Environ. Qual. 8:35-38.
- **Ibekwe, A.M.; Angle, J.S.; Chaney, R.L and Van Berkum, P.** (1995). Sewage sludge and heavy metal effects on nodulation and nitrogen fixation in legumes. J. of Environ. Qual. 24:1199-1204.
- Idnani, M.A. and Varadaragen, S. (1974). Fuel and manure by anaerobic fermentation of organic materials. ICAR, Technical Bulletin No. 46.
- Jackson, M.L. (1967). Soil chemical analysis, Prentic Hall. TAC. Englewood Cliff, New Jersey, USA.
- Jewell, W.J. and Seebrook, B.L. (1979). A history of land application as a treatment alternative. Technical report 430/9-79-012 U.S. Environ. Protection Agency, Office of Water Program Operation, Washington, D.C.
- Jimenez, E.I.; Garcia, V.P. and Falcon, M.F. (1986). The agronomic value of the sewage sludge of Tenerife composting. Agricultural Wastes, 17(2): 119-130.
- John, M.K. and Vanlaerhoven, C.J. (1976). Effect of sewage sludge composition, application rate and lime regime on plant availability of heavy metals. J. Environ. Qual. 5: 246-251.

- Jones, J.B.J. (1972). Plant tissues analysis for micronutrients. In Mortvedt, J.J.; Giordano, P.M. and Lindsay, W.L. (Ed). Micronutrients in Agriculture: 319-346. Soil Sci. Soc. Amer. Inc. Madison, Wisconsin, USA.
- Jones, J.R.; Waff, J.B. and Mills, H.A. (1991). Plant analysis handbook: a practical sampling preparation, analysis and interpretation guide Micro-Macro. Publ. Inc. Athens, GA.
- Kadhim, A.K.H. (1986). Studies on the effect of the addition of biogas manure on the microbial and enzymatic activities in soil. M.Sc. Thesis, Fac. of Agric., Moshtohor, Zagazig Univ., Egypt.
- Karim, R.M. (1985). Effect of treated sewage water application on corn plant growth and environmental pollution (In Iraq). M.Sc. Thesis, Fac. of Agric., Baghdad Univ., Iraq.
- Karlen, D.L. and Sader, E.J. (1992). Nutrient accumulation rates for wheat in the southeastern costal plains. Commun. Soil Sci. Plant Anal., 211: 1329-1352.
- Khalil, M.E.A. (1990). Accumulation of some nutrients and heavy metals in Abu-Rawash area, Giza Governorate.
  Ph.D. Thesis, Fac. of Agric., Moshtohor, Zagazig Univ., (Benha branch).
- **King, L.D. (1981).** Effect of swing manure, lagoon sludge and municipal sewage sludge on growth, nitrogen recovery and heavy metal content of fescue grass. J. Environ. Qual. 10:465-472.

- Lambert, D.H. and Weidensaul, T.C. (1991). Element uptake by mycorrhized soybean from sewage sludge treated soil. Soil Soc. Am. J. 55: 393-398.
- Lepp, N.W. (1981). Effect of heavy metal pollution on plants. Vol. 2: Metals in the environment, (Pollution Monitoring Series), Printed in Great Britain London and Jersey.
- Lerch, R.N.; Borbarich, K.A. and Westfall, D.G. (1990). Sustainable rates of sewage sludge for dry land winter wheat production. 1- Soil nitrogen and heavy metals. J. of production Agriculture. 3 (1): 60-65.
- Lester, J.N. (1981). Significance and behaviour of heavy metals in waste water treatment processes. Proceeding of the conference Heavy Metals in the Environment, CEC, WHO, Amesterdam, pp. 104-113.
- Lindsay, W.L. and Norvell, W.A.(1978). Development of DTPA test for zinc, iron, manganese and copper. Soil Sci. Soc. Amer. J. 42: 421-428.
- Lund, L.J.; Page, A.L. and Nelson, C.O. (1976). Movement of heavy metals below sewage sludge disposal ponds. J. environ. Qual., 5: 330-334.
- Mahmoud, M.H.; Abdel-Aziz, I.M.; El-Hamahmy, A.F. and Sayed, A.A. (1992). Use of anaerobic fermenting manure (Biogas) for wheat nutrition in an alluvial soil. Egypt. J. Appl. Sci. 7: 675-687.

- Matt, M. and Muhar, A. (1987). Germination, growth and element uptake of turfe grasses on sanostrates with high levels of sewage sludge. Zeitschrift fur vegetation Technikm Landschafts und Sportstattenbs, 10(2): 33-38.
- Matter, M.E. (1999). Studies on pollution of soil and plant in Egypt. Ph.D. Thesis, Fac. of Agric., Moshtohor, Zagazig Univ. (Benha branch).
- Mays, D.A. and Giordano, P.M. (1988). Benefits from land application of municipal sewage sludge. TVA Circular, Tennessee valley Authority 2. 238,51 pp.
- Mays, D.A.; Terman, Q.L. and Duggen, J.C. (1973).

  Municipal compost: Effect on crop yields and soil properties. J. Environ. Qual., 2: 89-92.
- McGrath, S.P.; Brooks, P.C. and Giller, K.E. (1988). Effects of potentially toxic metals in soil derived from past applications of sewage sludge on nitrogen fixation by Trifolium repensl. Soil Biology and Biochemistry 20: 415-424.
- Mellbye, M.E.; Hemphill, D.D. and Volk, V.V. (1982). Sweet corn growth on incinerated sewage sludge-amended soil. J. Environ. Qual. 11: 160-163.
- Mills, J.G. and Zwarich, M.A. (1975). Heavy metal content of agricultural soils in Manitaba. Can. J. Soil Sci. 55: 295-300.
- Milne, R.A. and Graveland, D.W. (1972). Sewage sludge as a fertilizer. Can. J. Soil Sci. 52; 270-273.

- Mitchell, M.J.; Hartenstein, R.; Swift, B.L.; Neuhauser, E.F.; Abrams, I.B.; Mulligan, R.M.; Brown, B.A.; Craig, D.I. and Kapla, D. (1978). Effects of different sewage sludges on some chemical and biological characteristics of soil. J. of Environ. Qual., 7: 551-559.
- Mohamed, S.A. (1991). Influence of sewage sludge on some soil characteristics and plant growth. Ph.D. Thesis, Fac. Agric., Fayoum, Cairo Univ., Egypt.
- Mongia, A.D.; Chahal, D.S. and Randhawa, N.S. (1981). Availability of P to wheat from different phosphatic sources. J. of Res. Punjab Agric. Univ. 16: 1-6 (c.f. Field Crop, (1981) 34, [7918]).
- Morsy, M.A.; Abdallah, A.R. and Kishk, M.A. (1982). Effect of soil amendments on improvement of the newly reclaimed and calcareous soils of Minia Governorate. 1<sup>st</sup> National Conference on the Problems of Land Degradation in Egypt, 2-5 February 1982, Minia Univ., Egypt.
- Mostafa, M.H. (1994). Microbiological studies on the management of urban wastes. Ph. D. Thesis, Fac. of Agric., Zagazig Univ., Egypt.
- Myers, T.R.; Campell, C.A. and Weier, K.L. (1982). Quantitative relationship between net nitrogen mineralization and moisture content of soils. Can. J. soil Sci. 62, 11. (c.f. Egypt. J. soil Sci. 36 (14): 33-45 (1996).
- Nasef, M.K.M. (1996). Effect of some organic wastes on availability of phosphorus in calcareous soils. M. Sc. Thesis, Fac. of Agric., Moshtohor, Zagazig Univ., Egypt.

- Nasr, F.A. (1980). Production of methane from biomass. Ph.D. Thesis, Fac. of Engineering, Cairo Univ., Egypt.
- National Academy of Science, National Academy of Engineering, Water Quality Criteria. (1972). Environmental protection Agency, Washington, D.C.
- Nell, J.H.; Steer, A.G. and Van Rensburg, P.A.J. (1983). Hygienic quality of sewage sludge compost. Water Sci. Tech. 15(1): 181-194.
- Niewolak, S. and Szelagiewicz, M. (1997). Sanitary bacteriological and parasitological estimation of sewage sludges from chosen sewage treatment plants on the Mazurian lake district and their utilization in agriculture. Polish. J. of Envir Studies 6 (3): 45-51.
- Nye, P.H. (1981). Changes of pH across the rhizosphere induced by roots. Plant & Soil 61: 7-26.
- Nye, P.H. (1986). Acid base changes in the rhizosphere. Advances in Plant Nutrition 2: 129-153.
- Panikov, N.S.; Abou El-Naga, S.A. and Zvyugintsev, D.G. (1982). Kinetics of glucose decomposition in soils. Atad. Nauk USSR pacinove derie. 8, 70.
- Patterson, J.B.E. (1971). Metal toxicities arising from industry. In trace elements in soils and crops. Her majesty stationery office. London.
- Piper, C.S. (1950). Soils and plant analysis. Enter. Sci. Pull. Inc. New York, USA.
- Pyle, L. (1978). Anaerobic digestion, the technical option. Intern. Dev. Res. Center pp 9 65.

Re		

- Rabie, A.A. (1986). Heavy metals in irrigation water and possibility of their accumulation in soil and plants. Ph.D. Thesis, Fac. of Agric., Tanta Univ., Egypt.
- Rabie, M.H.; Negm, A.Y.; Elewa, M.E. and Abdel-Sabour, M.F. (1996). Influence of two sewage sludge sources on plant growth and nutrient uptake. Egypt. J. of Agric. Res. 74 (3): 575-584.
- Rashad, I.F. (1986). Accumulation and distribution of trace elements in soil profiles of El-Gabal El-Asfar through long term irrigation with waste water. Ph.D. Thesis, Fac. of Agric., Mansoura Univ., Egypt.
- Rashad, I.F.; Abdel-Nabi, A.O.; El-Hemely, M.E. and Khalaf, M.A. (1995). Background levels of heavy metals in Nile Delta soils. Egypt. J. Soil Sci. 35(2): 239-252.
- Rashed, A. and Din, J. (1993). Differential susceptibility of chick pea cultivars to iron chlorasis grown on calcareous soils of Pakistan. J. Indian Soil Sci. Soc., 40: 488-492.
- Raviv, M. and Szmidt, P.A. (1998). Horticultural uses of composted material. Proceedings of the international symposium on composting and use of composted materials for horticulture, Auchincruive, Ayr, UK, 5-11 April 1997. Acta Horticulture. 1998, No. 469, 225-234; 43.
- Reimers, R.S.; Donel, D.B.; Litelle, M.D.; Bowman, D.D. and Henrques, W.D. (1986). Effectiveness of waste water sludge treatment processes to inactivate parasites. Water Sci. and Techn. 18 (7-8): 397-404.

- Rother, J. A.; Millbank, J.W. and Thornton, I. (1983).

  Nitrogen fixation by wheat clover (Trifolium repens) in grassland soils contaminated with cadmium, lead and zinc. J. of Soil Sci. 34: 127-136.
- Sathianathan, M.A. (1975). Biogas, achievements and challenges. Association of voluntary agencies for rural development, New Delhi. pp. 26-53.
- Schaller, G. (1987). pH changes in the rhizosphere in relation to the pH-buffering of soils. Plant & Soil 97: 439-444.
- Scholhorn, R. and Burris, R.H. (1967). Acetylene as a competitive inhibitor of N<sub>2</sub>-fixation. Nat. Acad. Sci. (USA) 58: 213-216.
- Sergienko, L.I.; Mosienko, N.A. and Tyan, V.P. (1991).

  Heavy metal content of ecosystems when sewage sludge is used as fertilizer. Soviet-Agric. Sci. 8, 55-57 from Doklady Vsesoyuznoi Akademii Sel Skokhozyaistvennykh Nauk Im. V.I. Lenina.
- Shata, S.M.; Rabie, M.H. and Abd El-Latif, (1990). The content of heavy metals in dried sludge and its relation to agricultural uses in sandy soils. Egypt. J. Soil Sci. 30 (1-2): 357-365.
- Sidle, C. and Kardos, L.T. (1977). Transport of heavy metals in a sludge treated forest area. J. Environ. Qual. 6: 431-437.
- Sidle, R. C. and Sopper, W.E. (1976). Cadmium distribution in forest ecosystems irrigated with treated municipal waste water and sludge. J. Environ. Qual., 5: 419-422.

- Sillanpaa, M. (1972). Trace elements in soils and agriculture. FAO, Rome soil Bulletin. No. 17.
- Skeffington, R.A. and Bradshaw, A.D. (1980). Nitrogen fixation by plants grown on reclaimed china clay waste. J. of Applied Ecology 17: 469-477.
- Skujins, J. and Klubek, B. (1978). Nitrogen fixation and cycling by blue green algae-Lichen-crusts in arid ranged soils. Env. Role of N-fixing B.G.A. and Asymbiotic Bacteria, Ecol. Bull. (Stockholm) 26: 164 171.
- Sommer, G. (1978). Geffass vrsuch zur Ermittling der schadgrenzen von Cadmium, Kupfer, Blei, undZink in Hinblick auf den Einsatz Von Abfallstoffen in der landwirtschaft, 2- Mitteilung, Landw., Forschung Sonderheft 35: 350-364.(c.f. Shaban, K.A. (1998). Studies on pollution of some cultivated soils. M. Sc. Thesis, Fac. of Agric., Zagazig Univ.).
- Sommers, L.E. (1977). Chemical composition of sewage sludge and analysis of their potential use as fertilizers. J. Environ., Qual. 6: 225-232.
- Sommers, L.E. and Nelson, D.W. (1977). Sludge disposal by landpreading techniques. pp. 4-5. Edited by S. Torrey Noyes Data Corporation Park Ridge, New Jersy, USA.
- Stadelmam, F.X.; Furrer, O.J. and Williams, J.H. (1985).

  Long-term effects of sewage sludge and pig slurry applications on micro-biological and chemical soil properties in field experiments. Long-term effects of sewage sludge and farm slurries applications pp. 136-145.

*	- 1	~			
u	0	O	PON'	121	es

- Stentiford, E.L.; Mara, D.D. and Taylar, P.L. (1984). Forced aeration composting of domestic refuse and sewage sludge in static piles. Proceeding of a seminar organized by the commission of the European communities held at Brasenose collage, Oxyford, UK, 19-20 March (1984), pp. 42-54.
- Sung, M.W. and Young, H.J. (1977). Effect of various anions on absorption and toxicities of lead in plants. Korean J. Botany 20,(1):7-12.
- Takkar, P.N. and Mann, T. (1978). Toxic levels of soil and plant Zn for maize and wheat. Plant and Soil 49: 667-669.
- Tisdale, L.S.; Nelson, W.L. and Beaton, J.D. (1985). Soil fertility and fertilizers. pp. 113-181. UK ed. Macmillen Pub. Co., New York, USA.
- Tomati, U.; Grappelli, A. and Galli, E. (1985). Soil microorganisms and long-term fertility. Long term effects of sewage sludge and farm slurries applications. pp. 14-21.
- Touchton, J.T. and Boswell, F.C. (1975). Use of sewage sludges as a greenhouse soil amendment. 1- Effect on soil chemical constituents and pH. Agric. and Environ. 2: 229-242.
- Touchton, J.T.; King, L.D.; Bell, H. and Marris, H.D. (1976).

  Residual effect of liquid sewage sludge on coastal bermudegass and soil chemical properties. J. Environ.

  Qual. 5: 161-164.

- USEPA, United State Environmental Protection Agency (1993). Standards for the disposal of sewage sludge treated register 58(32): 9248-9415.
- U.S. Salinity Lab., Staff (1969). Diagnosis and improvement of saline and alkali soils. Agric., Hand book 2<sup>nd</sup> Ed. No. 60. Washington, D.C., USA.
- Webber, M.D. and Gaynor, J.D. (1974). Extractable metal in mixture of soil and sewage sludge. Agreement Great Lakes Water Qual. 2: 249-266. (c.f. Chemical Abstr. 87: Abstr. No. 1936, 1977).
- Williams, D.E.; Viamls, J.; Pukite, A.H. and Carey, J.E. (1980). Trace element accumulation, movement and distribution in the soil profile from massive applications of sewage sludge. Soil Sci. 129: 119-132.
- Witter, E. and Lapez, J.M. (1987). The potential of sewage sludge and composting in nitrogen recycling strategy for agriculture. Biological Agriculture and Horticulture. 5,(1):1-23.
- Youssef, R.A. and Chino, M. (1989). Root induced changes in the rhizosphere of plants. 1- pH changes in relation to the bulk soil. Soil Sci. Plant Nutr. 35:461-468.
- Youssef, R.A.; Header, F.I. and Hilal, M. (1994). Effect of rhizosphere pH and forms of nitrogen fertilizer on phosphate availability to certain plants. Egypt. J. Appl. Sci. 9, (7): 728-739.

Zehnder, A.J.B. (1982). Sanitary aspects of anaerobic digestion, survival of pathogens in anaerobic habitats. Regional training course in prospectives of technologies and techniques of applied microbiology and waste recycling, Cairo, Egypt 6-25 March, (1982) pp.1-5.

References