

VI- LITERATURE CITED

LITERATURE CITED

- Abdel-All, A.H. (1996)* : Effect of Dormex on bud behaviour and yield of Flame Seedless cultivar.
Ph. D. Thesis, Fac. of Agric. Minia Univ. Egypt.
- Abdel-Hady, A.M. (1995)* : Response of Romi Red grapevines to foliar sprays of Urea and Boron.
Ph. D. Thesis, Fac of Agric. minia. Univ. Egypt.
- Abdulaiev. F.L. and L.A. Tagieva (1975)* : P Effect of GA₃ on characteristics of different grapevines cultivars.
Izvestiyo An Assr, biologiceskikh Nauk (3) : 23-25.
Hort. Abst. 54 : 8922.
- Agaoglu, Y.S.; and Gelik, H. (1978)* : The effect of GA₃ on Seedlessness and some berry characteristics in agrapevines cultivar (chaush). Ankara Univ. Zira at Fakultesi yillig 127: 499-513.
C.F. plant Growth Regulators Abst., 5 : 898.
- Ahmed, F.F (1993)* : Physiological studies on the effect of Urea on Romi Red grapevines (Vitis vinifera L.)
Minia First Conference for Horcultural Crops, Vol 2 : 804-820.
- Ahmed, F.F; Rabie, M. h; Abdel-Latif, E.A; Osman, A.O and Assy, K.G.(1989)*:Effect of foliar application of urea and potassium on cracking shot berries and productivity of Romi Red grapevines (Vitis vinifera L)

Accepted for publication in Agric. Res. Rev., El-Dokki, Cairo.

Ahmed, F.F; ALI, A.H.; Abdel - Aziz, F.H. AND El-Sayed, M.A. (1995) : Improving budbreak and productivity of Red Roomy grapevines by Winter spraying of Dormex (hydrogen cyanamide) and zinc sulphate. Minia J. Agric Res., Dev., Vol. (17) No. 143-58.

Ahmed, F.F. and El-Dawwey, G.M. (1992) : Minimizing cluster looseness as well as shot and cracked berries of Romi Red grapevines by spraying potassium nitrate and boric acid.

Accepted for publication in Minia J.Agric. Res. Dev.

Ahmed, F.F; El-Morsy, F.M. and Abdel-Aziz, F.H. (1993) : Using urea and sulphur via leaves to enhance productivity of White Banaty grapevines.

Minia First conf. for Hort. Crops : 1369-1381.

Akesentyak ,I.A. and Zhuraver, L.N. (1980) : Foliar nutrition of grapevines with complex micronutrients. Sadovodstro Vinogra darstvo Vinodelia Moldavili 7 : 34-36.

Akl, A.M; Eid, A.M; Ahmed, F.F. and Ibrahim, H.I. (1994) : Effect of mepiquat chloride and some nutrients foliar sprays on Red Roomy grapevines (Vitis vinifera L). 11 The effect on some chemical properties of the berries.

Accepted for Publication in Minia J. of Agric. Res and Dev.

Akl, A.M. ; A.M. Ahmed, F.F.I and Ibrahim, H.I. (1994a): Effect of mepiquat chloride and some nutrients foliar sprays on Red Roomy grapevines (Vitis vinifera L.) 1- The effect on yield and some physical properties of clusters. Accepted of Publication in Minia J. Agric, Res. and Dev.

Akl, A.M; Eid, A.M; Ahmed, F.F and Abdl-All, A.H.(1993B) : Effect of soil and foliar application of N, P and k on some vegetative and fruiting characteristics in White Banaty Seedless grapevines. 2-Bud behaviour, yield and fruit quality.
Minia J. Agric., Res. and Dev., 2- Fruit Crops, 432-453.

Alcalde, A.J. (1963) : The effect of spraying on the inflorescences of the vines variety pinot Gris with gibberllic acid Hor. Abst. vol. 34 : 2443.

Al-Dujaili , J.A; Al-Khafajl, M.A; Al - Jubbory, K.H. (1987) : The effect of localized GA3 application on the yield and quality of Thompson Seedless grape (Vitis vinifera L.). Plant Growth Regulator Abstracts (1988) Vol. 14 No. 2 (236).

A.O.A.C (1960) : Official methods of analysis of the association of official agricultural chemists. Washington D.C. U.S.A.

Babylatha, A.K; and Aravindakshan, M. (1984) : Effect of NAA on fruit size and maturity in pineapple var. Kew. Agricultural Research Journal of Kerala (1984) 22(2) 168-172 Plant Growth Regulator Abstracts 1987 Vol. 13 No. 4 (613) :

Bagdasarashvili, Z.G., (1971) : Studies on the effectiveness of micro-elements in viticulture. Vinodelie vinogradarstvo, (1971), 30 (2) 28-32. Hort. Abst. 41 (1) 835 (1971).

Batukaev, A.A. (1988) : The effect of uniform treatment with gibberlin solution on seeded grape cultivars in the Uzbekistan SSR. Hort. Abst. Vol. 59 No. 12 (9883).

Bhalla, J.A. and Patel, R.M. (1972) : The effect of gibberllic acid on Thompson Seedless grape (Vitis vinifera L.) Madras Agric. J. 58 : 673-678.

Bhujbal, B.G (1975) : Effect of various treatments on budburst and yield in Thompson Seedless grape. Reserch J. of Mahatma phule Agric. Univ., 6 : 134-138 India.

Bindra, A.S. (1990) : Production and quality improvement of table grapes in Mon soonic subtropical parts of India.

Abstracts of Contributed Papers, Firenze, Italy,
1973.

Bindra, A.S. and Bajwa, G.S. (1980) : Effect of nutrients spray on
colour in Thompson Seedless grapes.
Hort. Abst. Vol. 50 (2). 96.

Bracho, e.; Johson, J.O.; Wicks, A.S. and Lider (1988) : Effect of
cyanamide, ethephon and endothal on budbreak in
Thompson Seedless.
Dept. of Viticulture, Enology, Univ. of Calif. Davis
(USA.).

Bredell, K. (1989) : Chemical manipulation of fruit size of elementines.
Plant Growth Regulators Abstracts 1989 Vol. 15 No.
10.

Casteran, P. (1987) : Effect of hydrogen cyanamide on budburst and
yield of cultivar Caberet Sauvignon in Bordeaux
viniyard, Paris, France.
Office International del Vigne et du Vin, 81-85.

Cheema, S.S.; Bindra, A.S. and Dillon, W.S. (1990) : Effect of
thiourea and hydrogen cyanamide on budburst,
shoot growth and ripening of Thompson Seedless
grapevine. Proc. 23rd Inter. Hort. Congress, Firenze,
Italy.

Chrestensen, P. (1980) : Timin of Zn foliar sprays 1. Effect of
application intervals preceding and during the bloom

and fruit set. Amer. J. of Pomology and Viticulture
(1980).31(1) 5359.

Clair Univ. Cooperative Extension, Calif. 93702-
U.S.A.

*Chrestensen, P.; and Jensen, F.L. (1978) : Grapevines response to
concentrate dilute application of two zinc
compounds.*

Ame. J. of Enology and Viticulture, 29 :213-216
California Univ., Fresno U.S.A.

*Dhaliwi, G.S. (1983) : Effect of growth regulators on bunch
elongation and shot-berry formation in Perlette
grapes.*

Plant Growth Regulator Abstracts (1985) Vol. 11.
No 5 (563).

*Dobrolyubskii, D.K., and Reshetnyak M.V. (1974) : The effect of
minor elements on grape organic acid contents.
Sadovedstov, Vinogradarstvo Vinode Moldavii, 1 :
18-19 Ukrainian SSR. CF. Hort. Abst., 45 : 928.*

*El-Bana, G.I. (1968) : Effect of some cultural treatments on yield,
fruit quality and storage life of grapes.*

Ph. D. Thesis, Fac. of Agric Ain Shams Univ. Cairo
, U.A.R.

*El-Gazzar., A. M., Keleg, F.M. and Sabbah, S.M. (1979) : Effect of
foliar application of chelated iron, zinc and
manganese on yield, fruit quality and concentrations*

of some nutrients in leaves of Thompson Seedless grapes.

Alex. J. Agric. Res., 27 : 27-38.

El-Mogy, M.M (1992) : Bud fertility of Thompson Seedless grape as affected by some growth regulators.

Ph.D Thesis, Fac. of Agric. Mansoura Univ., Egypt.

El-Morsy, M.F; Faissal, F. Ahmed and Farouk, H. Abdel-Aziz (1993 and 1993a) : Benefits of spraying urea and boron for Red Roomy grapevines.

Minia First Conf. for Hort. Crops (19-21 Oct. 1993).

El-Sayed, M.A. (1994) : Selecting the proper date and concentration of Dormex (H_2CN_2) responsible for improving budbreak and productivity of Red Roomy grapevines.

Agric. Sci., Mansoura Uni., 20 (2) : 855-868.

El-Shahat, S.S. (1992) : Buds dormancy in Thompson Seedless as affected by some field practices.
Ph. D. Thesis, Fac. of Agric. Mansoura Univ., Egypt.

Erez, A. and B.lavee. (1985) : Breaking bud rest of several deciduous fruit species in the kenyan highlands. Acta Hort. 158 : 239-248.

Faissal, F. Ahmed ; Farag, M. El-Morsy ; and Farouk , H. Abdel-Aziz (1993) : Using urea and sulphur via leaves to enhance productivity of White Banaty gravines.

Minia Journal of Agric. Res. and Develoupment Vol.
15-1993.

Foursee, W. I. (1938) : Determination of sugar in plant material
Aphotocolor metric method Inds.

Eng. Che. Anal. 10th ed : 411 - 418.

Fott, J.H. (1987) : Effect of hydrogen cyanamide on bud emergence in
wine grapes.

Calif Agric. 41(3-4) : 19.

Gain, J.C.; (1956) : Absorption and metabolism of urea by leaves of
coffae, Cacao and Benana.

Proc. Amer. Soc. Hort. Sci. 1956, Vol. 67 : 279-
286.

George, A. P.; Nissen, R.J. and Barker, J.A. (1988) : Effect of
hydrogen cyanamide in manipulating budburst and
advancing fruit maturity of table grapes in south-
eastern.

Queensland-Aust. J Exp. Agric., 28 :533-538.

Ghobrial, S.K. and Abdel-Fattah, S.E. (1993a) : Effect of Dormex on
budburst and yield of Thompson Seedless grapevine
cultivar.

Minia First Conference of Hort. Crops, Vol. 3.

Ghobrial, S.K. and Abdel-Fattah, S.E. (1993b) : Effect of Dormex
on budburst and yield of Romi Ahmer grapevine
cultivar.

- Abstracts of Minia First Conference for Hort.
Crops, 19-21 Oct. 1993, Minis, Egypt (Page 10).
- Gill, S.S; Brar, S.s and Singh, S.N (1989)* : Effect of gibberllic acid
(GA₃) application on fruit quality of Thompson
Seedless grapes.
Punjab. Hort. J. 27 (1-2) 37-41.
- Guerriero, R. ;Natali, S; and Gaino, A. DI.(1986)* : The Effect of
spraying treatments with gibberllic acid on budbreak
of grapevines and on berry maturation.
Plant Growht Regulator Abstracts 1988 Vol. 14 No.
10.
- Halbrooks, M.C;Mortensen, J.A.(1987)* : Influence of gibberllic acid
and various managment practices on berry, seed and
cluster development in orlando Seedless grape.
Plant Growth Regulator Abstracts (1988) Vol. 14
No. 10 (1974).
- Harter, J., Rampe, T.; Jelmini, G. and Kaufmann, A. (1991)* :
Improvement of budbreak of grape cultivar merlot
with cyanamide.
Hort.Abst. 61 (9) : 7839.
- Hartman, H.T., kester, D.F.; and Davies, F.T. (1990)* : Plant
propagation, principles and practices Filth Ediation.
Englewood Cliffs, New Jersey. 07632.

- Henzel, R.F; Briscoe, M.R.; Lavren, D.R (1986)* : Evaluation of two plant growth regulators as chemical pruning agents for kiwifruit vines in Summer.
Plant Growth Regulator Abstracts 1987 Vol. 13 No. 3 (367).
- Hiffny, H.A; El-Barkouki, M.H and Tourky M.N (1980)* : Effect of some growth regulators on characteristics of flower cluster and fruit of Banaty (Thompson Seedless) Egypt, J. Hort., 7 : 47-53.
- Hsin-Shan lin, lin-Ren Chang, Jia-Hsing lin and Wan-Jean liaw (1983)* : The application of cyanamide on termination of dormancy in grapevines buds
Hort:Section Taichung Distric Agricultural improvement Station 3 Aug 1983.
- Iwasaki, K.I (1980,1981)* : Effect of bud scale removal calcium cyanamide, GA₃ and ethephon on budbreak of Muscat of Alexandria grape (Vitis vinifera L.).
Plant Growth Regulator Abst. 1981 Vol. 7 No. 1 : 95.
- Jawanda,J.S; Singh, R.; and Pal, R.N. (19975)* : Effect of growth regulators on floral bud drop, fruit characters and quality of Thompson Seedless grape (Vitis vinifera L.) Vitis, 13 : 215-221.
- Johanson, E. and RoOtsi, N., (1954)* : Nitrogen manuring of fruit trees by foliar application of urea sver.

- Promel. Foren. Arsskr. 1954, 55 :68-77 bibl. 9 illus.
(Hort. Abst Vol. 26, No. 211).
- Jonkers, H. (1978)* : Induction of parthenocarpy in apple and pear with mixtures of growth regulators.
Plant Growth Regulator Abstracts (1979) Vol. 5 No. 12.
- Jordan , D. (1985 / 1986)* : Early maturity, the chemical way-Grape grower and Winemaker. (New Zealand) : 56-61.
- Kamel, A.M. (1976)* : Studies on the relationship between the vegetative on reproductive growth in grapevines.
Ph. D. Thesis, Fac. of Agric. Cairo Univ. Egypt.
- Khjuria, H.N; Bakshi, J.C. (1985)* : Anote on pollen germination and shot-berry formation in Perlette grape.
Plant Grwoth Regulator Abstracts 1987 Vol. 13 No. (1250).
- Khanduja, S.D; Balasubramanyam, V.R.; and Saraswat, K.B. (1974)*
: Zinc improves fruit-set in grapes.
Indian Hort. 19-36 C.F. Hort. Abst., 46 : 256.
- Kikvidze, M.V. and Chanishvili, S.H. (1979)* : Content of nitrogen from grapevines canes in relation to developmenta phase.
Soobshcheniya. ANGRUZ USSR, 95 (2) 405-407
(Hort. Abst. 52 : 6149).
- Khristov, K.H. and kaivshev, N. (1977)* : Gibberllic acid application in vitculture.

Priroda, Bulgaris, 26 : 81-83 (C.F Hort).

KUMAR, S.; and Bhushan, S. (1978) : Effect of zinc, managnese and boron to the vines of cultivar Thompson Seedless on their vigour, yield and nutrient status. Hort. Abst. Vol 50 No. 6 : 4115.

Kumar, S; and Bhushan, S. (1980) : Efect of zinc, managanese and boron applications on quality of Thompson Seedless grape.

Punjab Hort. J. 20 : 62-65, India. C.F. Hor. Abst. Vol. 5 No . 1 :7931.

Kushal, S. Mann, S.S and Bajwa, M.S. (1986) : Effect of auxin, Sodium benzoate and calcium chloride on post-harest berry drop in Himrod grapes.

Plant Growth Regulator Abstracts 1989 Vol. 12 No.6.

Kushal S. and Sandhu , A.S (1987) : Berry thining in Perlette grapes through pre-bloom application of planofix (NAA) and GA₃.

Hort. Abst. 1989 Vol. 59 No. 2.

Lavin, A.A. (1982) : Effect of gibberllic acid, bunch thining and cane girdling on yields and some berry characteristics of grapevine cv. Moscatel Rosada Abst., 53 : 4676).

Plant Growth Regulator Abstracts 1983 Vol. 9 No . 8 (1330).

Hort. Abst. Vol. 58 No. 6.

Lin, C.H. J.H. Lin ; LR. Chang, and H.S. Lin, (1985) : The regulation of the Golden Muscat grape production season.

Am. J. Enol. 1 Vitic., Vol. 36 (2) : 114 - 117. Hort.

Abst. 1988 Vol. 58 No. 6 (357).

Mahmoud, A. (1991) : The effect of soil and foliar application of nitrogen phosphorus and potassium on some vegetative and fruiting characteristics in White Banaty Seedless grape vines.

M. Sc. Thesis fac. of Agric. Minia Univ.

Malvolta, E; Arzolla, J.D. P. and Hang, H.P., (1957) : Absorption of

urea spray by coffee leaves under field conditions.

From , Abst. in Plant Physiol., 1957, 72-suppl. xiv.

Hort. Abst. 1957 Vol. 17, No. 3940.

Mallioda, H; F. Ferre, P. Dumartinet J.J. Payo, (1986) : Unlization

Du Skw 830 10 Pour L'amelioration due developement delavigne.

Comptes Rendu due 3 eme symposium international

sur la physiologie de la vigne Bordeaux 61-67.

Monsour, Kamla, M; El-Morsy, F.M.; Ahmed, F.F. and Ali, A.H.

(1993) : Using Dormex (Hydrogen cyanamide) to promote uniform budbreak and improve productivity of Thompson Seedless grapevines.

Minia First. Conference of Hort. Crops, Vol. 3 :
1323-1335.

*Marcelle, R. and C. Sirnoval, (1962) : Effect of gibberllic acid on
flowering of apple trees.*

Nature, 197 :405 (Hort. Abst 33, No. 2399).

*Maximos, S.S.E, El-Nabawi, S.M; Antoun, Nis., and Ghobrial, G.F.
(1975) : Effect of GA₃ sprays and girdling on
fruiting and vigor of Thompson Seedless
grapevines.*

Ann. Agric. Sci. Moshtohor, Cairo 4 : 167-173.

*May, P. (1961) : The value of an estimate of fruiting potential in the
Sultana Vitis, 3-15-56.*

*Mc Cool, C.R. (1986) : Cyanamide advanced the maturity of table
grapes in Central Australia.*

Aust. J. Exp. Agric., 26 (4) : 505-509.

*Michel Dubois, K.A. Gilles. J.K. Hamilton, P.A. Rebers, and Smith
(1956) : Clorimetric Method for Determination of
sugars and Related substance.*

Anal. Cjem. Vol. 28, No. 3 : 350-354.

*Miel, A.; Ignacjak, J.C. and Pereira, F.M. (1982) : Effect of
cyanamide on dormancy breaking, bud
fertility, grapevine productivity and quality of
Cabernet France grapes.*

Pesuisa Agripecuaria Brasileira, 17 (3) : 393-
398. Brazil.

Mougheith, M.G.; Hassaballa, I.A.; Rawash, M.A. (1979) ;

Effect of pre-harvest spray of some growth regulating substances on yield and fruit characteristics of Hayany date cultivar. Research Bulletin, Faculty of Agriculture Ain Shams Univ. (1979) No. 1073.21 pp.[En, ar, 13 ref.] Zagazig Univ. Moshtohor, Egypt. Plant Growth Regulator Abstracts 1981 Vol. 7 No.1 (102).

Nazemille, A. (1987) : Effect of hydrogen cyanamide on the fertility of latent buds in grapevines.

Symposium international sur la physiologie de la vigne, 68-74, Paris, France Hort. Abst. 57 (10) : 7672.

Nigond, I. (1960) : Le retard du debourrement de la vigne par un traitement al'acide Naphsalene acetque at la lutte contare les gelees.

C.R.H. de seasness del Acd. de. Fr.

Nilnond, S.; Sukumalandana 1988) : C. (The improvement of grape quality and production : fruiting responses of some grape varieties to gibberillic acid.

Horticultural Abstracts 1989 Vol. 59 No. 9 (7322).

Nouh, M. (1973) : Effect of foliar fertilization on grapevines.

M. Sc. Thesis Fac. of Agric. Ain Shames Univ.

Ohanov, O, M; Talybov, N.S.; Chelilova, GE and Akenderov,

H.N. (1975) : The effect of foliar nutriation with nitrogen and potassium and with some minor elements on grape yield and quality. C.F. Hort. Abst., 47 : 327.

Palma, B. A.; Jackson. D. I. (1989) : Inflorescence initiation in grapes response to plant growth regulators. Horticultural Abstracts 1989 Vol. 59 No. 9 : 1981.

Pandey, S.N. (1989) : Hasting budburst and ripening in seedless grapes (Vitis vinifera L) with Dormex. Indian Jour. of Hort. (1989) 46 : 348-352 Hort. Abst. 60 : 721.

Patil, N.S.; Pathak, S.L.; Pundir, J.S. (1980) ; Effect of gibberllic acid on bunch, berry and juice quality in Perlette grape. Plant Growth Regulators Abstracts 1981 Vol. 7 No. 10 : 1637.

Pereira, F. M.; and Oliveira, J.C. DE. (1980) : Effect of gibberllin applied before and after flowering on characteristics of the bunches of the grape variety. "Italia" Cientifica 5 : 175-179.

Jaboticabal, Univ. Estadual Poulista, Sao
 Paub, Brazil Soil and Fertilizer, 43 : 5 (5243).

Reddy, N.N.; Shikhamany, S.D. (1990) : Comparative efficacy of
 spray and dip treatments with hydrogen
 cyanamide on budbreak of Thompson
 Seedless grapevines under tropical Indian
 condition.

Hort. Abst. 1991 Vol. 61 No. 3 : 9718.

Rizk, A.I; El-Moursy, F.M nd H.F. Fawzi (1983) : Nutritive
 requirements of Romi Red grapes on
 calcarious soils.

Egypt J. Bot., 26 : 1-3 , PP. 1-18.

Rizk I.A. (1996) : Chemical constituents of Thompson Seedless grape
 buds as affected by hydrogen cyanamide treatments.
 Bull., Fac.1 Agric. Cairo Univ. No. 47.

Rizk, I.A. and Rizk N.A. (1994) : Effect of hydrogen cyanamide on
 bud behaviour, yield and rate of wood maturity of
 Thompson Seedless grapevines.

Egypt.J. of Applied Sci., Vol. 9 No . 2-526-541.

Rizk, I.A. and Rizk, N.A. AND F.H. Fouad (1994) :Effect of
 hydrogen cyanamide on bud behaviour, yield,
 fruit quality and rate of wood maturity of
 Romi Red grapevines.

Egypt. J. of applied Sci, Vol. 9 No. 5 : 795-
 813.

Rogers, B.L.; Thompson, A.H. (1983) : Effect of dilute and concentrated sprays of NAA and carbaryl in compination with daminozide and pesticides on fruit size and return bloom of Starkimson Delicious apple.

Plant Growth Regulator Abstracts 1983 Vol. 9 No. 9 : 1489.

Saad, F.A.; El-Hamady, A.A. M.; Hamouda, M.M. (1979) : Effect of gibberillic acid and ethephon on berry weight, size and quality of Thompson Seedless and Delight.

Plant Growth Regulator Abstracts 1981 Vol. 7 No. 1 :109.

Sabry, G .H. (1994) : Response of some early and late maturing grape cultivars to some hydrogen cyanamide treatments.

Thesis, M. Sc. Fac. of Agric. Zagazig Univ. Egypt.

Said; A.A. (1982) : Effect of some chemical substances spray on seasonal change of some growth regulator substances in buds of plum trees.

Ph. D. Thesis, Fac. of Agric., Mansoura Univ., A.R.E.

Samra, R.N. (1982) : Effect of some growth regulators on yield, fruit quality and storage life of Thompson Seedless grapes.

Ph.D. Thesis Fac. of Agric. Mansoura Univ., A.R.E.

Seleem Basma M. (1996) : Effect of hydrogen cyanamide (Dormex) on budbreak, vegetative growth and fruiting of some fig and grape cultivars under Assuit condition.

M Sc . Thesis, Fac. Agric. Assuit Univ., Egypt.

Shaltout, A.D. and C.R. Uarath. (1983) : Rest Completion prediction model for strakrimson Delicious apples J.Amer. Soc. Hort. 108. 957-961.

Shawky, I.S. M; el-Antably H. and Abdel-Fattah M. (1988) : Effect of gibberllic acid on bud opening and endogenous growth promoters and inhibitors in pear trees part 11: Effect of GA₃ on endogenous growth promoters and inhibitors. Annals Agric. Sc., Fac. Agric., Ain Shams Univ.; Cairo, Egypt, 33 : 1277-1289.

Shehata, M.M. (1996) : Forcing uniform budbreak in early maturing Flame Seedless tabel grapes grown in Egypt by some budbreaking agents.

Alex. J. Agric. Res. Vol.41 (2) 1996.

- Shikhamany, S.D. and Reddy, N.N. (1989) : Comparative efficacy of hydrogen cyanamide and thiouria on budbreak in Thompson Seedless grape. Indian Grape J., 3 (5) : 37-43.*
- Shulman, Y., Nir G.; Fanber stein, L and Lavee, s (1983) : The Effect of cyanamide on the release from dormancy of grapevines buds Scientia Hort. 19 : 97-104 : 1983.*
- Shulman, Y.; Nir, G. and Lavee, S. (1986) : Oxidative processes in bud dormancy and the use of hydrogen cyanamide in breaking dormancy. Acta. Hort., No. 179, Vol. 1 : 141-148.*
- Singh, I.S. and Singh, H.K. (1980) : Timing of Application of gibberllic acid on quality of "Delight" grape. Indian J. of Agric. Sci., 50 : 334-337.*
- Singh, D.S.; Pathak, R.A. Singh, R.D. (1986) : A note on the effect of thiourea on yield, ripening and quality of grape cv. Pusa Seedless. Hort. Abst. Vol. 59 No. 1(211).*
- Smitt, C.J. (1985) : Advancing and improving budbreak in vines. Deciduous Fruit Grower, 35 (8) : 21-278, South Africa.*
- Smitt, C.J. and J.J. Burnett, (1986) : The use of cyanamide as dormancy breaker in vines. Farming in south Africa; Table Grape pp. 1-3.*

- Snedecor, G.W. and W.G. Cochran. (1972) : Statistical methods 6th*
Ed. The Iowa state Univ. Press, Ames, Iowa,
U.S.A. PP. 593.
- Sony, S.L.; Youssif, Y.H. (1978) : Inducing delay in the flowering of*
apricot with growth-regulators.
Plant Growth Regulator Abstracts 1979 Vol.
5 No. 6 : 926.
- Sourial, G.F.; M.H. El-Kholi, Atteyat S. Abdel-Aziz; Faiz G-
Nakhlla, and Esam A. Lotfy (1993) :*
Response of Banati grapevines to some
hydrogen cyanamide treatments. 1-Time of
bud burst, flowering and berry ripening.
Zagazig J. Agric. Res., 20 (3) : 1141-1152.
- Sourial, G. F.; M.H. El-Kholi; Atteyat S. Abdel-Aziz; Faiz G.
Nakhalla, and Lotfy, E.A. (1993c) :*
Response of Banati grapevines to some
hydrogen cyanamide treatments. 3 yield and
fruit quality.
Zagazig J. Agric. Res., 20 (3) ; 1163-1173.
- Stannard, M.C.; Peterson, J.R.; and Sproule, R.S. (1974)*
:Effect of gibberellic acid on fruit "hen and
chicken" Condition, and vine development in
the following season of waltham Cross
grapes.

Australia J. of Experimental Agric. and Animal Husbandry 14 : 256-621. Sydney, NSW Australia. C.F.Hort. Abst., 45 : 4818.

Tanurkov, G.R. (1981) : Effect of minor elements, zinc and manganese on Winter hardiness and productivity in grapevines. Sadovodstvo, Vinogradarstvo 1 vinodelie Moldavii (1981) 5 : 39-41, Odesskii Sel, skdkhozaistvennyi Institut, Odessa, Ukrainian SSR.

Tashkenbaev, A. KH. (1978) : Gibberllin on seedless vine cultivars. Sadovodstvo. 634 Samarkandskii Obl. Trest Sadvinsovkhozov, Uzbek SSR C.F. (Hort. Abst. 48. 307.)

Taha, S.M.; Abass, A.S. (1987) : Effect of spraying urea and NAA on apricot trees cv. Cheletano. Plant Growth Regulator Abstracts 1988 Vol. 14 Vo. 1 : 34.

Uys, D.C. and Blommaret, k.L. J. (1974) : Gibberllic acid for thinning Barlinka grapes. Deciduous fruit grower, 24 : 210-211, 214-215 South Africa. G.F. (Hor. Abst., 45 : 4812.)

Vieira, A.; Gadelha, R.S. DES. (1982) : Application of NAA to Pineapple fruits. Plant Growth Regulator Abstracts 1983 Vol. 9 No. 8 : 1297.

Weaver, R.J., and Mc Cune (1961) : Effect of gibberllic on vine behaviour and crop production in seeded an seedless (Vitis vinige L.). Hilgardia, 30 : 425-444.

- Webster, G.g.; Varner, J.E. and Gonsa, A.N., (1955) : Plant Phhysiol., 30. 372-774 (1955). Ann. Rev. Plant Physiol., V.10 : 1959*
- Williams, L.E. (1987) : The effect of cyanamide on budbreak and vine development of Thompson Seedless grapevines in the san Joaquin Valley of California vitis, 26 : 107-113.*
- Yamdagni, R.; Sigh, D.; and Jindae, P.C. (1979) : Note on the effect of zinc sprays on yield and quality of Thompson Seedless grapes. Indian J. of Agric. Res., 13 : 117-118.*
- Youssif, E.Y.; Abdel-Kawy, A E.; Khamis, M.A.; Sharf, M; El-Beheiry, M. (1984) : Effect of some growth regulators on yield, physical characteristics and chemical constituents of Fayoumi grapes. Plant Growth Regulator Abstracts 1985 Vol. 11 No.3.*
- Zelleke, A. and Kliewer, W.M. (1989) : The effect of hydrogen cyanamide on enhancing the time and amount of budbreak in young grape vineyards. Amer. J. Enol., Vitic., 40 (1) 47-52.*