

LITERATURE CITED

- Aala, F.T. (1953):** Effects of hand pollination on the production of Siamese pummelo. Philipp.J.Agric., 18:101-13. (Hort.Abst. 25:2023).
- Abbas,M.T.M. (1983):** Comparative study between some heavy and shy cropping citrus cultivars under local conditions. Ph.D. Thesis in Hort. Fac. of Agric Cairo Univ.
- Abo-EL-Komsan,E.O. (1978):** Evaluation studies of some citrus varieties grown in Middle Egypt.M.Sc.Fac. of Agric. Al-Azhar Univ.
- Agarwal,P.K. (1985) :** Meiosis in an interspecific mandarin hybrid " Kinnow " Citrus nobilis, Lowr X citrus deliciosa, Ten.Current Science India (1984) 53 (10): 547-548
(Plant Breeding Abst. 55,(5) 3927.
- Agusti,M;Fi,Carcia-Mari andJ.L.Guardiola (1983):**
Gibberellic acid and fruit set in sweet orange. Universidad Politecnica,Valencia,Spain.Scientia Horticulturae 17 (3) 257-264.
- Ahmed,S.and J.A. Shah. (1963):** Pollen viability in relation to fruitfulness in sweet lime.
W.Pakist.J.Agric.Res,1963,3:66-9.
(Hort.Abst.,34:3606).
- Arora,J,S. and J.N. Sharma. (1975):** Studies on self-incompatibility of Minneola and Orlando tangelo. Science and Culture,41 (9): 440-451.
(Hort.Abst. 46:9724).

Ashkenazy;S.Y.Oren, and Brosh. (1971): The use of gibberellin to increase yield of Clementine.
Hussadeh, 5 (9): 1023-1026 Ministry of Agric.,
Hadera, Israel. (Hort.Abst.42:8378).

Association of Official Analytical Chemists, (1960) :
Official Methods of analysis. A.O.A.C. 8th ED.
Published by A.O.A. Washington, D.C.

Atawia,A.R. (1984): Effect of cross-pollination and
some growth regulators on fruit set and fruit
and seed characteristics on some citrus cultivars.
M.Sc.Thesis,Fac. of Agric.,Moshtohor,Zagazig Univ.

Babu,G.H. and M.L.Lavania (1986): Effect of plant growth
regulators on fruit set and fruit drop of Plant
lemon 1- (Citrus limons, Burm) Indian Jour.
Hort. (1985) 42 (3/4) 237-240 En.9 ref.Hort.
Abst 1987,57 (11):3802.

Bacchi,O.(1943): Cytological observations in citrus:III
Megasporogenesis, Fertilization and Polyembryony.
Bot.Gaz.,105:221-225.

Banerji,I (1954): Morphological and cytological studies
on Citrus grandis, Osbeck.Phytomorphology
4:390-396.

Barrett.H. and T. Arisumi (1952): Methods of pollen
Collection, Emasculation and Pollination in fruit
breeding. Proe.Amer.Soc. Hort.Sci.,59:259-262.

Belling, J. (1920) : The iron acetocarmine method of
fixing and staining of chromosomes
(Boil.Bull.50:160-162) Stain Tech.,4:53-56.

-----**(1928) :** A method for the study of chromo-
somes in PMC'S Univ.Calif.Pub.Bot,14:293-299,
(Cited by L.La Cour, 1937).

Benfatto,D (1978) : The results of trail with growth
regulators on Pre-harvest drop of grapefruit,
CV. Marsh seedless. Anali dell Institute sperim-
ental per L'Agrumicultura 7/8, 303-320.
(Hort. Abst.48:4966).

Bishr. M (1987) : Physiological studies on the alternate
bearing of Balady mandarin. M.Sc. Thesis. Fac.of
Agric. Moshtohor,Zagazig Univ.

Blondel,L (1976) : A comparison of the effects of gibb-
erellin and ringing of Clementine fruiting in
Corsica. Amelioration des plants 25 (2) 85 (2)
85-95. (Hort. Abst. 46:6205).

Bredell,J. (1986) : Fruit set of Clementines. Citrus
and Subtropical fruit research institute
(1986) No 162,4-5 [AF,I pl] Adliad, Kaapse
Middelands, South Africa.
(Hort. Abst. 1987 (57) 4:2980 .

- Brosh, P. and S.P. Monselise. (1977) :** Increasing yields of Topaz mandarin by Gibberellin and girdling in the presence of Minneloa, Pollinizers. *Scientia Horticulturae* 7 (4) 369-372.
- Burger, D.W. (1982) :** Pollination effects on fruit production of " Star Ruby " grapefruit (Citrus Paradisi Macf.) *Scientia Horticulturae* 1985.25 (1) : 71-76.
- Burnaeva, N.L. (1956) :** An experiment on supplementary pollination of citrus fruits. *Agrobiologica*, No 3, 124-128 (Hort. Abst. 28:2179).
- Burns, R.M, and others (1964) :** Preliminary trials indicate gibberellin delays lime maturity. *Calif. Citrogr.* 49:488-90.
- Cameron, J.W.,; D.Cole and E.M.Nauar (1960) :** Fruit size in relation to seed number in the Valencia orange and some other citrus varieties. *Proc. Amer. Soc. Hort-Sci.* 76:170-180.
- Canat, P.; J.L.Garica Martinez; V.carot; F.Pico, and J.L.Vaya. (1974) :** Plant growth reguletors in fruit growing. Applications of GA₃ and 2,4,5-TP. to improve the yield of seedless Clementines. *Revista de Agro. Qui micay tecnologia Agro Umica Y Technologyia de Alimentos, Valencia Spain.* 14 (1):106-112. (Hort. Abst. 45:1278).

Carlos, J.T. and A.H. Krezdorn (1958) : Fruit set and seed Production of Self-incompatible citrus as affected by pre-anthesis pollination. Proc.Amer.Soc. Hort Sci. 12:99-106.

Cekvava, G.V. (1968): The effect of trifoliate orange pollen on the fruits and seeds of lemons and on the development of supplementary embryos in the seeds. Subtrop.Kul'tury. No.3, PP 44-7
(Hort.Abst.39:No 2:3527).

Cheong-Yin-Wong. (1940) : The influence of pollination and seed development in certain varieties of Citrus. Proc.Amer.Soc.Hort.Sci- 37:161-72 2.

Chundawat, B.S. and G.S. Randhawa (1971) : Studies on fruit drop in sweet lime. [Citrus limettoides, Tanaka] Jour.of Japanese Soc. for Hort.Sci 40 (2) 115-120.
(Hort.Abst. 42:6898).

----- (1975) : Effect of plant growth regulators on fruit set, fruit drop and quality of Saharanpur special variety of grape-fruit (Citrus pardisi, Meaf) Indian Jour. Hort. 19 (3/4) 277-282.

Coggins, C.W.; R.M. Burn; H.Z. Hield; B.W. Lee and S.B. Boswell (1963) : Gibberellin spray on lemon in venture country. Calif. Citrogr. 49:3-12.

Coit, J.E. and R.W. Hodgson (1919) : An investigation of the abnormal shedding of young fruits of the Washington-Navel orange. Univ. Calif. Pubs. Agric. Sci., 3:283-368 (C.f The citrus Industry, Vol. II Chape. 4, ed by Reuther, W.; H.J. Webber and L.D. Batchlor (1968) Univ. Calif. Library of Congress U.S.A.

Cost, A and J.M. Gagnard (1956) : Study on the pollination of the Clementine. Fruits at Prim. 26:247-52 (Hort. Abst. 27:771.)

Cutuli, G (1970) : Experiments with Gibberellic acid for increasing fruit set in Clementine mandarins. Annali dell'Istituto Sperimentale Per L'Agricoltura, 3/4:79-91. (Hort. Abst. 44:7084)

Damigella, P.; and A. Squillaci (1959) : Studies on the floral biology of the Clementine and bringing unproductive trees into bearing. Tecn. Agric., 1959, 11:440-63. (Hort. Abst., 31:1287).

Darlington, C.D. and L.F. Lacour (1962) : The handling of chromosomes. ed. by George Allen and Unwin, Ltd. London.

Deidda., P. (1966) : Citrus floral biology preliminary investigations. Riv. Ortofl. fruttic. Ital., 1966. 50:159-70 (Hort. Abst., 37:1728).

Deidda.,P. (1968) : Floral biology of Citrus. II The Effect of cross-pollination on fruit morphology and quality. Studi Sossar.,serIII,1968,16:24-40 (Hort.Abst.40:4769).

----- **(1968)** : Floral biology in citrus IV.Observation in the sweet orange, the mandarin and Clementine. Riv. ortoflorofruitic,It al 52:643-700 (Plant breeding Abst.1969, 39 (4) No. 7487).

----- **(1971)** : The effect of Gibberellic acid on fruit set, productivity and fruit characteristics of Washington navel orange.Studi.Sassavesi, 19:264-275.Univ.Disassari, (Hort.Abst.43:4007).

----- **and M.Agabbio (1977)** : Some factores influencing flowering and fruit set of Clementine mandarin. In Proceedings of the International Society of the Citriculture,Volume 2 Lake Afred,Florida, 588-692. (Hort.Abst.49:6278).

Dhillon,J.S.;K.K.Singh and G.Bakshi (1963) : Investigation flowering and fruiting problems in sweet lime. Punjab Hort.Jour.3:46-53.(Hort.Abst.,34:1488)

Dhuria,H.S. and G.S.Randhawa (1963) : Effect of gibberellic acid on germination and pollen tube growth in citrus. Indian Jour.Hort.20 (1304) 186-91.

- Dhuria, H.S. and G.S. Randhawa (1965) :** Studies on fruit set and fruit drop in Citrus. II - Nature and causes of fruit drop in grapefruit and sweet lime. Indian Jour. Hort. 22 (1): 91-99.
- Eid, S.E. (1963) :** A save method fro making squash preparations permanent. Alex. Jour. Agric. Res. Vol. 6 (2) 213-215.
- EL-Hammady, M.M and I.M. EL-Desouky (1976) :** Effect of 2,4,5-T and GA₃ sprays on the yield and fruit-quality of Clementine mandarin. Agric. Res. Review 54 (3) : 43-46 (Hort. Abst. 48:1789).
- Eliseev, V.A. (1977) :** Feature of meiosis in intergeneric hybrids. Pyullete, Vsesoyuznogo Orenda Lenina I Ordena Druwznor Nardova No. 68:66-68 (Plant breeding Abst. 1978, 48 (9) No. 8955).
- EL-Khoreiby, A.M.K. (1976) :** Physiological studies on the effect of some growth regulators on growth, flowering and fruiting of orange trees. M.Sc. Thesis, Hort. Dep., Fac; Agric-Cairo. Univ.
- EL-Menshawi, E.A.S. (1977) :** Cytological behaviour in relation to fruiting and seediness in some sweet orange varieties. M.Sc. Thesis, Fac. of Agric. Alex. Univ.

EL-Shiaty, M .A.E(1952) : Some morphological and histological studies in the Khalily-Whit and Shamouti oranges. M.Sc.Thesis,Fac.of Agric.Cairo Univ.

EL-Tomi,A.L. (1957 a) : Some studies on seediness of Washington navel orange. Ann.,Agric.Sci,Cairo, 2:267-274.

----- **(1957 b)** : Effect of cross-pollination on June drop, Pre-harvest drop and cropping in Washington navel orange. Ann.Agri.Sci,Cairo 2:249-266

Esen,A and R.K. Soost. (1977) : Adventive embryogenesis in citras and its relation to pollination and fertilization. Amer.Jur.Bot.,64:607-614.

Fienstein,B;S.P.Monselise and.R.Goren (1976) : Studies on the reduction of seed number in mandarins. Hort.Sci. 10 (4) : 385-386.

Franciosi,R.T. and A.M. Ponce (1970) : Gibberellic acid influence on Washington navel orange fruit set and development.I.Svest.Agrop.Preu,1:18-28 (Hort.Abst. 41 : 7592).

Frost, H.B (1938) : The genetics and cytology of Citrus. Current science No. 379 : 24-27.

- Frost, H.B (1943)** : Seed reproduction, development of gametes and embryos. Chap. 8 PP 767-781. from Citrus Industry, Vol.1, ed by Webber H.J and L.D Batchelor Univ. Calif. U.S.A.
- **and R.K. Soost (1968)** : The citrus industry, Vol.,II Chap.4, ed by Reuther,W; Webber,H.J and L.D Batchelor., 1968 Univ Calif. Library of Congress Printed in the U.S.A.
- Fujita, R. (1957)** : The effect of honey on fruiting and appearance of Satsuma orange. Bul. Kanagawa Agri. EXPT. Sta-Hort. Branch 5:1-4 (Hort. Abst. 28:1806).
- Furr, J.R. (1969)** : Citrus breeding for the Arid Southwestern United States. Proc. Fir. Inte. Symposium, Vol. 1:191-197.
- Furusato, K (1953)** : Studies on Polyembryony in citrus. Ann. Rept. Natl. Inst., Genet., 4:56 The Citrus Industry Vol. II Chap. 4 ed by Reuther, W; H.J. and L.D. Batchelor 1968, Univ. Calif. Library of Congress Printed in the U.S.A.)
- Gallasch, P.T. (1978)** : Attempts to control alternate Cropping of Valencia orange by inhibiting flower formation with Gibberellic acid. Aust. J. EXP. Agric. and Animal Husbandry. 18 (92) : 309-312 (Hort. Abst. 48 : 10929).

Garcia-Martinez, J.L and M.A.Garcia-Papi (1979): The influence of gibberellic acid, 2-4 dichlorophenoxy acetic acid and 6-benzyl-amino Purine on fruit set of Clementine mandarin. *Scientia Horticulturae* 10 (3) 285-293. (Hort.Abst 49 : 8971).

Gilfillan, I.M.; J.A.Stevenson and W.Koedemoer (1974): Gibberellic acid reduces Creasing in Late-Season Navels. South African Co-operative Citrus Exchange, Nelspruit. *Citrus and Sub-tropical fruit Jour.* No. 482 : 4-5.

Goldschmidt, E.E.; Y.Aharani; S.K.Eilati; J.W.Roiv and S.P. Monsellise (1983): Differential counteraction of ethylene effects by gibberellin GA₃ and N. 6-benzyl adenine in Senescing Citrus peel. *Plant physiology* 59 (2) : 193-195 (Hort.Abst.47:9981).

Gustafson, A. (1947): Apomixis in higher plants. Part II, PP. 108-152. *Lunds Universities Arsskrift. N.F Avd. 2 Bd. 43 Nr. 2 Kungl. Fysiografiska. Salbskapets Handlingar N.F. Bd. 58. Nr 2.*

Hearn, C.J; P.C.Reece and R.Fenton (1968): The effect of self-incompatibility and different pollen sources on fruit characteristics and set of four citrus hybrids. *Pro.Flo.sta.Hort.Soc.* 81 : 94-8 (Hort.Abst.40 : No.1.2219).

Hensz, R.A. (1967) : Marrs orange as a pollinator for
Orlando tangelo. J.Rio.Grande Valley hort.Soc.
21 : 89-91. Plant breeding abst(1969)39(2)No.3292.

Hield, H.Z.; C.W.Coggins and M.J.Garber (1958): Gibberellin
tested on citrus. Calif.Agric.12(2):9-11
(Hort.Abst.29.2972).

-----; **R.M.Burns and C.W.JR.Coggins (1962) :** Some
fruit thinning effects of nephthaleneacetic acid
on Wilking mandarin. Proc.Amer.Soc.Hort.Sci., 1962, 81.218-22.

Horwitz, W. (1970) : Official Methods of Analysis.
Association of Official Analytical chemists.
11th ed., Washington, D.C.

Hume, H.H (1957) : Breeding citrus. Chap.X 11 : 114-122.
Citrus fruits, ed by Harold Hume, H, New York.
The MacMillan Company (1957).

Hussain, F.A. (1979) : Comparative study on the effect
of some growth regulators and Zinc on growth,
flowering and fruiting of Amoun orange trees. Ph.D.
Thesis in the Horticulture, Fac.of Agric.Cairo.Univ.

✓ **Ibrahim, M.M. (1969) :** Cytological studies on some citrus
hybrids. M.Sc.Thesis Fac.of Agric.Alex.Univ.

Iwamasa, M. (1963) : Reciprocal translocation in the Valencia orange. Chromosome Inform. Serv., Tokyo No.4 : 9-10. (Plant Breeding Abst. 1965, 35(3) No. 5071).

----- **and Oba (1980)** : Seedlessness in the Pummelo variety Egami as a result of self-incompatibility. Agricultural Bulletin of Saga Univ. Japan (Plant Breeding Abst. 52 : 4227).

----- **and T. Iwasaki (1963)** : Sterility in Mexican lime (Citrus aurantifolia) induced by low tem. (Bull. Hort. Res. Sta. Ser. B. No. 2 : 25-45).

----- **; I. Ueno and M. Nishiura (1970)** : The location of zygotic embryos in polyembryonic citrus seeds. Bulletin of the Hort. Res. Station, Okitsu No. 10, 7-10 Shimizu, Shizuoka, Japan. (Hort. Abst., 42:2306).

Iwasaki, T.; T. Ohata and M. Nishiura (1954) : On bud pollination of Unshu mandarin (Kinki agric. EXP. Sta. 29 No. 10 : 37-41 Chapanese) (Plant Breeding Abst. 1956, 26 (2) No. 1751).

Jackson, L. K.; W. R. Sherman and C. W. Campbell (1973) : Seedlessness in Tahiti lime. Proc. of Flor. Stat. Hort. Soc. 85 : 330-332. (Plant Breeding Abst. 1974, 44 (4) No. 2723).

Janaki,A.E.K (1953) : A new interspecific citrus hybrid.
Current.Science 178-179.

Johanson,D (1940) : Plant microtechnique(5 th Ed.)
Mc. Graw-Hill,Book Co.Inc.N.Y.PP 523.

Joshi,A.T.;P.P.Deshmukh;L.V.Kulawal;P.B.Kale and V.P.Kedar
(1977): Role of plant growth regulators in
controlling premature and pre-harvest drop in
citrus. Pesticides 11 (3) : 18-22.H0rt Abst.48:9413).

Kadelaki,G.V. (1938): Karyological investigations of
some cultivated species and varieties of genus
Citrus. Trudy Tbiliss.Botanickes Inst.
(Tav.Inst.Bot.Tbilissi) Tiflis 4 : 109-120.Russian
with English Summary (Abst in Biol.Abst.14:4086,1940).

Karaya Chikvatiya,R.K (1971) : Combining ability of
interspecific and Pummelos,Byulleten Vsesoyuznogo
Ordena Lenina Instituta Rastenievodstve Imeni
N.I.Vavilova No.20:72-75.
(Plant Breeding Abst.1972, 42 (4) No.8844).

Kawasmi,L.; and H. Oguma (1973) : Quality improvment
testing at Hassaku (of natsudaaidai fruit)
I seed formation and the development of juice
sacs. Agric.Hort.48:87-88.

Khalil.F.A.A (1967) : Effect of cross-pollination and Gibberellic acid on fruit set and yield in citrus. M.Sc.Thesis in Pomology Fac.of Agric.Alex.Univ.

Kitat,F.M. (1959) : Cyto-genetic studies of colchiploidy in Citrus aurantifolia, Swingle, C.limetta, Russo and C.sinensis, Osbeck. Ph.D.Thesis Fac.of Agric. Alex.Univ.

-----; **A.H.Shahin and M.A.Abd-Alla (1980 a)** : Effect of pollination and source of pollen on fruiting in some Citrus varieties. I Chromosome behaviour in relation to pollen fertility. Alex.J.Agric. Res. 28 (3) 601-607.

-----; -----and -----(1980 b) : Effect of pollination and source of pollen on fruit set, drop, quality and yield in some mandarine varieties. Alex. J.Agric.Res. 18 (3) 589-600.

Klimenko,K.T and U.N.Klimenko (1952) : Pollination of citrus with mixed pollen. Agrobiologija No.3, 39-43 (Hort.Abst.24.1943).

Kokaya,C.D (1978) : Citrus Juko-apromining hardly crop in the moist subtropics of the Georgian SSR. Subtroicheskikh hul'ture, Suk humi Georgian SSR. (Plant Breeding Abst.Vol 48 : 8957).

Kouka, H.A (1987) : Some factors affecting productivity of Washington navel orange. Ph.D. Thesis. Fac. of. Agric. Zagazig Unive.

Krezdorn, A.H (1959) : Pollination requirements of citrus Industry Vol 11 Chap 4, ed by Reuther w.; H.J. Webber and L.D. Batchelor (1968) Calif. Univ.

----- **(1969)** : The use of growth regulators to improve fruit set in Citrus. Proc. 1st . Int.; Citrus Symp. Riverside, Vol. 3, PP; 1113-19 (Hort. Abst. 41:2359).

----- **and F.A. Robinson (1959)** : Unfruitfulness in the Orlando tangelo. Proc. Flor. Stat. Hort Sci. 71 : 86-91 (Hort. Abst. 19 : 1832).

----- **and M. Kohen (1963)** : The influence of chemical fruit sprays on yield and quality of Citrus. Proc. Flo. Stat. Soc. 75:53-60 (Hort. Abst. 33:5987).

----- **and D.C. Jernberg (1977)** : Field evaluation of growth regulators for fruit set. In Proceedings of the International Society of Citricultural, 1977 Vol. 2 Lake. Alfred. Florida. U.S.A 660-663. (Hort. Abst. 49 : 6277).

----- **and W.J. Wiltbank (1968)** : Increasing yields of unfruitful varieties of citrus. AR. Flaagric. EXP. Stats, PP; 141-2 (Hort. Abst. 38:1918).

Krug, C.A (1943) : Chromosome number in subfamily Aurantiodeae with special reference to genus citrus.
Bot. Gaz. 104 : 602-611.

Kukuladze, E.K. (1978) : Interspecific orange hybrids.
Subtropicheskie Kul'tury No.4 : 62-67.

Kumar, R.; T.P. Singh and O.P. Gupta (1975) : Effect of growth regulators on fruit set, fruit drop and quality of Sweet lime (Citrus limettioides, Tanaka) Haryana. J.Hort.Sci. 4, (3/4) 123-129.
(Hort. Abst 47 : 4016).

~~-----;~~-----;----- (1976) : Effect of Pollinizer on fruit set, fruit drop, fruit retention and quality of lime Haryana. J.Hort.Sci. 5: 25-30 (Hort. Abst. 48 : 2814).

Lacarelle, M.A. (1950) : Notes on the Clementine in the Ouerrha Valley. Progr. Agric. Vitic, 67 : 104-112
(Plant Breeding Abst. 1951, 21 (1) No. 604).

La Cour, L. (1937) : Improvement in plant cytological Botanical Review, Vol. 3 : 241-258.

Lal, B.B. and D.R. Thakur (1978) : Effect of N.A.A and 2,4,5-T on thinning and quality of Santa Rosa Plum. Haryana Journal of Horticultural Science, 71 : 21-24. Plant Growth Regulators Abstracts, (5) : 1240.

Lange, J.H and A.P.Vincent. (1970) : Cross-pollination
Studies on the Washington navel orange. 1-Influ-
ence on set and growth of fruit. Agroplantaе,
2, (4) 121-126 (Hort. Abst. 42: 4849).

----- and ----- (1971) : Cross-pollination
of Navel sweet orange. Citrus and Sub-tropical
fruit Jour. 452 : 15-16 (Hort. Abst. 42 : 4851).

----- and ----- (1972a) : Evaluation of
different cultivars as cross-pollinators for
the Washington Navel sweet orange. Agroplantaе,
4 (3) : 49-56. (Hort. Abst. 43 : 8090).

----- and ----- (1972b) : Pollination requi-
rements of Ortanique tangor. Agroplantaе,
4 (4) : 87-92 (Hort. Abst. 43 : 9102).

Leopold A.C. (1964) : Plant growth and development
Mc-Graw-Hill book, New York, N.Y. 406 PP.

Lima, J.E.O and F.S.Davies (1984) : Growth regulators,
fruit drop, yield and quality of Navel orange in
Florida. J. Amer. Soc. Hort. Sci., 109 (1): 81-84.

Lomija, N.J. (1961) : Sexual and nucellar Progeny of
lemon in connection with the pollen parent
plant. Agrobiologija. 912-14.
(Plant Breeding Abst. 1962, 32 (3). No. 3841).

- Maheshwari, P. (1950)** An introduction to the embryology of Angiosperms. MC. Grow-Hill book Company Inc. New York PP 453.
- Majurodze, N.I. (1952) :** Flowering and fruiting of grapefruit and Pummelo. Agrobiologiya, No. (6) : 12-6. (Hort. Abst. 25 : 4297)
- Mawlood, E.A. (1977):** Effect of growth regulators on growth and fruiting of some citrus trees. M.Sc. Thesis, Fac. Agri. Cairo Univ.
- Mazumdar, D.C. and D.N.V. Bhatt (1977) :** Effect of pre-harvest application of GA_3 and Ethrel on sweet orange (Citrus Sinensis, Osbeck) fruits. Progressive Hort. 8(2):89-91 (Hort. Abst. 47:9877).
- McClintock, B. (1929) :** A method for making acetocarmine Smears Permanent. Stain Tech. 4 : 53-56.
- Michele, A.D. and F. Calabrese (1977) :** Speed of the growth of the Pollen tube in Lemon flowers in various blooming periods Proceedings of the International Society of Citriculture, 2 Lake Alfred, Florida U.S.A (Plant Breeding Abst, 1980 50 (6) No. 5538).
- Minessy, F.A (1959) :** Effect of different pollinizers on yield and seediness in Clementine tangarine Alex. J. of Agric. Res. Vol. 7, No. 1., 279-287.

Minessy.F.A.; F.M.Kitat and A.M.Rokba (1965) : Genetical studies on some citrus hybrids. Res. Bull. No.12, PP.32.Fac.of Agric. Alex.Univ.

Minessy.F.A.,F.M.Kitat and M.M.Ibrahim (1970):Cytological Studies On some citrus hybrids. Alex.Jour.of Agric. Res., 18 : 197-204.

Mohamed,A.H. (1973) : Studies on intergeneric and Interspecific hybridization in the genus citrus. AL-Azhar Agric. Res. Bull., 29 : 1-22. Fac. of Agric., AL-Azhar Univ.

-----;**M.G.Mougheith; and M.EL-Ashram (1978) :**
Gibberellic acid as suppressor of the gene causing polyembryony in some sweet orange and mandarin varieties and its possible Uses in breeding programs Annals of Agric.Sci.of Moshtoher, 10 : 135-145.

Mohamed,EL-Sammani (1984) : Effect of single and double pollination on fruiting and seediness of Clemetine mandarin,Washington navel orange and Sukarry orange varieties.M.Sc. Thesis in Hort.Fac.of Agric.Alex.Univ.

Mohamed,G.I. (1986) : Studies on vegetative propagation of some citrus fruits by seeds.M.Sc.Thesis in Horticulture. Fac.of Agric.Zagazig Univ.

- Mohamed Anis and Raghuvanshi (1980) :** Evalutionary significance of chromosomal association in Poncirus-Citrus hybrids.Jour.of Cytology and Genetics (1980) 15 (2) 166-170.
- Moreira,S. and J.A.Jurgel. (1941) :** Pollen fertility and its correlation with number of seeds in species and forms of the genus citrus.Brogantia, Sao. Paulo 1:669-711(Plant Breeding Abst. 14:976).
- Moss,G.I and J.Bellamy (1973) :** The use of gibberellic acid to control flowering of sweet orange,Acta. Hort.Scie, No. 34:207-213 (Hort.Abst. 44 : 6084).
- and **K.B.Bevington (1977) :** The use of gibberellic acid to control alternate cropping of Late Valencia sweet orange.Australlian Jour.of Agric.Res. 28 (6) 1041-1054. (Hort.Abst.48 : 6865).
- Moustafa,S.S. (1985) :** Comparative study on the flowering and fruiting of Balady and Selected mandarin. Ph. D .Thesis.Hort.Dept.Fac.of Agric.Cairo Univ.
- Mukherjce,S.K.and J.W. Cameron (1958) :** Tree size and chromosome number in a trial of tetraploid trifoliate orange as a citrus rootstock. Proc. Amer. Soc.Hort.Sci.,72.267-72.

Muntzing, A. (1930): Uper chromosomen-Vermahrung
in Galeopsis Kruzungen und ihre, Phylogenetische
Bedeuturg. Hereditas, 14 : 135-172.

Musahib-Ud-Din, K. and M. Kamil (1963a) : Anthesis and
pollination studies in Citrus sinensis, L. Proc.
of the fifteenth Pakistan Science Conference,
Lahore, Part 111, P.A.27.
(Plant Breeding Abst.1970 , (4)No. 6762).

----- and ----- (1963b) : Pollination
studies in Citrus sinensis, L. Punjab Ft. J. 1962
1962-1964. (26-27): 208-212) Plant Breeding Abst.
1966, 36 (4) No. 6899).

----- and ----- (1963c) : Cytological
Observations on some citrus varieties. Proc. of
the fifteenth Pakistan Science conference, Lahore,
Part 111 (Plant Breeding Abst. 1970, 40(4) 6763).

Mustard, M. J. and S. J. Lynch and R. C. Nelson (1957):
Pollination and floral studies of the minneola
tangelo. Proc. Flor. Stat. Hort. Soc. 9: 277-82
(Hort. Abst. 27 : 2780).

----- and S. J. Lynch (1970) : Seed development in
the Pineapple orange Proc. Flor. stat. Hort. Soc.,
83 : 375-79. (Hort. Abst. 42 : 4853).

Nagai, K. and T. Tanikawa (1926) : On citrus pollination.
Proc. 3rd Panpacific Sci. Cong., 11 : 2023--26
(Proc. Amer. Soc. Hort. Sci., 37 : 161 - 164).

Naithani, S.P and S.S. Raghuvanshi (1963) : Cytological
studies in citrus. Part. I Genetica 33 : 301 - 312.
(Plant Breeding Abst. 1964, 34 (1) No. 1015).

Nakamura, M. (1934) : A Preliminary report on the Chromosome
number, Pollen sterility and the formation of
abnormal pollen tetrads in citrus Bull. Kogoshime.
Coll. Agric. 1 : 11-14.
(Plant Breeding Abst. 1936, 7 (2) No. 767,).

----- (1942) : Cytological studies on the genus
citrus 111 further more data on chromosome
numbers. Heredity 1950, 4 Part 3 : 399.

----- (1943) : Cytological and ecological studies
on the genus citrus with special reference to
the occurrence of sterile pollen grains
(Mem. Fac. Sci. Agric. Taihoku Univ. 27 : 53-59).
The citrus Industry Vol. 11 Chap IV. Agent
Public., of the Univ. of Calif. U.S.A (1968).

Nauriyal, J.P. (1952) : Self-incompatibility in Pummelo
(Citrus maxima, Merr) Current Scie. 21 : 347
Cited by R.K. Soost (1964) Proc. Amer. Soc. Hort.
Sci., 84 : 137-140.

- Nguendiv, Ziao. (1975) :** Obtaining seeds from the Unshiu mandarin. Subtrop.Kul'tury (1974) No.5:62-63 (RU)(Plant breeding Abst.Vol.47 No.7.6703,1977).
- Nishiura, M. and Y. Iba (1964) :** Effect of gibberelin spray on Citrus. Bull.Hort.Res.Stat. Okilus, Ser.B. 3.27-49. (Hort.Abst.35 : 187).
- Osawa, I. (1912) :** Cytological and experimental studies in citrus. J.Coll.Agric.Univ.Tokyo 4 : 83-116.
The citrus Industry Vol. 11, Chap 4, ed. by Reuther, W.; H.J. Webber and L.D. Batchelor (1968) Univ. Calif. Library of Congress Printed in the U.S.A.).
- Ostapenko, V.I (1956) :** An evaluation of different methods of determining pollen viability. (Russian)
J.Biul-nauctehn Inform.Centr. gene.Lahor.Im.IV. Micurina, No. 2, PP. 38-41, from Ref.Z.(Biol)1957, No. 19.Abst.82,300 ((Hort.Abst.28.2183,1958).
- Raghuvanshi, S.S. (1962) :** Cytogenetical studies in genus citrus. IV. Evaluation in genus citrus. Cytologia .27 : 172-188.
- Randhawa, G.S. and S.C. Choudhury. (1960) :** Studies on Cytology of Lemon. (Citrus limon, Burm). Hort. Advance.Saharanpur, 4 : 68-71.
(Plant Breeding Abst. 1962, 32 (2) No. 2392.).

Randhawa, G.S. and B.B. Sharma (1962) : Effect of plant regulatros on fruit, set, drop and quality of sweet orange(Citrus sinensis) Indian J. Hort. 19 : 83-91.

----- **and J.P. Singh (1963) :** Nature of fruit drop in mandarin (Citrus reticulata, Blanco) Indian J. Hort. 20 (3/4) : 191-199.

and H.S. Dhuria (1965) : Effect of plant regulators on fruit set and fruit drop in citrus. II Sweet lime (Citrus limettioides, Tanaka). Indian Jour. of Hort. No. 2 : 131-139.

Reece, P.C. and R.O. Register (1961) : In fluence of pollination on fruit set of Robinson and Osceola tangarine hybrids Proc. Flo. Sta. Hort. Soc. 74; 104-106 (Hort. Abst. 1962, 32 (4) No. 7251).

Resnik, M.E. (1958) : Physiology and Longevity of citrus pollen. (Rev. Invest. Agric., AB acries, 12:311-343 (Plant Breeding Abst. 1959, 29 (4) No. 4372).

Rifaat, M.M (1978) : Leaf size or shape as a genetic marker in differentiating gametic and nucellar seedlings resulting from polyembryonic citrus seeds. M.Sc. Thesis, Fac. of Agric. Alex. Univ.

- Rokba, A.M; B. Wehida and R. Rabia (1976) :** Possibilities of obtaining enough seeds of Washington navel orange using different pollinizers for nucellar breeding program in Egypt. Jour. Agric. Res Tanta Univ. 2 (1) : 275-287.
- Roy, B.N. and others (1973) :** Growth substances prevent flower drop in acid lime. Allahabad farmer 44 (5) : 275-277 (Hort. Abst. 43 : 1499).
- Sabet, A. (1988) :** Genetical and cytological studies on some citrus hybrids. Ph.D. Thesis, Fac. of Agric. Cairo University, Fagoum.
- Sadharsan, A. and L. Seethaiah (1969) :** Karyotype analysis and meiotis studies in three varieties of grape (Vitis vinifera, L). Cytologia, 34 : 475-483.
- Sahrighy, M.A.; F.M. Kitat and G.S. Mallah. (1972) :** Cytological studies on citrus SSP. I-Cytological behaviour. Egypt, J. Genet. Cytol. 2 : 57-64.
- Salem, E.A. (1963) :** Studies on the effect of gibberellic acid on fruit set, development and constituents of Washington navel orange. M.Sc. Thesis. Fac. of Agric. Cairo Univ.

Samoladas, G.H. (1963) : Effects of growth stimulators on mandarins (Russian) Sadovdstov, No.12, PP. 32-7 (Hort.Abst. 34 : 3601).

Sandhu, A.S.; Kushal Singh; M.S. Grewal and Room Singh (1986) : Effect of N.A.A and 2,4-D on pre-harvest fruit drop and quality of different sweet orange (Citrus sinensis, Osbeck) Cultivars. Jour. of Res. Punjab Agric. Univ. (1986) 23 (1): 30-32. (Hort.Abst.1987 Vol 57:No.6.4992).

Saria, M.A and M.M. Malik. (1975) : Nucellar embryony, Pollen viability and pistillate flowers in different citrus varieties. (Pakistan Jour.of.Scie.Res., 27(1/4):105-111.
(Plant Breeding Abst. 1978, 48 (8) No. 7978).

Sass, J.E (1958) : the preparation of whole mounts and smears. Acetocarmine smears. Botanical Microtechnique: 106-107, Thrid edition, The Iowa state College Press.

Sharma, B.B.; and G.S. Randhawa (1966) : Studies on fruit set and fruit drop in citrus. IV. Sweet orange. Indian J.Hort. 23 : 12-20.

----- and ----- (1969) : Studies on fruit set and fruit drop in sweet orange. Indian Jour. of Hort. 24:109-17.

Sherif.F.M. (1983) : The effect of reciprocal crosses on fruit characteristics of some citrus varieties. M.Sc. Thesis, Fac. of Agric. Cairo Univ. A.R.E.

Singh, I.S (1967) : Floral biology of grapefruit (Citrus paradisi, Meaf.) Punjab.Hort.J.7 (3/4) : 94-101.Plant Breeding Abst.1970,40(3)5978

----- **and O.P.Gupta (1972)** : Note on the effect of 2,4-D,2,4,5-T and GA₃ on fruit set, drop, yield and size of Mosambi (Citrus sinensis, Osbeck) Indian Jour. of Agric.Res.6 (1) : 68-70 Agric. Ins., Mllahabad. (Hort.Abst. 43 : 8091).

Singh, J.P and H.S. Dhuria (1960) : Studies on floral biology of sweet lie.(Citrus limettiodes, Tanaka) Indian Jour.Hort. 17 : 9-20.Plant Breeding Abst. 1962, 32 (4) : 5312.

Singh, R.; G.S. Randhawa and D.K.Sharma (1961) : Pollen storage and pollen gemination in fruit crops. Ind.Jour.Hort. 18 : 85-96.

----- **and O.P. Sehgal (1968)** : Studies on the blossom-biology of Psidium guajava, L . Ind. Jour. of Hort., 25 (1) : 52-59.

Singh;T.C. and R. Shah (1950) : The chromosome counts
of Citrus suntara Curr.Sci. 19.P. 385.Plant
Breeding Abst. 1951,21 (4) : 2974.

Snedecor, G.W. (1967) : Statical Methods 5th.Ed.Ames
Iwas, U.S.A. the Iwa stat.Univ.Press.

Soost,R.K. (1956) : Unfruitfullness in Clementine
mandarin. Proc.Amer.Soc.Hort.Sci. 67:171-175.

----- (1963) : Citrus pollination. The calif.Cit
Citrograph,Vol. 48 (12) : 447-452.

Soost,R.K and J.W.Cameron (1954) : Production of
hybrids by the use of stored trifoliate orange
pollen. Proc.Amer.Soc.Hort.Sci.63 : 234-238.

Srivastava,R.P.;N.C. Agrarwal and V.K.Varma (1973): Effect
of Plant growth regulators on the drop,fruit
size, maturity and quality of peach(Var.Alexander).
Progressive Horticulture 5 (2) : 11-21
(Hort.Abst. 45 : 4717).

Stafford,L.M. (1970) : Effect of pollination on fruit
set, fruit size and seed numbers of early
Imperial and Ellendal mandarins Aust.Jour.
EXP.Agric.Husb, 10 : 644-646.

- Strasburger, E. (1907)** : Uber die individualitat der
chromosomen und die propfhyddbriden Frage.
Jahrbwiss. Bot. 44 : 481-555.
(Cited by S.S.Raghuvanshi 1926 b).
- Swingle (1943)** : the Botany of citrus and its wild
relative of orange subfamily Chap 4, PP.129-474.
(The Citrus Industry Vol. I ed by. Webber, H.J
and L.D.Batchelor Calif.Univ. Press.
- Takahara, T.; I.Oijama and N.Okudai (1982)** : The effect
of using tetraploids as pollinators in the
production of seedless fruits of self sterile
citrus cultivars. Bulletin fruit trees Res.
stat.Japan, D (Kuchinotsu) 1982 No.4, 11-24.
Hort. Abst. 53 (5) : 706.
- Tanaka, T. (1937)** : Further revision of Rutaceae
Aurantaideae of India and Ceylon.
Indian Bot.Soc.Jour. 16 : 227-240.
- (1954) : Species problem in citrus. Japanese
Society of Promotion of Science, Ueno, Tokyo
(Cited by S.S.Raghuvanshi 1962 b).
- Ten'Kovceva, E.S. (1965)** : Biology of Lemon pollination
under central Asian conditions (Subtrop.Kul't
Subtrop. crops) No.3; 109-112. Plant Breeding
Abst. 1969 , 39 (4) No. 7490.

- Traub, H.P. and T.R. Robinson (1937) :** Improvement of subtropical fruit crops. *Citrus*. U.S. Dept. Agr. Year book. 1937 : 749-826.
- Vardi, A. and P. Spiegel-Roy (1981) :** Gene-controlled meiosis in *Citrus reticulata*. Tokyo, Japan; International Society of Citriculture 1982, 26-27 (10 ref).
- Venkateswarlu, G.; and M.L. Lavania (1985) :** Pollination studies in lemon (*Citrus limon*. L. Burm F.) CV Pant Lemon-1 Haryana. *Jour. of Hort. Sci* (1985) 14 (3/4) : 182-286[[En, hindi, 7 ref] Dep. Hort., G.B. Pant Univ. Agric. (Hort. Abst. 1987 (7) : 6017).
- Weheda, B.M.L. (1972) :** Cytological behaviour in relation to fruiting in some lime varieties (*Citrus aurantifolia*, swingle) M.Sc. Thesis, Alex. univ. A.R.E.
- Wong, G.Y (1940) :** The influence of pollination on seed development in certain varieties of citrus. *Proc. Amer. Soc. Hort. Sci.* 37 : 161-164.
- Wright, N (1937) :** Pollination and seediness of Marsh grapefruit, *Proc. Amer. Soc. Hort. Sci.*, 37:161-164.
- Yang, G.H. (1968) :** Fertilization and development of embryo on Satsuma orange (*Citrus unshiu*, Marc) and Natsudaidai (*Citrus natsudaidai*, Hayata). *J. Jap. Soc. Hort. Sci.*, 37 : 102-8. Hort. Abst., 39 : 5605.

Yang, G.H. and Nakagawa (1969) : The Critical period of degeneration of tapetum and pollen grains in Satsuma orange (Citrus unshiu, Marc) Jour Jap. Soc.Hort.Sci. 38 : 127-143.
(Plant Breeding Abst. 1971,41 (2) No.3727).

Zacharia, D.B. (1951) : Flowering and fruit setting of Shamouti orange trees. Palestine Jour.Bot., 8 : 84-94 (C.f. The Citrus Industry Vol.11, Chap.4, ed.by Reuther, H.J.Webber and L.D.Batchelor, 1968.Univ.Calif.Liberay to Congress printed in the U.S.A.(Plant Breeding Abst.1952,22(3)No. 2215).

Zielinski, Q.B (1955) : Modern systematic pomology.
Wu.C.Brown Co. Iwa. : 260-267