

CONTENTS

	Page
I. Introduction & review of literature.....	I
I.1. Identification & distribution of sensilla on insect antenna.....	3
I.2. Methods of communication in insects.....	25
I. Chemical communication.....	25
2. Mechano communication.....	53
3. Visual communication.....	61
II. Material and methods.....	67
II.1. Rearing of <u>S. littoralis</u>	67
II.2. Sexing of pupae.....	67
II.3. Light microscopy investigations.....	68
II.4. Scanning electron microscopy studies.....	68
II.5. Electroantennogram studies.....	69
II.5. I. The fundamental characteristics of signals and their sources.....	69
II.6. Preparation of the electrodes.....	71
III. Results.....	85
Studies on the antennal flagellum of the cotton leafworm, <u>Spodoptera littoralis</u> (Boisd).....	85
III.1. A Scanning electron microscope study.....	85
III.1.1. Identification and distribution of sensilla on insect antennae.....	85
III.2. Electroantennogram recording.....	126
III.2.1. Effect of NaCl on the recorded EAG.....	128
III.2.2. Effect of KCl on the recorded EAG.....	133
III.2.3. Effect of CaCl ₂ on the recorded EAG.....	139
III.2.4. Comparison between the effect of NaCl, KCl & CaCl ₂ on the EAG of antennal sensilla of <u>S. littoralis</u>	145
III.2.5. Effect of the attractant female sex pheromone on <u>S. littoralis</u> male moth... a- Site receptor on antennae of <u>S.</u> <u>littoralis</u> male moths to sex pheromone.	151 153

b- Effect of using different conductor solutions with sex pheromone on response of sensillum trichodeum of <u>S. littoralis</u> male moth	I60
c- Effect of high concentration of sex pheromone on the EAG responses of the male sensillum trichodeum.....	I65
III.2.6. Effect of the odor chemical substance on both sexes of <u>S. littoralis</u>	I68
III.2.6.I. Effect of amyl acetate as odor stimulus on sensilla trichodea and small chemoreceptor pegs on antenna of both sexes of <u>S. littoralis</u>	I70
III.2.6.2. Effect of ethyl butyrate as odor stimulus on both sensilla of female moth <u>S. littoralis</u>	I76
Preliminary study on the role of sensilla chaetica as a mechanoreceptor.....	I81
DISCUSSION	
IV.I. Identification and distribution of sensilla on <u>S. littoralis</u>	I85
IV.I.1. Sensilla trichodea.....	I85
IV.I.2. Small chemoreceptor pegs.....	I87
IV.I.3. Sensilla chaetica.....	I88
IV.I.4. Sensilla squamiformia.....	I89
IV.I.5. Sensilla basiconica.....	I89
IV.I.6. Sensilla auricillica.....	I90
IV.I.7. Sensilla styloconica.....	I91
IV.I.8. Sensilla coeloconica.....	I92
IV.2. The effect of salts on the recorded EAG...	I94
IV.2.1. The effect of NaCl.....	I94
IV.2.2. The effect of KCl.....	I94
IV.2.3. The effect of CaCl ₂	I95
IV.2.4. Comparing the stimulation effect of the three salts.....	I96

	Page
IV.3. EAG technique to determine the site receptor on antennae of <i>S. littoralis</i> male moth to sex pheromone.....	I96
IV.4. Effect of using different conductor solutions with sex pheromone on response of sensillum trichodeum of <i>S. littoralis</i> male moth.....	I98
IV.5. Effect of high concentrations on response.	I99
IV.6. Effect of the odor chemical substances on both sexes of <u><i>S. littoralis</i></u>	I99
IV.7. Effect of sound on sensillum chaeticum on the antennae of both sexes of <u><i>S.</i></u> <u><i>littoralis</i></u>	20I
IV.8. Specifity of sensillum trichodeum and the small chemoreceptor peg on the antennal flagellum of <i>S. littoralis</i> moth..	202
Conclusions.....	2I0
English summary.....	2I7
References.....	223
Arabic summary.....	