

- Jovanovid, R.D. and M. Mijacika, (1974): Effect of the rootstock on the content of some Macro and Micro elements in leaves of apples. Proc. of the XIX Int. Hort. Cong., Vol. IB, Warszawa-September.
- Kahlon, P.S. and S. Sukhdev, (1981): Effect of indolebutyric acid (IBA) on the juvenile and adult cuttings of Patharnakh (Pyrus pyrifolia L.) Haryana J. Hort. 10 (1/2) 36-41 Khalsa College Ind. (Hort. Abst. 52: 6567).
- Kaundal, G.S. and A.S. Bindra, (1984): Rhizogenesis in peach x almond hybrid as influenced by concentrated growth regulators. Punjab Agric. Univ., Ludhiana 141004, Ind. Sci. and Culture. 50(2): 67-8.
- Katzfuso, M. (1957): Research on the potassium, calcium, sodium and carbohydrate contents of the leaves of two varieties of Cherry on different rootstocks. Arch. Gartent., 5: 27-46. (Hort. Abst., 28: 107).
- Kenawy, E.A.E. (1979): Studies on stock-scion relationship in some apple seedlings. Ph.D. Thesis. Fac. Agric. Cairo Univ.
- Kozlowski, T.T. (1964): Water Metabolism in Plants Harber and Row, New York. pp 211.
- Kurcatova, G.P. (1964). Osmotic pressure and suction force of apple leaves in relation to the rootstocks and soil moisture. Isv. Akad. Nauk Mold. SSR, Ser. Biol. Neuki, No. 4, pp. 56-61. (Hort. Abst., 37:2268)

Larson, P.; A. Harbo.; S.Klungsour.and T. Asheim,

(1962): On the biogenesis of some indole compounds in Acetobacter xylinum. Physiol. Plant, 15: 552-65.

Leoncenko, V.G. (1967): Physiological-Biochemical changes in apple trees as affected by graft incompatibility. Sel-hoz. Biol., 2: 888-91. (Hort. Abst., 38: 4899).

Longley, R.P. (1963): Growth and yield of trees during the first five years of three varieties of apple on M.M. rootstocks 104, 106, 109 and 111. Proc. Amer. Soc. Hort. Sci., 83: 74-6.

Majumder, P.K.; B.P. Chakladar. and S.K. Mukherjec, (1969): Selection and classification of mango rootstock in the nursery stage. Abst. Int. Symb. Mango and Mango Cult. New Delhi, 11-12.

Makarem, M.M.S. (1985): Physiological and histological studies on the propagation of Pyrus communis pear. Ph.D. Thesis. Fac. Agric. Ain-Shams. Univ.

Maney, T.J. (1937): Stock and scion relationships with reference to double worked apple stocks. Proc. Amer. Soc. Hort. Sci., 35: 152-64.

Marini, R.P. (1983): Rooting of semihard-wood peach cuttings as affected by shoot position and thickness. Hort. Sci. 18(5): 718-9. Rutgers Univ. New Brunswick, N.I. 08903, U.S.A. (Hort. Abst. 54(6): 3232).

Metcalf, C.R. and Chalk, C. (1950): Anatomy of Dicotyledons Vol. 11, Oxford Univ. Press, U.K.

Mittemprgher, L. (1964): Studies on the origin of adventitious roots in hardwood cuttings of pear. Riv. Ortoflorofruittic Ital, 48: 39-44. (Hort. Abst., 34: 4185).

Modic, D. (1968): The effect of rootstock on the distribution of phosphoric acid in the apricot scion. Acta. Hort., Int. Soc. Hort. Sci., 11: 159-62 (Hort. Abst., 40: 5597).

Mohsen, A.M. (1979): Seasonal changes in transpiration rate of some Grape Vine cultivars in relation to leaf anatomy. Zagazig J. Agric. Res. Egypt. (Under Publication).

Molanov, E.F. (1968): Changes in the Ca and Mg contents of apple leaves in relation to the rootstock. Bjull. gos. nikitsk. bot. Sada 1(7): 77-81. (Hort. Abst. 40: 216).

Molnar, J.M. and L.J. Lacroix. (1972): Studies on the rooting of cuttings of Hydragea macrophylla, DNA and protein changes. Canada J. Bot., 50, 387. (Hort. Abst. 42: 6617).

Mosse, B. and J. Herrero, (1951): Studies on incompatibility between some pear and quince grafts. J. Hort. Sci., 26: 238-45.

- Mougheith, M.G. and I.A. Hassaballa, (1979): Propagation of "Le-conte" pear and Hollywood plum by hardwood cuttings. Res. Bull. No 52. Fac. of Agric. Zagazig Univ.
- Nagpal, R.L. and A.A. Gaafar, (1979): Effect of different types of Mosambi orange scion on nitrogen content of roots of various rootstocks. Res. Bull., Fac. Agric., Ain-Shams Univ.
- Nendel, K. and A. Cohen, (1967): Starch level in the trunk as a measure of incompatibility between stock and scion in Citrus. J. Hort. Sci., 42: 231-41.
- Nesterov, J.A.S. (1968): Biological compatibility of rootstocks and scions. Scil, Hoz. Biol., 3: 2069 (Bibl, 6, Russian), (Hort. Abst., 38: 7008).
- Nicotra, A. and C. Damiano, (1975): Rooting trial of several peach and plum varieties by hardwood cuttings. Istituto Sperimentale per La Frutticoltura, Rome, Italy, Acta Hort. 54: 63-70.
- Nyomora, A.M.S. and N.A. Manzova, (1982): Rooting response of juvenile and adult cuttings of apple (Malus sylvestris L.) and peach (Prunus persica L.) to indole-3-butyric acid (IBA) and season in Tanzania. Uyole Agric. Centere, Mbeya, Tanzania. Beitrage Zurtropischen Landwirtschaft and Veterinarmedizin. 20(2): 135-40.

Odom, R.E. and W.J. Carpenter, (1965): The relationship between endogenous indole auxins and the rooting of herbaceous cuttings. Proc. Amer. Soc. Hort. Sci., 87: 494-501.

Pandey, D. and R.K. Pathak, (1978): Biochemical basis of rooting potentiality in apple hardwood cuttings I. Endogenous levels of carbohydrates and nitrogen fractions. Hort. Exp. and Training Centre, Chaubattia, Almora, Ind. Ind. J. of Plant Physiol. 21(3): 280-6.

----- and ----- (1981): Effect of rootstocks, IBA and phenolic compounds on the rooting of apple cuttings. Hort. Exper. and Training Centre, Chaubattia. Ind. Progressive Hort. 13(3/4): 105-10.

----- and S.N. Upadhyay, (1981): A note on the propagation of peach by hardwood cuttings. Hort. Experiments and Training centre, Chaubattia, Ind. Progressive Hort. 13(3/4): 71-2.

Perfil, V.E. (1962): The causes of early fruiting in dwarf apple trees. Agrobiologija, No 4: 619-22. (Hort. Abst., 33: 327).

Pregel, F. (1945): Quantative Organic Micro-analysis. 4th Ed. J.A. Churchill, London.

Randhawa, G.S. and W.H., Upshall (1949): Congeniality of some pear varieties on quince A. Sci. Agric., 29: 490-493. (Hort. Abst. 1959, No. 69).

Robinson, J.C. (1975): The re-generation of plants from root cuttings with special reference to the apple. Report in Hort. Abst. 45: 305-12.

Robitaille, H.A. and K.S. Yu, (1979): Cuttage propagation of peaches. Purdue Univ., West Lafayette. Indiana, U.S.A. Compact Fruit Tree, 79(12): 95-7.

Roomi, M.K.N. (1952): Propagation of horticultural plants with reference to hormones and propagation. Edinburgh Univ. College of Agric. Thesis for the Dip in rural science.

Sandhu, A.S.; R. Singh, and C.S. Malhi, (1982): Rooting forming capacity of pear hardwood cuttings taken from different regions of the shoot. J. of Res., Ind. 19(2): 116-7.

----- ; S.N. Singh, and J.S. Kanswar, (1983): Clonal propagation of kainth (P. pashia Ham.). Punjab Agric. Univ., Ludhiana 141004, Ind. Punjab Hort. J. 23(3/4): 191-2.

Sarkisova, M.M. (1971): Formation and changes in endogenous growth regulators in shoot of fruit crops during the annual growth cycle. Fiziologiya Rastenii 18(4): 796-801. Nauchnossledovated' Skii Ins. Viogradarstva Vinodeliya Plodovodstva, Erevan, USSR. (Hort. Abst. 42(1): 345).

Satoo, S. (1956): Anatomical studies on the rooting of cuttings in coniferous species. Bull. Tokyo. Univ. Forests, 51: 111-57.

Scaramuzzi, F. (1957): Investigations on double shield budding as a possible Means of the over-coming incompatibility of pear on quince. Ann. Sper. Agrar., 11: 653-76. (Hort. Abst., 27: 3120).

Semina, N.P. (1965): The effect of scion and rootstock compatibility on the condition of root system. Sborn. nauc. Reb. nauc. issled. Inst. Sadov. I.V. Micurina, 11: 85-8. (Hort. Abst., 37: 6232).

Sen, S.M. and G.A. Couvillon, (1983): Factors affecting survival of "In Field", rooted hardwood peach cuttings. Hort. Sci. 18(3): 324-5.

Shawky, I.; A.L. El-Tomi, and M.A. Rawash, (1976): Changes in activity of growth regulating substances in apple hardwood cuttings during storage. Egyptian J. of Hort., 3(2): 135-42.

Shirzad, B.M. and N.W. Miles, (1978): Seasonal and IBA induced changes in endogenous growth substances related to rooting of K14 apple (Malus sylvestris L.). Mill rootstock. compact fruit tree 10 (June). (Hort. Abst. 48: 1062).

Simons, R.K. (1968): Phloem tissue development in stock scion union of East Malling IX apple, rootstock. Hort. Res. 8, 97-103. (Hort. Abst., 39: 2065).

Slack, J.M. (1978): Direct nursery planting of peach hardwood cuttings. Agric. Res. Cent., Yanco, NSW, Australia. Farmers Newsletter, (139): 26-27. (Hort. Abst., 49(4): 2413).

Smith, P.F.; M.A. Giller, and P.A. Gesees, (1956):
Colorimetric methods for determination of sugar
and related substances. Anal. Chem., 28: 350.

Snedecor, G.W. and W.G. Cochran, (1972): Statistical
Methods 6th Ed. The Iowa state, Univ. Press, Ames,
U.S.A.

Stino, G.R. (1971): The xantopren method for studying
different plant tissues. Bull. Fac. Agric. Cairo
Univ. (Under publication).

Stocker, O. (1956): Die Alhangiykeit der Transpiration
der Umweltfaktoren, in W. Ruhland Encyclopedia
of Plant Physiology, 3: 436-88.

Tabuenca, M.C. (1962): Relationships between chemical
composition and degree of compatibility in peach
plum combinations. An-Estac. exp. Aula Dei., 7:
1-34. (Hort. Abst., 34: 333).

Taper, C.D. and R.S. Ling, (1964): Relation of electri-
cal resistance to vigour of apple scions. Nature,
203: 782-3. (Hort. Abst. 34: 6286).

Titova, N.V. (1978): Photosynthetic activity of apple
trees on new clonal rootstocks. Czvestiyn AN Mold.
SSR. Ser-Biol. I Khim. Nauk (2): 24-29.

Titus, J.S. and N.S. Ghosheh, (1963): Some varietal
and stock-scion effects on the cation distribu-
tion in Jonared and Golden Delicious apple trees.
Proc. Amer. Soc. Hort., 83: 35-44.

- Tukey, H.B.; R. Langston, and R.A. Cline, (1962):
Influence of rootstock, bodystock and interstock
on the nutrient content of apple foliage. Proc.
Amer. Soc. Hort. Sci., 80: 73-80.
- Yadav, I.S.; S.N. Pandey, and M.P. Singh, (1974):
Clonal propagation of Pyrus pashia Ham. A par
rootstock. Ind. J. Hort. 28(3): 210-3. (Hort.
Abst. 44(1): 163).
- Zavarzin, V.I. (1967): A study on compatibility in
peach transplants. Sel. hoz. Biol., 2: 432-4.
(Hort. Abst. 37: 6245).
- Znajdek, Z.; J. Pienazek, and Z. Crzyb, (1978): The
effect of synthetic auxins on rooting of softwood
and hardwood cuttings of caucasian pear. Prace
Instytut Sadownictwa Skierniewecach, A 18: 43-8.
Instytut Sadownictwa, Skierniewice, Poland. (Hort.
Abst. 48: 3236).
- Zyl, H.J. and J.A. Carreira.(1977): Rooting of peach
cuttings. Fruit and Fruit Technology Res.
Institute, Stellenbosch, South Africa. Deciduous
Fruit Grower, 27(4): 1234.