

6. REFERENCES

- Abou Sayed-Ahmed, T. A. (1997).** Growth and fruiting of Balady mandarin trees in relation to some soil fertilization treatments in sandy soil. 2- Leaf and root responses to the applied treatments. *Zagazig J. Agric. Res.*, 24(6): 1049-1063.
- Ahmed, F. F.; A. M. Akl; F. M. El-Morsy and M. A. Ragab (1997).** The beneficial effects of biofertilizers on Red Roomy grapevines (*Vitis vinifera*, L.) 1- The effect on growth and nutritional status. *Annals of Agric. Sci., Moshtohor*, 35(1): 489-495.
- Akl, A. M.; F. F. Ahmed; F. M. El-Morsy and M. A. Ragab (1997).** The beneficial effects of biofertilizers on Red Roomy grapevines (*Vitis vinifera*, L.) 2- The effect on berry set, yield and quality of berries. *Annals of Agric. Sci., Moshtohor*, 35(1): 497-502.
- Ashinov, A. I. and Z. M. Bekanov (1999).** Development of roots of stone fruit stocks on various substrates. *Sadovodstvo I Vinogradarstvo*, No. 5-6: 11-12.
- Awad, F.; K. W. Khalil and M. A. Maksoud (1993).** Comparative effects of some organic manures and bentonite as soil amendments. *Agrochimira*, 37(6): 369-387.
- Awasthi, R. P.; R. K. Godara and N. S. Kaith (1998).** Interaction effect of VA-mycorrhizae and *Azotobacter* inoculation on micro-nutrient uptake by peach seedlings. *Horticultural Journal*, 11(2): 1-5.
- Bacha, M. A. and A. A. Abo-Hassan (1983).** Effects of soil fertilization on yield, fruit quality and mineral content of Khudari date palm variety. *Proceeding of the First Symposium on the Date Palm in Saudi Arabia*, P. 174-180. Al-Hassa, Saudi Arabia, King Faisal University.
- Ben-Ya-Acov, A.; E. Michelson and I. Sela (1992).** Field study of avocado (*Persa americana* Mill.) seeded rootstocks and scion sources: Final report of experiments planted as commercial orchards. I. Investigation of rootstocks, scions and manure at Bnei-Dror Fuerte orchard, Planted in 1969. *Alon Hanotea*, 46(12): 769-783.
- Bhangoo, M. S.; K. S. Day; V. R. Sudanagunta and V.E. Petrucet (1988).** Application of poultry manure influences Thompson seedless grape production and soil properties. *HortScience*, 23(6): 1010-1012.
- Brown, J. D. and O. Lilleland (1946).** Rapid determination of potassium and sodium in plant material and soil extracts by Flame-photometry. *Proc. Amer. Soc. Hort. Sci.*, 48: 341-346.

- Bussi, C. and H. Defrance (1987). Organic fertilization in a peach orchard. *Arboriculture Fruitiere*, 34(391): 44-46.
- Chapman, H. D. and P. F. Pratt (1978). *Methods of Analysis for Soil, Plant and Waters*. Univ. of Calif. Division of Agric. Sc. 6th Ed. P: 56-64.
- Chokha, S.; B. B. Sharma and C. Singh (1993). Leaf nutrient composition of sweet orange as affected by combined use of bio-and chemical fertilizers. *South Indian Horticulture*, 41(3): 131-134.
- Clarke, G. M. and R. E. Kempson (1997). *Introduction to the design and analysis of experiments* Arnold, a Member of the Holder Headline Group, 1st Ed. London, UK.
- Cook, G. W. (1982). *Fertilizing for Maximum yield*. 3rd ed. Granada Publishing Limited. P. 465
- Dai, L. Z.; Z. J. Liang; R. H. Song; G. L. Guo and J. Z. Liu (1983). Techniques for the improvement of the fertility of red mountain soil in citrus orchards. *Fujian Agricultural Science and Technology Fujian Nongye Keji*, No. 6: 14-18.
- Darfeld, H. J. and F. O. Lenz (1985). Long term effects of different nutrient supplies on pears. *Erwerbsobstbau*, 27(10): 236-239.
- Das, P. K.; M. H. Gawda; R. S. Katiyar; A. Ghash and P. C. Choudhury (1996). Response of different mulberry cultivars to Azotobacter biofertilizer under irrigated conditions. *India Journal of Sericulture*, 35(1): 35-38.
- Duncan, D. B. (1955). Multiple range and multiple F. test *Biometrics*, 11: 1-42.
- El-Kobbia, A. M. (1999). Response of Washington navel orange to organic fertilizer "biohumus" and cattle manure application. *Alexandria Journal of Agricultural Research*, 44(2): 199-207.
- Fisum, M. N. and A. Kh. Kodzokov (1991). Below-Crown application of fertilizers in plum orchards. *Sadovodstvo I Vinogradarstvo*, No. 6: 11-12.
- Gadelha, R. S. S. and A. Vieira (1988). The use of natural organic fertilizer in pine apples grown on regosol. *Comunicado do Estado do Rio de Janeiro, EMBRAPA, Brazil*, No., 195: 3
- Gasarov, Z. M. (1984). Nitrogen nutrition and productivity of persimmon. *Sadovodstvo*, No. 12: 37.
- Goede, P. B. (1993). A comparison between enriched organic fertilizer and inorganic fertilizer and different methods of application in

mangoes in relation to yield, quality and economics. Year Book South African Mango Growers Association, 13: 76-78.

- Gouda, M.; E. E. Kaoud and S. A. Mehana (1992). Influence of organic manures on grape production in newly-reclaimed sandy soil. *Zagazig J. Agric. Res.*, 19(6): 2523-2532.
- Haggag, L. F. and M. A. Azzazy (1996). Evaluation of Microbien as a multistrains biofertilizer for produced of improved mango seedlings with appropriate vigour for grafting in shorter time. *Annals of Agricultural Science, Cairo*, 41(1): 321-331.
- Helail, B. M.; A. A. R. Atawia and S. M. Awad (1990). Leaf area in relation to leaf dimensions of different fruit trees. *Egypt J. Appl. Sci.*, 5(2): 162-176.
- Horwitz, W. (1970). *Official Methods of Analysis*. Association of Official Analytical Chemists 11th Ed. Washington, D. C.
- Huang, F. S.; H. S. Zhang; H. M. Qian and F. Yi (1995). Study on the effects of organic manures and leaf-spraying P and K on the fruit quality of extra early Satsuma mandarin. *China Citrus*, 24(2): 31-32.
- Ishac, Y. Z. (1989). Inoculation with associative N₂-fixers; Egypt. Nitrogen fixation with non-legumes, Kluwer. Academic Publishers, p. 241-246.
- Kalu-Singh; Singh-Sarjit and R. A. Pathak (1984). Studies on the effect of horse dung, cow dung and fertilizers on yield, fruit quality and chemical composition of leaves in mango cv. Dashehari. *Progressive Horticulture*, 16(1/2): 120-123.
- Li, X. J.; S. F. Dong and Y. S. Liu (1998). Determination of IAA and cytokinins in the soil with different organic manure for pot cultured apple. *Plant Physiology Communications*, 34(3): 183-185.
- Mahmoud, H. M. and F. A. F. Mahmoud (1999). Studies on the effect of some biofertilizers on growth of peach seedlings and root rot disease incidence. *Egypt. J. of Horticulture*, 26(1): 7-18.
- Makhmadbekov, S.; S. M. Gulov and L. M. Makhmadbekov (1984). Growth and productivity of Mayer lemon in semi-hydroponics. *Subtropicheskie Kultury*, No. 4: 76-83.
- Mansour, A. E. M. (1998). Response of Anna apple to some biofertilizers. *Egyptian Journal of Horticulture*, 25(2): 241-251.

- Marecek, F. and Z. Moravek (1983). Effect of organic manuring on apple growth and yield. *Sbornik UVIIZ Zahradnictvi*, 10(3): 175-183.
- Motskobili, N. A. (1984). Assimilation area of Satsuma in relation to mineral nutrition and its effect on productivity. *Subtropicheskie Kultury*, No. 5: 83-90.
- Moustafa, M. H. (2002). Studies on fertilization of Washington navel orange trees. Ph.D. Dissertation Fac. of Agric., Moshtohor, Zagazig University, Benha Branch, Egypt.
- Nagarjan, P.; V. P. Radha; D. Kandasamy; G. Oblisami and S. Jayaraj (1989). Effect of combined inoculation of *Azospirillum brasilense* and *Glomus fasciculatum* on mulberry. *Madras Agricultural Journal*, 76(11): 601-605.
- Piatkowski, M. S.; K. Pronka and T. Olszewski (1990). Effect of fertilization of two apple cultivars with macro- and micro- elements. *Acta Horticulturae*, No. 274: 383-386.
- Prabhuram, R. and S. Sathiamoorthy (1993). Effect of organic manures on duration of cropping in banana, *South Indian Horticulture*, 41(6): 370-371.
- Pregl, E. (1945). *Quantitative Organic Micro Analysis*. 4th Ed. Chundril, London.
- Rabeh, M. R. M.; B. Y. El-Koumey and A. A. Kasem (1993). Effect of organic fertilization and some micronutrients application on Balady mandarin trees. II- Yield and fruit quality. *Zagzig J. Agric. Res.*, 20(6): 1865-1878
- Rao, A. V. and H. C. Dass (1989). Growth of fruit plants as influenced by nitrogen fixing bacteria. Central Arid Zone Research Institute. Jodhpur, 342003, India. *Annals of Arid Zone*, 28(1-2): 143-147.
- Saber, M. S. M. (1993). Associative action of a multi-strain biofertilizer on tomato grown in newly reclaimed soils. *Proc. Sixth International Symposium on Nitrogen Fixation with Non-Legumes*, Ismailia, Egypt, pp. 113.
- Saber, M. S. M. (1993). Associative action of a multi-strain biofertilizer on tomato grown in newly reclaimed soils. *Proc. Sixth International Symposium on Nitrogen Fixation with Non-Legumes*, Ismailia, Egypt, pp. 113.
- Sekiya, K.; Y. Umemiya; M. Koto and M. Hirobe (1983). Experiments with farmyard manure application in Satsuma orchards on andosols.

Bulletin Fruit Tree Research Station Japan A Yatabe, No. 10, 73-90.

- Salama, A. S. M. (2002).** Response of some fruit species transplants and trees to organic fertilization. Ph.D. Dissertation, Fac. Agric., Moshtohor, Zagazig Univ. Benha Branch, Egypt.
- Sermann, R.; J. Hamhlter and G. Ulrich (1975).** Use of organic manure in fruit growing. *Gartenbau*, 12(22): 363-304.
- Sharma, S. D. and V. P. Bhutani (1998).** Response of apple seedlings to VAM, Azotobacter and inorganic fertilizers. *Horticultural Journal*, 11(1): 1-8.
- Silva, D. J. (1998).** Organic fertilizer in irrigated mango in region of some Francisco Pesquiseam. *Andamento Centro de Pesquisa Agropecuaria do Tropico Semi Arido*, No. 92: 5.
- Smith, B. L. (1994).** Nutrition of young tissue cultured banana plants. *Inligtingsbulletin Instituut Vir Tropiese en Subtropiese Gewasse*, No. 262: 12.
- Song, C. H.; M. Y. Zhango; X. L. Song; H. L. Li; L. J. Cui and Y. Y. Wang (1999).** Study on the early high production techniques for interstock Nagano 2 Fuji apple variety. *China Fruit*, No. 4: 42-44.
- Takahashi, R.; L. T. Dias; N. H. De Souza; K. M. Takahashi and S. P. Marincek (1998).** Development of mulberry and the performance of silk worms (*Bombyx mori*, L.) under the effect of different manure origins. *Boletim de Industria Animal*, 55(1): 95-98.
- Tanas'ev, V. K. (1984).** Accumulation structure and balance of phytomass of apple trees in an intensive orchard. *Sadovodstvo, Vinogradarstvo I Vinodelie Moldavii* No. 1: 21-23.
- Tkachuk, V. V. (1983).** Changes in nutrient elements in apple organs over the effect of fertilizers. *Sadovodstvo, Vinogradarstvo I Vinodelie Moldavii*, No. 10: 16-18.
- Tisdale, S. L. and W. L. Nelson. (1956).** Soil fertility and fertilizers, 1st ed. The Macmillan Company, New York, pp. 430.
- Troug, E. and A. H. Meyer (1929).** Improvement in the Denige's colorimetric method for phosphorus and arsenic. *Indd. Eng. Chem. Anal. Ed.* 1:39.

- Umemiya, Y. and K. Sekiya (1985). Effects of heavy application of animal manure on soil chemical properties, leaf nutrient composition and fruit quality in orchards. *Bulletin Fruit Tree Research Station-Japan-A-Yatabe*, No. 12: 61-78.
- Villasurda, P. J. and N. M. Baluyut (1990). Growth and yield of guava (*Psidium guajava*, L.) as affected by different levels and sources of organic and inorganic fertilizers. *USM College of Agriculture Research Journal*, 1(1): 18-23.
- Vogel, A. (1968). *A Text Book of Quantitative Inorganic Analysis*. Longmans, New York, p. 1216.
- Wahba, M. M. M. (2002). Physiological studies on growth and flowering of some persimmon varieties. M.Sc. Thesis. Fac. Agric. Moshtohor, Zagazig Univ. Benha Branch. Egypt.
- Wang, C. T.; H. T. Chen and F. J. Lay (1991). Effects of organic manures on the yield and quality of grapes. *Bulletin of Taichung District Agricultural Improvement Station*, No. 32: 41-48.
- Wettstein, D. (1957). Chlorophyll Letal Under Submikroskopische. *Formonech Sellerplastiden, Excti Cell. Res.*, 12: 427-433.
- Winton, A. L. and K. B. Winton (1958). *The Analysis of Foods*. Joan Willely and Sons INC. London. p. 587.
- Ye-Jain Win; You Min-Lu; Zikun, Zhou; J. W. Ye; Y. M. Lu and Z. K. Zhou (1999). Study on the effect of applying organic humus manure on the production and fruit quality of pummelo cultivar Guanxi Miyou. *South China Fruit*, 28(2): 22.