

A decorative border surrounds the central text. It consists of four corner pieces, each featuring a dense pattern of small flowers and leaves. Between these corner pieces are four vertical decorative elements, each a stylized vine with leaves and small flowers. The entire border is rendered in black ink on a white background.

LITERATURE
CITED

LITERATURE CITED

- Abbes.c., Parent L.E.and A. karam (1994):** Nitrification of ammoniated peat and ammonium sulfate in mineral soils, Soil Biology and Biochemistry 26,1041-51.
- Abd El – Hady, M. (2002):** Response of Flame grape vine in sandy soil to foliar application of sulphur. Proc. Minia 1st conf. for Agric. & Environ. Sci., Minia, Egypt, March 25-28.
- Abed El-Hamid, N. and M. Hussein (1983):** Effect of nitrogen on yield and fruit qualities of Romi-Red grapevine. Bull. Fac. of Agric., Cairo Univ., Vol. XXXIV.
- Abd El-Rhman, A.E. (2002):** Response of olive tree to fertilizer under rain conditions. Ph.D., Fac. of Agric., Moshtohor Zagazig Univ.
- Abou-Sayed, A. (2000):** Response of Thompson seedless vines to different rates of nitrogen and potassium fertilization. II- Leaf physical and chemical characteristics. Zagazig J. Agric. Res., 27(2).
- Ahmed, K. (1984):** Effect of timing of nitrogen application on bud behaviour of Thompson seedless grapevine. Agriculture Res. Center, 62(3) A.
- Ahmed, F. F.; M. A. El-Sayed, and M. A. Maatouk, (1988):** Response of Red Roomy grapevines to nitrogen applications. Annals Agric. Sc. Fac. Agric., Ain Shams Univ., Cairo Egypt, 33(1): 451-469.

Ahmed, F. F. and G. M. El-Dawwey (1992): Did urea-formaldehyde is really more effective on Red Roomy grapevines than urea the traditional fast release fertilizer. Minia J. Agric. Res. 8 Dev. Vol. 14.

Ahmed, F. F; AM. Akl, F. M. El-orsy; and, M. A. Ragab (1998) : The beneficial effects of biofertilizers on Red Roomy grapevines (*Vitis vinifera* L.)1- The effect on berry set, yield and quality of berries. Annals of Agric. Sci., Moshtohor, 35(1): 489-495.

Akl, A. M.; ,F.F Ahmed; , F. M. El-Morsy and M.A. Ragab (1997): The beneficial effects of biofertilizers on Red Roomy grapevines (*Vitis vinifera* L.). 2- The effect on berry set, yield and quality of berries. Annals of Agric. Sci., Moshtohor, 35(1): 497-502.

Alia, H. (2002): Response of Flame seedless seedless vines grown under sandy soil and irrigated with Drip system to different levels and dates of potassium application. Minia J. Of Agric. Res. & Develop. Vol (22) No.(4)421 – 438.

Allan, B. and Prince (1965): Absorption spectrophotometry. Univ., of Hampshire, Durham, New Hampshire .

Alva, A. K. and S. Paramasivam (2000): Nitrogen management for high yield and quality of citrus in sandy soils. Soil Sci. Soci.- of Amer. J., 62(5): 1335-1342.

Alva, A. K.; S. Paramasivam and W. D. Graham (1993): Impact of nitrogen management practices on nutritional status and yield of valencia orange trees and ground water nitrate. J. of-Envirn.-Qua. 27(4): 904-910.

-
- A.O.A.C.(1960):** Association of Official Agricultural Chemist
Official methods, of, analysed, P. O. Box, 450. Benjamin
Franklin, Station, Wash-ington 4,D.C.pp832.
- Apostolova, M. (1999):** Effect of mineral fertilizers on the
growth and development of grapevines. Rasteniev "dni-
Nauki", 35(3): 229-230.
- Balasubrahmanyam, V. R.; , S. D.; Kanduja and, S. Abbas
(1989):** Response of grapevines (*Vitis vinifera*) cv. Gulabito
NPK fertilization. I-Yield and quality. Indian J. of Hort.,
45(3-4): 252-262.
- Ball, S. T.; J. C. Wynne; G. H. Elkan and T. J.
Schneeweis (1983):** Effects of inoculation and
applied nitrogen on yield, growth and nitrogen
fixation of two peanut cultivars. Field Crop Research,
6(2): 85-91.
- Balo, E.; , G.Prileszky; I. Happ; M. Kohalmi and, L. Varga
(1989):** Soil improvement and the use of leaf analysis for
forecasting nutrient requirements of grapes. Potash-Review
Subject 9, 2nd No. 6, 7pp.
- Bovha.D, (1997):** Comparison of conventional with reduced
fertilizer
application,in,grapevine.,SAD,Revija,zaSadjarstove,Vinogr
adnistvo- in-Vinarstvo 8:9,17-21.
- Brown, G. R.; D. Wolfe and M. Rasnake (1988):** Comparison
of two nitrogen fertilizer sources for high bush blueberries.
Hort. Sci., 23(2): 314-315.

-
- Celik. H.; E.E., Kara and F. O. odabas (1995):** Effects of different nitrogen doses on vine growth, yield and quality of Narince (*Vitis vinifera L.*) grape. Anadolu, 5:2,84-93.
- Chapman, H. D. and P. Pratt (1961):** Methods of analysis for soil plants and water. Division of Agric., Sci., Univ., of Calif. Pp. 309.
- Chong, K. C. S. (1983):** Effect of soil activity and fertilizer nitrogen on symbiotic nitrogen fixation, growth and yield peanuts and other grain legumes. Dissertation Abstract International-B, 43(7): 2070.
- Christensen, P. and F. L. Jansen. (1979):** Grapevines response to concentrate and to dilute application of tow zinc compounds. American J.of pomology and Viticulture 29(3)213-216 california Univ., Fresno USA.
- Clark, J. R.; G. E. Fernandez and R. L. Maples (1989):** Establishments period fertilization of (blue crop) blue berry. Research, Series, Arkansas, Agricultural Exper, Station No. 385, 5-6.
- Clark, J. R.; R. L. Maples and K. M. Irvin (1992):** Establishments period fertilization of Bluecrop blueberry. Fourth year results and final report. Res. Series, Arkansas, Agric. Exper, Station No. 421: 105-108.
- Clarke. G. M. and R.E, kempson (1997):** introduction to the design and analysis of experiments. Arnold. a member of the holder Hedline Group. 1st Edt.) London, UK.

-
- Colapietra, M. (1989):** The effect of increasing rates of plant nutrient on the qualitative and quantitative yield on grapevines. A comparison of fertigation and manually applied fertilizer. *Rivista-di-Viticoltura-e-di-Enologia*, 40(6): 223-249.
- Colugnati, G.; F. Bregant; M.Spiesanzolli; M.Tesi; J. Val and E. Monge(1999):** Comparison between different times of application of slow release nitrogen fertilizers on grapevines. Preliminary results. ERSA-Centro Pilota Perla Vitivinicoltura, via 3a Armata, 29 Gorizia, Italy.
- Cummings, G. A. and E. Lilly (1986):** Soil pH rate for fruit yield and elemental concentration of Muscadine grapes. *HortScience*, 19(6): 831-832.
- Darwish, O. H. and F. F. Ahmed (1993):** Growth aspects of Red Roomy vine seedlings as affected by nitrogen sources. *J. Agric. Res. Tanta Univ.*, 19(1): 171-178.
- Das, P. K.; M. H.Gawda; R. S.Katiyar.; Ghash, A. and P.C. Choudhury (1996):** Response of different Mulberry cultivars to Azotobacter biofertilizer under irrigated conditions. *Indian Journal of Sericulture*, 35(1): 35-38.
- Duncan, D.B.(1955)**Muliple range and multiple. *F. Test Biometrics* 11,1024.
- El – Baz, El. El. T.; G.I El – Baz; F. A. El–Dengawy and Amal Ramadan, N. M. (2003) :** Yield and quality of Thompson seedless fresh grapes and vaising As infunced By Potassum application. *J. of Agric. Sci.Mansoura univ.*, 28 (1) I 547-554.

-
- El-Buraie, M.S (1996):** Effect of potassium soil and foliar fertilization on leaf potassium content, yield and berry qualities of Thompson seedless grape. Journal of Agricultural Sciences 22:3, 1153-1162.
- El-Desouki, M. I. (1998):** Effect of fertilization on vegetative growth and fruiting in Matrouh (1) (Barrani) and (sharbat) grapevine cultivars. The Third Conference Meteorology & Sustainable Development 15-19 Feb.
- El – Sayed, H. A. and , M. M. Shoaieb (2002):** Adjusting number of batches and proportions of N. Addition for Flame vines grown in sandy soil. Proc. Minia 1st conf. for Agric. & Environ. Sci., Minia, Egypt, March 25-28.
- Faten, H. M.; M. T. Wahdan.; and A. F. El – Sheikh (2003) :** Response of Thompson seedless and Roumi Red grape cultivars to foliar sprays with yeast extract and G4₃. J. Agric. Sci- Mansoura univ., 28(8) : 6321- 6334.
- Fawzi, M. I. F. and A. A. Eman Abd. El – Moneim (2004) :** The effect of foliar application of some trace elements and active dry yeast on leaf chemical composition of Flame seedless grapevines grown in calcareous soil conditions. Minufiya J. Agric. Res. Vol. 2- No. 29 : 463- 478.
- Fernandez, F. M.; A. C. Enrique; P. A. Borges, and, A. R. Rodrigues (1998):** The prospective (promising) biofertilization on vegetative crops. Fruits Paris, 53(2): 79-87.

-
- Maatouk, M. A.; F. F. Ahmed and M. A. El-Sayed (1988):** Response of Red Roomy grapevines to nitrogen applications. I-Vegetative growth and leaf composition. Annals Agric. Sci., Fac. Agric., Ain Shams Univ., Cairo, Egypt, 33(1): 435-449.
- Mahmoud, H. M. and F. A. F. Mahmoud (1999):** Studies on effect of some biofertilizers on growth of peach seedlings and root rot disease incidence. Egypt J. of Horticulture, 26(1): 7-18.
- Mansour, A. E. M. (1998 a):** A comparative study between fertilizing Banati grapevines with sulphur coated urea and urea the traditional fast release nitrogen fertilizer. Egypt J. Hort., 25(1): 43-53.
- Mansour, A. E. M. (1998 b):** Response of Anna apples to some biofertilizers. Egyptian J. of Horticulture, 25(2): 241-251.
- Mansour, A. E. M.; F. F. Ahmed; F. F. Ragab, G. A. and Mohamed (1999):** Yield and quality of Anna apples in response to application of some slow and fast release N fertilizers. Egyptian J. of Horticulture, 26(1): 1-6.
- Mervet, A. A. (2000):** Response of Flame seedless grapevines to slow release nitrogen fertilizers. Minia J. of Agric. Res. And Develop., 20(2): 239-255.
- Moustafa, M. (2002):** Studies on fertilization of Washington Navel orange trees. Ph.D., Faculty of Agriculture, Moshtohor, Zagazig Univ.

-
- Nagarajan, P.; N. V. Radha; D. Kandasamy; G. Oblisami and S. Jayaraj (1989):** Effect of combined inoculation of *Azospirillum brasilense* and *Glomus fasciculatum* on mulberry. Madras Agriculture Journal, 76(11): 601-605.
- Neilsen, G. H.; D. S. Steven and A. G. Gahringer (1989):** The effect of NPK fertilization on element uptake, yield and fruit composition of foch grapes in British Colombia. Can. J. of Plant Sci., 67(2): 511-520.
- Omran, Y.A. M. M. and H. A. Abd El – Latif (2003) :** Examining of some genetically improved yeast starins on vine vigor, yield component and fruit quality of (Roumi-Red grapevines. Assiut J. Of Agric. Sci, Vol 34, No. 1.
- Orphanos, P.I (1994):** An NPK experiment with sultanian grapes. Technical Bulletin Cyprus. Agricultural Research Institute. No 141, 10pp; 1 map.
- Peacock, W. L.; L. P. Christensen and F. E. Broadbent (1989):** Uptake, storage and utilization of soil-applied nitrogen by Thompson seedless as affected by time of application. American J. of Emology and Viticulture, 40(1): 16-20.
- Perin, J. R.; S. A. Carvaiho.; D. Mattos and, H. Cantarella (1999):** Effect of the growing media and rates of slow release fertilizer on the level of leaf chlorophyll and growth of “Rangpur” lime seedlings. Laranjo, 1999, 20(2): 463-476.

-
- Petrov, G. (1998):** Study on the nitrate content in chardonnay grapes and wine at Pleven. Rasteniew "dni-Nauki", 32(7-8): 203-204.
- Pomares, F.; F.Tarazona; M. Estela and B. Martin (1983):** Evaluation of commercial blue-green algae inoculation as fertilizer on citrus. Proceedings of the International Society of Citriculture, 2: 583-585.
- Piper, C.S. (1958)** soil and plant analysis .Inter. Sci. Publ Inc. New York, pp.368.
- Pregl, F. (1945)** Quantitative organic micro analysis, 4th. Edit, J. SA. Churchill Ltd., London.
- Raifer, B. (1986):** The effect of various substrates on the growth of young grapevines. Obstbau, Weinbau, 22(3): 70-72.
- Raigon, M.D., E. Primo, A. Maquieira and R. Puchades (1996):** The use of slow release fertilizers in citrus. J of Horticulture Scie. 71(3)349-359.
- Retamales, J. B. and E. J. Hanson (1990):** Effect of nitrogen fertilizers on leaf and soil nitrogen levels in high bush blue berries. Communications in soil Science and Plant Analysis, 21(17-18): 2076-2078.
- Rombola, A. D.; M. Quartieri; M. Tagliavini; G. Iannone; C. Zavalloni; Marangoni, B. and S. Sansavini, (1997):** Slow-release nitrogen fertilizers and foliar applications of urea in the peach orchard. Convegno Peschiccolo, Cesena, Italy, 28-30, 195-201.

-
- Salas, R.; E. Molina and A. Castro (1995):** Effect of sources and rates of immediate and slow-release nitrogen fertilizers in straw berry (fragaria X ananassa cv. Chandler) Cultivation Agronomia-Costarrieense, 19(2): 1-6.
- Schmitt, H.; D.Schroder; H. N. Resch and B. Walter (1991):** Mineralization of urea form fertilizer and its use as a slow release fertilizer in viticulture. Univ. Trier. Fachbereich III, Abt, Bodenkunde, Postfach 3825, 5500 Trier, FrG.
- Shaffer,P.A and A.F Hartman (1921)** The idometric detrmination of cupper and its using sugar analysis., Modified by Noekell., E.J. and EL-Gawoid, Barnell: New phytol., 35:229-66. J.Biol. Chem.;45., 45: 365-390.
- Shardakov, B. K. and F. M. Shardakova (1986):** Grapevine yield and quality in relation to increasing potassium fertilizer rates. Khimiya-v-sel, Skom-Khozyaistve, 22(11): 23-24.
- Sharma, S. D. and V. P. Bhutani (1998):** Response of apple seedlings to VAM, Azotobacter and inorganic fertilizers. Horticultural Journal, 11(1): 1-8.
- Shikhamany, S. D.; R. C. Chelvan and K. L. Chadha (1989):** Effect of varying levels of nitrogen and potash on petiole nutrient contents in Thompson seedless grape (*Vitis finifera* L.). Indian J. of Horticulture, 45(3-4): 180-188.
- Shikhamany, S. D.; R. C. Chelvan and K. L. Chadha (1991):** Response of Thompson seedless (*Vitis finifera* L.) grape to varying levels of nitrogen and potash. Indian J. of Horticulture, 47(3): 259-263.

-
- Sourial, G.F.; M.A. Meloigy; M.A. Kamel El-Deen and A.M. Mohsen (1985)** Means of grapevines production. Pull. By Arabic publishing and distribution, P. 64.
- Spayd, S. E.; R. L. Wample; R. G. Evans; R. G. Stevens; B. J. Seymour and C. W. Nagel (1994):** Nitrogen fertilization of white Riesling grapes in Washington. Must and Wine Composition. American J. of Enology and Viticulture, 45(1): 34-42.
- Stroehlein, J. L.; M. M. Janat and M. Pessara (1991):** Response of grape cultivars to nitrogen and phosphorus grown with water for vesting. J. of Plant Nutrition, 13(10): 1319-1334.
- Thomas, R. L.; R. W. Shearel and Z. R. Moyer (1967)** Comparison of conventional and automated procedures for nitrogen, phosphorus and potassium analysis of plant material using single digestion. Agron. J. 59:24.
- Tiwary, D. K.; M. A. Hasan and P. K. Chattopadhyay (1999):** Leaf nutrient and chlorophyll content in banana (*Musa AAA*) under the influence of *Azotobacter* and *Azospirillum* inoculation. Environment and Ecology, 17(2): 346-350.
- Wange, S. S. and D. B. Ranawade (1998):** Effect of microbial inoculants on fresh root development of grape var. Kishmis Chorni. Recent Horticulture, 4: 27-31.
- Wasnik, H.M. and B.S. Bhargava (1994):** influence of applied nitrogen levels on nitrate nitrogen status of Thompson seedless grapes. Indian J. of Hort. Abst. 49(1): 23-26.

-
- Weil,R.R.;R.A.Weismiller,and,R.S.Turner,(1990):**Nitrate,cont
imination of ground water under irrigated coastal plain
soils.L|Jof Environmental quality, 19,441-8.
- Wilde, S. A., R. B. Carey:, J. G. Lye, and G. K Voigt (1985)**
soil and plant analysis tree culture. Oxford IBH Publishing
Co., New Delhi India.