

## References

- Abdel -Fatah, M. (2009):*** The prevalence and risk factors of urinary incontinence in community-dwellings in Alexandria. Department of Urology , Faculty of Medicine, Alexandria University. Alexandria, Egypt, 2009.
- Abdel –Salam, E. (2003):*** The impact of elderly health problems on the care givers health, Master thesis, Faculty of Nursing, Minoufyia University.
- Abrams, P., Blaivas, J., Stanton, S., and Anderson, T., (2009):*** The standardization of terminology of the lower urinary tract infection . *Neurourol uro dun* , 7:403-427
- Amella, G.(2004):*** Presentation of illness in older adults. *American Journal of Nursing*, 104(10), 40-51.
- American Heart Association, (2008):*** Heart disease and stroke statistics: Retrieved on December 29, 2008 from <http://www.american/heart.org/presenter.jhtm? Identifier=2142>.
- American Urological Association, (2008):*** Prostate cancer. Retrieved April 28, 2008, from <http://www.urologyhealth.org>.
- Anderson, S & Marlett, S.(2004):*** The language of recovery. How effective communication of information is crucial to restructuring post. *Stroke life*, H (4),55-67.

**Andersson, K & Arner, A. (2004):** urinary bladder contraction and relaxation: Physiology and pathophysiology. *Physiological Reviews*, 84(3), 935-986.

**Andersson, K & Hedlund, P., (2004) :** "Pharmacologic perspective on the physiology of the lower urinary tract urology 13-20. Located at: <http://www.Lungusa.org>.

**Anstey, K. (2007):** Prevalence and risk factors for depression in a longitudinal, population – based study including individuals in the community and residential care. *American Journal of Geriatric psychiatry*, 15(6), 497- 505.

**Antall, G & Kresevic, D. (2004):** The use of guided imagery to manage pain in an elderly orthopedic population. *Orthopedic Nursing*, 23(5), 335-340.

**Appell R.,(2005):** Pelvic organ prolapses and the lower urinary tract: "the relationship of vaginal prolapses to stress urinary incontinence". *Obstet Gynecologic*; 361:380 available at <http://WWWcmaj.org>.

**Atherton, M & Stanton, S. (2005):** An evidence-based review from inception to current status; 112:534 located at <http://WWW.Findarticles.Org>.

**Atia, B.(2008):** Quality of life for elderly people with cardiovascular disease at home in rural areas, master thesis, Faculty of Nursing, Zagazig University.



- Avery, K., Bosch, L., and Gotoh, M., (2007):** Questionnaires to assess urinary and anal incontinence: review and recommendations, *Jurol* 177(1):3949.
- Bailey, R. (2010):** How much information can be obtained from frequency / volume charts ? *Neurourol Urodyn* ; 9:3823.
- Basavanthappa, B. (2008):** Community Health Nursing 2<sup>nd</sup>ed, Jaypee: New Delhi. PP. 67-72 & 826.
- Based, C. (2004):** Nursing education preparation and knowledge concerning continence promotion, *Journal of Advanced Nursing*, 17, (9), PP. 328-338.
- Baumann, L. (2007):** Skin aging and its treatment . *Journal of pathology*, 211, 241-251.
- Bean, L., Rgn, O., and Hons, B., (2005):** Clinical skills development, 2<sup>nd</sup> ed, South Bank University, London, Co.P.155.
- Berghmans, L., Hendriks, H., and De Bie, R., (2007):** "Conservative treatment of urge urinary incontinence in women systematic review of randomized clinical trials ." *BJU Int* ; 254 -633- located at [http :// www. Find articles.org](http://www.Find articles.org)
- Bezerra, C., Bruschini, H., and Cody, D., (2005):** "Traditional sub urethral sling operations for urinary incontinence. Co chrane Data base" system.Rev.392-415.
- Blaivas , J. ( 2006):** "Urinary incontinence : path physiology , evaluation and management over view , *surg Gyncol obst* ; 675-695. Available at <http://www.pubmed.com>.

- BO,K., Tal seth, T., and Holm, I.,(2005):** Randomized controlled trial of electrical stimulation and management of incontinence in elderly"; 318-487.
- Bourdiol, P& Mioche, L. (2004):** Effect of age on salivary flow obtained under feeding and non feeding conditions, Journal of oral Rehabilitation, 31,445-452.
- Brown, J. (2010):** Prevalence of urinary incontinence and associated risk factors in women. Obstetrics & Gynecology, 94; 66-70.
- Brown, S., Vittinghoff, E., Kanaya, M., Hulley, S., and Foxman, B., (2010) :** Urinary tract infections in women : effect of hormone therapy and risk factors Obstet Gynecol , 98: 1045-4052.
- Cardozo, L & Salvatore, S. (2005):** Urinary incontinence path physiology, evaluation , treatment over view and non surgical management , 7<sup>th</sup> ed , USA , philadelphia p.p: 1007-1043 .
- Cardozo, L. (2003):** Treatment of urinary incontinence. Urology department available at <http://WWW.pubmed.org>.
- Cardozo, L. (2005):** Epidemiology & Classification of urinary incontinence, 1<sup>st</sup> ed, Chuvchill living stone, New York, p.p 3-20.
- Central Agency Of Public Mobilization And Statistics ( CAPMS ) (2009) :** Statistical Year Book . Arab Republic of Egypt , Jun , p.32.

**Chapple, C., Martinez, R., and Selvaggi, L., (2005):** Treatment of over active bladder symptom. Uro- 464-470 located at <http://www.findarticles.org>.

**Chapple, C., Wein, A., and Brubaker, L., (2006):** "Urinary incontinence injection therapy" What is best for our patients ? urol; 448:552, available at [http:// WWW. Find articles. Org](http://WWW.Findarticles.Org)

**Corcos, J & Beaulieu, S. (2006) :** Quality of life assessment committee of the first international consultation on incontinence , Juro1 , 168-177

**Corcos, J., Collet, J., and Shapiro, S., (2005):** Multi center randomized clinical trial for treatment of patient with urinary incontinence urology; 898-904 located at: <http://WWW.cmaj.calcgil.org>.

**Costanza, R., Fisher, B., Ali, S. Beer, C., Bond, L., Boumars, R., and Nicholes, L., (2008):** An Integrative Approach to Quality of Life Measurement, Research, and policy. S.A.P.I.EN.S, 1.11/2008, (online), on line since 2008 URL:[http://Sapiens.revues.org/index\\_169.html](http://Sapiens.revues.org/index_169.html).

**Craven, R & Hirnle, C. (2007):** Fundamentals of nursing human health and function, 5<sup>th</sup> ed, London: lippincott Williams Co., P. 1085.

**Cutler, N.(2004):** Aging and finance Journal of financial service professionals, 58(1),29-32.

**De Tayrac, S., Kirkland, L., and Robinson , I., (2006):** Age –associated, risks and strategies for the prevention and management of

urinary incontinence in elderly patients. *Geriatrics Health Care* 8-12.

***Demartinis, M, & Timiras, P. (2003):*** The pulmonary respiration, physiological basis of aging and geriatrics (PP.319-336) Boca Raton, fl: CRC press.

***Diokno, A., Appell, R., and Sand, K., (2003) :*** Prospective , randomized double-blind study of the efficacy and tolerability of the extended release formulations of oxybutynine, *Mayo clin proc* ; 687-695.

***Diokno, A., Brock, B., Herzog, A., and Bromberg, J., (2009):*** Medical correlates of urinary incontinence in the elderly. *Journal of urology*, Aug, vol (36) N (2).

***Dmochowski, R & Zinner, N. (2003):*** Transdermal oxybutynine study group. efficacy and safety of transdermal oxybutynine in patients with urge and mixed urinary incontinence . *J urol* ; 168-280.

***Dmochowski, R., Blaives, J., and Gormley, E., ( 2010):*** Urinary incontinence up date panel of the American Urological Association Education and Research , Inc . *J urol*, 183:1906-1914

***Dmochowski, R., Sand, K., and Zinner, R., (2006):*** Comparative efficacy and safety of trans dermal oxybutynine and oral tolterodine versus placebo in previously treated patients with urge and mixed urinary incontinence. *Urologe*;237-242.

- Dwyer, H & Kreder, C. (2005):** Urge incontinence in the elderly: supraspinal reflex in continence world J urol, 16 (suppl 1): 535-843.
- Ebersole, P & Hess ,P. (2004):** Toward healthy aging : Human needs and nursing response (3<sup>rd</sup> ed). St. Louis: Mosby.
- El Sayed, M. (2005):** Bladder retraining for women suffering from urge incontinence, Master thesis, Faculty of Nursing, Ain Shams University.
- El Sayied, H. (2003):** Self Care Model: Management of urinary incontinence for elderly women attending Geriatric clinic, Doctorate thesis, Faculty of Nursing, Ain Shams university.
- El-Azab, S. (2010):** The prevalence and risk factors of urinary incontinence and its influence on the quality of life among elderly. Retrieved at :[http:// www.ncbi.nlm.nih.gov/ pubmed /17455273](http://www.ncbi.nlm.nih.gov/pubmed/17455273).
- Eliopoulos, C.(2005):** Gerontological Nursing, 1<sup>st</sup> ed, Philadelphia, Lippincott & wilkins, pp. 385-402.
- El-Sadek, A. (2009):** Effect of pelvic floor exercises and life style modification on quality of life among females with stress urinary incontinence, Master thesis, Faculty of Nursing . Cairo University.
- Emam, A. (2011):** Study the effects of pelvic floor muscles exercises on the improvement of urinary incontinence, Doctorate thesis, Faculty of Nursing, Benha University.



**Emmons, S & Otto, L., (2005):** A cupuncture for overactive bladder a randomized controlled trial urology ; 106-138.

**Fantl, A., Newman, D., Colling, J., Delancey, J., and Loughery, R., (2008) :** Urinary in continence in adults: Acute and chronic management. Agency for Health Care policy and Research publication NO, 92-0047: Rock ville , MD , Evidence level : CPCG Based on systematic Review.

**Farrell, J. (2004):** Nursing care of elder persons, 1<sup>st</sup> ed, J.B- lippincott com, U.S.A. PP 72-89.

**Fillingham, S & Doglas, J. (2003):** Urological Nursing, 4<sup>th</sup> ed, London : Tailliere Tindall Co., PP. 19-22.

**Fischer, A., Fink, T., and Zachmann, S., (2005):** Comparison of retro pubic and outside – in transoburator sling systems for the cure of female genuine stress urinary incontinence , Eur Urol ; 48 : 799 -804.

**Fisher, K. & copenhaver, V. (2006):** Assessing the mental health of rural older adults in public housing facilities. Journal of Gerontological Nursing, 22(9) 26-33.

**Flasherty, J., Miller, D., and Coe, R., (2006):** Impact on care givers of supporting urinary function in non-institutionalized chronically ill seniors. Gerontologist. Vol (32) N (10).

**Fleming, K. (2003):** Acultural and economic history of old age in America, 78(7), 914-921.

**Fletcher, A & Dickinson, E. (2005):**Quality of life instruments forevery day use with elderly patients. Age and Aging, 21,142-150.



- Fonda, D., Woodward, M., D'Astoli, M., and Chin, F., (2007):** Sustained improvement of subjective quality of life in older community –dwelling people after treatment of urinary incontinence. *Age and Ageing* v.24,p: 283-286
- Fultz, T & Herzog, S. (2007):** The impact of urinary incontinence in people working. A study in a production facility. *People Health*; 35:1-16.
- Godfrey, H.(2008):** Older people, continence and catheters: Dilemmas and resolutions. *British Journal of Nursing*, 17(9), 54-511.
- Gonium, M., Van leeuwen, S., and Elser, M., (2005):** A randomized controlled trial of duloxetine alone, pelvic floor muscle training alone, combined treatment and no active treatment in women with urinary incontinence. *J urol*; 173 : 1647-1653.
- Gray, M & Haas, J., (2009):** Assessment of the patient with urinary incontinence. In D.B Dougherty (Ed ) , urinary and fecal incontinence, *Nursing Management* (2<sup>nd</sup> ed). St. Louis, Mosby, Evidence level VI: Expert opinion.
- Gray,D & woulfe, J. (2005):** lipo fuscine and aging : A matter of toxic waste. *Science of Aging knowledge Environment*, 5,1
- Grimby, A., Milson, I., Molander, U., Wiklund, I., and Ekelund, P., (2004):** The influence of urinary incontinence on the quality of life of elderly patient. *Age Ageing*. 22:82-89.
- Gupta, A., Defreitas, G., and Lemack, E., (2005):** The reproducibility of urodynamic findings in healthy female volunteers: results

of repeated studies in the same setting and after short-term follow-Up *Neurourol urodyn*; 23:311-6.

**Guse, L.& Masesar, M. (2007):** Quality of life and successful aging in long-term care. Perceptions of residents. *Mental Health Nursing*, 20(6), 527-539.

**Hafez, B.(2004):** Andropause: endocrinology, erectile dysfunction, and prostate patho physiology. *Archives of Andrology*, 50,45-68.

**Hall, J. (2007):** Neuro endocrine changes with reproductive aging in women-seminars in *Reproductive Medicine*, 25,344-355.

**Haq,R.(2003):** Age - old the theories diehard. *Clinical Investigative Medicine*, 26(3), 116-120.

**Hay-Smith, J & Berghmans , C. (2004 ):** Pelvic floor muscle training for urinary incontinence, cochrance database syst Rev : CD 001407.

**Hay-Smith. J., Her bison, P., and Ellis, G., (2005):**Which anti cholinergic drug for overactive bladder symptoms in adults. co chrane Data base syst Rev:5429.

**Heesakkers, S &Vriesema, C. (2005):** constructive surgery for sphincteric incontinence. *Campbell's urology*, 8<sup>th</sup>ed, Philadelphia : WB saunders com; PP.1092-1139.

**Hellstrm, L., Ekelund, P., Milson, I., and Mellstrm, D., (2009) :** The prevalence of urinary incontinence and use of incontinence aids in 85 years old men and women . *Age and ageing* , 19, 3839



- Hitchcock, J., Schubert, P., and Thomas, S., (2006):** Community Health Nursing: caring in Action: older adult. An international Thomson publishing co. London PP 393-405.
- Huang, W., Lai, K., and Chen, M., (2008):** Psychological impact and coping strategies of patients with urinary incontinence, Medical Journal (Taiwan) Vol (9) N (3).
- Hunter, S. (2004):** Quality of life per the elderly. Journal of Gerontological Nursing ; 18(1):240-247.
- International Consultation On Incontinence, (2010 ):** Assessment and treatment of urinary incontinence , lancet 355, 2153280, 9321458. Evidence level VI : Respected Experts
- Jackson, G & Owsley, C. (2003):** Visual dysfunction, neuro degenerative diseases, and aging. Neurology clinics of North America, 21, 709-728.
- John, V & Lewise, H. (2003):** Approaches to urinary incontinence in a rural population: a comparison of physician assistants, nurse practitioners, and family physicians. JAM Board fam Pract; 11: 207-15.
- Joseph, T., Ouslander, J., and Abelson, S., (2003):** The gerontological society of America. Vol 5: p.p 2310-2316.
- Kammingan, L & DeHaan, G. (2006):** cellular memory and hemato Poietic stem cell aging – stem cells, 24, 1143-1149.
- Keating, C., Schulte, A., and Miller, L., (2009):** Conservative care of urinary incontinence in the elderly. Journal of Manipulative and physiological Therapeutics 11(4):300-308



- Kennedy, L. (2004):** Management guidelines for nurse practitioners working with older adults. Philadelphia :F.A. Davis
- Kurtus, R. (2005):** University of Toronto quality of life Model. The school for champions. [www.schoolforchampions.com/life/Toronto-univ-quality/life.htm](http://www.schoolforchampions.com/life/Toronto-univ-quality/life.htm).
- Lapitan, M., Cody, D., and Grant, A., (2005):** Open retropubic colposuspension for urinary incontinence in women. Cochrane Data base syst Rev; 2912.
- Leanard, L., Pearlin, P., Joseph, T., and Skalf, M., (2006):** The Gerontological society of America, Vol (5) N (3).
- Lemone, P & Burke, K. (2008):** Medical surgical nursing: critical thinking in client care, 4<sup>th</sup> ed, New York: Pearson Prentice Hall. Co., PP-834-835.
- Lender King, W., Nackley, J., Anderson, R., and Testa, M., (2006):** A review of the quality life. Aspects of urinary urge incontinence. Pharmacoeconomics, v. 9, p, 11-23
- Leppert, P, & Howard, F. (2007):** Primary care for women urinary incontinence, 1<sup>st</sup> ed, Lippincott, Raven Philadelphia, p.p 534-545.
- LinYeh, M & LinCY, F.(2004):**Risk factors of urinary incontinence. Juro. 2004; 160 – 166.
- Lose, G & Versi, E. (2008):** Pad weighting tests in the diagnosis and quantification of urinary incontinence . Int urogynecol J, 3:324-328



- Madsen, J & Graff, J.(2004):** Effects of aging on gastrointestinal motor function, *Age and Ageing*, 33(2), 154-159.
- Maher, C., O'Reilly, B., and Dawyer, P., (2005):** Prospective randomized controlled trial. *BJOG*; 112:797-801.
- Marlow , D & Redding , B. ( 2010 ) :** Text book of geriatric . 1<sup>st</sup> ed . WB, Saunders co, Indian; pp: 657-661.
- Matthews, J., Dunbar –Jacob, J., Sereik, S., and Mc Dowell B., (2004) :** Preventive health , practices comparison of family care givers 50 and older. *Journal of Gerontological Nursing* , V (30) N (2).
- Mayo-clinic, C. (2008):** Urinary incontinence, available at <http://www.mayoclinic-cm/health/urinaryincontinence/D500404/Dsection=symptoms>.
- Meiner,S & Lueckenotte, K. (2006):** Gerontological Nursing. St. Louis, Mo: Mosby.
- Mellier , G; Benayed, B., and Bretons, S., (2004):** Sub urethral tape via the obturator route : is the ToT a simplification of the TvT? *Int urogynecol J pelvic floor dysfunction* ; 15: 227-32
- Mesbah, A (2006):** The relationship between the perceived stressors and coping strategies among arthritic patients in Shebin El-Kom. Un published doctor dissertation, Faculty of Nursing, Shebin El-Kom University, , PP: 1107-1112.
- Minaker, K. (2004):** Common clinical sequelae, of aging, Cecil text book of medicine, 22<sup>nd</sup> ed, Philadelphia: W.B. Saunders.



- Mohamed, E. (2003):** Effect of balance disorders on activities of daily living and mood state in the elderly, master thesis, Faculty of Nursing, Ain Shams University,.
- Molander, U., Milsom, D., Ekelund, P., and Erikson, O., (2005):** A health care program for the investigation of elderly patient with urinary incontinence, Acta urology, scard, vol. 70: PP137-142.
- Moore, D. (2008):** The impact of incontinence. Retrieved March19, 2008, from <http://WWW.drdonnica.Com/articles/00003198.htm>.
- Nagib, F. (2004):** Recent care of old age and how participate in treatment, Al Ahram Journal, Cairo, Vol (56) N (9).
- National Association for Continence. (2008):** Urge urinary incontinence/ over active bladder. <http://www.nafc.org/bladder-bowel-health/types-of-incontinence/urge-incontinence>. Accessed May 16, 2008.
- National Center For Chronic Disease Prevention And Health Promotion (2009):** Quality of life. Centers for disease control and prevention.
- National Institute Of Deafness And Communication Disorders (NIDCD), (2004):** Age-related changes in the prevalence of smell/ taste problems among the Unites States adult population: Results of the 1994. Disability supplement to the National Health interview survey (NHIs).
- Nelson, A. (2005):** Urinary incontinence: Signs and pre disposing factors. Obstetrics and Genecology. 23, 66-70.



- Neumann, P., Grimmer, K., and Grant, R., (2005):** The costs and benefits of physiotherapy as first line treatment for urinary incontinence. *Oust NZJ public Health* ; 29:416-21.
- Nichols, D. (2005) :** Central compartment defects , 8<sup>th</sup> ed, philadelphia: Lippincott–Raven publishers p.p 1006-1030.
- Nygaard, I & Heit, M. (2004):** Stress urinary incontinence. *Obstet Gynecol*; 104:607-20.
- O'connell, H & Mc guire, E. (2006):** Evaluation of elderly people urinary incontinence. *Geriatric Health Journal*, Vol (1) N (3).
- O'Rourke, M & Hashimoto, J. (2007):** Mechanical factors in arterial aging: A clinical perspective. *Journal of the American college of cardiology*, 50, 1-13.
- Ouslander, J. (2004):** Prospective evaluation of an assessment strategy for geriatric urinary incontinence. *JAM. Geriatr. Soc.* Vol (37) No (8).
- Paick, J., Breslin, D., and shin, W., (2004):** Tension –free vaginal tape procedure for urinary incontinence with low valsalva leak point pressure. *Jurol*; 172: 1370-1373.
- Partoll, L. (2006):** voiding dysfunction and retention, 3<sup>rd</sup> ed, ST, Louis : Mosby, p . 329. 340.
- Patrick, D. (2005):** Quality of life of women with urinary incontinence: further development of the incontinence quality of life instrument. *Urology*; 53-1072.



- Petros , P & ulmsten , U. ( 2003 ) :** An integral theory of female urinary incontinence , Experimental and clinical considerations (review ) . Acta obstet Gynecol scand suppl ; 153: 7-31
- Porth, C. (2005):** Pathophysiology: Concepts of altered health, states. Philadelphia, Lippincott Williams & Wilkins.
- Quadagno, J.(2005):** Understanding the older client. Boston; McGraw-Hill.
- Reker, G. (2006):** Meaning and purpose in life and well –being: A life span perspective . Journal of Gerontology, 42,44-49.
- Romito, S., Bottanelli, M., and Pellegrini, M., (2004):** Botulinum toxin for the treatment of genital pain syndrome , 2<sup>nd</sup> ed, Philadelphia, Lippincott pp : 100-150
- Sabry, S. (2009):** The impact of impaired physical mobility on activities of daily living for older adults in Kalyubia Governorate, Master thesis, Faculty of Nursing, Benha University.
- Saffrey, M. (2004):** Aging of the enteric nervous system. Mechanism of Ageing and Development, 125, 899-906.
- Salles, N. (2007):** Basic mechanisms of the aging gastrointestinal tract. Digestive Diseases, 25, 112-117.
- Sandra, A & Wendy, S. (2006):** Healthy living" Essential concepts" 4<sup>th</sup> ed, Jones and Bartlett publishers Sudbury. London co.P-429. Available at [http://WWW. Jbpub.com](http://WWW.Jbpub.com).



- Schmidt, R., Jones, U., and Oleson, K., (2008):** Sacral nerve stimulation for treatment of refractory urinary incontinence , *Jurol.* 162: 352-357 .
- Schneider, D & Hofmann, T. (2008):** Urinary incontinence in elderly people, *British Medical Journal* Vol (7) N (5).
- Schnelle, J. (2009):** Treatment of urinary incontinence in nursing home patients by promoted voiding . *JAM Geriatricsoc* , 38.356-360.
- Shepherd, A. (2004):** An overview of urinary incontinence. *Alternative therapies* 10(2), 26-33.
- Siegel, S., Catanzaro, F., and Dijkema, H., (2006):** Long-term results of a multi center study on sacral nerve stimulation for treatment of urinary urge incontinence, urgency- frequency and retention urology; 56: 87-91.
- Skipper, A. (2004):** Dietician's hand book of enteral and parenteral nutrition. Rock Ville, MD: Aspen.
- Smeltzer, s & Bare, B.(2004):** Brunner and suddarh's text book of medical nursing , 10<sup>th</sup> ed, London: lippincott Co ., P. 1089.
- Soliman, M. (2004):** Assessment of functional health status of the socially in active elderly in Helwan district, Master thesis, Faculty of Nursing, Cairo University.
- Soliman, N & Radwan, S. (2008):** Care of urinary incontinence in elderly at home versus geriatric home. *The New Egyptian Medical Journal.* Vol. (12) No. (69) :pp 5-7.



- Stuenkel, C & Faye, E. (2003):** Normal and not normal changes among older adults. *Generations*, 27(1), 8-14.
- Swithinbank, L., Donovan, J., and Du Heaume, J., (2010):** Urinary symptoms and incontinence in women: relationship between occurrence, age and perceived impact, *Br J Gen Pract*; 49 PP. 897-900.
- Tabloski, P. (2007):** *Gerontological Nursing*, 4<sup>th</sup> ed. Lippincott, Williams & Wilkins co., New York, PP. 165-170.
- Taminiau-Bloem, F., Visser, R., Tisheman, C., and Sprangers, M., (2010):** Somatically ill person's self-nominated quality of life domains: review of the literature and guidelines for further studies. Access at Springer link.com
- Tellier, R. (2007):** Review on preventive strategies. *Dis: 12*. P.657-1651. Available at <http://WWW.med.scape.Com> /Accessed in February 16/2007.
- Tinetti, M. (2006):** Performance. Oriented assessment of mobility problems in elderly patients. *JAM Geriat. soc*; 34:119-126.
- Tomaka, J. (2006):** The relation of social isolation, loneliness and social support to disease outcomes among the elderly. *Journal of Aging and Health* , 18(3), 359-384.
- Tortora, G & Derrickson, B. (2006):** principles of anatomy and physiology, 11<sup>th</sup> ed, Hoboken, NJ: John Wiley and sons.
- United State Preventive Services, Task Force, (2005):** The guide to clinical preventive services . available at [http://www.ahrq.gov/clinic/pocket\\_guide.htm](http://www.ahrq.gov/clinic/pocket_guide.htm) .



**United States, (2005)** : Statistical abstract of the United States .available at <http://www.Census.gov/prod/2004pubs/04statab> .

**Vernice, L. (2003):** Diagnosis and treatment of urinary incontinence *Jurol* 2003; 138 :513-516.

**Wagner, T & Bentkover, D. (2004):** A review of the role of primary care in the diagnosis and management of stress urinary incontinence . *Health serv J*; 11437.

**Wein, K & Rovner, C. (2003):** Urinary incontinence. In Stone J.T., Salisbury S.A., eds. *Clinical Gerontological Nursing* Baltimore Williams & Wilkins. P.P:567-569.

**Wein, K & Rovner, C. (2004):** Assessment and treatment of urinary incontinence. *Lancet*; 355:2153-2158.

**Weinstein, B&Ventry, I. (2003):** Hearing impairment and social isolation in the elderly. *Journal of speech and Hearing Research* , 25, 593- 599.

**Williams, A. (2005):** Urinary incontinence: Women not reported, why (*Urology* 2005; 495A): p.p 100-104.