

LITERATURE CITED

LITERATURE CITED

Abdalla ,K. M., A.M. Mohsen, K. A. Redda and

R. B. Ahmed . (1981)

Morphological responses to salinity in (Ficus Carica)

Trans Plants. Zagazig , j. Agric . Res .

8 (1) (21-38) 1981.

Abd-EL-Aziz, A.Z.; E.Y. Youssef; M.A.Khamis; M.M.Sharaf,

and M.A.EL-Ashram (1985).

Effect of salinity , sodium adsorption ratio and chloride levels on vegetative growth and leaf mineral composition in some citrus stock seedlings.

Effect on vegetative growth.

Annals of Agric. Sci. Moshtohor, Vol. (23)

_____ ; M.A. Khamis; M.A.EL-Ashram; and S.A. Shazly , (1985).

Effect of increasing salt concentration on leaf mineral composition of Guava and Olive seedlings.

Annals of Agric. Sci. Moshtohor, Vol. (23).

Abd-EL-Messih, M .W .; Rokba , A.M. ; EL - Shourbagy , M. A. and

EL-Nokrashy , M.A. (1979) .

Effect of different salinity levels on leaf mineral composition of some citrus stock seedlings.

Egyptian journal of Horticulture (1979) 6 (1) 81-89.

Alexandre , D. MCE. and R.C. Woodham (1969).

Relative tolerance of rooted cutting of four Vinifera varieties to sodium chloride .

Aust.j.Agric. Anium.Husb., 1968;8:461-5

(bibl.8) (Hort.Abst.39 :2354).

Ayers , A.D. (1950).

Salt tolerance of avocado trees grown in culture solutions .Yearb. Calif. Avocado Soc. pp. 139-40
(Hort. Abst. , 22:856).

_____ ;Aldrich , D.G. and Coony , J.J. (1951).

Effect of increasing salt concentratin on leaf burn of avocado. Calif . Agric , 5: 12: 7.,
(Hort. Abst., 22: 2926).

_____ ; _____ and _____ (1951) .

Sodium and chioride injury of Fuerte avocado leaves
Yearb. Callif . avocado Soc . pp. 174-8,
(Hort Abst., 22 : 4223).

Ayob , A. T. and F.A. Minessy (1974):Studies on salt tolerance
of March seedless grapefruit and Bearss lime . Sudan
Agric. J. , 9: 53 - 57 .

Bagdasarashvili , Z .G., (1952) : In regard to salt resistance
of grape vine . Pochvovederie , 6: 551 - 561 .
(Bot.Rev., 24: 584 - 635) .

Barakat , M.R. ; Salem, A.T. and El-Khoreiby, A.A. (1982).

The response of Guava and Olive seedlings to different
types of sodium salt treatments. Zagazig.
Journal of Agricultural Research 9 (1).

Basslavskaya, S. and M.Syroeskina (1936) : Influence of the
chloride ion on the content of potato.
Plant physiol., 11 : 149 - 157.

Behairy ,Z.H. ;M.A.Khamis;A.Z. Abd-EL-Aziz and M.M.Ibrahim.,

(1984) :Modification of salt tolerance in relation to some fruit seedlings by foliar applications with elements and growth substances.

I- Effect of salinity on growth of American and European grape seedlings.-3rd.-Arabic congress for Horticulture 7 - 10 October,(1984)

_____ M.M.Sharaf, and M.A.Khamis, (1985).

Micro nutrients influence on salt tolerance of Guava and Olive seedlings .

Bernstein, A.D. Ayers and C.H.Wadleigh (1951): The salt tolerance of white rose potatoes.

Proc. Amer. Soc. Hort. Sci. 57 : 231 - 236.

_____ and pearson , G.A. , (1954) : Influence of integrated moisture stress achieved by varying the osmotic pressure of culture solutions on growth of tomato and pepper plants. Soil Sci. 77 , 355.

_____ ; J.W.Brown and H.E.Hayward (1956) : The influence of rootstock on growth and salt accumulation in stone fruit trees and almonds.

Proc. Amer. Soc. Hort. Sci. 68: 86 - 95.

Bernstein, L.(1964) :Effect of salinity on mineral composition and growth of plants . Plant analysis and fertilizer problems IV: 25-45

Bingham , F.T.; and Nelson , C . O . (1971).

The effect of sodium on mature avocado trees.
Avoc . Soc . Yrbk . 54 : 75 - 78. (C.F. Gazit and
Kadman 1976).

Bower , C. A. and C.H. Wadleigh (1949) : Growth and cationic
accumulation by four species of plants as influenced
by various levels of exchangeable sodium.
Soil Sci. Soc. Amer. Proc. 13 : 218 - 223.

Brown,J.W.;C.H.Wadleigh and H.E.Hayward (1953) : Foliar analysis
on stone fruit and almond tress on saline substrates.
Proc. Amer. Soc. Hort. Sci. 31:49 - 55.

Brown, J. D. and O. Lilleland (1946) : Rapid determination of
potassium and sodium in plant material and soil
extract by Flame photometry.
Proc. Amer. Soc. Hort. Sci. 37,813.

Brougham, R. W., (1960) : The relation between critical leaf
area, total chlorophyll and maximum growth rate of
some pastures and crop plants.
Ann. of Bot., 24 : 463 - 474.

Caro, M.; Fernandez, F. G.; Cardo , A. and Guiller , M.G. (1979):
The effects of sodium chloride in irrigation water
on the developement of citrus rootstocks . Revista de
Agroquimica J . Tecnologia de alimentos Biologia
Applicada del Segure , Murcia , Spain.
(Hort. Abst. 49(2) :1530).

- Carter , D. L. and Myers , V.G. (1963) : Light reflectance and chlorophyll and caroten contents of grapefruit leaves as affected by Na_2SO_4 , NaCl and CaCl_2 .
Proc. Amer. Soc. Hort. Sci. 1963 ,82 : 217 - 221.
- Cooil , B. J.; Rollo, K. de la Fuente and Ramon S.de la pena, (1964) : Absorption and transport of Na and K in Squash .
Plant Physiol. 40 : 625 - 632.
- Cooper , W. C., (1962): Toxicity and accumulation of salts in citrus trees on various rootstocks in Texas.
(Hort. Abst., 32,7230).
- _____, B.S. Gorton and E. O. Obson , (1952) : Ionic accumulation in citrus, as influenced by rootstock and scion and concentration of salt and boron in the substrate. Plant physiol ., 27:191 - 203.
- Daito ,H.,(1967): Fundamental investigation on the salt injury to citrus tress. Hort. Abs., 38:1874.
- Downton , W.J.S. (1978).
Growth and flowering in salt stressed avocado trees.
Australian journal of Agricultural
Research 29 (3) 523 - 534 (en. 12 ref.).
- Eaton , F.M.,(1942): Toxicity and accumulation of chloride and sulphate salt in plants.
Jour. Agr. Res., 64 : 357 - 399.

EL-Ashram, M.A.; M.M. Sharaf; E.Y. Youssef; A.Z. Abd-EL-Aziz and M.A. Khamis (1985)

I- Effect of salinity, sodium adsorption ratio and chloride levels on vegetative growth and leaf mineral composition in some citrus stock seedlings. Annals of Agric. Sci.; Moshtohor, Vol (23).

EL-Azab, E. M. and Minessy, F. A. (1975)

II- Effect of salinity on seedless and Roumi Red grape vines in calcareous soils. Alex. J. Agric. Res. 23 (2) : 265 - 74.

_____ : Nasr, T.A. and Barakat, M.A. (1973).

- Effect of salinity on growth and mineral content of pecan grown in calcareous soils. Alex. J. Agric. Res. 21 (2) : 303 - 8 .

EL-Deen, S.A.; Wassif, M.M. and Fadl, M.S., (1979)

Effect of salinity on Olive seedling growth. Agricultural research review, Vol. 57, No. 3, pp. 259 - 268. (1979).

EL-Gabry, M.M., (1958) : Specific effects on absorbed ions of calcium, magnesium and sodium of barley seedlings. Soil Sci. , 85, No. 3: 161 - 166.

EL-Gizawy., (1973): Genetical and physiological studies on the nature of salt tolerance in some straw berry cultivars. M.Sc. Ain Shams Univ. Egypt.

EL-Hawary, A. H. (1987): studies on propagation of grape rootstocks and their tolerance to salinity. ph. D. Thesis, Cairo Univ.

EL-Kholi, A.F.; Barakat, M.R.; Badawi, A.M. and Ragab, M.A. (1979)

Effect of various chloride salts on growth and mineral content of valencia orange, Res.

Bull 1106 Fac. Agric. Ain Shams Univ.

EL-Lakany, M.H.H., (1966): study on the salt tolerance of some timber trees species.

M.Sc. Thesis, Coll. Agric. Alex. Unive. Egypt.

Fadel, M.S., Seif A. Sari EL-Deen, (1979): Effect of N -Benzyl adenine on photosynthetic pigments and total soluble sugars of olive seedling grown under saline condition. Egyptian Journal of Horticulture, 6, No. 2, pp. 169 - 183. (1979).

Faruque, A. H. (1968).

The effect of salinity on phytotoxicity and ion uptake of pecan seedlings. Diss. Abst. Sect. B.

29 : 432 (Hort. Abst. , 39 : 4465).

Fenn. L.B; Bingham, F. T. and Oertli, J.J. (1968).

On the mechanism of chloride toxicity. Yearb.

Calif Avoc. Soc. 52 . 113 - 16 (Hort. Abst.

39 : 7349).

Ferguson, W.S., (1966): Salt induced changes in the composition of lipid classes in barley roots. Can. Jour. Sci.

46 : 636 - 639.

Furr, J. R. and C. L. Ream, (1968): salinity effects on growth and salt uptake of seedlings of the date palm (Phoenix dactylifera L.).

Proc. Amer. Soc. Hort. Sci., 92: 268 - 273.

Gaser , A. S. (1986): Physiochemical studies on tolerance of avocado seedlings to salinity. M . Sc . Thesis. Cairo Univ .

Gauch, H. G. and C.H. Wadleigh , (1945): Effect of high concentration of sodium , calcium , chloride , and sulphate on ionic absorption by been plants. Soil Sci, 59: 140 - 153.

And Eaton, F.M., (1942):Effect of saline substrate of hourly levels of carbohy and inorganic constituents of barley plants. Plant physiol. 17, 387.

Gaur, Y.D., (1966):preliminary studies on the performance of grapevines in relation to saline water in arid zones. (Hort. Abst. 37: 6518).

Gazit, Sh. and Kadman, A. (1976).

Growing avocado in area of high salinity, P.58-60 in [Proceedings of the first international tropical fruit short course "The avocado".] Ed. by Sauls, J. W. Phillips, R.L. and Jackson, L.K., Univ. of Florida, Gainesville, Florida, pp. 129.

Gorton,B.S. and W.C. Cooper, (1954): Relation of calcium and potassium accumulation in citrus as influenced by rootstock and salinity of irrigation water. Proc. Amer. Soc. Hort. Sci. 63: 49 - 52.

Gosoko, V.V., (1969):the use of saline soils of the steppe region

of the crimea for vine cultivation.

(Hort. Abst. 39 : 6471).

Gustafson , C. D. (1976).

Avocado water relations.,P.47 - 53 In [Proceedings of the first international tropical fruit short course "The avocado"]. Ed. by saluls, J.W.; Phillips, R.L. and Jackson, L.K., Univ. of Florida, Gainesville, Florida , pp. 153 - 60 (Hort. Abst. 22 : 854).

Hass, A.R.C. (1950) Effect of sodium chloride on Mexican, Guatemalan and west Indian avocado seedlings. Yearb. Calif. avocado Soc. pp. 153 - 160 (Hort. Abst. 22 : 854).

_____ and J. N.Brusca, (1954):sodium effects in citrus seedlings. (Bot. Rev., 24 : 584 - 635).

Hassan,H.H.,(1974):physiological studies on salt tolerance of some vegetable crops.

Ph.D. Thesis in Hort. Faculty of Agriculture.,

Ain Shams Univ. Cairo, Egypt. (1974).

Harward,M.E.; Jackson,W.A.; Piland,J.R. and Mason,D.D.,(1956):

The relationship of chloride and sulphate ions to from of nitrogen in the nutrition of I rish potatoes. Soil, Sci. Soc. Amer. Proc. 20,23).

Hayward, H.E., and E.M. Long, (1942): Vegetative responses of the Elberta peach on Lovell and Shalil rootstocks to high chloride and sulphate solution.

Proc. Amer. Soc. Hort. Sci, 49: 149 - 155.

Hayward, H.E., and E.M. Long, (1943): Some effects of sodium salts on the growth of tomato.

Plant physiol., 18: 556 - 569.

_____, and W. B. Spurr, (1943) : Effects of Osmotic concentration of substrate on the entry of water into corn roots. (Bot. Gaz., 105 - 164).

_____ and C.H. Wadleigh, (1949): Plant growth on saline and alkali soils. (Adv. Agron., 1: 1 - 38).

_____ ; W.A. Jackson; J.R. Riland and D.D. Kason, (1956):

The relationship of chloride and sulphate ions of nitrogen in the nutrition of Irish potatoes.

Proc. Soil Sci. Soc. Amer. 20: 251 - 256.

Hewitt, A.A.; D.R. Furr and J.B. Carpenter, (1964): Uptake and distribution of chloride in citrus cutting during a short term salt test.

Proc. Amer. Soc. Hort. Sci. 84: 165 - 169.

Higinbotham, N., Etherton B. and Foster, R.J. (1967).

Mineral ion contents and cell transmembrane electropotentials of pea and oat seedling tissue.

Plant physiol. 42 : 37 - 46.

- Jackson, M.L. (1958): Soil chemical analysis. Constable Ltd. Co., London, P. 498.
- Jindal, P.C.; Sengh, J.P. and Gupta, O.P., (1979): Effect of salinity on the mineral nutrients in mango seedlings. Indian Jour. of Agric. Sci. (1979) (49) (2) 105 - 109 (En, 15 ref.)
Haryana Agric. Univ. Hissar, Haryana, India, (Hort. Abst. 49: (11) : 9003).
- Jones, W.A.; H.E. Pearson; E.R. Parker, and M.R. Huberty, (1952): Effect of sodium in fertilizer and in irrigation water on concentration in leaf and root tissues of citrus trees. Proc. Amer. Soc. Hort. Sci., 60: 65 - 70.
- Kabeel, H.I. (1985): physiological studies on salt tolerance of some deciduous fruit species. M.Sc. Thesis, Faculty of Agric., Moshtohor, Zagazig Univ.
- Kanwar, J.S., and Bhambota, J.R., (1968): effect of different water tables and salinity levels on the chlorophyll content and chemical composition of leaves of sweet orange. Citrus Finensial, Indian J. Agric. Sci., 38, :238 - 243 (bible 8) (Hort. Abst., 40, :2090).
- Khalil, A. (1979): The action of NaCl on the growth and mineral composition of clementines in hydroponic culture. Fruits (1979) 34 (2) 116-122 (Fr, 22 ref.)
Institute National Agronomique, Algar, Algaria. (Hort. Abst. 50 (1) : 579).

Khamis, M.A., and Darwish, M.S., (1981): effect of some growth regulators, nutrients and chelating agents on growth and mineral composition in citrus biosalinity. Annals of Agric. Sci., Moshtohor Vol.(17).

_____; Behairy, Z.H.; M.M. Ibrahim, and A.Z. Abd EL Aziz, (1984): Modification of salt tolerance in relation to some fruit seedlings by foliar applications with elements and growth substances.

II. : Studies on the response of Guava and Olive seedlings to saline conditions. 3rd Arabic congress for Horticulture, 7-10 October, 1984.

Kim, Ch.M., (1958): Effect of saline and alkaline salts on the growth and internal components of selected vegetable plants. Plant. Physiol. 11, 441.

Kirienko, T.N. (1964): The influence of soil salinity on vine growth and development. Vinodeliei vinoya-dasstvo 23, 27 - 30. (Hort. Abst. 34 - 4451).

kovda, V.A.;, (1947): The origin and regimentation of saline soils 1 zatel stov Akad. Nauk S.S.S.R.

Moscow, U.S.S.R. 375 pp (1974). (Ann. rev.)

Plant physiol. (1956) 7, 401 - 436.

Krylatov, A.E., (1962): In the tolerance of vines. Vinodeliei. Vinogradasatvo, 22 : 31 - 36.

(Hort. Abst., 32 : 6271).

Martin, J.P. and Ervin, J.O. (1956). Effect of Degree of base saturation on tolerance of avocado seedlings to exchangeable. Na and K in the soil. Sci. 83 : 295 - 271.

_____; W.P. Bitters, and J.O. Ervin (1959):
Influence of exchangeable sodium and chemical composition of trifoliolate orange seedlings. Proc. Amer. Soc. Hort. Sci. 74:308-321.

Magistad, D.C.; A.D. Ayers; C.H. Wadleigh and H.C. Gauch, (1943):
Effects of salt concentration, kind of salt and climate on plant growth in sand culture.
Plant physiol. 18 :151 - 166.

Makhija, M.; Dhankhar, O.P.; Singhrot, R.S. (1980): Effect of soil salinity levels on growth and leaf mineral composition of guava (Psidium guava L.)
Haryana Journal of Hort. Sci. (1980) 9(1/2) 21-25
(En.hindi., 13 ref.) Haryana Agric. Univ.
Hissar, India. (Hort. Abst. 51(9):8164).

Mausi, M. and S. Mizuta, (1966): Studies on the absorption of nutrient elements by musk melons. VI. Growth injury injury to musk melons as related to the application of saline water and calcium.
(Hort. Abst. , 37: 2852).

Meiri, A. and A. Poljokoff-Myber, (1970): Effect of various salinity regimes on growth, leaf expansion and transpiration rate of bean plants. (Soil Sci., 109 : 26 - 34).

Mohamed, M.A., (1979): Effect of salinity on growth of some fruit species.

Ph.D. Thesis in Hort. Faculty of Agriculture,
Ain Shams Univ. (1979).

Murphy, J. and J.P. Riely, (1962): A modified single solution method for the determination of phosphate in natural water. Anal. Chem. Acta, 27 : 31 - 36.

Nasr, T.A.; El-Azab, E.M. and Hassan, E.M. (1974).

Effect of salinity and soil types on vegetative growth and leaf and root mineral contents in pecan. Alex. J. Res. 22 (3) 405 - 415.

_____ : EL-Azab, E.M. and EL-Shurafa, M.Y. (1977).

Effect of salinity and water table on growth and tolerance of plum and peach. Societia Hortic, 7 : 225 - 235.

Nazarov, K.K., (1979): Salinity resistance of quince seedlings. Referativnyi zhurnal (6) 55, 910.
(Hort. Abst. 48 (1) : 176).

Nieman, P.H., (1962): Some effects of sodium chloride on growth, photosynthesis and respiration of twelve crop plants. Bot. Gaz., 123 : 279 - 285.

_____ (1965): Expansion of bean and its suppression by salinity. Plant physiol. 40 : 156 - 161.

Nieman, P.H., and L.L. Foulson, (1971): plant growth suppression on saline media: interactions with light. Bot Gaz., (1971), 152: 14 - 19 (c.f. Hort. Abst., 1972, 42 : 1224).

Paliwal, K.V. and G.L. Maliwal, (1972): Effects of salts on the growth and chemical composition of Okra (*Abelmoschus esculentus*) and spong-gourd (*Luffa cylindrica*). *J. Hort. Sci.*; 47 : 517 - 524).

Pandey, R.M. and Divate, M.R. (1976).

Salt tolerance in grapes. I. Effect of sodium salt singly and combination on some of the morphological characters of grape varieties. *Indian journal of plant physiology*, 19 (2): 230-39.

Patel, P.M., (1973): Salinity and fertility interactions for different crops in relation to yield and chemical composition. *Diss. Abst. Int. B.34(1)*. 20. Ib order *Fertilizer Abst.* 6, (12): 2191.

Pearson, G.A. and J.A. Gross, (1953): Observation on the effects of salinity and water table on young grapefruit. *Hort. Abst.* 23 : 2164.

_____; J.A. Gross and H.E. Hayward (1957): the influence of salinity and water table on the growth and mineral composition of young grapefruit trees. *Proc. Amer. Soc. Hort. Sci.*, 69 : 197 - 203.

Petrosjan, G.P.; Saakyan, R.G., and Sakunta, L.E., (1979):

Pigment content in leaves and berries in relation to the amount of sodium absorbed by grapevines on ameliorated solonchak soil. (*Hort. Abst.*, 49 : 9319).

Petrosjan, G.P.; and Oganegsein, N.R., (1967):

(on some features of salt toxicity in perennial crops under conditions of sodium salinity). Trud Maucissled. Inst. Prcvoved. Agrohimi.
Ormyan. S. Su. R. 3 : 297 , (Hort. Abst. 39:443).

Peynado, A., and R.H. Young, (1964) : Toxicity of three salts to greenhouse grown grapefruit trees and their effects on ions accumulation and cold hardness.
J. Rio. Grade Valley. Hort. Soc. 17, 60.
Hort. Abst., 34 : 3595).

Piper, C.S. (1950).

Soil and plant analysis: Inter., Publ. Inc.
New York, pp. 368.

Pokreveskaya, E.L., (1954): Metabolism of plant on saline soils.
Autoreferat kandidatkoii dissaratsu Moskva (C.a. 1962).

_____, (1957): Some data on the oxidoreductive processes in halophytes in "Pamyati akad .N.A. Maksimova Izdatel. stvo. Akad. Nauk. S.S.S.R. (C.a. 1972).

Pregl, F., (1945): Quantitative organic micro-analysis 4th Ed. J. & A. Churchill, L. Td. London.

Puritch, G.S. and Barker, A.V., (1967): structure and function of tomato leaf chloroplasts during ammonium toxicity.
Plant physiol., 42 , 1229.

Reifenberg, A., and R. Rosovsky, (1947) Physiology of salt tolerance.
Ann. Rev. plant physiology, 9:25-116.

- Richards, L.A., (1954): Diagnosis and improvement of saline and alkaline soils.
U.S. Dept. Agric. Handbook, NO. 60 : 67 - 85.
- Robbins, W.R., (1937): Relation of nutrient salt concentration to growth of the tomato and to the incidence of blossom and rot of the fruit. Plant physiol. 12 : 21 - 50.
- Rokba, A.M.; M.N. Abdel-Messih and M.A. Mohamed (1978):
Breeding and screening some citrus rootstocks for salt tolerance in Egypt.
Egypt. J. Hort. , 6 , No. 1. pp. 69 - 79 (1979)
- Russell, R. S. (1961): Soil conditions and plant growth.
9th Ed. Longman, London, P. 603 - 13.
_____ (1982): Plant root systems. McGraw-Hill Book Co.
New York, P. 99.
- Saglio, P. (1969): Iron chlorosis in orange trees by irrigation with beackish water in the tunis region.
G.R. Acad. Agric. Fr. 55 : 741 - 50 (Hort.
Abst. , 40 : 9203).
- Salem, A.T. (1981): Effect of treatments by saline water on mineral content and growth of grape seedlings.
ph. D. thesis, Faculty of Agric. Cairo Univ.
- Sharaf, M.M.; A.Z. Abd-EL-Aziz, M.A. Khamis and S.A. EL-Shazly, (1985)
Effect of different salinity levels on leaf mineral composition of European and American grape plants.
Annals of Agric. Dic.; Moshtohor Vol. (23).

Sharaf, M.M.; M.A. Khamis, and Z.H. Behairy, (1985): Salt tolerance in guava and olive seedlings as affected by some macro-elements.

Annals of Agric. Sci., Moshtohor, Vol. (23).

Snedecor, G.W. and G.W. Cochran (1967): Statistical methods 6th Ed. Iowa state Univ. press . Iowa, U.S.A.

Stanimirovic, p. (1969): The use of foliar diagnosis for determining the nutrient requirements of vine . The original magazine . (Hort. Abst. 40 : 5915).

Sweidan, A.M.; Salem, A.T. and Gomaa, A.H. (1982 a).

Selection of almond and peach rootstocks high tolerant to salinity . Ministry of Agric. USAIDUCD, Agric. Develop. sys. Proj. Hort. Subproject, deciduous Trees Activity. Annual Scientific Report III.

; Salem, A.T. and stino , G.R. (1982 b).

Growth and mineral content of apricot seedlings as influences by various levels of sodium chloride. Res Buss. No. 544 Zagazig University . Faculty of Agriculture.

Taha, H.M., (1971): Evaluation of some tomato varieties of salt tolerance ., M.Sc. Thesis, Ain Shams Univ. Cairo, Egypt.

Taher, H.M.M., (1983): Effect of salinity on growth and leaf mineral composition of some citrus rootstock seedlings M.Thesis in Horticulture, Faculty of Agriculture, AL-Azhar University , (1983).

Tursunov, T.T., (1972): Changes in morphological and biological characteristics of vines on saline soils and means of increasing their yields.

(Hort. Abst., 42:3445).

Wadleigh, C.H.; H.E. Hayward and A.D. Ayers, (1951): First year growth of stone fruit trees on saline substrate.

Proc. Amer. Soc. Hort. Sci., 57: 31 - 36.

Walker, R.R.; Kriedemann, P.E. and Maggs, D.H., (1979):

Growth, leaf physiology and fruit development in salt stressed guavas.

Australian journal of Agricultural Research

(1979) 30 (3) 477-488 (En. 17, ref.) Cairo.

Merbein. (Hort. Abst., 50 (1) : 610).

Wallace, A.; A.M. Abou-Zamzam and J.W. Cha., (1973): Effect of calcium on transport of cations to the xylem exudate of tobacco Plant soil, 38 (1) : 41 - 48.

Wilcox, L.V. and others (AC&EN Staff), (1951): Symposium on water for irrigation use. Chemical and Engineering News, 29(11) : 990-993.

Zhukovskaya, N.V., (1973): Absorption and accumulation of phosphate by plants under conditions of soil salinization. Sov. plant physiol. 20(1) : 55-61).

* * * * *