

## References

- **Adrian Drake Lee (1997):** Physiology of the nose and paranasal sinuses. In: Scott Brown's Otolaryngology (Kerr, A, Gleeson, M.eds) 6<sup>th</sup> edition, Vol. 1, chapter 6, pp 1/6/1-1/6/21. Butterworth London, Boston, Durban Singapore, Sydney Toronto, Wellington.
- **Aimino G , Davi G and Santella M (1998):** Principles radiofrequency in oculoplastics. Oculoplastic surgery with radiofrequency. 1<sup>st</sup> edition, fullimage , Milano, Italy 13-27.
- **Angaard A (1974):** The effect of parasympathetic nerve stimulation on the microcirculation and secretion on the nasal mucosa of the cat. Acta Otolaryngologica, 78:98-105.
- **Babatola F and Eccles R (1986):** Nasal vasomotor responses in man in breath holding and hyperventilation recorded by means of intranasal balloons. Rhinology, 24:271-276.
- **Back LJ, Hytonen ML, Malmberg HO and Ylikoski JS(2004):** Submucosal bipolar radiofrequency thermal ablation of inferior turbinates: A long-term follow-up with subjective and objective assessment. *Laryngoscope*. 2002; 112(10):1806-1812. National Institute for Clinical Excellence (NICE). *Radiofrequency volumetric tissue reduction for turbinate hypertrophy. Interventional Procedure Guidance 36*. London, UK: NICE; 2004.
- **Bachmann, W. (1976):** The present state of rhinomanometry. Rhinology; 14: 5-9.
- **Baker DC (1980):** Physiology. Aesthetic plastic surgery, WB Saunders, Philadelphia: 87-95.
- **Bergler WF , Sadick H ,Hammerschmitt N , Oulmi J , Hormann K (2001):** Long term results of inferior turbinate reduction with argon plasma coagulation . *Laryngoscope*, 111(9): p 1593 -8.

- **Bhattacharyya N and Kepnes LJ:** Clinical effectiveness of coblation inferior turbinate reduction. *Otolaryngol Head Neck Surg.* 2003; 129(4):365-371.
- **Bianchi D (2001):** Fundamentals of high frequency electrosurgery (radiofrequency surgery). Monography of the second world congress of otorhinolaryngology, allergy, endoscopy and laser surgery, Athens, June 20-23, Greece. P.251-258.
- **Brain DJ (1989):** Anatomy, physiology and ultrastructure of the nose.p. 20-41. Rhinitis:William Clowes, Beccles, Suffolk printers.
- **Bridger G.P (1970):** Physiology of the nasal valve. *Arch Otolaryngol*, 92:543-553.
- **Bridger G.P and Proctor DF (1970):** Maximum nasal inspiratory flow and nasal resistance. *Annals Otorhinolaryngology*, 79:481-488.
- **Broms, P., Jonson, B. and Lamm, C. (1982):** Rhinomanometry II. A system for numerical description of nasal airway resistance. *Acta Otolaryngol (Stockholm)*; 94: 157.
- **Bruno E, D erme G ,Roselli F(2003):** Hypertrophy of the inferior turbinates: radiofrequency surgery. *Ann Otorhinolaryngol Ibero Am* 30; (5): 439-446.
- **Buscarini L, Buscarini E, Di Stasi M, Vallisa D, Quaretti P and Rocca A (2001):** Percutaneous radiofrequency ablation of small hepatocellular carcinoma: long-term results . *Eur Radiol*; 11(6):p914-21.
- **Cakmak O, and others (1988):** Value of acoustic rhinometry in measuring the nasal valve area. *Laryngoscope*, 113: 413.

- **Calhoun KH and Rotzler WH (1990):** Surgical anatomy of the lateral nasal wall. Otolaryngologic, Head Neck Surg, 102:156-160.
- **Canter RJ (1986):** A non-invasive method of demonstrating the nasal cycle using flexible liquid crystal thermography. Clin Otolaryngol, 11:329-336.
- **Cavaliere M, Mottola G and lemma M(2005):** Comparison of the effectiveness and safety of radiofrequency turbinoplasty and traditional surgical technique in treatment of inferior turbinate hypertrophy. Otolaryngol Head Neck Surg. 2005; 133(6):972-978.
- **Chang , C.W.David : Ries W. and Russel (2004) :** Surgical treatment in the inferior turbinates , new techniques . Current opinion in Otolaryngol Head Neck Surg : 12 (1) Feb P 53 – 57 .
- **Clement, P. (1984):** Committee report on standardization of rhinomanometry, Rhinology; 22: 151-155.
- **Cole P , Ayimanimitis A and Ohki M (1989):** anterior and posterior rhinomanometry . rhinology, 27(4): 257-262.
- **Cole P(1989): Rhinomanometry :** Practise and trends. Laryngoscope,99:311-315.
- **Cole P and Roithmann R, (1996):** The nasal valve and current technology. Am J Rhinol; 10: 23-28.
- **Collof MJ, Ayres J, et al (1992):** The control of allergens of dust mits and domestic pets: a position paper. Clinical and Experimintal Allergy, 22 (suppl 2) 1-28.

- **Combe AW ,Cook J and Jones AS (1992):** A comparison of laser cautery and submucosal diathermy for rhinitis. Clin Otolaryngol; 17: 297-299.
- **Corey, J.P.; Nalbone, V.P. and No, B.A. (1999):** Anatomic correlates of acoustic rhinometry as measured by rigid nasal endoscopy. Otolaryngol Head Neck Surg: 121:572-576.
- **Coste A, Yona L and Blumen M (2001):** Radiofrequency is a safe and effective treatment of turbinate hypertrophy. Hospital Henri Mondol Faculte De Medicien De Creteil, France. Laryngoscope, 111(5): p 894-9.
- **Courtiss EH and Goldwyn RM (1983):** The effect of nasal surgery on airflow. Plastic nd reconstructive surgery, 72:9-19.
- **Courtiss EH, Goldwyn RM and O'Brien JJ (1978):** Resection of obstructing inferior turbinates. Plastic Reconstructive Surgery, 62:249-257.
- **Dallimore N and Eccles R (1977):** Changes in human nasal resistance associated with exercise, hyperventilation and rebreathing: Acta Otolaryngologica, 84:416-421.
- **Davies DV(1967):** Embryology.In: Gray's anatomy (Davies DV and Coupland RF . Eds)34<sup>th</sup> edition Longman,Green and Co. Ltd London.
- **Dawes PJD (1987):** The early complications of inferior turbinectomy. Journal laryngology and otology 101:1136-1139.

- **Dequesne JH, Galliant A, Garza-leal JG, Sutton CJ, van der pas HF, Wamsteker K and Chandler JG (1997):** Thermoregulated radiofrequency endometrial ablation. *Int J Fertil Womens Med*; 42(5):p311-8.
- **Doeuk, E. (1979):** Physiology of the nose and paranasal sinuses. In *Scott-Brown's Otolaryngology*, 4<sup>th</sup> edition, Basic Sciences, edited by Ballentyne, J. and Groves, J., Butterworths, London. P. 157-204.
- **Drake Lee A (1997):** The physiology of the nose and paranasal sinuses. *Scott Brown Otolaryngology*, 7<sup>th</sup> edition. Kerr G Aln (edition). Vol. 1-6.
- **Eccles, R.(1982):** Neurological and pharmacological consideration. In: *The nose upper airway physiology and the atmospheric environment*. Proctor IF, Anderson I ,editors. Amesterdam Elsevier Biomedical press, 191-214.
- **Eccles, R.(1990):** Other techniques for assessing nasal function. *Facial Plastic Surg*; 7:260-265.
- **Eccles, R. (1997):** Evaluation of the nasal challenge. In: *Scott-Brown's Otolaryngology*, 6<sup>th</sup> edition, edited by Mackay I., Butterworth-Heinemann International edition. P. 4/4/1- 12.
- **Eccles R and Jones AS(1983):** The effect of menthol on nasal resistance to airflow. *Journal laryngology and otology*,97:705-709.
- **Eccles, R., Jawad, M. and Morris, S. (1990):** The effects of oral administration of menthol on nasal resistance to airflow and nasal sensation of airflow in subjects suffering from nasal congestion associated with the common cold. *J. of Pharmacy and Pharmacology*; 42: 652-654.

- **Elbrand O, Hiberger O and Felding JU (1991):** Acoustic rhinometry: A new method to evaluate the geometry of the nasal cavity and the epipharynx . Am J Rhinol 5:7-11
- **El-Fouly S, Gemaie R and Helal T (2001):** Inferior nasal turbinectomy; laser versus radiofrequency management. Master thesis, Cairo University.
- **Elwany S , Kamal T and Mekhamer A(1986):**Pneumatic nasal catheters: Advantages and drawbacks. J Laryngol Otol 100: 644-647.
- **Elwany S and Harrison R (1990):** Inferior turbinectomy comparison of four techniques. Journal laryngology and otology 104.206-209.
- **Elwany S, Gemaie R and Abdel Fattah H (1999):** Radiofrequency bipolar submucosal diathermy of the inferior turbinates. Am J Rhinol, 13(2): 145-149.
- **Fateen M (1976):** Concho-antropexy in vasomotor rhinitis and chronic nasal obstruction. International Rhinology , 1:20-24, 1967. Quoted after Salam MA, Wengraf C , J Laryngol Otol 107: 1125-1128, 1993.
- **Ferri E, Armato E and Caralari S (2003):** Argon plasma surgery for treatment of inferior turbinate hypertrophy. A long term follows up in 157 patients. Department of otorhinilaryngology hospital of Dolo, Venice, Italy. OR Otorhinolaryngology Relat Spec; 65(4):206-10.
- **Fisher, EW, Scadding GK and Lund, V.J. (1993):** The role of acoustic rhinometry in studying the nasal cycle. Rhinology 31:57.

- **Fisher, E.W.; Daly, N.J.; Morris, D.P. and Lund, V.J. (1994):** Experimental studies of the resolution of acoustic rhinometry in vivo. *Acta Otolaryngol (Stockh)*:114:647-650.
- **Fischer Y, Gosepath J, Amedee RG, et al:** Radiofrequency volumetric tissue reduction (RFVTR) of inferior turbinates: A new method in the treatment of chronic nasal obstruction. *Am J Rhinol.* 2000; 14(6):355-360.
- **Fisher Y, Gosepath J, Amedree RG and Mann WJ (2000):** Radiofrequency volumetric tissue reduction of inferior turbinates: a new method in the treatment of chronic nasal obstruction. *Am J Rhinol* 14(6):355-360.
- **Friedman M, Tanyeri H, Lim J, Landsberg R and Caldarelli D (1999):** A safe alternative technique for inferior turbinate reduction *Laryngoscope* 109(11):1834-1837.
- **Friedman M, Ibrahim H, Syed Z (2003):** Nasal valve suspension: an improved, simplified technique for nasal valve collapse. *Laryngoscope* Feb ; 113(2):p381-5
- **Friedman M, Tanyeri H , Lim J , et al:** A safe alternative technique for inferior turbinate reduction. *Laryngoscope* 1999, 109:1834-7.
- **Goldsher M, Joachimes HZ and Krepsi YP (1995):** ND: YAG laser turbinate surgery, animal experimental study; preliminary report. *Laryngoscope* 105:319-321.
- **Goode RL. (1997):** Diagnosis and treatment of turbinate dysfunction, a self instructional package. *American Academy of Otolaryngology, Washington D.C.*P.16-52.

- **Gordon A, Mcaffry T and Kern E (1989):** Rhinomanometry for pre-operative and postoperative assessment of nasal obstruction. *Otolaryngology head and neck surgery*, 101 (1):20-26.
- **Graney D.O and Baker SR (1992):** Anatomy of the nose. In: *Otolaryngology, Head and Neck Surgery* (Cummings CW, Fredrickson JM, Harker LA, Krause GJ and Schuller DE,Eds), second edition Vol.1. Chapter 35, pp.627-639. Mosby year Book: St Louis, Baltimore, Boston, Chicago, London, Philadelphia, Sydney, Toronto.
- **GravesJ, Gray RF, Downtown D, and Blau JN (1985):** Anatomy of the nose. In: *A Synopsis of otolaryngology* (Groves, J.; Gray R. Doumton D, Blau J eds.) 4<sup>th</sup> edition, chapter 30, p. 150-160. Bristol, John Wright and Sons printing.
- **Grymer L F, Hilberg O, Elbrond O, and Pedersen OF.(1989):** Acoustic rhinometry : Evaluation of the nasal cavity with septal deviation before and after septoplasty. *Laryngoscope*; 99; 1180-1187.
- **Gupta A; Mercurio E and Bielamowicz S (2001) :** Endoscopic inferior turbinate reduction : An outcome analysis. *Laryngoscope*; 111(11 Pt 1): p1957-9.
- **Haight J and Cole P (1983):** The site functions of the nasal valve *Laryngoscope*, 93:29-55.
- **Hamilton, J w and others (1995):** The accuracy of acoustic rhinometry using a pulse train signal, *Clin Otolaryngol*, 20:270



- **Hamilton JW, Mc Rae RD, Phillips DE and Jones AS (1995):** The accuracy of acoustic rhinometry using a pulse train signal. Clin Otolaryngol ; 20:279-282.
- **Hasegawa M (1982):** Nasal cycle and postural variations in nasal resistance. Annals Oto Rhino Laryngol; 91:112-114.
- **Heinberg CE and Kern EB (1973):** The cottle sign: An aid in the physical diagnosis of nasal airflow disturbances. Rhinology, 11:89-96.
- **Hey, E. and Price, J. (1982):** Nasal conductance and effective airway diameter. Journal of physiology; 330: 429-437.
- **Hilberg, O.; Jackson, A.C. and Swi, T. (1989):** Acoustic rhinometry. Evaluation of nasal cavity geometry in acoustic reflection. J Appl Physiol: 66:295-303.
- **Hiberg O, Grymer LF, Elba nd O (1990):** Turbinate hypertrophy: Evaluation of nasal cavity by acoustic rhinometry. Arch. Otolaryngol Head Nech Surg, 116:283-289.
- **Hinderer KH (1963):** Diagnosis of anatomic obstruction of airway. Arch Otolaryngol, 78:660-662.
- **House HP (1951):** Submucous resection of the inferior turbinate bone. Laryngoscope, 61:637-648.

- **Issa M and Osterling J (1996):** Transurethral needle ablation (TUNA): an overview of radiofrequency thermal therapy for treatment of benign prostatic hyperplasia. *Urology*, 6:20-27.
- **Jackmann WM, Wang XZ and Frinday KJ(1991):** Catheter ablation of accessory atrioventricular pathways by radiofrequency current. *N England J Med*; 324:1605-1611.
- **Jan I and Kasperbauer B (1987):** Nasal valve anatomy and physiology. *Otolaryngol Clinic N Am*; 20:4-9.
- **Jino LR, Hansen PD, Harlik R and Habib N (1999):** Clinical short term results of radiofrequency ablation in primary and secondary liver tumor. *Am J Surg*; 177:303-306.
- **Jones AS (1997):** Intrinsic rhinitis. *Scott Brown's otolaryngology* (Kerr A, Mackay S, Bull TR eds), 6<sup>th</sup> edition, Vol 4, Chapter 9, P. 4/9/1-4/9/17. Butterworth, London, Boston, Durban, Singapore, Sydney, Toronto, Wellington.
- **Jones AS ; Lancer JM (1987):** Does submucosal diathermy to the inferior turbinates reduce nasal resistance to airflow in the long term? *J Laryngol Otol* ; 101 (5): p 448- 51.
- **Juto JE and Lundberg C (1982):** An optical method for determining changes in mucosal changes in the nose in man. *Acta Otolaryngol (Scotch)*, 94:149-156.
- **Kasperbauer J.I and Kern B (1987):** Nasal valve physiology. *Otolaryngol Clinic of North America* 20:699-719.

- **Kern, E. (1973):** Rhinomanometry. *Otolaryngologic Clinics of North America*; 6 (3): 863-870.
- **Kern, E. (1979):** Rhinomanometry. *Otolaryngology*; 2: 1-8. Quoted after Philips, P., McCaffery, T. and Kern, E. (1991): Physiology of the human nose. In: Surgery of the paranasal sinuses, 2<sup>nd</sup> edition, edited by Blitzer A., W.B. Sanders Company. P. 25-40.
- **Kezirian EJ, Powell NB, Riley RW and Hester JE:** Incidence of complications in radiofrequency treatment of the upper airway. *Laryngoscope*. Jul 2005; 115(7):1298-304.
- **Kimmelman C(1989) :** The problem of nasal obstruction the *Otolaryngol Clinic N Am* ; 22(2): 253-264.
- **King and Marby L (1993):** A practical guide to the management of nasal and sinus disorders. Anatomy and physiology. Thieme medical publishers, Inc, New York: 8-20.
- **Kizilkaya Z, Ceylan K, Emir H, et al (2008).** Comparison of radiofrequency tissue volume reduction and submucosal resection with microdebrider in inferior turbinate hypertrophy. *Otolaryngol Head Neck Surg* 2008;138:176-81
- **Konno A (1982):** Participation of vascular reflex in mucosal swelling in nasal allergy. *Acta Otolaryngol. (Scotch)*, 94:131-140.
- **Krajna Z and Krimpoti C.J (1975):** Histology of the mucous membranes of the lateral nasal wall. *Rhinology* , 3:121.

- **Lavergne T, Sebag C, Ollitrault J, Chourai S, Copie X, Le Heuzey JY and Guize L(1996):** Radiofrequency ablation: Physical bases and principles. Arch Mal Coeur Vaiss; 89 Spec 1:57-63.
- **Lenders, H, and Pirsig, W. (1990):** Diagnostic value of acoustic rhinometry: patients with allergic and vasomotor rhinitis compared with normal controls. Rhinology: 28:5-16.
- **Lenders, H, Schaefer J and Pirsig, W. (1991):** Turbinate hypertrophy in habitual snorers and patients with obstructive sleep apnea: findings of acoustic rhinometry, Laryngoscope 101; 614.
- **Lender H, Scholl R and Brunner M (1992):** Acoustic rhinometry: The principals in the nose. HNO (Hlas,Nasen and Ohren Klinik ), 40:239-274, 1992. Quoted after Otolaryngology Head and Neck Surgery, 3<sup>rd</sup> edition, 42:799-832.
- **Lenz H, Eichler J and Salk J (1977):** Parameters for argon Laser surgery of the lower human turbinate: In vitro experiments. Acta Otolaryngol (Scotch), 83:360-365.
- **Li KK, Powel NB and Troel RG (1998):** Radiofrequency volumetric tissue reduction for treatment of turbinate hypertrophy: A pilot study. Otolaryngol Head Neck Surg, 119(6): 569-573.
- **Little SW (1998):** Management of enlarged turbinates. Virginia M, Month 90: 484,1963.Quoted after otolaryngology Head and Neck surgery 3<sup>rd</sup> edition ,42:799-832.

- **Lopez MJ, Faton GS and Thabic G (1998):** The effect of radiofrequency energy on the ultrastructure of joint capsular collagen. *Arthroscopy*; 14:495-501.
- **Lund V (1989):** objective assessment of nasal obstruction. *Otolaryngologic clinics of North America*, 22(2):279-290.
- **Mabry RL (1979):** Intranasal corticosteroid injection: Indications, technique and complications. *Otolaryngol Head Neck Surg*; 87:207-211.
- **Mabry RL (1984):** Surgery of the inferior turbinate: How much and when? *Otolaryngology Head Neck Surg*; 92: 571-576.
- **Malekzadeh S, Mc Guire JF (2003):** The new histologic classification of chronic rhinosinusitis . *Curr Allergy Asthma Rep* ; 3(3): p221-6.
- **Maran A and Lund V (1990):** A basic science investigation test. *Clinical Rhinology*, Maran A and Lund V (editors), Goerge Thiemes (Stuttgart, New York): 51-58.
- **Maran AGD (1979):** The deviated nose and nasal airway. *J Royal Society Med*; 72: 848-855.
- **Maranta CA, Scherrer JL, Simmen D (1995):** The mask: Style and volume do not influence rhinomamometry. *Rhinology*, 33:84-85.
- **Martinez SA, Nissen AJ and Stock CR (1983):** Nasal turbinate resection for relief of nasal obstruction. *Laryngoscope*, 93:871-875.

- **Mattila VJ (1974):** Correlation of nasal symptoms and signs in random sampling study. Acta Otolaryngol (Supple), 318:1-48.
- **Miman MC, Deliktas H, Ozturan O, and Akarcay (2006):** Internal nasal valve: Revisited with objective facts. Otolaryngology Head Neck Surg 134, 41-47
- **Min YJ and Jung YJ (1995):** Measurements of cross-sectional area of the nasal cavity by acoustic rhinometry and CT scanning. Laryngoscope, 105:7557-759.
- **Moore GE, Freeman IJ, Orgen FP and Yanker AG (1989):** Extended follow up of total inferior turbinate resection for relief of chronic nasal obstruction. Laryngoscope, 95:1095-1099.
- **Morgan NJ, and others (1995):** Racial differences in nasal fossa dimensions determined by acoustic rhinometry, Rhinology 33:224.
- **Nelson LM (2000):** Radiofrequency treatment for obstructive tonsillar hypertrophy. Arch Otolaryngol Head Neck Surg; 126(6):p736-40.
- **Ninimaa V, Cole P, Mintz S and Shephard RJ (1979):** A head-out exercise body plethysmograph. J Appl Physio; 47(6):p1336-9.
- **Ophir D, Shapira A and Marshake G (1985):** Total inferior turbinectomy for nasal airway obstruction. Arch Otolaryngol, 111:93-95.

- **Oturai AB , Jensen K Eriksen J and Madsen F (1996):** Neurosurgery for trigeminal neuralgia: comparison of alcohol block, neurectomy, and radiofrequency coagulation. Clin J Pain; 12(4): p311-5.
- **Pallanch JF, Mc Caffery TV and Kern EM (1998):** Evaluation of nasal breathing function with objective airway testing. In Otolaryngology Head Neck surgery, 3<sup>rd</sup> edition, Charles Comming (editor), Mosby year Book; St.Lewis, 42:799-832.
- **Passali D , Passali FM and Damiani V (2003):** treatment of inferior turbinate hypertrophy a randomized clinical trial. Department of otorhinolaryngology, University of Siena, Medical School Siena, Italy. Ann OTOL Rhinol Laryngol; 112(8): 683-8.
- **Philips, P., McCaffery, T. and Kern, E. (1991):** Physiology of the human nose. In: Surgery of the paranasal sinuses, 2<sup>nd</sup> edition, edited by Blitzler, A., W.B. Saunders Company. P. 25-40.
- **Plate and Asboe (1981):** Visual loses after intranasal corticosteroids injection. Arch Otolaryngol , 107:484-486.
- **Pollok RA and Rohrich RJ (1984):** Inferior turbinate surgery: An adjunct to successful treatment of nasal obstruction. Plastic Reconstructive surgery, 74:227-234.
- **Porter MW, Hales NW, Nease CJ and Krempf GA(2006):** Long-term results of inferior turbinate hypertrophy with radiofrequency treatment: a new standard of care?. Laryngoscope. Apr 2006; 116(4):554-7.

- **Powel NB, Riley ,RW, Troell RJ , Li K, Blumen MB and Guilleminault C (1998):** Radiofrequency volumetric tissue reduction of the palate in subjects with sleep-disordered breathing. Chest; 113(5): p1163-74.
- **Powel NB, Riley ,RW and Troell RJ et al (1997):** radiofrequency volumetric tissue reduction of the tongue. Chest; 111:1348-55.
- **Powell NB, Rileg RW and Troell RJ (1998) :** Radiofrequency volumetric tissue reduction of the palate in subjects with sleep-disordered breathing . Chest, 113 (5): p1163-74.
- **Pricipato JJ (1979):** Chronic vasomotor rhinitis: Cryogenic and other surgical modes of treatment. Laryngoscope, 89:619-683.
- **Proctor F., ed. Anderson and Ib Harald Peder (1982):** Neurological and pharmacological considerations. The nose: upper airway physiology and the atmospheric environment. Proctor IF, Anderson I, editors. Amsterdam Elsevier Biomedical press, 191-214.
- **Proetz, A. (1953):** Respiratory air currents and their clinical aspects. Journal of Laryngology and Otology; 67: 1.
- **Ranjan, G., Gupta, R., and Jayman, R. (2009):** Endoscopic Septoplasty: A Novel Technique-A Case Series of 19 Cases. Clinical Rhinology; 2(3):11-13
- **Reinisch L (1996):** Laser physics and tissue interaction. Otolaryngol Clinic N Am, 29(6): 893-914.



- **Rhee CS, Kim DY, Won TB, Le HG, Park SW, Kwon TY, Lee CH and Min YG (2001):** Changes of nasal function after temperature controlled radiofrequency tissue volume reduction for the turbinate. *Laryngoscope*, 11(1): 153-158.
- **Salam MA and Wemgraph C (1993):** Concho-antropexy or total inferior turbinectomy for hypertrophy of the inferior turbinate? A prospective study *journal laryngology and otology*, 107:1125, 1128.
- **Saunders WH (1982):** Surgery of the inferior nasal turbinates. *Annal Otol Rhinolaryngol*, 91:445-447.
- **Seeger J, Zenev E and Gundlach P (2003):** Bipolar radiofrequency induced thermotherapy of turbinate hypertrophy: pilot study and 20 months follow up. *Laryngoscope*; 113(1): p 130-135.
- **Series F, Cormier V, Desmeules M and Forge L (1989):** Influence of respiratory drive on upper airway resistance in normal men. *J Appl Physiol*; 66:1242-1249.
- **Serway AR (1990):** Physics for scientist and engineers. In *electromagnetic waves*, 3<sup>rd</sup> edition published by Saunders Golden Sunburst Series, Ch. 34:955-975.
- **Shaida AM, Kenyon GS (2000):** The nasal valves: changes in anatomy and physiology in normal subjects. *Rhinology Mar*; 38(1): p7-12.
- **Sherer P, Hahn I, Mozell M (1989):** The biophysics of nasal airflow *Otolaryngol Clinic N Am*; 22(2):278.

- **Selkin SG (1985):** Laser turbinectomy as an adjuvant to rhinoseptoplasty Arch Otolaryngol, 111:446-449.
- **Sito A and Nishihata S (1981):** Nasal airway resistance in children. Rhinology, 49:149-154.
- **Smith TL, Correa AJ and Reinisch L(1999):** Radiofrequency tissue ablation of inferior turbinate using a thermocouple feedback electrode. Laryngoscope; 109:1760-1765.
- **Stammberger HR and Kennedy DW (1995):** Paranasal sinuses: anatomic terminology and nomenclature. The anatomic Terminology Group. Ann Otol Rhinol Laryngol Suppl; 167:7-16.
- **Sweet, Wepsic J (1974):** Controlled thermocoagulation of trigeminal ganglion and rootlets for differential destruction of pain fibers: Trigeminal Neurosurg ;3:143-56.
- **Taylor G, Macneil AR and Freed DL (1973):** Assessing degree of nasal patency by measuring peak expiratory flow rate throughout the nose. J allergy Clinic immunol; 52:103-108.
- **Ranjan, G., Gupta, R., and Jayman, R. (2009):** Endoscopic Septoplasty: A Novel Technique-A Case Series of 19 Cases. Clinical Rhinology; 2(3):11-13.
- **Richardson JR (1948):** Turbinate reduction in vasomotor rhinitis Laryngoscope, 58:834-847.

- **Tomkinson, A. and Eccles, R. (1995):** Errors arising in cross-sectional area estimation by acoustic rhinometry produced by breathing during measurement. , Rhinology 1995:33:138-140.
- **Tomkinson, A. and Eccles, R. (1998):** Acoustic rhinometry: an explanation of some common artifacts associated with nasal decongestion. Clin Otolaryngol 1998:23:20-26.
- **Troel RJ (2003):** Radiofrequency techniques in the treatment of sleep disordered breathing. Plastic surgery institute, 653 North Town Center Drive Suite 308, Las Vegas USA. Otolaryngol Clin North Am; 36(3):p 473-793.
- **Utley DS, Goode RL and Hakim I(1999):** Radiofrequency energy tissue ablation for treatment of nasal obstruction secondary to turbinate hypertrophy. Laryngoscope, 109:683-686.
- **Van Cauwenberge OB and Delaye L (1984):** Nasal cycle in children Arch Otolaryngol, 110: 108-110.
- **Watelet JB and Van Cauwenberge P (1999):** Applied anatomy and physiology of the nose and paranasal sinuses. Allergy (Denmark), 54, Suppl 57:14-25.
- **Williams HL (1970):** The clinical physiology of the nasal airway and adjoining air filled cavities. Annal Otorhinolaryngol, 79:513-520.

- **Williams HOL , Fischer EW and Goldingwood DG (1991):** Two stage turbinectomy : Sequestration of the inferior turbinate following submucosal diathermy. *J Laryngol Otol* 105:14-16.
- **Yildirim B, Uysal IO, Polat C, Gok C:** [The efficacy of radiofrequency ablation technique in patients with inferior turbinate hypertrophy]. *Kulak Burun Bogaz Ihtis Derg.* Mar-Apr 2008; 18(2):90-6.
- **Zeiger RS and Schatz M (1982):** Chronic rhinitis: A practical approach to diagnosis and treatment. *Immunology and allergy practice* 4, 26-36.